
# Assigned MPc1250Help INTRODUC https://eduassistpro.gTER.SCIENCE

Week 4-2: OOD5 thedu assist pro

Giulia Alberini, Fall 2020

# WHAT ARE WE GOING TO DO IN THIS VIDEO?



OOD5

Assignment Project Exam Help

The Object class

https://eduassistpro.github.io/



# THE Object CLASS

- Object is the only class in java without a superclass. All other classes have one and only one direct superclass. Assignment Project Exam Help
- In the absence of any oth subclass of Object.
   https://eduassistpro.github.io/


# METHODS FROM Object

Here are some of the methods from the Object class:

Assignment Project Exam Help

https://eduassistpro.github.io/

# HIERARCHY FOR OUR EXAMPLES



Assignment <u>Project</u> Exam Help

+https://eduassistpro.github.io/
+toString():Stri
Add WeChat edu\_assist\_pro
+ equals(o: Obj

# hashCode () - RETURN VALUE

• It returns a 32 bit integer associated to this object.

Assignment Project Exam Help

- "typically implemented al address of the object into an integer, but this i https://eduassistpro.githyhdorequired by the Java™ programming languageweChat edu\_assist\_pro
- Use of hashCode() method: Returns a hash value that is used to search object in a collection.

# hashCode () - REQUIREMENTS

"Whenever it is invoked on the same object more than once during an execution of a Java application, the hashCode method must consistently return the same integer."

https://eduassistpro.github.io/

If olequals (o2) is true thewech hat edu\_assist\_pro hashCode () should also be true.

Note that the converse does not need to hold!

https://docs.oracle.com/javase/8/docs/api/java/lang/Object.html#hashCode-

# **Object**

+ hashCode(): int

Assignment Project Exam Help +/toString(): String

+ equals(o: Obje https://eduassistpro.github.io/

Add WeChat edu\_assist\_pro

extends (automatic)

#### **String**

+ hashCode(): int

+ toString(): String

+ equals(s: Object): boolean

The class String overrides hashCode()

The method hashCode () from the class String

Assignment Project Exam Help

https://eduassistpro.github.io/

Add WeChat edu\_assist\_pro

https://docs.oracle.com/javase/7/docs/api/java/lang/String.html

# Assignment **Project** Exam Help

- \*https://eduassistpro.github.io/
- + toString():Stri Add WeChat edu\_assist\_pro + equals(o:Obj

# toString()

Returns a string representation of the object.

# Assignment Project Exam Help

It is recommended that
his method.

https://eduassistpro.github.io/

The toString() method for the edu\_assista\_proing consisting of the name of the class of which the object is an instance, the at-sign character '@', and the unsigned hexadecimal representation of the hash code of the object.

```
System.out.println(new Object());
Assignment Project Exam Help
```

https://eduassistpro.github.io/

What does this print?

Add WeChat edu\_assist\_pro

java.lang.Object@7852e922

package + class name

32 bit integer represented in hexadecimal

# **Object** Returns the following: Assignment Project Exam HelpassName + "@" + toString(): String er.toHexString(hashCode()) equals(o: Obje https://eduassistpro.github.io/ Add WeChat edu\_assist\_pro extends (automatic) toString() is overridden

#### **String**

+ hashCode(): int

+ toString(): String

+ equals(s: Object): boolean

in the class String

Returns the object itself

- birth: Date

+ toString(): String

+ eat()

# **Object** Returns the following: Assignment Project Exam HelpassName + "@" + toString(): String er.toHexString(hashCode()) equals(o: Obje https://eduassistpro.github.io/ Add WeChat edu\_assist\_pro extends (automatic) toString() is overridden **Animal** in the class Animal

Returns... depends on your implementation!

# Assignment **Project** Exam Help

- +https://eduassistpro.github.io/
- + toString():Stri Add WeChat edu\_assist\_pro
- + equals(o: Obj

equals()

Assignment Project Exam Help

https://eduassistpro.github.io/

# equals() - IMPLEMENTATION

For any non-null reference values obj1 and obj2,

Assignment Project Exam Help

obj1 https://eduassistpro.github.io/

Add WeChat edu\_assist\_pro obj1 == obj2 h ue

# **Object**

- +/hashCodeAsisignment Project Exam Help
- # toString(): Stri

https://eduassistpro.github.io/

+ equals(o: Obje

Add WeChat edu\_assist\_pro

extends (automatic)

#### **Animal**

- birth: Date

+ eat()

+ equals(o: Object): boolean

Animal overrides the equals() method

# / hashCode Assignment Project Exam Help + toString(): Stri + equals(o: Obje Add WeChat edu\_assist\_pro extends (automatic)

#### **Animal**

- birth: Date

+ eat()

+ equals(a: Animal): boolean

Animal overloads the equals () method

### **Object**

- +/hashCodeAsisignment Project Exam Help
- + toString(): Stri

https://eduassistpro.github.io/

+ equals(o: Obje

Add WeChat edu\_assist\_pro

extends (automatic)

#### **String**

- + hashCode(): int
- + toString(): String
- + equals(s: Object): boolean

String overrides the

equals() method

equals() FROM String-

Assignment Project Exam Help

https://eduassistpro.github.io/

#### **Object**

HashCode Assignment Project Exam Help

+ toString(): Stri

https://eduassistpro.github.io/

+ equals(o: Obje

Add WeChat edu\_assist\_pro extends (automatic)

overridden version of the

equals() method

#### <u>ArrayList</u>

-

+ equals(s: Object): Boolean

Methods inherited from interface java.util.List

containsAll, equals, hashCode

equals() FROM List

Assignment Project Exam Help

https://eduassistpro.github.io/



### TO LOOK FORWARD TO

• We will be talking more about interfaces like List in a couple Assignment Project Exam Help of weeks!

https://eduassistpro.github.io/



Assignment Project Exam Help In the next

- Modifier https://eduassistpro.github.io/
- Type Conversion Chat edu\_assist\_pro