

## LAB 2: BUILDING THE ZOO EXAMPLE

### Aims:

- Implement some of the object-oriented examples we saw in lecture 2 (to remind yourself, go back to lecture 2 slides)
- Gain more experience of object oriented programming
  - Remember that familiarity with this will not only help you write better software, but will aid understanding of existing projects

### Coverage:

- In Part 1 we cover:
  - setters, getters, static variables, ArrayLists, and some Eclipse tips/shortcuts
- In Part 2 (second half of this worksheet) we cover:
  - Composition versus aggregation
  - Writing the employee classes for the Zoo example, including using an abstract class and an interface
  - Understanding Packages

In the lab sheet we focus on Eclipse, but things should be similar in IntelliJ.

You might not be able to finish it all during the lab, so please continue with this at home and ask upcoming questions during the next lab session.

Assignment Project Exam Help

<https://eduassistpro.github.io/>

## LAB 2 - PART 1

Add WeChat edu\_assist\_pro

### THE ZOO CLASS

First we need to write the Zoo class, and to do that, we need to create a new project in Eclipse. Look at last week's sheet if you forgot how to do this.

Implement the example from the lecture, first of all create a new Zoo class and add the code below. (Remember you can use Eclipse to generate getters/setter for you if you want: add the private `location` field, then go to {Source menu > Generate Getters and Setters...}.

- If you are not sure about why you need setters/getters, please ask a helper

```

3 public class Zoo {
4     private String location;
5
6     public Zoo() {
7         this("Unknown");
8     }
9
10    public Zoo(String location) {
11        setLocation(location);
12    }
13
14    public String getLocation() {
15        return location;
16    }
17
18    public void setLocation(String location) {
19        this.location = location;
20    }
21 }

```

- Add a private variable to store the number of compounds the zoo has.
- Add a line to the default constructor to set this to a default value (say, 30 compounds). Add a parameter to the other constructor to read in any value for this.

## TIPS TO TRY

- {CTRL+Space} half way through a variable, set of parameters or method name gives you
- {Source} (if you have selected)
- {CTRL+F} (now each time!)

## Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu\_assist\_pro

- Add a function called `buildNewCompound` which adds one to this variable.

Now so far we have just designed the class. Let's now actually create a real instance of it in our program (the object itself).

- Add a `ZooApp` class and `main` method, as before.
- Create two new `Zoo` objects. For one, use the default constructor (ie. don't pass any parameters on construction). For the second, pass an exotic location of your choice, and number of compounds.

Let's now add a function which prints to the screen information about the zoo. Rather unexcitingly, let's call it `printInfo`

- Add the `printInfo` method to the `Zoo` class. It should print to screen the location, and number of compounds. Should this be public or private?
- Maybe pause here, and have a look at some useful **shortcuts** in Eclipse/IntelliJ. Or use Google and try and find some others. They will help you write code a lot faster, and these labs are the perfect place to try them out. We will introduce some in these worksheets, but there are many more out there e.g.:
- <https://dzone.com/articles/top-30-eclipse-keyboard-shortcuts-for-java-program-1>
- <https://www.jetbrains.com/help/idea/mastering-keyboard-shortcuts.html>

## THE CONCEPT OF A COMPANY OWNING LOTS OF ZOOS

So you can see above we can have multiple version of our zoo classes. Why would we want to do this? Suppose you are a company, MegaZoo Corp. who is opening five zoos around the world, in London, Tokyo, New York, Paris and Beeston.

- In your `main` code, create five zoo objects to represent this. You can set the compound numbers as you wish.
- Print out the info for all 5 zoos.

Suppose you want to assign each Zoo an individual Zoo ID number.

- Think about how you could do this WITHIN the objects themselves
- So we want the first zoo created to have ID 1, second zoo ID 2 etc.
- When you have thought of an idea, then follow the example below...

You can do this using the `static` variable type. These variables are shared and accessible between all objects of the same type. First we need to count how many zoos we have. So we can share our zoo count (called `numZoo`s below) between all the objects.

Add a `static` int variable called `numZoo`s:

Assignment Project Exam Help

<https://eduassistpro.github.io/>

You can actually access static variables *without* first object as they are really related to the class itself – variable. Look - I can set its value to 0 without ha

ey don't need an class share the first!

```
5 public static void main(String[] args) {
6     Zoo.numZoo=0;
```

(The variable is public so I can do this. If it were private I could not access it outside the class like this, and would have to use a setter method.)

Remember, static means the variable is shared/accessible between all object instances. Let's see what that means if we want to use it to count how many zoos there are.

- Every time we create a new zoo, let's add one to this shared variable.
  - Task: You need to work out where in the zoo class you need to handle this increment of our new variable, and add code to do it.

Now print out the number of zoos after the 5 we have created:

```
Zoo zL=new Zoo("London",10);
Zoo zT=new Zoo("Tokyo",20);
Zoo zN=new Zoo("New York",35);
Zoo zP=new Zoo("Paris",40);
Zoo zB=new Zoo("Beeston",42);
System.out.println("Number of zoos: "+Zoo.numZoo);
```

Your output should be: Number of zoos =5

You can use this now to set an individual ID number (private int) per Zoo in the constructor (zooID = numZoos?)

**So static variables are an easy way to share data between objects of the same type. Make sure you are happy with this idea – it's an important concept. Please ask a helper if you would like more explanation.**

#### ADDING ACTUAL COMPOUNDS WE CAN PUT ANIMALS IN : USING COLLECTIONS

So we have the concept of a zoo, but at the moment it's not very interesting. We need a new class to represent our compounds or enclosures, such as tanks, cages, fields etc.

- Add a new Compound class:

```
3 public class Compound {
4
5 }
```

Think back to the lecture where the idea of compounds was introduced. One zoo can have many compounds. So how do we represent this?

- We can use a *Collection*
- Java has built-in data structures for handling lists etc

We will use an ArrayList. Add this to the list of variables in the Zoo class:

**Assignment Project Exam Help**

<https://eduassistpro.github.io/>

**Add WeChat edu\_assist\_pro**


Note Eclipse is not happy! It has underlined it in red. ArrayList is. We need to add an import statement to tell Java how to find the relevant library.

A neat trick in Eclipse in this case is to go to {Source > Organize Imports}. It should automatically add the correct import statement at the top of the file for you!

```
3 import java.util.ArrayList;
```

An ArrayList is really just an array, but suitable for storing objects, and with a number of helper methods. It is dynamic – that is, it can grow as the number of elements grows.

- To see more about what an ArrayList is, position the mouse inside the word ArrayList, and press F2. Click the underlined link in the first line of the pop up for even more info:




- Now add the highlighted text below to the Zoo constructor. This will create all our Compound objects for us:

```
public Zoo(String location, int numCompounds) {
    setLocation(location);
    setNumCompounds(numCompounds);
    numZoos++;
    zooID=numZoos;
    for(int i=0;i<numCompounds;i++) {
        addCompound(new Compound());
    }
}
```

Note how we can create **new** objects inline like this. Also note, we haven't written an addCompound method yet! Don't panic. Eclipse can help!

- Hoover over the underlined addCompound and in the appearing pop-up choose "Create method 'addCompound(Compound)'"



As #byrnsaid, the following method should be produced. Note Eclipse has figured out the parameter type it needs:

<https://eduassistpro.github.io/>

- This autogeneration is useful for Test Drive later, as you can write the test before you have the basic code outline from the test code itself. e will introduce later, as you can write the test before you have the basic code outline from the test code itself.

Now you just need to add the actual code inside the method:

```
private void addCompound(Compound compound) {
    this.compounds.add(compound);
}
```

If you run this, you will get an error as we haven't created our **compounds** object yet.

- Add this line to the constructor. It instantiates our ArrayList object and gets it ready to accept objects of type Compound.

```
public Zoo(String location, int numCompounds) {
    setLocation(location);
    setNumCompounds(numCompounds);
    compounds=new ArrayList<Compound>();
    numZoos++;
    zooID=numZoos;
    for(int i=0;i<numCompounds;i++) {
        addCompound(new Compound());
    }
}
```

- Now the code should compile! You are creating a number of new Compound objects, equal to the numCompounds variable.

**Task:** Extend the Zoo project

- Using the same idea, change the Compounds class so you can add animals, by using an ArrayList again. You will need to create a class Animal and you will need a method to add animal objects to your new ArrayList.
- Note: We will look at how we can use abstract classes and inheritance with animals in Part 2 of this lab.

## LAB 2 - PART 2

Part 2 builds on the code developed in Part 1.

### ADDING SOME EMPLOYEES

In the Lecture, we showed you the diagram below which can represent the Zoo:

# Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu\_assist\_pro

Your task in the rest of this lab is to modify the existing code, and implement the new employee section above. We will introduce the main steps below:

#### **ZooCorp:**

You will need to modify the ZooApp class to use a new ZooCorp object. ZooCorp represents a company which may own lots of Zoos. However, a Zoo can exist before it's bought by the company, so it makes sense to use an **aggregation** (Note the open diamond shape).

So let's allow Zoo objects to exist outside of the ZooCorp class. It makes sense to have a ZooCorp Constructor which accepts a Zoo, so let's add that as an option. A good data structure to use might be the ArrayList as we used in Part 1 e.g.

```
6 private ArrayList<Zoo> zoos;
```

**Task:** Extend the ZooCorp class

- Write a constructor which takes a Zoo object as a parameter and stores it in an ArrayList.
- Then, write a method called addZoo which also takes a Zoo object as a parameter and again adds it to the ArrayList.

## WRITING THE EMPLOYEE CLASSES

Look again at the class diagram above. To write the employee classes, we need to write an interface, as they are written using one called Employable. We'll think about the details of this in a while, but for now let's just create one:

# Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu\_assist\_pro

Right click the "src" folder and select {New > Interface}, and name the interface "Employable".

If you remember, an interface is simply a blueprint for your class: it lists the method names that the class *must* implement. This ensures that any class which uses that interface has at least those methods accessible publicly, for other parts of the program to use.

**Why use interfaces?** Think of it like this. Whatever TV you have at home, you can be sure it has an on/off button. So, to represent this, in programming you could write an interface called Switchable which has two methods, `switchOn()` and `switchOff()`. Then *any* brand of TV can implement this interface, and you know you can turn it on and off, using the methods it provides.

Here, we are interested in objects which are *employable* – as they represent staff at ZooCorp. All Employable objects should implement the following methods, so add them to the interface:

```
public void setEmployeeID(int number);
public int getEmployeeID();
public void setEmployeeName(String name);
public String getEmployeeName();
public int getSalary();
public void setSalary(int salary);
```

Remember in an interface you just list the method signatures, NOT any code.

It is the job of the class *implementing* the interface to provide the code. We don't care *how* the function works at this stage, just what goes into it (parameters), and what returns from it.

**To create a class which implements the interface:**

Create a new class (Employee) and then **set the class to abstract**. Then click "Add...." button next to the Interfaces box.

## Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu\_assist\_pro

Start typing "Employable", and you will see that your new Employable interface appears in the list. Select and press OK.

**Note** you can use interfaces in a non-abstract class just fine. But let's do it here to match our diagram above, and to see what using an abstract class can add....

Press Finish. Eclipse will now do something useful – it will create 'stubs' of all the methods you need to implement in the interface.

So, Employee is an **abstract** class. This means we can't create an object directly from this class. This wouldn't make much sense – you can't have a generic Employee, everyone has a particular job (zoo keeper, admin, etc.) But an abstract class is more than just an interface – we can define some generic behaviour here which all employee objects can use. For example, actually provide implementations for all the methods so far, as they are all very general in nature, in this abstract class:

- Write the code for the stubs. You will need to add some variables.
- Note, **interfaces** do not define the required variables; this is an *implementation* choice we can now choose in the abstract class.

Now let's **add a Zookeeper class which inherits from this abstract class**:



- Go to the create new class dialog box, and set the name to Zookeeper and Superclass to Employee:

## Assignment Project Exam Help

<https://eduassistpro.github.io/>

This will now compile, as the Zookeeper has access to a `calculateChristmasBonus()` method defined in the abstract class, Employee.

```
3 public class Zookeeper extends Employee {  
4  
5 }
```

Let's show why you can't code everything in an abstract class. Now add another method to the Employable interface:

- Add: `public int calculateChristmasBonus()` to the Employable interface

```
public void setEmployeeID(int number);  
public int getEmployeeID();  
public void setEmployeeName(String name);  
public String getEmployeeName();  
public int getSalary();  
public void setSalary(int salary);  
public int calculateChristmasBonus();
```


When you implement this, different roles in the Zoo have different bonuses:

- For a Zookeeper, the Christmas bonus equation is  $(\text{salary} \times 0.05 + 100)$
- For an Admin role, the bonus is  $(\text{salary} \times 0.08)$

So you can't add the implementation into the generic abstract class.

The code will no longer compile, as you need an implementation of this (because the interface says you need one!)

- Go to your Zookeeper class. Click the red underlined name of the class, and here Eclipse can help us! Click "Add unimplemented methods":



Hey presto! The required method stub appears:

```

3 public class Zookeeper extends Employee {
4
5     @Override
6     public int calculateChristmasBonus() {
7         // TODO Auto-generated method stub
8         return 0;
9     }
10
11 }

```

- For your Zookeeper class, add the bonus equation above
- Now add an Admin class, which also inherits from Employee, and implement the different Admin bonus equation.

So, the **interface** say integer. But we can't calculation changes our actual person classes (Zookeeper, Admin etc.).


onus which return an e because the exact plementation of this in

**Tasks:** Tidy up...

- To tidy up, add a constructor for Zookeeper and creation.
  - Could you put this constructor in the abstract class instead? Think about how
- Modify ZooCorp, as you did for Zoos, to accept Employable people, and maintain an ArrayList of employees.


## PACKAGES

If you do not create a separate package when you start writing your program, Eclipse will put everything you write in a "default package".




Create the above program structure to follow along.

- Let's move all our files to a new package first. Select all java files in the "default package" (e.g. use shift-clicking or similar.) Right click the selection, choose {Refactor > Move...}.



- Choose C... example above.
- When you're done, y... <https://eduassistpro.github.io/>
1. In the browser, your code now appears under your n... of the Default:




2. All your files now have a new line at the top of each file:

```
1 package com.siebers.PackageDemo.Main;
```

This collects all the classes and methods together into this new package. It will help prevent naming clashes, and organise who can access the members of the package. Suppose you later build a system for organising staff at a theme park: you may also have employee classes there, but if they were all in the same package, you would have to give them separate names. If they are in separate packages, classes can have identical names and they will not clash.

If we have multiple packages and we want to use a class inside a package from *outside* the package there are different ways.

We can refer to individual parts of a package directly within a message (test2) or we can import a whole package or parts of a package (see test1):



So that's where the imports come from!

There is more on packages here:

<https://docs.oracle.com/javase/7/docs/tutorial/package/package1.html>

<https://eduassistpro.github.io/>

**This ends the REFRESHER part of the course.**

The aims of the labs so far have been to:

1. Give you more experience of concepts from Year 1 which are important for maintainable software design, and understanding existing systems
2. Give you further practical OO programming experience which will be useful in the remainder of this module, including coursework 2
3. Provide experience of using Eclipse

This addresses the following outcomes from the module catalogue:

*To build on first year programming modules and further develop programming ability and experience; Design and write object-oriented programs; understand the complex ideas of programming solutions and relate them to particular problems.*