

</>



# COMP2013

## Software Maintenance

Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat <sup>Lectur</sup> edu\_assist\_pro  
Super Awesome Use <sup>ols</sup>  
Principles

(including testing principles)

Dr. Julie Greensmith

# Today's learning objectives

- To be able to write self documenting code using Javadoc
- To appreciate how to write very useful code comments  
**Assignment Project Exam Help**
- To understand build files
- To learn how build files help to produce auto <https://eduassistpro.github.io/>
- Software testing:  
– Unit tests  
– Regression tests  
– Property testing e.g. QuickCheck for Haskell
- Why you should use Debugging tools but probably don't
- Check your work from last week's lab session

Assignment Project Exam Help

<https://eduassistpro.github.io/>

Self Documenting e  
Add WeChat edu\_assist\_pro

Tips and tricks for using JavaDoc

## Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu\_assist\_pro

\*Listen to Darth Vader yo

\*Completely not true brah

# Eclipse is a really helpful IDE

(even if it is a bit clicky clicky pointy)

- Many of todays tools are built into Eclipse
- It is useful beyond providing us with a nice interface, project viewer and telling us of precompile errors, missing libraries and spelling mistakes
- It is great for helping us create <https://eduassistpro.github.io/> including in-built testing help
- Autogeneration of self documenting code part of a tool called Javadoc
- This comes with the JDK and requires you Add WeChat edu\_assist\_pro to code with special comments
- Has special syntax to differentiate it from regular comments
- `/** ..... */` as opposed to `/* ... */`

# Useful Javadoc Tags

- Syntax: @<tag>
- Really useful for generating comments which are quite tedious to write in full the whole time and then to have to 'grep' or 'sed' using regexs
- It generates a really easy <https://eduassistpro.github.io/> as a living document
- Updated each time you compile if Javadoc compilation path  
Add WeChat edu\_assist\_pro
- Some famous tags:
  - @param: to explain a parameter
  - @return: to annotate a return value
  - @throws/@exception: for your error handling
  - @deprecated: bits of the code you no longer use
  - {@code}: puts syntax in your documentation



Assignment Project Exam Help

<https://eduassistpro.github.io/>

Its a Add WeChat edu\_assist\_pro some!

# Build Files

Makefiles, not war.

Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu\_assist\_pro

## Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu\_assist\_pro

# Makefiles are magic

- Old people like me who grew up on C and C++, it was all about the makefiles
- A way of automating the compilation process in a world before eclipse did everything for you
  - Assignment Project Exam Help
- Used to develop in environment
  - Visual basic was for L05erZ <https://eduassistpro.github.io/>
- When you had lots of classes and libraries the
  - Add WeChat edu\_assist\_pro useful
- Also used for installing new packages

```
$ make clean all install
```

```
hellomake: hellomake.c hellofunc.c gcc -o  
hellomake hellomake.c hellofunc.c -I.
```

```
gcc -o hellomake hellomake.c hellofunc.c -I.
```

# Build files: Beyond the Scope of a basic package

- Both ECLIPSE AND INTELLIJ can cope with us both writing loads of classes and our own packages
- So far in our examples we have not used many external resources
- Build files are like a super <https://eduassistpro.github.io/> files which are used by old people who work with thi
- They are massively useful when you have Add WeChat edu\_assist\_pro things like:
  - Games engines
  - Package dependencies
  - Test harnesses including Junit
- As soon as you use code from other developers, you need a Build File

# Build Files are really helpful for maintenance

- It can be really helpful in ensuring code portability
  - It means that your friend doesn't need to have exactly the same coding environment as you
  - Eliminates class path problems if the build file is constructed
- They can get really complicated member who works only on a build file <https://eduassistpro.github.io/>
- They ensure consistent compilation and deployment “classpath” problems
- It allows you to integrate:
  - Testing frameworks
  - Automated quality metrics
  - Deployment in unknown environments

# Common frameworks for Build Files

- There are three main ones used by developers:
  - 1. Ant: <https://ant.apache.org>
  - 2. Maven: <https://maven.apache.org>
  - 3. Gradle :  
<https://eduassistpro.github.io/>
- Lets have a look in detail at Ant (one of the widely used)
- Compare and contrast these tools
- Note: although there is inbuilt support in IDEs like eclipse for these tools, many developers prefer to run them through the command line
  - For both brevity and simplicity



## Apache Ant

### Assignment Project Exam Help

‘Ant’ is standard tool for Build Files for  
her Neat Tool”

<https://eduassistpro.github.io/>

Add WeChat [edu\\_assist\\_pro](#)

- Make is not quite as good with Java due to things like the JVM
- Ant is now about 20 years old
- XML based in the build file with special tags

# Anatomy of an Ant Build File

- Contains: Project and Target
- Constructed: quite strict xml
- Example, like 'make clean'  
**Assignment Project Exam Help**

<https://eduassistpro.github.io/>

```
<target name = "clean"
        description = "clean up">
    <!-- Delete the $(build) and $(dist) trees -->
    < delete dir = "$(build)" >
    <delete dir ="$(dist)">
</target>
```

## Other interesting Ant facts


- It is the most complete tool for Java builds, but this can get tedious
- It's great at automating repetitive tasks
  - Can be used to write a custom framework for testing
- It has a massive list of pre-<https://eduassistpro.github.io/>s the facility to create your own custom tasks
- Can be run using command line but is also [Add WeChat edu\\_assist\\_pro](#) into many IDEs
  - Eclipse can generate these for you, we will do this in the lab
- **However:** It is a bit deprecated these days: most prefer Maven, as in Ant you need to specify everything explicitly

## Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu\_assist\_pro

It generates a build.xml file which you can then edit



## Assignment Project Exam Help

You get two views for the price of one.  
You can look at the XML file directly in  
the IDE file window or you can use the  
Ant viewer itself

<https://eduassistpro.github.io/>

Add WeChat edu\_assist\_pro

```
<target description="compile project with Eclipse compiler" name="build-eclipse-compiler">
    <property name="build.compiler" value="org.eclipse.jdt.core.JDTCompilerAdapter"/>
    <antcall target="build"/>
</target>
<target name="ZooApp">
    <java classname="uk.ac.nott.cs.jgg.ZooApp" failonerror="true" fork="yes">
        <classpath refid="run.ZooApp.classpath"/>
    </java>
</target>
```

## Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu\_assist\_pro



## Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu\_assist\_pro

- It's more of a personal choice issue like Eclipse vs IntelliJ or Emacs vs Vim or Diet Coke vs Pepsi

length is typically longer than Ant's, but it's easier for you the user to learn.

you have to do this manually, but Ant remains more flexible

- “Convention over Configuration”
    - Maven relies on conventions and provides predefined commands as goals
- \*not installed by default on Flexible desktop

## Gradle: A Contemporary Approach

### Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu\_assist\_pro

- Released 2012 (so most modern of the three).
- Parts of Ant and Maven
- XML in files
- Declarative: plug-ins add functionality
- More cleanly accomplishes required tasks of a typical development project, from compilation through testing and deployment.
- It's the official build system for Android

# Reading homework comparing Build File Tools

## Assignment Project Exam Help

- Interesting blog articles for you to read

[https://eduassistpro.github.io/  
assignment/](https://eduassistpro.github.io/assignment/)

Add WeChat [edu\\_assist\\_pro](#) blog entry/maven vs ant

- <https://ldung.com/ant-maven-gradle>

# Testing

One of the Cornerstones of Maintainable Software and Software Maintenance

Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu\_assist\_pro

## Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu\_assist\_pro

# Testing your code is the most important process

- Software testing is the foundation on which software development is based
- Little to no point in writing code if you are not going to test it  
**Assignment Project Exam Help**
- Many different aspects of
  - Developing a testing strate <https://eduassistpro.github.io/>
  - Unit testing
  - Test Driven Development with [Add WeChat edu\\_assist\\_pro](#)
  - Property based testing
- Testing and debugging are often used synonymously

# Famous Quotes On Testing

Assignment Project Exam Help

- “*Debugging is what you do when your program is broken. Testing is a deterministic way to break a program that you think is working.*”  
– Brian Kernighan and Rob Pike, *The Practice of Programming*
- “*Testing can demonstrate the presence of bugs but not their absence*”  
– Edsger Dijkstra



# Get Rid Of The Arrogance!

- We all like to think that the code we write is perfect in construction and so that we have no need for systematic and extensive coverage
- This assumption of belief can lead to catastrophic consequences
  - Buffer overflow exploits an <https://eduassistpro.github.io/>
  - Challenger disaster
  - Radiation poisoning due to decimal point error [Add WeChat edu\\_assist\\_pro](#)
- Testing can start as small as checking a value copied correctly or as large as using a completely automated continuous integration server
- In essence, test, test your tests, and test your test testing.

# Coding best practice to minimize errors

- The more automation you use in your development process, the fewer errors you are likely to introduce
- If your code writing feels mechanical, then it should be mechanized
  - Autogeneration from frame in Eclipse <https://eduassistpro.github.io/> auto class method stub generation
  - Using regular expressions to specify patterns [Add WeChat edu\\_assist\\_pro](#) iable sets
  - Using autocomplete tools where available to a ping errors and mistakes
- In general, if a generator is correct, specification is covered, the interpreter/compiler is correct, so too will be the resulting program
  - Sometimes though we really cannot make these assumptions without testing

# Test Your Code As You Write

- The biggest difference between a person who has learnt to code versus a seasoned developer is in the mindset regarding testing
- The earlier a problem is found, the easier it is to fix
  - Repeatable errors and bugs
  - Use assistance from a debugger <https://eduassistpro.github.io/> watches on variables
- Transient or intermittent faults are also a concern
  - Ensuring effective testing coverage minimizes the chance of this scenario
- Professional developers write code with testing at the forefront of their minds

“But I’m confident in my code that its correct!”

- Even the most simple of operations should be tested as they are written
- As a result more complex bugs do not get the chance to occur  
**Assignment Project Exam Help**
- It is a grave mistake to ma  
ething compiles or Eclipse says  
its ok, it does not mean th <https://eduassistpro.github.io/>  
**https://eduassistpro.github.io/**
- We will initially look at Boundary Testing  
**Add WeChat edu\_assist\_pro**

# Test Code At Its Boundaries

- Boundary condition testing is the absolute minimum amount of testing that you should perform
- It involves probing the natural boundaries within a small unit of your code
- Based on the assumption that <https://eduassistpro.github.io/> at the boundaries
- Examples:
  - Non-existent or empty input
  - Single item input
  - Completely full array
  - While loop conditions and sentinels
  - Logical statements

Add WeChat edu\_assist\_pro

# What can go wrong with this simple example function?

```
double avg(double gradesArray[], int n){  
  
    int i;  
    double sum;  
  
    sum = 0.0;  
    for (i = 0; i < n; i++){  
        sum += gradesArray[i];  
    }  
    return sum/n;  
  
}
```

Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu\_assist\_pro

## Things that will go wrong

- So n can represent the full set of integers: it's a good idea to test the boundary of the smallest value which is zero, 0.
- An array with no elements is meaningful to the function but a value of n=0 to calculate an average is not
- Question: what should this do?
  - Continue with division by zero and return not a number
  - Abort the program?
  - Complain to the programmer?
  - Return an erroneous random value?
  - Simply return the integer zero?
- `return n <= 0 ? 0.0 : sum/n; ??`

The answer is NEVER....

- TO DO NOTHING!!!!
- In the olden days we would print stuff to standard error stream and save this to a log file so we could read our failure conditions
- There are more modern, I [Assignment Project Exam Help](https://eduassistpro.github.io/)  
<https://eduassistpro.github.io/>

Add WeChat edu\_assist\_pro

# Assert( ) Using Assertions in pre/post condition testing

- Java, C, C++, python etc. have an assertion testing facility to add pre and post conditions to ensure that these assertions are validated
- Assertions are used to abort the program when a condition fails
- Example: we could have a <https://eduassistpro.github.io/> previous function to avoid the division by zero
- Rarely see this style of coding in student c
  - Have you been taught this? If so, why are you not using it?
  - If not, learn how to use it!

# Program Defensively: “It’ll Never Happen”

- We didn’t think that Trump would be president of the USA or that Brexit would be happening either, just makes you think eh.
- No matter how you think through how a program will be used you need to account for unlikely or rare
  - This is another fault I see from <https://eduassistpro.github.io/> coursework
- Example:
  - Add WeChat edu\_assist\_pro
    - “A user would never enter a negative value for their age”
    - “This file will always be created by the other class that I have written”
- Also as software is maintained or changed it can cause changes to values, files, data, class structure, available methods, that you can’t always predict
- The process of performing these simple tests on small units of code is called...

## ...Unit Testing

- This can be WHITE BOX or BLACK BOX testing
- Question: If you know how to do this, why have so many of you forgotten to do this while developing the Zoo app in our labs?
  - The answer to this needs to be found at <https://eduassistpro.github.io/>
- When writing code and making changes, we should always know what the expected output is of every method, the buffer and the type of every variable
  - Its not tedium, its precision!
- Testing can ensure you have coded what you intended to code if you write the tests first, even if you do this on paper.

</>

# AFTER REGRESSION TESTING

Assignment Project Exam Help

mem-generator.net

<https://eduassistpro.github.io/>

Add WeChat edu\_assist\_pro

# Regression Testing

- This is a major concept in Software Maintenance
- When you make changes to a codebase you test the new code added AND the whole rest of all the code in the application
- Your modification may have <https://eduassistpro.github.io/>
  - Never just test that the fix
- This requires extensive, systematic and automated methods for testing programs
- Otherwise the complexity of the testing becomes far too big to manage

Add WeChat edu\_assist\_pro

# Regression Testing with Test Scaffolds

- You can do a DIY small scale approach
- A test scaffold to interface and run hundreds, thousands, millions of tests EVERY TIME THE CODE COMPILES
- NB: We couldn't do this w https://eduassistpro.github.io/
  - Many JUnit tutorials require Maven
- Tools and frameworks exist to aid this automation
- Big projects with many people use continuous integration servers (next week)
- Test suits or scaffolds rely on the same principle as writing with minimum errors: “if it can be mechanized then it should”

# DIY Approaches With UNIX Tools

- Much of the code you develop for your coursework or projects is not large enough in scope to warrant a large test scaffold
- There are some simple techniques you can use to help you do this effectively and quickly
  - Classic UNIX tools can help
  - Create yourself a log file where the results are stored
  - Use UNIX tools to compare the test logs before and after you've made changes to the code

<https://eduassistpro.github.io/>

Add WeChat `edu_assist_pro`

```
for i in Ka_data.* //loop through test logs
do
    old_ka $i >out1 //run old version
    new_ka $i >out2 //run new version
    if !cmp -s out1 out2 //compare logs
    then
        echo $1: Is_bad //outputs that there's a problem
        diff out1 out2
        wc out1 out2
    fi
done
```

**Assignment Project Exam Help**

<https://eduassistpro.github.io/>

Add WeChat edu\_assist\_pro

This script only produces any output if there is a problem, it runs silently

</>

</>

# COMP2013

## Software Maintenance

Assignment Project Exam Help

<https://eduassistpro.github.io/>




Add WeChat BREAK T  
YOU HAVE 7  
edu\_assist\_pro

# Unit Testing With Help From JUnit

- When code gets very complex you will need to employ some help from a library that allows us to build a test harness/scaffold
- Today we will look at **Assignment Project Exam Help** <https://eduassistpro.github.io/>
- In real life, the business will provide some sample input and output to an application **Add WeChat edu\_assist\_pro**
- Junit is not part of the standard JDK, but provides an interface or API to a testing library
- It allows for extensive test coverage
- NB it does not do integration tests!!

# Adding Junit to your project

- You can simply add junit.jar to your Classpath or add it to you xml in your Ant or Maven Build File
  - Junit is already supported in Eclipse and NetBeans
- Can use a test driven deve
  - Tests all fail at fist as there isn't any code
  - Once you have added all of your code and it ping your tests in Junit BEFORE you write your code <https://eduassistpro.github.io/>
- You can achieve exceptional coverage of your code using this method
- Remember, you have to run all the tests every time you compile, so it is put in a separate testing folder



The Best Way To Understand  
Junit, is to use Junit.

Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu\_assist\_pro

## Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu\_assist\_pro

# Property Based Testing : A New Hope

- A long time ago in A Haskell Galaxy, far, far away
- Wanted to prove properties of basic functional operation  
**Assignment Project Exam Help**
- Extension exercise for you
- Ensures that a program satisfies across a huge variety of input  
**Add WeChat edu\_assist\_pro**
- Sometimes we can't think of every permutation for unit testing
- In TDD it is possible to gain maximum coverage over all statements but not over all conditions and inputs

## PBT Process:

- Example: Heart rate monitor software which checks the range of Heart Rate and sounds an alarm if the values are out of range
  - With unit testing it would be extremely difficult to check every single value in the range for this type of input
  - Yet, this is a Safety Critical <https://eduassistpro.github.io/>
- Property based testing specifies the output range of inputs:
  1. Define the behaviors you want to test
  2. Define the range of data to check against each outcome
  3. Generate test datasets which can be totally random to completely specified
  4. Write and run the tests
- The tool QuickCheck is used to assist developers in this task
  - And its related tool smallCheck

# QuickCheck for Property Based Testing

- Property based testing is almost synonymous with QuickCheck which is an extremely popular tool
- It started out life just for functional languages like Haskell and Erlang
  - Has been commercially extended, also gaining popularity
- Provides an elegant framework for testing of program properties
  - E.g. has a list which has been inverted and reinverted returned the original list?
  - Do recursive functions return the correct output
- Learning to use QuickCheck in our labs is unfortunately out of scope, but we would like you to be aware of its power and existence
- <https://www.youtube.com/watch?v=AfaNEebCDos>

# Testing Summary

- Testing is a crucial part of both creating maintainable software and software maintenance
- Testing must be an ongoing and integral part of software development, no matter what the scale of the deve **Assignment Project Exam Help** <https://eduassistpro.github.io/>
- Very basic techniques can
- Unit testing can be scaffolded using JUnit f **Add WeChat edu\_assist\_pro** er similar fwks exist)
- Test Driven Development is where JUnit tests are written before code functionality
- QuickCheck and Property Based Testing can be used to verify properties and test unthinkable amounts of scenarios

## Put it all together now

- All of the tools today have not been grouped together by accident
- While you are writing your unit tests, write your Javadoc comments  
**Assignment Project Exam Help**
- Put both JUnit and your file  
automate the process using a build file  
**<https://eduassistpro.github.io/>**
- It becomes trivial to run your entire suite  
**Add WeChat edu\_assist\_pro** time you compile and you can ensure that in regression testing that does not break existing code
- The combination of these tools is what you need to work at any kind of reasonable scale
- Next time: How this works with repository software to manage change and code integration techniques