

COMP30026 Models of Computation

Assignment Project Exam Help

Logic Concepts

<https://eduassistpro.github.io>

Lecture Week 2 Part 2 (Zo

Add WeChat edu_assist_pr

Semester 2, 2021

Assignment Project Exam Help

<https://eduassistpro.github.io>

Add WeChat edu_assist_pr

Knights and Knaves Puzzle

On the island of Knights and Knaves, everyone is a knight or knave.

Knights always tell the truth. Knaves always lie.

Today there is a census on the island!

You are a census taker. You ask a couple, "Are you both knights?"

- **In house 1:** Husband: We are both knaves.

Add WeChat edu_assist_pr

Knights and Knaves Puzzle

On the island of Knights and Knaves, everyone is a knight or knave.

Knights always tell the truth. Knaves always lie.

Today there is a census on the island!

You are a census taker and you know about the island.

- **In house 1:** Husband: We are both knaves.
- **In house 2:** Wife: At least one of us is a knave.

Knights and Knaves Puzzle

On the island of Knights and Knaves, everyone is a knight or knave.

Knights always tell the truth. Knaves always lie.

Today there is a census on the island!

You are a census taker and you know about the island.

- **In house 1:** Husband: We are both knaves.
- **In house 2:** Wife: At least one of us is a knave.
- **In house 3:** Husband: If I am a knight then my wife is a knight.

Knights and Knaves Puzzle

On the island of Knights and Knaves, everyone is a knight or knave.

Knights always tell the truth. Knaves always lie.

Today there is a census on the island!

You are a census taker and you know about the island.

- **In house 1:** Husband: We are both knaves.
- **In house 2:** Wife: At least one of us is a knave.
- **In house 3:** Husband: If I am a knight then the wife is a knight.

If you like these puzzles, Raymond Smullyan has written several books that you will like.

Assignment Project Exam Help

Before we get to more sophisticated logic and its applications, let us establish

*"T
log*

<https://eduassistpro.github.io>
analysis and physics in the last."

Add WeChat edu_assist_pr

Assignment Project Exam Help

A propositional formula is **valid** if no truth assignment makes it false.
Otherwise it is **non-valid**.

It is **unsatisfiable**

<https://eduassistpro.github.io>

A valid propositional formula is a **tautology**

An unsatisfiable propositional formula is a **contradiction**

Add WeChat [edu_assist_pro](#)

Tautology Example

$(\neg P \wedge Q) \Rightarrow (P \Rightarrow R)$ is valid:

P	Q	R	$\neg P \wedge Q$	$P \Rightarrow R$	$(\neg P \wedge Q) \Rightarrow (P \Rightarrow R)$
f	t	t	t	t	t
t	f	f	f	t	t
t	f	t	f	t	t
t	t	f	f	f	f
t	t	t	f	t	t

<https://eduassistpro.github.io>

Add WeChat edu_assist_pro

Logically, “Valid” Means Vacuous

In ordinary discourse, we may praise somebody by saying “the point you make is valid.”

But in fo

it is voi
and valid.

“If Trump is sane then Trump is sane” tells us nothing whether Trump is sane—the statement is true whatever th

You don’t even have to know who Trump is, or what it means to be sane, in order to agree: The statement is inherently true.

Validity Checking in Haskell

Given a truth table for a proposition P , it is easy to check if P is valid. The conjunction of all the entries in P 's column must be true.

To check the validity of 3-place Haskell predicate:

```
valid3 f = and [f p q r | p <- bs, q <- bs, r <- bs]
  where bs = [False, True]
```

Validity Checking in Haskell

Given a truth table for a proposition P , it is easy to check if P is valid. The conjunction of all the entries in P 's column must be true.

To check the validity of 3-place Haskell predicate:

```
valid3 f = and [f p q r | p <- bs, q <- bs, r <- bs]
  where bs = [False, True]
```

Poll 2: What does a function to check satisfiability look like?

Contradiction Example

Assignment Project Exam Help

$P \wedge Q \wedge \neg(Q \Leftrightarrow (\neg P \vee Q))$ is unsatisfiable.

Again, w
possible t

ten

In this case

assignment maps either to **f**, the formula ev

And if P and Q are both mapped to **t**, t
 $(\neg \mathbf{t} \Leftrightarrow (\neg \mathbf{t} \vee \mathbf{t}))$, which again evaluates to **f**.

<https://eduassistpro.github.io>

Add WeChat [edu_assist_pro](#)

Substitution Preserves Validity + Unsatisfiability

Validity is preserved by **substitution** of propositional letters by formulas.

Assignment Project Exam Help

We saw that $(\neg P \wedge Q) \Rightarrow (P \Rightarrow R)$ is valid, and hence

<https://eduassistpro.github.io>

is valid.

(Different letters can be replaced by the same formula, of course, but all occurrences of a letter must be replaced by the same formula.)

A formula is unsatisfiable iff its negation is valid.

It follows that substitution also preserves unsatisfiability.

Does substitution preserve satisfiability?

Assignment Project Exam Help

<https://eduassistpro.github.io>

Add WeChat edu_assist_pr

Does substitution preserve satisfiability? Assignment Project Exam Help

No — a cou

<https://eduassistpro.github.io>

Add WeChat edu_assist_pr

Assignment Project Exam Help

Does substitution preserve satisfiability?

No — a cou

Take P

<https://eduassistpro.github.io>

The fact that P can be made true does not mean it can be made false.

Add WeChat edu_assist_pro

In fact, the typical propositional formula can be made true and false; it will simultaneously be satisfiable and non-valid.

Models, Logical Consequence, and Equivalence

Let θ be a truth assignment and F be a propositional formula. If θ makes F true, then θ is a model of F .

G is a model of G as well.

In that case $\frac{F}{G}$

If $F \models G$ and $G \models F$ both hold, that is, the same models, then F and G are (logically) equivalent.

In that case we write $\boxed{F \equiv G}$

Poll 4

Of the following statements, which allow us to conclude $P \Rightarrow Q$?

• P

• $\neg P$

• Q

• P

• $(P$

• $\neg P \vee Q$

• $\neg Q \Rightarrow \neg P$

• $P \Rightarrow (Q \vee R)$

• $(P \Rightarrow Q) \vee R$

Assignment Project Exam Help

<https://eduassistpro.github.io>

Add WeChat edu_assist_pr

Poll 4

Of the following statements, which allow us to conclude $P \Rightarrow Q$?

Assignment Project Exam Help

- $\neg P$
- Q
- P
- $(P$
- $\neg P \vee Q$
- $\neg Q \Rightarrow \neg P$
- $P \Rightarrow (Q \vee R)$
- $(P \Rightarrow Q) \vee R$

<https://eduassistpro.github.io>

Add WeChat edu_assist_pr

Which of the statements are logical consequences of $P \Rightarrow Q$?

Assignment Project Exam Help

If $F \equiv$
of letter <https://eduassistpro.github.io>

Add WeChat edu_assist_pr

Interchange of Equivalents

Replacing equals by equals yields equals. If

Assignment Project Exam Help

① F is a sub-formula of H ,

② F

③ H'

<https://eduassistpro.github.io>

then $H \equiv H'$.

Interchange of equivalents preserves not only logic

Add WeChat [edu_assist_pro](#)

It also preserves logical consequence, validity, and unsatisfiability.

Unlike substitution, it even preserves satisfiability.

Absorption:

$$P \wedge P \equiv P$$

$$P \vee P \equiv P$$

Comm

<https://eduassistpro.github.io>

Associativity:

$$P \wedge (Q \wedge R) \equiv (P \wedge Q) \wedge R$$

$$P \vee (Q \vee R) \equiv (P \vee Q) \vee R$$

Distributivity:

$$P \wedge (Q \vee R) \equiv (P \wedge Q) \vee (P \wedge R)$$

$$P \vee (Q \wedge R) \equiv (P \vee Q) \wedge (P \vee R)$$

More Equivalences

\Leftrightarrow and \oplus are also commutative and associative.

Double negation: $P \equiv \neg \neg P$

De Mor

Implication: $P \Rightarrow Q \equiv \neg P \vee Q$

Contraposition: $\neg P \Rightarrow \neg Q \equiv Q \Rightarrow P$
 $P \Rightarrow \neg Q \equiv Q \Rightarrow \neg P$
 $\neg P \Rightarrow Q \equiv \neg Q \Rightarrow P$

Biimplication: $P \Leftrightarrow Q \equiv (P \wedge Q) \vee (\neg P \wedge \neg Q)$

Assignment Project Exam Help

Find an alternative <https://eduassistpro.github.io>

Add WeChat edu_assist_pr

Last Equivalences

Let \perp be any unsatisfiable formula and let \top be any valid formula.

Duality:

$$\neg \neg P \equiv P$$

Negati

Identi

$$P \wedge \top \equiv P$$

Dominance

$$P \wedge \perp \equiv \perp$$

Contradiction:

$$P \wedge \neg P \equiv \perp$$

Excluded middle:

$$P \vee \neg P \equiv \top$$

Assignment Project Exam Help

Which of t

- 1 P
- 2 $(P$
- 3 $(P \Rightarrow R) \wedge (Q \Rightarrow R) \models (P \wedge Q)$

Add WeChat edu_assist_pr

Next Week Same Time Tune In

Assignment Project Exam Help

Learn how symbolic manipulation beats truth tables.

We shall be

<https://eduassistpro.github.io>

Mechanising deduction based on pro

Add WeChat edu_assist_pr

Exit Puzzle for People Who Like Puzzles

Long before Covid-19, Mr. Smith and his wife invited four other couples. When everyone arrived, **some** of the people shook hands with **some** of the others. Of course, nobody shook hands with their partner, person to

After that, Mr. Smith asked everyone how many times they shook somebody's hand. He received different answers from

How many times did Mrs. Smith shake hands?

Answers to the discussion board