

# COMP90007 Internet Technologies

## Week 3 Workshop

Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu\_assist\_pro

---

Semester 2, 2021

*Suggested solutions*

# Question 1 (Layers)

- Identify 2 ways in which the OSI reference model and the TCP/IP reference model are the same.
- Identify 2 ways in which these models differ.

(NB: You can use the textbook to solve this question)

Assignment Project Exam Help

## Similarities:

- stacking of layered protocols
- similar functionality in each of the layers
- layers above transport layer relate to applications

<https://eduassistpro.github.io/>

Add WeChat: edu\_assist\_pro

# Question 2 (Delay and bandwidth)

- Calculate the end-to-end transit time for a packet for
  - GEO (*Geostationary orbit*) (altitude: 35,800 km),
  - MEO (*Medium Earth orbit*) (altitude: 18,000 km) and
  - LEO (*Low Earth orbit*) (altitude: 750 km) satellites.

Assignment Project Exam Help

<https://eduassistpro.github.io/>  
×10<sup>8</sup> m/s

• *Transit time* = 2 ×

Add WeChat edu\_assist\_pro

- GEO: 239 ms
- MEO: 120 ms
- LEO: 5 ms

# Question 3 (Delay and bandwidth)

- An image is  $1600 \times 1200$  pixels with 3 bytes/pixel. Assume the image is uncompressed.
  - How long does it take to transmit it over a 56-kbps modem channel, assuming zero propagation delay over the channel?
  - Over a 1-Mbps bps Ethernet?
  - Over 100-Mbp ernet?


Add WeChat edu\_assist\_pro

- Image size =  $1600 \times 1200 \times 3 \times 8 = 46$ .

- 56 kbps modem: 823 s
- 1 Mbps modem: 46.1 s
- 10 Mbps Ethernet: 4.61 s
- 100 Mbps Ethernet: 0.46 s
- 1 Gbps Ethernet: 0.046 s

# Question 4 (Topology)

- Consider the following 3 network topologies for connecting  $N$  nodes. In the general case of an  $N$  node network:



- (a) How many links?  
Linear:  $N - 1$  links  
Ring:  $N$  links  
Full mesh:  $(N - 1)N / 2$  links
- (b) What is the maximum delay between any two nodes, assuming each link has a delay of 10ms, and this is used between nodes?  
Linear:  $10(N - 1)$  ms  
Ring:  $10 * N / 2$  ms  
Full mesh: 10 ms
- (c) What is the minimum number of links that need to be cut in order to isolate one or more nodes?  
Linear: 1 link  
Ring: 2 links  
Full mesh:  $N - 1$  links
- (d) Which topology would you use to connect military command centres?  
Full mesh – cost not important, but reliability is essential

# Question 5 (Topology)

- Is an oil pipe a simplex system, a half-duplex system, a full duplex system or none of the above? Under which conditions?

Assignment Project Exam Help

- Oil can flow in either direction, therefore it **cannot** be *full duplex*. <https://eduassistpro.github.io/>
- Depending on the situation at an oil refinery, an oil pipe is *simplex*, as the oil only flows in one direction. Add WeChat edu\_assist\_pro
- Theoretically oil can flow both ways, therefore it can be considered *half duplex*, similar to a single railroad track.

# Question 6 (Topology)

- List two solutions that one can use for sharing a link between multiple senders and explain these solutions briefly.

Assignment Project Exam Help

**Ans:** Time division multiplexing. There are two key ones we saw in class in detail. The explanation is available from slides 48,49,50 of Week 2 – Physical Layer.

<https://eduassistpro.github.io/>

Add WeChat: edu\_assist\_pro