THE UNIVERSITY OF AUCKLAND

SEMESTER TWO 2019 Campus: City

COMPUTER SCIENCE


https://eduassistpro.github.io/ Assignment Project, Exam Help

NOTE: Assign Automotion Street Education 4 to Question 7.

https://eduassistpro.github.io/ Add WeChat edu_assist_pro

Question 1

The diagram below shows the progress of two processes, P and Q. It should be assumed that the identifiers of processes P and Q are ID_P and ID_Q respectively. a, b, c, d, e, f and g are the seven events occurred in the processes. An arrow between X and Y represents event X sends a message which is received by event Y.



- (a) If the system uses a partially ordered logical clock, what is the timestamp of each of the events in the diagrangement Project Exam Help (b) If the system uses solutily ordered logical clock, what is the timestamp of each of the
- events in the diagram?
- (c) Compare and contrast the partially ordered logical cloc ed logical clock in terms of property of the control of the co (6 marks)

https://eduassistpro.github.io/ **Ouestion 2**

Centralized directory model and document routing peer systems for looking up information. WeChat edu_assist_

- (a) Describe how the two models work.
- (b) Compare and contrast the two models in terms of efficiency, reliability, and scalability. You must provide sufficient justification for your answer.

(6 marks)

Question 3

- (a) Why is it difficult to obtain a consistent distributed snapshot in a distributed system? Use an example to support your argument.
- (b) What are the conditions that need to be satisfied to make a global state consistent?
- (c) Modify the Chandy-Lamport distributed snapshots algorithm so that all the channel states are recorded empty. You need to give a full description of the algorithm and explain why your algorithm can obtain a consistent distributed snapshot in terms of the discussion in point (b).

(18 marks)

Ouestion 4 – Time Complexity for Distributed Algorithms

- (a) Briefly describe one of the typical definitions of the time complexity for synchronous distributed algorithms.
- (b) Briefly describe the typical definition of the normalised time complexity for asynchronous distributed algorithms, detailing its specific variants for
 - the FIFO scenario, and
 - II. the NON-FIFO scenario.
- (c) Briefly discuss the relationship between the synchronous and normalised asynchronous cases. Which one is always greater or equal than the other, and why? Outline a convincing argume
- (d) Mention well-know https://eduassistpro.github.io/
 - the sync time complexities, and I.
 - the FIFO and NON-FIFO normalised asynchronous time complexities. II. For items 1 md 11, Month of pyidence is tequired but indicale hearthy of magnitude of each time complexity (e.g. linear, polynomial, exponential in N, in M

Assign And the Chat edu_assist pro

Question 5 - Ehttps://eduassistpro.github.io/

Consider an EIG t

A node is called *distinguished* if its label *ends* in a n

- (a) Draw a tree diagram and highlightal Asatuedu assist helpfound participant #1 is faulty.
- (b) For an arbitrary N, assuming that L>F, prove that any root-to-leaves path passes through at least one distinguished node.
- (c) For an arbitrary N, assuming that N>3F, prove that, at each level, any sibling group contains a majority of distinguished nodes.
- (d) For an arbitrary N, prove that both conditions (b) and (c) are achieved when $N \ge 3F + 1$.

(10 marks)

Question 6 – Byzantine Agreement – Impossible Scenario


Outline a convincing proof that three (3) participants cannot solve the Byzantine agreement in the possible presence of one (1) faulty processor. Use a *proof by contradiction* based on the hexagon thought experiment.

Hint: this proof is a *thought experiment*, based on the following diagram:

https://eduassistpro.github.io/ Assignment Project Exam Help

Assign Action 7 Compared to the Compared to th

- (a) What is the go (DFS, BFS, Mnttps://eduassistpro.github.io/
- (b) Discuss the exponential message complexity of the asynchronous Bellman-Ford algorithm. Base your discussion on the sample dia h is a simplified version of the dagranused with extremal Column 1 Colu
- (c) Based on (b), discuss how the **time complexit** in the FIFO scenario.



(10 marks)