COSC1107 Computing Theory

(We will commence soon. We are just allowing a few minutes for people to join and set up. *Please mute your microphone unless you are speaking.* You can raise your hand or use the chat at any time.)



Fig: Chomsky Hierarchy













COSC1107

Computing Theory

Week 10





Fig: Chomsky Hierarchy

James Harland

james.harland@rmit.edu.au

* With thanks to Sebastian Sardina

Intro music 'Far Over' playing now …

Acknowledgement

RMIT University acknowledges the people of the Woi wurrung and Boon wurrung language groups of the eastern Kulin Nations on whose unceded lands we conduct the business o University respectfully ac stors and Elders, past and present.

RMIT also acknowledges the Traditional Custodians and their Ancestors of the lands and waters across Australia where we conduct our business.

(add your name here to volunteer for this or email me)
(my personal Acknowledgement of Country is here)

Overview



- Questions?
- NP-completeness
- Questions?
- RSA Cryptosys
- Questions?
- Probabilistic algorithms
- Questions?
- Platypus Game ⟵ Of course!
- Questions?

Questions?

Questions?

Questions?

Complexity





Turing machines

Our main focus

EXPSPACE

EXPTIME

PSPACE

NP

P

LOGT

??

Complexity





Checking a solution is hard

NP

Assignment Project Exam Help

https://eduassistpro.github.io/

Finding a solu

Add WeChat edu_assist_pro

Checking a solution is easy;
Finding a solution is hard.

Complexity





"Nobody is certain that P and NP are different, but many experts believe so …"

P = NP?





- Clearly P ⊆ NP. Is NP ⊆ P? No proof either way!
- Clay Institute in USA will give **US$1 million** to anyone who can settle this question!
- Same prize for 6 other problems
- First offered in [illegible] en claimed
- See http://www.cla[illegible]lems and
- http://www.claymath.org/millennium[illegible]-vs-np-problem

- How could you prove P = NP?
  - *Find a polynomial-time algorithm on a (deterministic) TM for an **NP-complete** problem*
- How could you prove P ⊄ NP?
  - *Reason about all possible algorithms? (!!)*
- Neither has been done so far …

P = NP?



Many sub-classes of NP and PSPACE

No need to know all of these!

All could be **empty if P = NP**

Questions?

Questions?

Questions?

NP-completeness





A problem R is **NP-complete** if

- R is in NP
- If a **polynomial-time** algorithm exists for R, then **a polynomial-time algorithm exists for every problem in** NP

3SAT is NP-co (!!!)

(Stephen Cook, 1971. Richard Karp 1972. Leonid Levin 1973. Cook & Karp won Turing Awards for this work)

NP-complete

- "hardest" problems in NP
- solve one and you solve them all …

2SAT is in P (!!)

Complexity





NP

NP-complete

3SAT HC TSP

P

2SAT SORTING PRIMALITY

NP-completeness





3SAT is NP-complete, i.e.

- 3SAT is in NP
- If a polynomial-time algorithm exists for 3SAT, then a polynomial-time algorithm exists for every problem in NP



NP-completeness





- 3SAT is NP-complete
- Hamiltonian Circuit is NP-complete
- Travelling Salesperson is NP-complete
- Vertex Cover is NP-complete
- … is NP-comple

Thousands of problems are NP (!!!)
(reduce 3SAT to your favourite probl …)

NP-completeness





Reduce problem *A* to problem B means

- You can solve *A* quickly if you can solve B quickly
- You can solve *A* in polynomial time if you can solve B in polynomial time
- B is at least as
- *A* is no harder

A problem R is **NP-hard** if every *n* in NP can be reduced to it in polynomial time

A problem R is **NP-complete** if it is both **NP-hard** and in **NP**

A problem can be NP-hard, but not NP-complete (so it is not in NP, as it is "too hard" for NP)

Complexity







NP-hard: lower bound
"at least as hard as anything in NP, or perhaps harder"

In NP: upper bound
"No harder than checking solutions in polynomial time"

NP-completeness





Given new problem X, how do I analyse it?

1. Show that X is in NP (usually easy)
2. Find some NP-complete problem Y
3. Find a polynomial-time reduction from Y to X



NP-completeness





Aerospace engineering Optimal mesh partitioning for finite elements.
Biology Phylogeny reconstruction.
Chemical engineering Heat exchanger network synthesis.
Chemistry Protein folding.
Civil engineering Equilibrium of urban traffic flow.
Economics Computatio arkets with friction.
Electrical engineering
Environmental engineering Optimal pla ntaminant sensors.
Financial engineering Minimum risk por n return.
Game theory Nash equilibrium that maximizes social welfare.
Mechanical engineering Structure of turbulence in sheared flows.
Medicine Reconstructing 3D shape from biplane angiocardiogram.
Operations research Traveling salesperson problem, integer programming.
Physics Partition function of 3D Ising model.
Politics Shapley-Shubik voting power.
...

NP-completeness





https://complexityzoo.uwaterloo.ca/Complexity_Zoo

NP-completeness







"What is the state of the art for NP-complete problems?"

"Exponential-time algorithms" (!!)

"Surely w [illegible] d!?"

"Er … well, I wish …"

Even Gandalf doesn't know

- whether P = NP
- whether there is a polynomial-time algorithm for some NP-complete problem

Questions?

Questions?

Questions?

Quiz time!

Go to Canvas and find the quiz Lectorial 10 Question set

- Not worth any marks
- You can consult other students if you wish
- Time limit will b

Are you ready?

Are you sure?

Go!

The pictures will take 5 minutes to disappear!

Thomas music means 1 minute left!



Questions?

Questions?

Questions?

NP-completeness





NP-complete problem

- Find an efficien P = NP) (good luck!)
- Approximation
- Heuristic Algorithm which "gener ell, but doesn't always work efficiently

efficiently

- Special case Use particular information to improve performance
- Probabilistic Return an answer which is only probably correct
- Randomised Use randomised search to find something quickly

NP-completeness





We cannot find an algorithm which

- Runs in polynomial time for all inputs
- Finds an optimal solution for all inputs

So any algorithm

- Runs in exponents
- Finds a sub-optimal solution futs
- Both (!!)




Approximation

- Runs in polynomial time for all inputs
- Finds a sub-optimal solution
- Guaranteed to be efficient
- Not guaranteed to be optimal

TSP

- One approximation $O(n^2)$ with solution ≤ 2 x optimum
- One approximation $O(n^3)$ with solution ≤ 1.5 x optimum




Heuristic

- Some inputs take exponential time
- "Common" or "typical" inputs take polynomial time
- Often use local improvements
- Few guarantees

TSP

- Lin-Kernighan heuristic: swaps pairs of sub-tours
- Greedy: choose shortest next
- Inserting sub-tours
- ...

Special case





- Extra information used to improve performance
- Polynomial time for some special cases
- Approximations for some special cases

TSP with Euclidean distance:
$|AC| \leq |AB| + |BC|$



Improved approximation

HORN-SAT: **SAT** with at most one positive literal per clause
(p q r) (r q w) (p p r)

Polynomial time

Encryption

Intractability can be your friend!

Encryption historically based on secret keys

- Caesar cipher, Playfair cipher, Enigma
- Substitution and transposition
- Advanced Encrypti



Secret key systems have the **ke ion problem**

Question: How do you communicate a secret key securely?
Answer: With great difficulty!

Encryption



Mr Worf! Open a **secure channel** to Starfleet!

Yes Captain! How do I do that?

Send the key and get them to use that!

On an open channel? That sounds like a security risk …

Of course! Open a **secure channel**, Mr Worf!

Encryption



Asymmetric approaches were a major breakthrough!

Diffie-Hellman key exchange (1976)

- First scheme to have separate encryption and decryption keys
- Proposed by Whitfield Diffie and Martin Hellman, and also Ralph Merkle

RSA Public key cry

- Encryption key is publi
- Based on property of prime numbers (!!)

- Security assumes factorisation is intrac
- Proposed by Ron **R**ivest, Adi **S**hamir & Leonard **A**dleman

Other public key systems use more advanced mathematics

(discrete logarithms, elliptic curves, finite groups, …)

British GCHQ announced in 1990s that they knew this in 1969 … ☹

Factorisation





Factorisation

- 'Find factors of n'
- Intuitively harder than primality testing
- Can use factorisation for primality testing but not recommended
- **NOT NP-complete**
- Almost certainly in
- Shor's algorithm is on a quantum computer






Intractability

Can be your friend!

INTRACT

Blockchain, SSH, eCommerce, security ...

Public Key Cryptography

Quantum Computing | RSA | Discrete Logarithms | Elliptic Curves

Intractability

Encryption



Public (so anyone can

Private (so only Bob can decrypt)




RSA System

Public Key cryptography

- Two keys, E for encryption and D for decryption
- Publish E
- Keep D secret
- Knowledge of E must not imply knowledge of D
- Hence make comput
- This means we need

E published
D kept secret

Secure if computing D from E is intractable

RSA scheme (Rivest, Shamir, Adlem

- Find two primes p and q
- Compute n = p x q and r = (p-1) x (q-1)
- Find e such that e and (p-1) x (q-1) are co-prime
- Compute d such that d x e 1 mod r
- Encrypt M by E(m) = m^e mod n
- Decrypt M by D(m) = m^d mod n
- D(E(m)) = $m^{e \times d}$ m mod n

To find d from e and n, need to know p & q (and hence r)

e,n public

Uses (extended) Euclid's algorithm (!!)

"Find 3 primes p, q, e" will work

Cracking RSA





RSA scheme

- Find two primes p and q
- Compute n = p x q and r = (p-1) x (q-1)
- Find e such that e and (p-1) x (q-1) are co-prime
- Compute d such that d x e 1 mod r

Public: e, n
Private: d, p, q, r

(d x e) + (z x r) = 1 = gcd(e,r)

Process		omplexity
Calculate d from e and		uadratic
Calculate r from p and q	Multiplication	e to constant
Calculate p and q from n	Number field s	RACTABLE

Factorisation

- Almost certainly intractable
- Not obvious that it is harder than primality testing
- Input n has representation size log n
- Polynomial time in the size of the input means O(log n) (!!)

Setting up RSA





RSA scheme

- Find two primes p and q
- Compute n = p x q and r = (p-1) x (q-1)
- Find e such that e and (p-1) x (q-1) are co-prime
- Compute d such that d x e 1 mod r

Public: e, n
Private: d, p, q, r

Need to find primes quickly!

Primality testing

- Decision problem
- Long unknown whether polynomial o
- Miller in 1976 showed there is a po rithm assuming the Extended Riemann Hypothesis is t
- Agrawal, Kayal, Saxena found polynomial-time algorithm in 2002 (!!)
- Kayal, Saxena were **undergraduate students at the time** (!!!)
- Little pragmatic impact because …

Probabilistic methods are much faster (!!)

Questions?

Questions?

Questions?

'Marvellous Machine'



`Marvellous Machine'


"Counts grains of sand **exactly** within one second"

"Yeah? Well count this!

"4,292,303,203,201,204 grains of sand"

??????

`Marvellous Machine'



"4,292,303,203,201,204"

+5

"4,292,303,203,201,209"

-12

203,201,192"


+14

"4,292,303,203,201,218"


-7

"4,292,303,203,201,197"

`Marvellous Machine'

- Machine has to pass numerous trials
- Failure at any time means machine fails acceptance test

Trial 1 successful

Trial 2 successful

Trial 3 successful: Hm

Trial 4 successful: ???

Trial 5 fails:

`Marvellous Machine'

- Trial 1 successful: Lucky guess!
- Trial 2 successful: Still just luck
- Trial 3 successful: Hmm...
- Trial 4 success
- Trial 5 success
- Trial 6 successful: Really?
- Trial 7 successful: Now this is just getting boring …
- …
- Trial 47 successful: Alright! You win! It works!

Probabilistic Algorithms





- "Approximation method" for decision problems …
- Series of tests is applied
- If **any** test fails, the answer is 'no'
- Each successful test is 'evidence' for 'yes'
- More successfu elihood of 'yes'
- Can either retu
  - **No** (with ce
  - **Probably yes** (usually wit probability)

Less precision but much more efficient

Primality Testing





Given a number n

1. Choose k such that 1 < k < n
2. If n mod k = 0, halt with output 'no'
3. If enough trials, halt with output 'probably yes'
4. Go to step 1.

How to choose k?

- k = 2, 3, 5, 7, … n/2(or n) gives **sieve of Eratosthenes** (exponential)
- Smarter choice means less cases to test

Probabilistic Primality Testi





- Testing for a strict subset of {2,3,5,7,…, n} can only ever give the result `probably prime'
- Trick is to make `good' choices of a
- **Solovay-Stras** correctness probability af s is $1 - 1/2^m$ (!)
- **Rabin-Miller** test:

  correctness probability after **m** trials is $1 - 1/4^m$ (!!)
- Can have arbitrarily high correctness if we perform enough trials ….

RSA Pragmatics





Primality testing

- AKS algorithm says **yes** or **no** in polynomial time
- Solovay-Strassen test says **probably yes** or **definitely no** in much shorter time!
- Rabin-Miller test says **probably yes** or **definitely no** in much shorter time still!
- The trick is to inc[illegible] exactness to almost 1 after a smallish nu[illegible]

n	SS(n)	RM(n)
1	50%	75%
2	75%	94%
5	97%	99.9%
10	99.9%	99.9999%
25	99.999997%	99.99999999999%

size number can be tested for primality in about 25 trials … (!!)

RSA Properties





- Can be used for any encryption task
- Encryption and decryption speeds slow compared to secret key methods (eg AES)
- Often used to distribute secret keys
- Used in SSH and similar tools
- Security depends o ed
- 1024 to 4096 bits ered 'safe'

- Threats
  - Factorisation being tractable
  - Quantum computing (using Shor's algorithm)
  - Other public-key systems with shorter keys and more efficient encryption
  - …

The Platypus Game



https://www.youtube.com/watch?reload=9&v=0gM5TjSOQ48
https://zoneringtones.com

Assignment 2

- Platypus tournament for **2,500** machines
- Earlier distribution had 25,500 (in error)
- If 2,500 machines takes more than 4 hours, **reduce the number** (to say 2,000)
- Three tourname
  - All 2,500 machi
  - Only machines
  - Only machines classified as nan abla'
- Pointers on intractability ques posted soon

That's it!

I am out of here!

Break time! (We resume when all the pictures are gone! This will take 3 minutes!)



Quiz time!

Go to Canvas and find the quiz Lectorial 10 Question set

- Not worth any marks
- You can consult other students if you wish
- Time limit will be 10 minutes

Are you ready?

Are you sure?

Go!

The pictures will take 10 minutes to disappear!

Thomas music means 1 minute left!