JavaScript is disabled on your browser.

- **Prev Class**
- **Next Class**

- Frames
- No Frames

- All Classes

- Summary:
- Nested |
- Field |
- Constr |
- Method

- Detail:
- Field |
- Constr |
- Method

cs131.pa2.Abstract.Log

Class Event

- java.lang.Object
    - cs131.pa2.Abstract.Log.Event

---

public class **Event**
extends java.lang.Object

Event(EventType event)

Event(Vehicle vehicle, EventType event)

Event(Vehicle vehicle, Tunnel tunnel, EventType event)

Event(Vehicle vehicle, Tunnel tunnel, EventType event,
int signifier)

- *Method Summary*

All Methods Instance Methods Concrete Methods

Modifier and Type	Method and Description
boolean	**equals**(java.lang.Object o)
EventType	**getEvent**()
int	**getSignifier**()
Tunnel	**getTunnel**()
Vehicle	**getVehicle**()
java.lang.String	**toString**()

```
boolean          weakEquals(Event event)
```

- *Methods inherited from class java.lang.Object*

  getClass, hashCode, notify, notifyAll, wait, wait, wait

- *Constructor Detail*

  - **Event**

  publicEvent(Vehiclevehicle,
              Tunneltunnel,
              EventTypeevent,
              intsignifier)

  - **Event**

  publicEvent(Vehiclevehicle,
              Tunneltunnel,
              EventTypeevent)

  - **Event**

  publicEvent(Vehiclevehicle,
              EventTypeevent)

  - **Event**

  publicEvent(EventTypeevent)

-

  - **getTunnel**

  publicTunnelgetTunnel()

  - **getEvent**

  publicEventTypegetEvent()

  - **getSignifier**

  publicintgetSignifier()

  - **toString**

  publicjava.lang.StringtoString()

  Overrides:
      toString in class java.lang.Object
  - **equals**

  publicbooleanequals(java.lang.Objecto)

  Overrides:
      equals in class java.lang.Object
  - **weakEquals**

  publicbooleanweakEquals(Eventevent)

- **Prev Class**
- **Next Class**

- Frames
- No Frames

- All Classes

- Summary:
- Nested |
- Field |
- Constr |
- Method

- Detail:
- Field |
- Constr |
- Method