

Question 1**(4 marks)**

Annie, Henrietta, Radhanath and Williamina have been shortlisted for two jobs as computers. Let A , H , R , W be propositions with the following meanings.

A : Annie gets one of the jobs.

H : Henrietta gets one of the jobs.

R : Radhanath gets one of the jobs.

W : Williamina gets one of the jobs.

Use A , H , R and W to write a proposition, in Conjunctive Normal Form, that is True precisely when exactly two of them get jobs.

Question 2**Assignment Project Exam Help (3 marks)**

Suppose you have the predicates `prolog` and `elvish`, with the following meanings:

`prolog(X)`:

`elvish(X)`:

<https://eduassistpro.github.io/>

(a) Write a universal statement in predicate logic with the mean

“Nobody knows both Prolog and Elvish.”

(b) Suppose that the statement in (a) is *False*. Starting with its negation, derive an existential statement meaning that someone knows both these languages.

Question 3**(2 marks)**

Give a regular expression for the set of all real numbers, represented in binary, that are greater than 0, less than 1, and have a finite binary representation.

(Assume that such binary numbers always have a bit before the binary point (i.e., what we would normally call the “decimal point”), and at least one bit after it.)

Question 4**(4 marks)**

(a) Write down all strings of at most 8 letters, over alphabet $\{0,1\}$, that match the regular expression $((101)^* \cup (00))^*$.

Assignment Project Exam Help

<https://eduassistpro.github.io/>

(b) Give an NFA that recognises the language described by this re

Add WeChat edu_assist_pro

Question 5**(3 marks)**

Prove that the class of regular languages is closed under complement.

Question 6**(3 marks)**

What kinds of regular languages can be described by regular expressions that do not use the Kleene star? Explain.

Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu_assist_pro

Question 7**(3 marks)**

Let L be the language of nonempty strings over $\{x,y\}$ that must start and finish with the same letter, and in the middle have at least one of the other letter. Draw a FA to recognise L .

Question 8**(4 marks)**

Given the Finite Automaton described by the following table, find an FA with fewest states that recognises the same language.

	state	a	b
Start	1	2	6
	2	3	6
	3	6	3
	4	5	4
Final	5	4	6
Final	6	3	6

Write your new FA in the blank table below.

	state	a	b
Start			

Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu_assist_pro

Question 9

(5 marks)

(a) Prove that the language of strings of even length is regular.

(b) Given the closure properties of regular languages, and the fact that the language of *strings of **even** length that are **not** palindromes* is not regular, prove that the language of palindromes is not regular.

Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu_assist_pro

Question 10**(6 marks)**

Consider the following Regular grammar:

$$\mathbf{S} \rightarrow \varepsilon \mid \mathbf{aT} \mid \mathbf{bU} \quad (1)$$

$$\mathbf{T} \rightarrow \mathbf{aT} \mid \mathbf{bS} \quad (2)$$

$$\mathbf{U} \rightarrow \mathbf{aS} \quad (3)$$

(a) Give (i) a derivation, and (ii) a parse tree, for the string **baab** .

(b) Find the Finite Automaton for the language defined by the above grammar.

Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu_assist_pro

(c) Give a regular expression for the language defined by the above grammar.

Question 11**(3 marks)**

A string over the alphabet $\{0, +, -\}$ is said to be *balanced* if it satisfies both the following:

- (i) for any i , the first i characters in the string contain at least as many $+$ as $-$;
- (ii) the whole string has the same number of $+$ as $-$.

Give a Context-Free Grammar for the language.

Assignment Project Exam Help

Question 12**(9 marks)**

The language **Luke**

<https://eduassistpro.github.io/>

Add WeChat [edu_assist_pro](https://eduassistpro.github.io/)

$$S \rightarrow Z \quad (1)$$


$$S \rightarrow s_0 \quad (2)$$

$$Z \rightarrow nZ \quad (3)$$

$$Z \rightarrow \varepsilon \quad (4)$$

(a) Give a derivation of the string $nnoooooooo$, indicating which production rule is used at each step.

(b) Complete the following diagram to give a Pushdown Automaton for Luke.



Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu_assist_pro

(c) Is the above CFG a regular grammar? (Explain.)

(d) Is Luke a regular language? (Explain.)

(e) Convert the grammar into Chomsky Normal Form.


Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu_assist_pro

Question 13**(5 marks)**

Find a Context-Free Grammar for the language accepted by the following PDA.

Your CFG must use only the nonterminal symbols $S, A_{11}, A_{22}, A_{33}, A_{44}, A_{14}, A_{23}$.

Write the CFG in the space below. Five production rules have already been written in, to get you started.

$$S \rightarrow A_{11}$$

$$A_{11} \rightarrow \varepsilon$$

$$A_{22} \rightarrow \varepsilon$$

$$A_{33} \rightarrow \varepsilon$$

$$A_{44} \rightarrow \varepsilon$$

Assignment Project Exam Help**<https://eduassistpro.github.io/>****Add WeChat edu_assist_pro**

Question 14

(8 marks)

(a) Prove that the language of strings representing powers of 2, in **binary** form, is regular.

(b) Prove that the language of strings representing powers of 2, in **unary** form, is **not** context-free.

Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu_assist_pro

Question 15**(3 marks)**

State two important results that can be proved using the Chomsky Normal Form for Context-Free Grammars.

Question 16**(6 marks)**

Write a Turing machine that **flips the middle bit** (i.e., changes 0 to 1, and 1 to 0) of a binary string of odd length, and leaves a string of even length unchanged.

For example, if the input string is 0111110, then the output must be 0110110. If the input string is 01110, then the output is also 01110.

Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu_assist_pro

Question 17**(1 marks)**

The *characteristic function* f_L of a language L over some alphabet is defined by:

$$f_L(w) = \begin{cases} 1, & x \in L, \\ 0, & x \notin L, \end{cases}$$

for any string w over the alphabet.

State the property that f_L must have, for the language L to be decidable.

Question 18**(4 marks)**

For each of the following decision problems, indicate whether or not it is decidable.

You may assume that, when Turing machines are encoded as strings, this is done using the Code-Word Language (CWL).

Decision Problem

your answer

(tick **one** box in each row)

Input: Turing machines M and N .

Question: Are the encoded forms of M and N identical?

☐

Decidable

☐

Undecidable

Input: Turing machines M and N .

Question: Do M and N have the same time complexity?

☐

Decidable

☐

Undecidable

Input: a Turing machine M .

Question: Does M correctly determine whether or not its input string is a palindrome?

☐

Decidable

☐

Undecidable

Input: a Turing machine M , and a string w .

Question: Does M ever change any letter of w on the tape?

☐

Decidable

☐

Undecidable


Question 19**(9 marks)**

The Venn diagram at the left shows several classes of languages. For each language (a)–(l) in the list below, indicate which classes it belongs to, and which it doesn't belong to, by placing its corresponding letter in the correct region of the diagram.

If a language does not belong to any of these classes, then place its letter above the top of the diagram.

- (a) The Dyck language.
- (b) The set of all even numbers, represented in binary.
- (c) The set of all correctly formed arithmetic expressions, using integers and the symbols $+$, $-$, \times , $/$, and parentheses.
- (d) The Code-Word Language (CWL).
- (e) The set of all encodings of Turing machines (encoded using strings from CWL).
- (f) DOUBLEWORD, the set of all strings consisting of a string concatenated with itself.
- (g) The set of all palindromes (i.e., strings that are the same forwards or backwards).
- (h) The set of all Turing machines that accept every binary string.
- (i) The set of all regular expressions.
- (j) The set of all polynomials.
- (k) The set of all satisfiable Boolean expressions in Conjunctive Normal Form with at most two literals in each clause.
- (l) The set of all satisfiable Boolean expressions in Conjunctive Normal Form with at most three literals in each clause.

Which, if any, of these languages are NP-complete?



Question 20**(7 marks)**

Prove that the following problem is undecidable.

Input: a Turing machine M , and a positive integer t .

Question: Is there an input string x of length at least t such that, if M is run on x , it eventually halts?

You may use the fact that the halting problem is undecidable.

Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu_assist_pro

Question 21**(5 marks)**

For this question, recall that the composition of two polynomial-time reductions is again a polynomial-time reduction, and that the notation \leq_p indicates the existence of a polynomial-time reduction.

Prove by induction on n that, if L_1, \dots, L_n are languages, and $L_i \leq_p L_{i+1}$ for all i in the range $1 \leq i \leq n - 1$, then $L_1 \leq_p L_n$.

Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu_assist_pro

Question 22

(6 marks)

(a) Define the class of *NP-complete* languages.

(b) Prove that, if K is NP-complete, $K \leq_p L$ and $L \in \text{NP}$, then L is NP-complete.

Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu_assist_pro

Question 23

(17 marks)

Consider the language CUBIC SUBGRAPH, which consists of all graphs G which have a subgraph, with at least one edge, whose vertices all have degree 0 or 3.


- (a) Prove that the language CUBIC SUBGRAPH is in NP.

Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu_assist_pro

Now, let W be the following graph.



(b) Construct a Boolean expression E_W in Conjunctive Normal Form such that the satisfying truth assignments for E_W correspond to solutions to the CUBIC SUBGRAPH problem on the above graph W for which every vertex has degree 0 or 3 in the subgraph.

<https://eduassistpro.github.io/>

Add WeChat edu_assist_pro

(c) Give a polynomial-time reduction from CUBIC SUBGRAPH to SATISFIABILITY.

Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu_assist_pro

(d) Give the usual name for the set of all languages that are polynomial-time Turing reducible to SATISFIABILITY.

(e) If it were shown that all algorithms for CUBIC SUBGRAPH take exponential time, what would you conclude about the time complexity of SATISFIABILITY?

<https://eduassistpro.github.io/>

Add WeChat edu_assist_pro

Blank Page for Working

Assignment Project Exam Help

<https://eduassistpro.github.io/>

Add WeChat edu_assist_pro

END OF EXAMINATION