Executive Summary



Performance Report for:

http://newprobeg.ru/

Report generated: Thu, May 24, 2018, 2:51 AM -0700 (via API)

Test Server Region: ▶ Vancouver, Canada

Using: Ochrome (Desktop) 62.0.3202.94, PageSpeed 1.15qt1, YSlow 3.1.8

PageSpeed Score

A (95%) **^**

YSlow Score

R(84%) ^

Fully Loaded Time

Total Page Size 277KB ^

Requests

26 ^

Top 5 Priority Issues

Minimize redirects	B (83)	₩ AVG SCORE: 89%	CONTENT	HIGH
Inline small JavaScript	A (92)	♦ AVG SCORE: 94%	JS	HIGH
Defer parsing of JavaScript	A (93)	▲ AVG SCORE: 69%	JS	HIGH
Leverage browser caching	A (96)	♠ AVG SCORE: 59%	SERVER	HIGH
Optimize images	A (97)	▲ AVG SCORE: 69%	IMA GES	HIGH

How does this affect me?

Studies show that users leave a site if it hasn't loaded in 4 seconds; keep your users happy and engaged by providing a fast performing website.

As if you didn't need more incentive, Google has announced that they are using page speed in their ranking algorithm.

About GTmetrix

We can help you develop a faster, more efficient, and all-around improved website experience for your users. We use Google PageSpeed and Yahoo! YSlow to grade your site's performance and provide actionable recommendations to fix these issues.

About the Developer



GTmetrix is developed by the good folks at **GT.net**, a Vancouver-based performance hosting company with over 22 years experience in web technology.

https://gt.net/

What do these grades mean?

This report is an analysis of your site with Google and Yahoo!'s metrics for how to best develop a site for optimized speed. The **grades you see represent** how well the scanned URL adheres to those rules.

Lower grades (C or lower) mean that the page can stand to be faster using better practices and optimizing your settings.

What's in this report?

This report covers basic to technical analyses on your page. It is categorized under many headings:


- Executive: Overall score information and Priority Issues
- History: Graphed history of past performance
- Waterfall: Graph of your site's loading timeline
- Technical: In-depth PageSpeed & YSlow information

These will provide you with a snapshot of your performance.




History


Page load times



Page sizes and request counts




PageSpeed and YSlow scores





Waterfall Chart

The waterfall chart displays the loading behaviour of your site in your selected browser. It can be used to discover simple issues such as 404's or more complex issues such as external resources blocking page rendering.



Page Load Timings

Page Load Timings

RUM Speed Index: 1,341

Redirect Oms
Connect 0.6s
Backend 189ms
TTFB 0.8s
DOM int. 1.1s
DOM loaded 1.1s (46ms)
First paint 1.2s
Contentful paint 1.2s
Onload 1.7s (Oms)

Redirect duration



This is the time spent redirecting URLs before the final HTML page is loaded. Common redirects include:

- Redirect from a non-www to www (eg. example.com to www.example.com)
- Redirect to a secure URL (eg. http:// to https://)
- · Redirect to set cookies
- · Redirect to a mobile version of the site

Some sites may even perform a chain of multiple redirects (eg. non-www to www, then to a secure URL). This timing is the total of all this time that's spent redirecting, or 0 if no redirects occurred.

In the Waterfall Chart, Redirect duration consists of the time from the beginning of the test until just before we start the request of the final HTML page (when we receive the first 200 OK response).

During this time, the browser screen is blank! Ensure that this duration is kept to short by minimizing your redirects.

Connection duration



Once any redirects have completed, Connection duration is measured. This is the time spent connecting to the server to make the request to the page.

Technically speaking, this duration is a combination of the blocked time, DNS time, connect time and sending time of the request (rather than *just* connect time). We've combined those components into a single Connection duration to simplify things (as most of these times are usually small).

In the Waterfall Chart, Connection duration consists of everything up to and including the "Sending" time in the final HTML page request (the first 200 OK response).

During this time, the browser screen is still blank! Various causes could contribute to this, including a slow/problematic connection between the test server and site or slow response times from the site.

Backend duration



Once the connection is complete and the request is made, the server needs to generate a response for the page. The time it takes to generate the response is known as the Backend duration.



Page Load Timings



In the Waterfall Chart, Backend duration consists of purple waiting time in the page request.

There are a number of reasons why Backend duration could be slow. We cover this is our "Why is my page slow" article.

Time to First Byte (TTFB)




Time to First Byte (TTFB) is the total amount of time spent to receive the first byte of the response once it has been requested. It is the sum of "Redirect duration" + "Connection duration" + "Backend duration". This metric is one of the key indicators of web performance.

In the Waterfall Chart, it is calculated at the start of the test until just before receiving on the page request and represented by the orange line.

Some ways to improve the TTFB include: optimizing application code, implementing caching, fine-tuning your web server configuration, or upgrading server hardware.


DOM interactive time



DOM interactive time is the point at which the browser has finished loading and parsing HTML, and the DOM (Document Object Model) has been built. The DOM is how the browser internally structures the HTML so that it can render it.

DOM interactive time isn't marked in the Waterfall Chart as it's usually very close in timing to DOM content loaded.

DOM content loaded time



DOM content loaded time (DOM loaded or DOM ready for short) is the point at which the DOM is ready (ie. DOM interactive) and there are no stylesheets blocking JavaScript execution.

If there are no stylesheets blocking JavaScript execution and there is no parser blocking JavaScript, then this will be the same as DOM interactive time.

In the Waterfall Chart, it is represented by the blue line.

The time in brackets is the time spent executing JavaScript triggered by the DOM content loaded event. Many JavaScript frameworks use this event as a starting point to begin execution of their code.

Since this event is often used by JavaScript as the starting point and delays in this event mean delays in rendering, it's important to make sure that <u>style and script order is optimized</u> and that <u>parsing of JavaScript is deferred</u>.

First paint time



First paint time is the first point at which the browser does any sort of rendering on the page. Depending on the structure of the page, this first paint could just be displaying the background colour (including white), or it could be a majority of the page being rendered.

In the Waterfall Chart, it is represented by the green line.

This timing is of significance because until this point, the browser will have only shown a blank page and this change gives the user an indication that the page is loading. However, we don't know how much of the page was rendered with this paint, so having a early first paint doesn't necessarily

indicate a fast loading page.

If the browser does not perform a paint (ie. the html results in an blank page), then the paint timings may be missing.

First contentful paint time



First Contentful Paint is triggered when any content is painted - i.e. something defined in the DOM



Page Load Timings



(Document Object Model). This could be text, an image or canvas render.

This timing aims to be more representative of your user's experience, as it flags when actual content has been loaded in the page, and not just any change - but it may often be the same time as First Paint.

Because the focus is on content, the idea is that this metric gives you an idea of when your user receives consumable information (text, visuals, etc) - much more useful for performance assessment

than when a background has changed or a style has been applied.

If the browser does not perform a paint (ie. the html results in an blank page), then the paint timings may be missing.

Onload time



Onload time occurs when the processing of the page is complete and all the resources on the page (images, CSS, etc.) have finished downloading. This is also the same time that DOM complete occurs and the JavaScript window.onload event fires.

Note that there may be JavaScript that initiates subsequent requests for more resources, hence the reason why Fully loaded timing is preferred.

In the Waterfall Chart, it is represented by the red line.

The time in brackets is the time spent executing JavaScript triggered by the Onload event.

Note that Onload time was the previous default for when to stop the test prior to Feburary 8th, 2017.



PageSpeed Recommendations

PageSpeed Recommendations

Minimize redirects 5683 → AVG SCORE 86% CONTENT HIGH Inline small JavaScript A003 → AVG SCORE 84% JS HIGH Defer parsing of JavaScript A003 → AVG SCORE 84% JS HIGH Leverage browser caching A005 → AVG SCORE 85% SERVER HIGH Optimize images A009 → AVG SCORE 85% JS HIGH Minify JavaScript A009 → AVG SCORE 85% JS HIGH Minify LavaScript A009 → AVG SCORE 85% CONTENT HIGH Minify LTML A009 → AVG SCORE 85% CONTENT HIGH Minify CSS AVG SCORE 85% CSS HIGH Avoid bad requests A1009 → AVG SCORE 85% CSS HIGH Avoid bad requests A1009 → AVG SCORE 85% CSS HIGH Avoid bad requests A1009 → AVG SCORE 85% CSS HIGH Avoid bad requests A1009 → AVG SCORE 85% CSS HIGH Enable Keep-Alive A1009 </th <th>RECOMMENDATION</th> <th>GRADE</th> <th>RELATIVE</th> <th>TYPE</th> <th>PRIORITY</th>	RECOMMENDATION	GRADE	RELATIVE	TYPE	PRIORITY
Defer parsing of JavaScript	Minimize redirects	B (83)	₩ AVG SCORE: 89%	CONTENT	HIGH
Leverage browser caching A (85) A (87) A (87) A (87) A (87) A (87) A (88) A (87) A (88) A (89) A (80) A (Inline small JavaScript	A (92)	♦ AVG SCORE: 94%	JS	HIGH
Minify JavaScript	Defer parsing of JavaScript	A (93)	AVG SCORE: 69%	JS	HIGH
Minify JavaScript A (89) A AVG SCORE 88% JS HIGH Minimize request size A (89) A VG SCORE 97% CONTENT HIGH Minify HTML A (89) A VG SCORE 98% CONTENT LOW Enable gzip compression A (89) A VG SCORE 98% SERVER HIGH Minify CSS A (89) A VG SCORE 98% CSS HIGH Avoid bad requests A (100) A VG SCORE 98% SERVER HIGH Avoid landing page redirects A (100) A VG SCORE 98% SERVER HIGH Enable Keep-Alive A (100) A VG SCORE 98% SERVER HIGH Inline small CSS A (100) A VG SCORE 98% SERVER HIGH Optimize the order of styles and scripts A (100) A VG SCORE 98% CSS HIGH Put CSS in the document head A (100) A VG SCORE 98% CONTENT HIGH Serve resources from a consistent URL A (100) A VG SCORE 98% CONTENT HIGH Serve scaled images A (100) A VG SCORE 98%	Leverage browser caching	A (96)	AVG SCORE: 59%	SERVER	HIGH
Minimize request size A(89) AVG SCORE: 97% CONTENT LOW Enable gzip compression A(89) AVG SCORE: 98% SERVER HGH Minify CSS A(89) AVG SCORE: 98% CSS HGH AVG SCORE: 98% CSS HGH AVG SCORE: 98% CSS HGH AVG SCORE: 98% AVG SCORE: 98% CSS HGH AVG SCORE: 98% AVG SCORE: 98% CONTENT HGH AVG SCORE: 98% AVG SC	Optimize images	A (97)	AVG SCORE: 69%	IMA GES	HIGH
Minify HTML Enable gzip compression A(89) AVG SCORE 88% SERVER HIGH Minify CSS A(99) AVG SCORE 88% CONTENT HIGH Avoid bad requests A(100) AVG SCORE 98% CONTENT HIGH Avoid landing page redirects A(100) AVG SCORE 98% SERVER HIGH Enable Keep-Alive A(100) AVG SCORE 98% SERVER HIGH Inline small CSS A(100) AVG SCORE 98% SERVER HIGH CSS HIGH A(100) AVG SCORE 98% SERVER HIGH Put CSS in the document head A(100) AVG SCORE 98% CSS HIGH Put CSS in the document head A(100) AVG SCORE 98% CSS HIGH Put CSS in the document head A(100) AVG SCORE 98% CSS HIGH CONTENT HIGH Put CSS in the document head A(100) AVG SCORE 98% CSS HIGH CONTENT HIGH Contine images A(100) AVG SCORE 98% SERVER HIGH A(100) AVG SCORE 98% SERVER HIGH Combine images using CSS sprites A(100) AVG SCORE 98% SERVER HIGH A(100) AVG SCORE 98% SERVER HIGH Combine images using CSS sprites A(100) AVG SCORE 98% SERVER HIGH Avoid CSS @import A(100) AVG SCORE 98% SERVER LOW Specify a character set early A(100) AVG SCORE 98% SERVER LOW Specify a character set early A(100) AVG SCORE 98% SERVER LOW Specify image dimensions A(100) AVG SCORE 98% SERVER LOW Specify image dimensions A(100) AVG SCORE 98% SERVER LOW Specify image dimensions A(100) AVG SCORE 98% SERVER LOW Specify image dimensions A(100) AVG SCORE 98% SERVER LOW Specify image dimensions A(100) AVG SCORE 98% SERVER LOW SPECIFY image dimensions A(100) AVG SCORE 98% SERVER LOW SPECIFY image dimensions A(100) AVG SCORE 98% SERVER LOW SPECIFY image dimensions A(100) AVG SCORE 98% SERVER SERV	Minify JavaScript	A (99)	▲ AVG SCORE: 88%	JS	HIGH
Enable gzip compression A (99) A VG SCORE 94% SERVER HIGH Avoid bad requests A (100) A VG SCORE 98% CONTENT HIGH Avoid landing page redirects A (100) A VG SCORE 98% SERVER HIGH Enable Keep-Alive A (100) A VG SCORE 98% SERVER HIGH Inline small CSS A (100) A VG SCORE 98% SERVER HIGH CSS HIGH Inline small CSS A (100) A VG SCORE 98% CSS HIGH CSS HIGH CSS HIGH CSS HIGH CSS In the document head A (100) A VG SCORE 98% CSS HIGH CSS HIGH Serve resources from a consistent URL A (100) A VG SCORE 98% CONTENT HIGH Serve scaled images A (100) A VG SCORE 98% CONTENT HIGH Serve scaled images A (100) A VG SCORE 98% SERVER HIGH COmbine images using CSS sprites A (100) A VG SCORE 98% SERVER HIGH Frefer asynchronous resources A (100) A VG SCORE 98% SERVER HIGH Combine images using CSS sprites A (100) A VG SCORE 98% SERVER HIGH Combine images using CSS sprites A (100) A VG SCORE 98% SERVER HIGH Combine images using CSS sprites A (100) A VG SCORE 98% SERVER HIGH CSS MEDUIM Prefer asynchronous resources A (100) A VG SCORE 98% SERVER LOW Specify a character set early A (100) A VG SCORE 98% SERVER LOW Specify a character set early A (100) A VG SCORE 98% SERVER LOW Specify image dimensions A (100) A VG SCORE 98% SERVER LOW CONTENT MEDUIM Specify image dimensions A (100) A VG SCORE 98% SERVER LOW CONTENT MEDUIM A (100) A VG SCORE 98% SERVER LOW CONTENT MEDUIM Specify image dimensions A (100) A VG SCORE 98% SERVER LOW CONTENT MEDUIM A (100) A VG SCORE 98% SERVER LOW CONTENT MEDUIM A (100) A VG SCORE 98% SERVER LOW CONTENT MEDUIM A (100) A VG SCORE 98% SERVER LOW CONTENT MEDUIM A (100) A (100	Minimize request size	A (99)	♦ AVG SCORE: 97%	CONTENT	HIGH
Minify CSS A 489 A VG SCORE 95% CSS HIGH Avoid bad requests A 1600 A VG SCORE 96% CONTENT HIGH Avoid landing page redirects A 1600 A VG SCORE 96% SERVER HIGH Enable Keep-Alive Inline small CSS A 1600 A VG SCORE 96% CSS HIGH Dottmize the order of styles and scripts A 1600 A VG SCORE 96% CSS HIGH Dottmize the order of styles and scripts A 1600 A VG SCORE 96% CSS HIGH CSS HIGH CSS HIGH Serve resources from a consistent URL A 1600 A VG SCORE 96% CSS HIGH CSS HIGH Combine images A 1600 A VG SCORE 96% CSS HIGH Combine images using CSS sprites A 1600 A 1600 A VG SCORE 96% CSS HIGH Combine images using CSS sprites A 1600 A VG SCORE 96% CSS HIGH Combine images using CSS sprites A 1600 A VG SCORE 96% CSS MEDIUM Prefer asynchronous resources A 1600 A VG SCORE 96% SERVER HIGH Combine images using CSS sprites A 1600 A VG SCORE 96% CSS MEDIUM Specify a Vary: Accept-Encoding header A 1600 A VG SCORE 96% AVG SCORE 96% SERVER HIGH COMBINE image dimensions A 1600 A VG SCORE 96% AVG SCORE 96% CSS MEDIUM Specify image dimensions A 1600 A VG SCORE 96% AVG SCORE 96% CONTENT MEDIUM Specify image dimensions A 1600 A VG SCORE 96% AVG SCORE 96% CONTENT MEDIUM Specify image dimensions A 1600 A VG SCORE 96% CONTENT MEDIUM Specify image dimensions A 1600 A VG SCORE 96% CONTENT MEDIUM Specify image dimensions A 1600 A VG SCORE 96% CONTENT MEDIUM Specify image dimensions A 1600 A VG SCORE 96% CONTENT MEDIUM CONT	Minify HTML	A (99)	♦ AVG SCORE: 98%	CONTENT	LOW
Avoid bad requests A 100) AVG SCORE 98% SERVER HIGH Finable Keep-Alive A 100) AVG SCORE 98% SERVER HIGH A 100) AVG SCORE 98% SERVER HIGH Inline small CSS A 100) A VG SCORE 98% SERVER HIGH CSS A 100) A VG SCORE 98% SERVER HIGH A 100) A VG SCORE 98% CSS HIGH CSS HIGH CSS in the document head A 100) A VG SCORE 94% CSS HIGH CSS in the document head A 100) A VG SCORE 98% CONTENT HIGH Serve resources from a consistent URL A 100) A VG SCORE 88% CONTENT HIGH Serve scaled images A 100) A VG SCORE 94% SERVER HIGH Combine images using CSS sprites A 100) A VG SCORE 94% SERVER HIGH Combine images using CSS sprites A 100) A VG SCORE 98% MAGES HIGH Combine images using CSS sprites A 100) A VG SCORE 98% SERVER HIGH Combine images using CSS sprites A 100) A VG SCORE 98% SERVER HIGH CSS MEDIUM Prefer asynchronous resources A 100) A VG SCORE 96% SERVER LOW Specify a Vary: Accept-Encoding header A 199) A VG SCORE 96% SERVER MEDIUM Specify a character set early A 100) A VG SCORE 98% MAGES MEDIUM Specify image dimensions A 100) A VG SCORE 98% MAGES MEDIUM A VG SCORE 98% MAGES MEDIUM A VG SCORE 98% MAGES MEDIUM A VG SCORE 98% MEDIUM A VG SCORE 98% MAGES MEDIUM A VG SCORE 9	Enable gzip compression	A (99)	▲ AVG SCORE: 84%	SERVER	HIGH
Avoid landing page redirects A (100) Avg Score: 98% SERVER HIGH Inline small CSS A(100) Avg Score: 98% SERVER HIGH Inline small CSS A(100) Avg Score: 98% SERVER HIGH Inline small CSS A(100) Avg Score: 98% CSS HIGH Optimize the order of styles and scripts A(100) Avg Score: 94% CSS/JS HIGH Put CSS in the document head A(100) Avg Score: 94% CSS/JS HIGH Serve resources from a consistent URL A(100) Avg Score: 98% CONTENT HIGH Serve scaled images A(100) Avg Score: 98% SERVER HIGH Specify a cache validator A(100) Avg Score: 98% SERVER HIGH Combine images using CSS sprites A(100) Avg Score: 98% SERVER HIGH Avoid CSS @import A(100) Avg Score: 98% SERVER HIGH Specify a Vary: Accept-Encoding header A(99) Avg Score: 98% SERVER LOW Specify a character set early A(100) Avg Score: 98% SERVER HIGH Avoid CSS @import A(100) Avg Score: 98% SERVER HIGH Avoid CSS @import A(100) Avg Score: 98% SERVER HIGH Avoid CSS @import A(100) Avg Score: 98% SERVER HIGH Avoid CSS @import A(100) Avg Score: 98% SERVER HIGH Avoid SCORE: 98% MEDIUM Specify a character set early A(100) Avg Score: 98% MAGES MEDIUM Avoid a character set in the meta tag A(100) Avg Score: 98% MAGES MEDIUM Avoid a character set in the meta tag	Minify CSS	A (99)	♦ AVG SCORE: 95%	CSS	HIGH
Enable Keep-Alive A (100) A VG SCORE 96% SERVER HIGH Inline small CSS A (100) A VG SCORE 96% CSS HIGH Optimize the order of styles and scripts A (100) A AVG SCORE 94% CSS/JS HIGH Put CSS in the document head A (100) A AVG SCORE 100% CSS HIGH Serve resources from a consistent URL A (100) A AVG SCORE 100% A AVG SCORE 88% CONTENT HIGH Serve scaled images A (100) A AVG SCORE 98% SERVER HIGH Combine images using CSS sprites A (100) A AVG SCORE 94% SERVER HIGH Combine images using CSS sprites A (100) A AVG SCORE 98% CSS MEDIUM Prefer asynchronous resources A (100) A AVG SCORE 98% CSS MEDIUM Prefer asynchronous resources A (100) A AVG SCORE 96% SERVER LOW Specify a Vary: Accept-Encoding header A (99) A AVG SCORE 96% SERVER LOW Specify a character set early A (100) A AVG SCORE 96% SERVER LOW Specify image dimensions A (100) A AVG SCORE 96% SERVER LOW AVG SCORE 96%	Avoid bad requests	A (100)	♦ AVG SCORE: 98%	CONTENT	HIGH
Inline small CSS A (100) A VG SCORE 96% CSS HIGH Optimize the order of styles and scripts A (100) A VG SCORE 94% CSS HIGH Put CSS in the document head A (100) A VG SCORE 100% CSS HIGH Serve resources from a consistent URL A (100) A VG SCORE 88% CONTENT HIGH Serve scaled images A (100) A VG SCORE 94% Server 94% Server 95% HIGH Combine images using CSS sprites A (100) A VG SCORE 94% Server 94% HIGH CSS HIGH A VG SCORE 94% SERVER HIGH A VG SCORE 98% HIGH A VG SCORE 98% CSS MEDIUM A VG SCORE 98% CSS MEDIUM Prefer asynchronous resources A (100) A VG SCORE 98% SERVER LOW Specify a Vary: Accept-Encoding header A (99) A VG SCORE 96% SERVER LOW Specify a character set early A (100) A VG SCORE 98% NACE SCORE 98% NEDIUM Specify a character set early A (100) A VG SCORE 98% NEDIUM A VG SCORE 98% NEDIUM Specify a character set early A (100) A VG SCORE 98% NEDIUM	Avoid landing page redirects	A (100)	♦ AVG SCORE: 98%	SERVER	HIGH
Optimize the order of styles and scripts A(100) AVG SCORE 94% CSS/JS HIGH Put CSS in the document head A(100) AVG SCORE 100% CSS HIGH Serve resources from a consistent URL A(100) AVG SCORE 88% CONTENT HIGH Serve scaled images A(100) AVG SCORE 98% SERVER HIGH Combine images using CSS sprites A(100) AVG SCORE 94% SERVER HIGH Avoid CSS @import A(100) AVG SCORE 98% CSS MEDIUM Prefer asynchronous resources A(100) AVG SCORE 98% SERVER LOW Specify a Vary: Accept-Encoding header A(100) AVG SCORE 98% SERVER LOW Specify a character set early A(100) AVG SCORE 98% SERVER LOW Specify image dimensions A(100) AVG SCORE 98% MAGES MEDIUM AVG SCORE 98% MEDIUM AVG SCORE 98% MAGES MEDIUM AVG SCORE 98% MEDIUM AVG SCORE 98% MAGES MEDIUM AVOId a character set in the meta tag	Enable Keep-Alive	A (100)	♦ AVG SCORE: 96%	SERVER	HIGH
Put CSS in the document head A (100) A VG SCORE: 100% CSS HIGH Serve resources from a consistent URL A (100) A VG SCORE: 88% CONTENT HIGH Serve scaled images A (100) A VG SCORE: 73% IMAGES HIGH Specify a cache validator A (100) A VG SCORE: 94% SERVER HIGH Combine images using CSS sprites A (100) A VG SCORE: 89% IMAGES HIGH Avoid CSS @import A (100) A VG SCORE: 89% CSS MEDIUM Prefer asynchronous resources A (100) A VG SCORE: 100% Specify a Vary: Accept-Encoding header A (99) A VG SCORE: 98% SERVER LOW Specify a character set early A (100) A VG SCORE: 100% CONTENT MEDIUM Specify image dimensions A (100) A VG SCORE: 98% IMAGES MEDIUM Avoid a character set in the meta tag A (100) A VG SCORE: 98% IMAGES MEDIUM Avoid a character set in the meta tag A (100) A VG SCORE: 100% CONTENT LOW	Inline small CSS	A (100)	♦ AVG SCORE: 96%	CSS	HIGH
Serve resources from a consistent URL A (100) A VG SCORE 88% CONTENT HIGH Serve scaled images A (100) A VG SCORE 73% IMAGES HIGH Combine images using CSS sprites A (100) A VG SCORE 94% SERVER HIGH Combine images using CSS sprites A (100) A VG SCORE 89% IMAGES HIGH A Void CSS @import A (100) A VG SCORE 89% CSS MEDIUM Prefer asynchronous resources A (100) A VG SCORE 98% SERVER LOW Specify a Vary: Accept-Encoding header A (99) A VG SCORE 96% SERVER LOW Specify a character set early A (100) A VG SCORE 100% A VG SCORE 100% CONTENT MEDIUM A VOId a character set in the meta tag A (100) A VG SCORE 98% IMAGES MEDIUM CONTENT MEDIUM A VOId a character set in the meta tag	Optimize the order of styles and scripts	A (100)	AVG SCORE: 94%	CSS/JS	HIGH
Serve scaled images A (100) A AVG SCORE 73% IMAGES HIGH Combine images using CSS sprites A (100) A (100) A AVG SCORE 94% SERVER HIGH Combine images using CSS sprites A (100) A AVG SCORE 89% IMAGES HIGH Avoid CSS @import A (100) A AVG SCORE 89% CSS MEDIUM Prefer asynchronous resources A (100) A AVG SCORE 100% JS MEDIUM Specify a Vary: Accept-Encoding header A (99) A AVG SCORE 96% SERVER LOW Specify a character set early A (100) A AVG SCORE 98% IMAGES MEDIUM Specify image dimensions A (100) A AVG SCORE 98% IMAGES MEDIUM Avoid a character set in the meta tag A (100) A AVG SCORE 100% CONTENT LOW	Put CSS in the document head	A (100)	♦ AVG SCORE: 100%	CSS	HIGH
Specify a cache validator A (100) A VG SCORE 94% SERVER HIGH Combine images using CSS sprites A (100) A VG SCORE 89% IMAGES HIGH Avoid CSS @import A (100) A VG SCORE 98% CSS MEDIUM Prefer asynchronous resources A (100) A VG SCORE 100% JS MEDIUM Specify a Vary: Accept-Encoding header A (99) A VG SCORE 96% SERVER LOW Specify a character set early A (100) A VG SCORE 100% A VG SCORE 100% CONTENT MEDIUM Specify image dimensions A (100) A VG SCORE 98% IMAGES MEDIUM Avoid a character set in the meta tag A (100) A VG SCORE 100% CONTENT LOW	Serve resources from a consistent URL	A (100)	AVG SCORE: 88%	CONTENT	HIGH
Combine images using CSS sprites A (100) A VG SCORE 89% MEDIUM Prefer asynchronous resources A (100) A VG SCORE 100% A VG SCORE 100% Specify a Vary: Accept-Encoding header A (100) A (100) A VG SCORE 100% SERVER LOW Specify a character set early A (100) A VG SCORE 100% CONTENT MEDIUM Avoid a character set in the meta tag A (100) A VG SCORE 100% CONTENT LOW Avoid a character set in the meta tag	Serve scaled images	A (100)	AVG SCORE: 73%	IMA GES	HIGH
Avoid CSS @import A (100) A VG SCORE 98% CSS MEDIUM Prefer asynchronous resources A (100) A VG SCORE 100% JS MEDIUM Specify a Vary: Accept-Encoding header A (99) A (100) A VG SCORE 96% SERVER LOW Specify a character set early A (100) A VG SCORE 100% CONTENT MEDIUM Avoid a character set in the meta tag A (100) A VG SCORE 98% IMAGES MEDIUM Avoid a character set in the meta tag	Specify a cache validator	A (100)	AVG SCORE: 94%	SERVER	HIGH
Prefer asynchronous resources A (100) A VG SCORE: 100% SerVER LOW Specify a Vary: Accept-Encoding header A (99) A (100) A VG SCORE: 96% SERVER LOW Specify a character set early A (100) A VG SCORE: 100% A VG SCORE: 98% IMAGES MEDIUM Avoid a character set in the meta tag A (100) A VG SCORE: 100% CONTENT LOW	Combine images using CSS sprites	A (100)	AVG SCORE: 89%	IMA GES	HIGH
Specify a Vary: Accept-Encoding header A (99) ♦ AVG SCORE: 96% SERVER LOW Specify a character set early A (100) ♦ AVG SCORE: 100% CONTENT MEDIUM Specify image dimensions A (100) ♦ AVG SCORE: 98% IMAGES MEDIUM Avoid a character set in the meta tag A (100) ♦ AVG SCORE: 100% CONTENT LOW	Avoid CSS @import	A (100)	♦ AVG SCORE: 98%	CSS	MEDIUM
Specify a character set early A (100) ♦ AVG SCORE: 100% CONTENT MEDIUM Specify image dimensions A (100) ♦ AVG SCORE: 98% IMAGES MEDIUM Avoid a character set in the meta tag A (100) ♦ AVG SCORE: 100% CONTENT LOW	Prefer asynchronous resources	A (100)	♦ AVG SCORE: 100%	JS	MEDIUM
Specify image dimensions A (100) A VG SCORE: 98% IMAGES MEDIUM Avoid a character set in the meta tag A (100) A VG SCORE: 100% CONTENT LOW	Specify a Vary: Accept-Encoding header	A (99)	♦ AVG SCORE: 96%	SERVER	LOW
Avoid a character set in the meta tag A (100) A VG SCORE: 100% CONTENT LOW	Specify a character set early	A (100)	♦ AVG SCORE: 100%	CONTENT	MEDIUM
	Specify image dimensions	A (100)	♦ AVG SCORE: 98%	IMA GES	MEDIUM
Remove query strings from static resources A (100) A VG SCORE: 88% CONTENT LOW	Avoid a character set in the meta tag	A (100)	♦ AVG SCORE: 100%	CONTENT	LOW
	Remove query strings from static resources	A (100)	▲ AVG SCORE: 88%	CONTENT	LOW



YSlow Recommendations

YSlow Recommendations

RECOMMENDATION	GRADE	RELATIVE	TYPE	PRIORITY
Use a Content Delivery Network (CDN)	F (0)	✓ AVG SCORE: 21%	SERVER	MEDIUM
Add Expires headers	C (78)	▲ AVG SCORE: 26%	SERVER	HIGH
Make fewer HTTP requests	B (84)	▲ AVG SCORE: 32%	CONTENT	HIGH
Compress components with gzip	B (89)	♦ AVG SCORE: 85%	SERVER	HIGH
Avoid URL redirects	B (80)	➤ AVG SCORE: 88%	CONTENT	MEDIUM
Minify JavaScript and CSS	A (90)	▲ AVG SCORE: 71%	CSS/JS	MEDIUM
Reduce DNS lookups	A (95)	AVG SCORE: 70%	CONTENT	LOW
Make AJAX cacheable	A (100)	♦ AVG SCORE: 100%	JS	MEDIUM
Remove duplicate JavaScript and CSS	A (100)	♦ AVG SCORE: 100%	CSS/JS	MEDIUM
Avoid AlphalmageLoader filter	A (100)	♦ AVG SCORE: 99%	CSS	MEDIUM
Avoid HTTP 404 (Not Found) error	A (100)	♦ AVG SCORE: 98%	CONTENT	MEDIUM
Reduce the number of DOM elements	A (100)	AVG SCORE: 92%	CONTENT	LOW
Use cookie-free domains	A (100)	AVG SCORE: 49%	COOKIE	LOW
Use GET for AJAX requests	A (100)	♦ AVG SCORE: 100%	JS	LOW
Avoid CSS expressions	A (100)	♦ AVG SCORE: 99%	CSS	LOW
Reduce cookie size	A (100)	♦ AVG SCORE: 100%	COOKIE	LOW
Make favicon small and cacheable	A (100)	♦ AVG SCORE: 100%	IMAGES	LOW
Configure entity tags (ETags)	A (100)	AVG SCORE: 91%	SERVER	LOW
Make JavaScript and CSS external	(n/a)		CSS/JS	MEDIUM