





## Performance Report for:

http://autofresh.pro/

Report generated: Wed, Jun 13, 2018, 12:44 PM -0700 (via API)

Test Server Region: ▶ Vancouver, Canada

Using: Ochrome (Desktop) 62.0.3202.94, PageSpeed 1.15qt1, YSlow 3.1.8

PageSpeed Score

**A** (90%) **^** 

YSlow Score

**C**(75%) ^

Fully Loaded Time

5.4s ^

Total Page Size

780KB ^

Requests

40 ^

#### Top 5 Priority Issues

Minimize redirects	D (67)	<b>✓</b> AVG SCORE: 88%	CONTENT	HIGH
Defer parsing of JavaScript	C (73)	♦ AVG SCORE: 70%	JS	HIGH
Inline small CSS	A (92)	♦ AVG SCORE: 96%	CSS	HIGH
Optimize the order of styles and scripts	A (92)	♦ AVG SCORE: 94%	CSS/JS	HIGH
Leverage browser caching	A (96)	▲ AVG SCORE: 59%	SERVER	HIGH

#### How does this affect me?

Studies show that users leave a site if it hasn't loaded in 4 seconds; keep your users happy and engaged by providing a fast performing website.

As if you didn't need more incentive, Google has announced that they are using page speed in their ranking algorithm.

#### About GTmetrix

We can help you develop a faster, more efficient, and all-around improved website experience for your users. We use Google PageSpeed and Yahoo! YSlow to grade your site's performance and provide actionable recommendations to fix these issues.

#### About the Developer



GTmetrix is developed by the good folks at **GT.net**, a Vancouver-based performance hosting company with over 22 years experience in web technology.

https://gt.net/

#### What do these grades mean?

This report is an analysis of your site with Google and Yahoo!'s metrics for how to best develop a site for optimized speed. The **grades you see represent** how well the scanned URL adheres to those rules.

Lower grades (C or lower) mean that the page can stand to be faster using better practices and optimizing your settings.

#### What's in this report?

This report covers basic to technical analyses on your page. It is categorized under many headings:


- Executive: Overall score information and Priority Issues
- History: Graphed history of past performance
- Waterfall: Graph of your site's loading timeline
- Technical: In-depth PageSpeed & YSlow information

These will provide you with a snapshot of your performance.




## History


### Page load times



#### Page sizes and request counts




## PageSpeed and YSlow scores





#### Waterfall Chart

The waterfall chart displays the loading behaviour of your site in your selected browser. It can be used to discover simple issues such as 404's or more complex issues such as external resources blocking page rendering.



# Page Load Timings

### Page Load Timings

RUM Speed Index: 2,631

Redirect	Connect	Backend	TTFB
Oms	183ms	1.0s	1.1s
First paint	Contentful paint	DOM int.	DOM loaded
2.0s	2.0s	2.2s	2.2s (31ms)
Onload 3.9s (1ms)			

#### Redirect duration



This is the time spent redirecting URLs before the final HTML page is loaded. Common redirects include:

- Redirect from a non-www to www (eg. example.com to www.example.com)
- Redirect to a secure URL (eg. http:// to https://)
- · Redirect to set cookies
- · Redirect to a mobile version of the site

Some sites may even perform a chain of multiple redirects (eg. non-www to www, then to a secure URL). This timing is the total of all this time that's spent redirecting, or 0 if no redirects occurred.

In the Waterfall Chart, Redirect duration consists of the time from the beginning of the test until just before we start the request of the final HTML page (when we receive the first 200 OK response).

During this time, the browser screen is blank! Ensure that this duration is kept to short by minimizing your redirects.

#### Connection duration



Once any redirects have completed, Connection duration is measured. This is the time spent connecting to the server to make the request to the page.

Technically speaking, this duration is a combination of the blocked time, DNS time, connect time and sending time of the request (rather than *just* connect time). We've combined those components into a single Connection duration to simplify things (as most of these times are usually small).

In the Waterfall Chart, Connection duration consists of everything up to and including the "Sending" time in the final HTML page request (the first 200 OK response).

During this time, the browser screen is still blank! Various causes could contribute to this, including a slow/problematic connection between the test server and site or slow response times from the site.

#### Backend duration

Unce the connection is complete and the relation is ample.com | South | South

Once the connection is complete and the request is made, the server needs to generate a response for the page. The time it takes to generate the response is known as the Backend duration.

In the Waterfall Chart, Backend duration consists of purple waiting time in the page request.

There are a number of reasons why Backend duration could be slow. We cover this is our "Why is my page slow" article.

Time to First Byte (TTFB)



# Page Load Timings



Time to First Byte (TTFB) is the total amount of time spent to receive the first byte of the response once it has been requested. It is the sum of "Redirect duration" + "Connection duration" + "Backend duration". This metric is one of the key indicators of web performance.

In the Waterfall Chart, it is calculated at the start of the test until just before receiving on the page request and represented by the orange line.

Some ways to improve the TTFB include: optimizing application code, implementing caching, fine-tuning your web server configuration, or upgrading server hardware.

#### First paint time



First paint time is the first point at which the browser does any sort of rendering on the page. Depending on the structure of the page, this first paint could just be displaying the background colour (including white), or it could be a majority of the page being rendered.

In the Waterfall Chart, it is represented by the green line.

This timing is of significance because until this point, the browser will have only shown a blank page and this change gives the user an indication that the page is loading. However, we don't know how much of the page was rendered with this paint, so having a early first paint doesn't necessarily

indicate a fast loading page.

If the browser does not perform a paint (ie. the html results in an blank page), then the paint timings may be missing.

#### First contentful paint time

than when a background has changed or a style has been applied.



First Contentful Paint is triggered when any *content* is painted - i.e. something defined in the DOM (Document Object Model). This could be text, an image or canvas render.

This timing aims to be more representative of your user's experience, as it flags when actual content has been loaded in the page, and not just any change - but it may often be the same time as First Paint.

Because the focus is on content, the idea is that this metric gives you an idea of when your user receives consumable information (text, visuals, etc) - much more useful for performance assessment

If the browser does not perform a paint (ie. the html results in an blank page), then the paint timings may be missing.


#### DOM interactive time



DOM interactive time is the point at which the browser has finished loading and parsing HTML, and the DOM (Document Object Model) has been built. The DOM is how the browser internally structures the HTML so that it can render it.

DOM interactive time isn't marked in the Waterfall Chart as it's usually very close in timing to DOM content loaded.

#### DOM content loaded time



DOM content loaded time (DOM loaded or DOM ready for short) is the point at which the DOM is ready (ie. DOM interactive) and there are no stylesheets blocking JavaScript execution.

If there are no stylesheets blocking JavaScript execution and there is no parser blocking JavaScript, then this will be the same as DOM interactive time.

In the Waterfall Chart, it is represented by the blue line.

The time in brackets is the time spent executing JavaScript triggered by the DOM content loaded event. Many JavaScript frameworks use this event as a starting point to begin execution of their code.



# Page Load Timings

Since this event is often used by JavaScript as the starting point and delays in this event mean delays in rendering, it's important to make sure that <u>style and script order is optimized</u> and that <u>parsing of JavaScript is deferred</u>.

#### Onload time



Onload time occurs when the processing of the page is complete and all the resources on the page (images, CSS, etc.) have finished downloading. This is also the same time that DOM complete occurs and the JavaScript window.onload event fires.

Note that there may be JavaScript that initiates subsequent requests for more resources, hence the reason why Fully loaded timing is preferred.

In the Waterfall Chart, it is represented by the red line.

The time in brackets is the time spent executing JavaScript triggered by the Onload event.

Note that Onload time was the previous default for when to stop the test prior to Feburary 8th, 2017.



# PageSpeed Recommendations

## PageSpeed Recommendations

Minimize redirects	RECOMMENDATION	GRADE	RELATIVE	TYPE	PRIORITY
Minity Leaves to Content   Minity CSS   Michael   Minity CSS   Michael   Minity CSS   Minity	Minimize redirects	D (67)	₩ AVG SCORE: 88%	CONTENT	HIGH
Deptimize the order of styles and scripts  A 622  Leverage browser caching  A 626  A AVG SCORE: 641%  A AVG	Defer parsing of JavaScript	C (73)	♦ AVG SCORE: 70%	JS	HIGH
A   600   A   A   A   A   A   A   A   A   A	Inline small CSS	A (92)	♦ AVG SCORE: 96%	CSS	HIGH
Optimize images         A 601         A AVG SCORE 50%         MAGES         MEDILM           Specify image dimensions         A 600         A VG SCORE 58%         CONTENT         LOW           Minify HTML         A 600         A VG SCORE 58%         US         HGH           Minify JavaScript         A 600         A VG SCORE 58%         US         HGH           Minify CSS         A 600         A VG SCORE 58%         US         HGH           Minimize request size         A 600         A VG SCORE 59%         CONTENT         HGH           Enable gzip compression         A 600         A VG SCORE 58%         SERVER         HGH           Avoid bad requests         A (60)         A VG SCORE 58%         SERVER         HGH           Avoid landing page redirects         A (60)         A VG SCORE 58%         SERVER         HGH           Inline small JavaScript         A (60)         A VG SCORE 58%         SERVER         HGH           Put CSS in the document head         A (60)         A VG SCORE 58%         CSS         HGH           Server esources from a consistent URL         A (60)         A VG SCORE 58%         CONTENT         HGH           Server scaled images         A (60)         A VG SCORE 58%         SERVER         HGH	Optimize the order of styles and scripts	A (92)	♦ AVG SCORE: 94%	CSS/JS	HIGH
Specify image dimensions         A (88)         A VG SCORE: 98%         MAGES         MEDIUM           Minify HTML         A (89)         A VG SCORE: 98%         CONTENT         LOW           Minify JavaScript         A (89)         A VG SCORE: 98%         JS         HIGH           Minify CSS         A (89)         A VG SCORE: 98%         CSS         HIGH           Minimize request size         A (89)         A VG SCORE: 98%         CONTENT         HIGH           Enable gzip compression         A (69)         A VG SCORE: 98%         CONTENT         HIGH           Avoid bad requests         A (100)         A VG SCORE: 98%         CONTENT         HIGH           Avoid landing page redirects         A (100)         A VG SCORE: 98%         SERVER         HIGH           Enable Keep-Alive         A (100)         A VG SCORE: 98%         SERVER         HIGH           Inline small JavaScript         A (100)         A VG SCORE: 98%         SERVER         HIGH           Put CSS in the document head         A (100)         A VG SCORE: 98%         CONTENT         HIGH           Serve resources from a consistent URL         A (100)         A VG SCORE: 98%         CONTENT         HIGH           Serve scaled images         A (100)         A VG SCORE: 98% <td>Leverage browser caching</td> <td>A (96)</td> <td>▲ AVG SCORE: 59%</td> <td>SERVER</td> <td>HIGH</td>	Leverage browser caching	A (96)	▲ AVG SCORE: 59%	SERVER	HIGH
Minify HTML  A 89)  A VG SCORE 88%  JS HGH  Minify CSS  A 99)  A VG SCORE 88%  JS HGH  Minimize request size  A 99)  A VG SCORE 88%  M NG SCO	Optimize images	A (97)	AVG SCORE: 70%	IMA GES	HIGH
Minify JavaScript  Minify CSS  A 999  A VG SCORE 98%  CSS HIGH  Minimize request size  A 999  A VG SCORE 98%  CONTENT HIGH  Avoid bad requests  A (100)  A VG SCORE 98%  SERVER HIGH  Avoid landing page redirects  A (100)  A VG SCORE 98%  SERVER HIGH  Avoid landing page redirects  A (100)  A VG SCORE 98%  SERVER HIGH  LInline small JavaScript  A (100)  A VG SCORE 98%  SERVER HIGH  A (100)  A VG SCORE 98%  SERVER HIGH  LINLine small JavaScript  A (100)  A VG SCORE 98%  SERVER HIGH  Behable Keep-Alive  A (100)  A VG SCORE 98%  SERVER HIGH  CSS HIGH  CSS HIGH  CSS HIGH  Serve resources from a consistent URL  A (100)  A VG SCORE 98%  CONTENT HIGH  Serve scaled images  A (100)  A VG SCORE 98%  CONTENT HIGH  Combine images using CSS sprites  A (100)  A VG SCORE 98%  CSS HIGH  Combine images using CSS sprites  A (100)  A VG SCORE 98%  CSS HIGH  Combine images using CSS sprites  A (100)  A VG SCORE 98%  CSS HIGH  Combine images using CSS sprites  A (100)  A VG SCORE 98%  CSS HIGH  Combine images using CSS sprites  A (100)  A VG SCORE 98%  CSS HIGH  Combine images using CSS sprites  A (100)  A VG SCORE 98%  CSS HIGH  Combine images using CSS sprites  A (100)  A VG SCORE 98%  CSS HIGH  COMBINE  Prefer asynchronous resources  A (100)  A VG SCORE 98%  CSS HIGH  COMBINE  A VG SCORE 98%  CSS HIGH  COMBINE  A VG SCORE 98%  CSS HIGH  COMBINE  COMTENT HIGH  COMBINE  A VG SCORE 98%  CSS HIGH  COMBINE  A VG SCORE 98%  CSS HIGH  COMBINE  A VG SCORE 98%  CONTENT HIGH  A VG SCORE 98%  CONTENT HIGH  COMBINE  A VG SCORE 98%  CONTENT HIGH  COMBINE  A VG SCORE 98%  CONTENT HIGH  A VG SCORE 98%  CONTENT HIGH  COMBINE  A VG SCORE 98%  CONTENT HIGH  COMBINE	Specify image dimensions	A (98)	♦ AVG SCORE: 98%	IMA GES	MEDIUM
Minify CSS  A 1899 A VG SCORE 95% CSS HIGH  Minimize request size A 1999 A VG SCORE 97% CONTENT HIGH  Enable gzip compression A 1990 A AVG SCORE 84% SERVER HIGH  Avoid bad requests A 1000 A VG SCORE 84% SERVER HIGH  Avoid landing page redirects A 1000 A VG SCORE 98% SERVER HIGH  Enable Keep-Alive Inline small JavaScript A 1000 A VG SCORE 98% SERVER HIGH  Put CSS in the document head A 1000 A VG SCORE 98% SERVER HIGH  Put CSS in the document head A 1000 A VG SCORE 98% SERVER HIGH  Serve resources from a consistent URL A 1000 A VG SCORE 98% CONTENT HIGH  Serve scaled images A 1000 A VG SCORE 98% CSS HIGH  Specify a cache validator A 1000 A VG SCORE 94% SERVER HIGH  Combine images using CSS sprites A 1000 A VG SCORE 94% SERVER HIGH  Avoid CSS @import A 1000 A VG SCORE 94% SERVER HIGH  Prefer asynchronous resources A 1000 A VG SCORE 98% CSS MEDIUM  Prefer asynchronous resources A 1000 A VG SCORE 98% CSS MEDIUM  Prefer asynchronous resources A 1000 A VG SCORE 96% SERVER LOW  Specify a Vary: Accept-Encoding header A 1990 A VG SCORE 100% CONTENT MEDIUM  A NOBLIM  A VG SCORE 100% CONTENT MEDIUM  A VG SCORE 1	Minify HTML	A (99)	♦ AVG SCORE: 98%	CONTENT	LOW
Minimize request size  A (89) A VG SCORE 97% CONTENT HIGH  Enable gzip compression A (99) A VG SCORE 84% SERVER HIGH  Avoid bad requests A (100) A VG SCORE 98% CONTENT HIGH  Avoid landing page redirects A (100) A VG SCORE 98% SERVER HIGH  Enable Keep-Alive A (100) A VG SCORE 98% SERVER HIGH  Inline small JavaScript A (100) A VG SCORE 98% SERVER HIGH  Put CSS in the document head A (100) A VG SCORE 98% SERVER HIGH  Serve resources from a consistent URL A (100) A VG SCORE 98% CONTENT HIGH  Serve scaled images A (100) A VG SCORE 88% CONTENT HIGH  Specify a cache validator A (100) A VG SCORE 98% SERVER HIGH  Combine images using CSS sprites A (100) A VG SCORE 98% SERVER HIGH  Combine images using CSS sprites A (100) A VG SCORE 98% SERVER HIGH  Combine images using CSS sprites A (100) A VG SCORE 98% SERVER HIGH  CSS HIGH  Avoid CSS @Import A (100) A VG SCORE 98% SERVER HIGH  CSS MEDIUM  Specify a Vary: Accept-Encoding header A (89) A VG SCORE 98% SERVER LOW  AVG SCORE 9	Minify JavaScript	A (99)	▲ AVG SCORE: 88%	JS	HIGH
Enable gzip compression  A (89)  A VAG SCORE 84%  SERVER  HIGH  Avoid bad requests  A (100)  A VAG SCORE 98%  CONTENT  HIGH  Avoid landing page redirects  A (100)  A VAG SCORE 98%  SERVER  HIGH  Enable Keep-Alive  A (100)  A VAG SCORE 98%  SERVER  HIGH  Inline small JavaScript  A (100)  A VAG SCORE 98%  SERVER  HIGH  HIGH  Put CSS in the document head  A (100)  A VAG SCORE 98%  CSS  HIGH  Serve resources from a consistent URL  A (100)  A VAG SCORE 100%  CSS  HIGH  Serve scaled images  A (100)  A VAG SCORE 74%  MAGES  HIGH  Combine images using CSS sprites  A (100)  A (100)  A VAG SCORE 94%  SERVER  HIGH  Combine images using CSS sprites  A (100)  A (100)  A VAG SCORE 98%  CSS  MEDIUM  Prefer asynchronous resources  A (100)  A (100	Minify CSS	A (99)	♦ AVG SCORE: 95%	CSS	HIGH
Avoid bad requests  A (100) AVG SCORE 98% CONTENT HIGH  Avoid landing page redirects A (100) AVG SCORE 98% SERVER HIGH  Enable Keep-Alive A(100) AVG SCORE 98% SERVER HIGH  Inline small JavaScript A (100) AVG SCORE 98% JS HIGH  Put CSS in the document head A (100) AVG SCORE 98% CONTENT HIGH  Serve resources from a consistent URL A (100) AVG SCORE 98% CONTENT HIGH  Serve scaled images A (100) AVG SCORE 98% CONTENT HIGH  Serve scaled images A (100) AVG SCORE 98% CONTENT HIGH  Combine images using CSS sprites A (100) AVG SCORE 98% CSS HIGH  Avoid CSS @import A (100) AVG SCORE 98% CSS MEDIUM  Prefer asynchronous resources A (100) AVG SCORE 98% CSS MEDIUM  Specify a Vary: Accept-Encoding header A (99) AVG SCORE 100% CONTENT MEDIUM  Avoid a character set early A (100) AVG SCORE 100% CONTENT MEDIUM  Avoid a character set in the meta tag A (100) AVG SCORE 100% CONTENT MEDIUM  Avoid a character set in the meta tag A (100) AVG SCORE 100% CONTENT MEDIUM  Avoid a character set in the meta tag A (100) AVG SCORE 100% CONTENT MEDIUM  Avoid a character set in the meta tag A (100) AVG SCORE 100% CONTENT MEDIUM  Avoid a character set in the meta tag A (100) AVG SCORE 100% CONTENT MEDIUM  Avoid a character set in the meta tag	Minimize request size	A (99)	♦ AVG SCORE: 97%	CONTENT	HIGH
Avoid landing page redirects  A (100)  A VG SCORE 98%  SERVER  HIGH  A (100)  A VG SCORE 96%  SERVER  HIGH  Inline small JavaScript  A (100)  A VG SCORE 96%  SERVER  HIGH  Put CSS in the document head  A (100)  A VG SCORE 96%  SERVER  HIGH  Put CSS in the document head  A (100)  A VG SCORE 96%  CSS  HIGH  Serve resources from a consistent URL  A (100)  A VG SCORE 88%  CONTENT  HIGH  Specify a cache validator  A (100)  A VG SCORE 96%  SERVER  HIGH  Combine images using CSS sprites  A (100)  A VG SCORE 96%  SERVER  HIGH  Combine images using CSS sprites  A (100)  A VG SCORE 90%  IMAGES  HIGH  A VG SCORE 90%  IMAGES  HIGH  A VG SCORE 90%  SERVER  HIGH  Combine images using CSS sprites  A (100)  A VG SCORE 90%  SERVER  LOW  Specify a Vary: Accept-Encoding header  A (99)  A VG SCORE 100%  CONTENT  MEDIUM	Enable gzip compression	A (99)	AVG SCORE: 84%	SERVER	HIGH
Enable Keep-Alive  A (100)  A AVG SCORE 96%  SERVER  HIGH  Inline small JavaScript  A (100)  A AVG SCORE 94%  JS  HIGH  Put CSS in the document head  A (100)  A AVG SCORE 100%  CSS  HIGH  Serve resources from a consistent URL  A (100)  A AVG SCORE 88%  CONTENT  HIGH  Serve scaled images  A (100)  A AVG SCORE 94%  SERVER  HIGH  Specify a cache validator  A (100)  A AVG SCORE 94%  SERVER  HIGH  Combine images using CSS sprites  A (100)  A AVG SCORE 94%  SERVER  HIGH  Avoid CSS @import  A (100)  A AVG SCORE 98%  CSS  MEDIUM  Prefer asynchronous resources  A (100)  A AVG SCORE 98%  SERVER  LOW  Specify a Vary: Accept-Encoding header  A (89)  A AVG SCORE 100%  A AVG SCORE 96%  SERVER  LOW  Specify a character set early  A (100)  A AVG SCORE 100%  CONTENT  MEDIUM  AVOId a character set in the meta tag  A (100)  A AVG SCORE 100%  CONTENT  MEDIUM  AVOId a character set in the meta tag	Avoid bad requests	A (100)	♦ AVG SCORE: 98%	CONTENT	HIGH
Inline small JavaScript  A (100)  A VG SCORE: 94%  JS  HIGH  Put CSS in the document head  A (100)  A VG SCORE: 100%  CSS  HIGH  Serve resources from a consistent URL  A (100)  A VG SCORE: 88%  CONTENT  HIGH  Serve scaled images  A (100)  A VG SCORE: 88%  CONTENT  HIGH  Specify a cache validator  A (100)  A VG SCORE: 94%  SERVER  HIGH  Combine images using CSS sprites  A (100)  A VG SCORE: 94%  SERVER  HIGH  Avoid CSS @import  A (100)  A VG SCORE: 98%  CSS  MEDIUM  Prefer asynchronous resources  A (100)  A VG SCORE: 98%  SERVER  LOW  Specify a Vary: Accept-Encoding header  A (99)  A VG SCORE: 96%  SERVER  LOW  Specify a character set early  A (100)  A VG SCORE: 100%  CONTENT  MEDIUM  Avoid a character set in the meta tag	Avoid landing page redirects	A (100)	♦ AVG SCORE: 98%	SERVER	HIGH
Put CSS in the document head  A (100) A VG SCORE 100% CSS HIGH  Serve resources from a consistent URL  A (100) A VG SCORE 88% CONTENT HIGH  Serve scaled images A (100) A VG SCORE 74% IMAGES HIGH  Combine images using CSS sprites A (100) A VG SCORE 94% SERVER HIGH  Combine images using CSS sprites A (100) A VG SCORE 90% IMAGES HIGH  A Void CSS @import A (100) A VG SCORE 90% IMAGES MEDIUM  Prefer asynchronous resources A (100) A VG SCORE 100% JS MEDIUM  Specify a Vary: Accept-Encoding header A (99) A VG SCORE 96% SERVER LOW  Specify a character set early A (100) A VG SCORE 100% CONTENT MEDIUM  A Void a character set in the meta tag	Enable Keep-Alive	A (100)	♦ AVG SCORE: 96%	SERVER	HIGH
Serve resources from a consistent URL  A (100)  A AVG SCORE 88%  CONTENT  HIGH  Serve scaled images  A (100)  A AVG SCORE 74%  IMAGES  HIGH  Specify a cache validator  A (100)  A AVG SCORE 94%  SERVER  HIGH  Combine images using CSS sprites  A (100)  A AVG SCORE 94%  SERVER  HIGH  AVOID AVG SCORE 94%  CSS  MEDIUM  Prefer asynchronous resources  A (100)  A VG SCORE 98%  SERVER  LOW  Specify a Vary: Accept-Encoding header  A (99)  A VG SCORE 100%  A VG SCORE 100%  CONTENT  MEDIUM  Avoid a character set in the meta tag  A (100)  A VG SCORE 100%  CONTENT  LOW	Inline small JavaScript	A (100)	▲ AVG SCORE: 94%	JS	HIGH
Serve scaled images  A (100) A VG SCORE 74%  MAGES  HIGH  Combine images using CSS sprites  A (100) A (100) A VG SCORE 94%  SERVER  HIGH  Combine images using CSS sprites  A (100) A VG SCORE 90%  MAGES  HIGH  Avoid CSS @import  A (100) A VG SCORE 98%  CSS  MEDIUM  Prefer asynchronous resources  A (100) A VG SCORE 100%  Specify a Vary: Accept-Encoding header  A (99) A VG SCORE 96%  SERVER  LOW  Specify a character set early  A (100) A VG SCORE 100%  CONTENT  MEDIUM  Avoid a character set in the meta tag	Put CSS in the document head	A (100)	♦ AVG SCORE: 100%	CSS	HIGH
Specify a cache validator  A (100)  A AVG SCORE 94%  SERVER  HIGH  Combine images using CSS sprites  A (100)  A VG SCORE 90%  IMAGES  HIGH  Avoid CSS @import  A (100)  A VG SCORE 98%  CSS  MEDIUM  Prefer asynchronous resources  A (100)  A VG SCORE 100%  JS  MEDIUM  Specify a Vary: Accept-Encoding header  A (99)  A VG SCORE 96%  SERVER  LOW  Specify a character set early  A (100)  A VG SCORE 100%  CONTENT  MEDIUM  Avoid a character set in the meta tag	Serve resources from a consistent URL	A (100)	▲ AVG SCORE: 88%	CONTENT	HIGH
Combine images using CSS sprites  A (100)  A VG SCORE 90%  IMAGES  HIGH  AVOID CSS @import  A (100)  A VG SCORE 98%  CSS  MEDIUM  Prefer asynchronous resources  A (100)  A VG SCORE 100%  JS  MEDIUM  Specify a Vary: Accept-Encoding header  A (99)  A VG SCORE 96%  SERVER  LOW  Specify a character set early  A (100)  A VG SCORE 100%  CONTENT  MEDIUM  Avoid a character set in the meta tag	Serve scaled images	A (100)	▲ AVG SCORE: 74%	IMA GES	HIGH
Avoid CSS @import  A (100)  A VG SCORE: 98%  CSS  MEDIUM  A (100)  A VG SCORE: 100%  JS  MEDIUM  Specify a Vary: Accept-Encoding header  A (99)  A VG SCORE: 96%  SERVER  LOW  Specify a character set early  A (100)  A VG SCORE: 100%  A VG SCORE: 100%  CONTENT  MEDIUM  Avoid a character set in the meta tag	Specify a cache validator	A (100)	AVG SCORE: 94%	SERVER	HIGH
Prefer asynchronous resources  A (100)  A VG SCORE: 100%  Server  LOW  Specify a Vary: Accept-Encoding header  A (99)  A (100)  A VG SCORE: 96%  SERVER  LOW  Avoid a character set early  A (100)  A VG SCORE: 100%  A VG SCORE: 100%  CONTENT  LOW	Combine images using CSS sprites	A (100)	AVG SCORE: 90%	IMA GES	HIGH
Specify a Vary: Accept-Encoding header       A (99)       ♦ AVG SCORE: 96%       SERVER       LOW         Specify a character set early       A (100)       ♦ AVG SCORE: 100%       CONTENT       MEDIUM         Avoid a character set in the meta tag       A (100)       ♦ AVG SCORE: 100%       CONTENT       LOW	Avoid CSS @import	A (100)	♦ AVG SCORE: 98%	CSS	MEDIUM
Specify a character set early  A (100)  A VG SCORE: 100%  CONTENT  MEDIUM  Avoid a character set in the meta tag  A (100)  A VG SCORE: 100%  CONTENT  LOW	Prefer asynchronous resources	A (100)	♦ AVG SCORE: 100%	JS	MEDIUM
Avoid a character set in the meta tag  A (100)  A VG SCORE: 100%  CONTENT  LOW	Specify a Vary: Accept-Encoding header	A (99)	♦ AVG SCORE: 96%	SERVER	LOW
	Specify a character set early	A (100)	♦ AVG SCORE: 100%	CONTENT	MEDIUM
Remove query strings from static resources  A (100)  A VG SCORE: 88%  CONTENT  LOW	Avoid a character set in the meta tag	A (100)	♦ AVG SCORE: 100%	CONTENT	LOW
	Remove query strings from static resources	A (100)	▲ AVG SCORE: 88%	CONTENT	LOW



# YSlow Recommendations

## YSlow Recommendations

RECOMMENDATION	GRADE	RELATIVE	TYPE	PRIORITY
Use a Content Delivery Network (CDN)	F (0)	<b>✓</b> AVG SCORE: 22%	SERVER	MEDIUM
Add Expires headers	D (67)	▲ AVG SCORE: 26%	SERVER	HIGH
Use cookie-free domains	F (10)	₩ AVG SCORE: 50%	COOKIE	LOW
Minify JavaScript and CSS	F (40)	➤ AVG SCORE: 71%	CSS/JS	MEDIUM
Make fewer HTTP requests	C (72)	AVG SCORE: 32%	CONTENT	HIGH
Avoid URL redirects	D (60)	₩ AVG SCORE: 88%	CONTENT	MEDIUM
Reduce DNS lookups	B (85)	AVG SCORE: 69%	CONTENT	LOW
Reduce the number of DOM elements	B (89)	♦ AVG SCORE: 92%	CONTENT	LOW
Compress components with gzip	A (100)	AVG SCORE: 85%	SERVER	HIGH
Make AJAX cacheable	A (100)	♦ AVG SCORE: 100%	JS	MEDIUM
Remove duplicate JavaScript and CSS	A (100)	♦ AVG SCORE: 100%	CSS/JS	MEDIUM
Avoid AlphalmageLoader filter	A (100)	♦ AVG SCORE: 99%	CSS	MEDIUM
Avoid HTTP 404 (Not Found) error	A (100)	♦ AVG SCORE: 98%	CONTENT	MEDIUM
Use GET for AJAX requests	A (100)	♦ AVG SCORE: 100%	JS	LOW
Avoid CSS expressions	A (100)	♦ AVG SCORE: 99%	CSS	LOW
Reduce cookie size	A (100)	♦ AVG SCORE: 100%	COOKIE	LOW
Make favicon small and cacheable	A (100)	♦ AVG SCORE: 100%	IMA GES	LOW
Configure entity tags (ETags)	A (100)	AVG SCORE: 91%	SERVER	LOW
Make JavaScript and CSS external	(n/a)		CSS/JS	MEDIUM