

Can you explain step by step and in detail how to test a chain mediation model, please?

ChatGPT said:

Testing a **chain mediation model** involves examining whether a predictor variable (X) influences an outcome variable (Y) through **two or more mediators in sequence** (e.g., $X \rightarrow M1 \rightarrow M2 \rightarrow Y$). Here's a **step-by-step and detailed explanation** of how to test such a model:

Step 1: Formulate the Hypothesis

Example hypothesis:

"X affects Y through two sequential mediators M1 and M2."

- Path a_1 : $X \rightarrow M1$
- Path a_2 : $M1 \rightarrow M2$
- Path b : $M2 \rightarrow Y$

So the **indirect path** is:

$X \rightarrow M1 \rightarrow M2 \rightarrow Y$

The **total effect** of X on Y is broken down into:

- Direct effect (c'): $X \rightarrow Y$ (controlling for M1 and M2)
 - Indirect effects:
 - $a_1 \times a_2 \times b$ (chain mediation)
 - $a_1 \times b_1$ (if M1 directly affects Y, optional depending on your model)
 - $a_2 \times b$ (if M2 mediates without M1, optional)
-

Step 2: Collect and Prepare Data

- Collect data for all four variables: X, M1, M2, and Y.
- Check for:
 - Normality
 - Outliers
 - Missing data
 - Linearity

You can use tools like SPSS, R, Python, or structural equation modeling (SEM) software (e.g., AMOS, Mplus, or lavaan in R).

Step 3: Specify the Model

Option A: Regression-Based Approach (e.g., using PROCESS macro in SPSS or Hayes' approach)

You'll run a series of regression models:

1. $M1 = \beta_0 + a_1 X + e_1$
(X predicts M1)
2. $M2 = \beta_0 + dX + a_2 M1 + e_2$
(X and M1 predict M2)
3. $Y = \beta_0 + c'X + b_1 M1 + b_2 M2 + e_3$
(X, M1, and M2 predict Y)

Then test the **indirect effect**:

$a_1 \times a_2 \times b$ (this is the chained mediation path)

Use bootstrapping (e.g., 5,000 resamples) to generate **confidence intervals** for this indirect effect.

Option B: SEM (Structural Equation Modeling)

- Specify a **path model**: $X \rightarrow M1 \rightarrow M2 \rightarrow Y$
- Estimate all paths simultaneously
- Use **fit indices** to assess model fit:
 - RMSEA ($< .06$)
 - CFI ($> .95$)
 - SRMR ($< .08$)
- Test indirect effects using **bootstrapping** or **model constraints**

Step 4: Test Indirect Effects

Use **bootstrapping** to test the significance of:

- The total indirect effect ($a_1 \times a_2 \times b$)
- Compare with other possible paths (if needed)

Bootstrapping is preferred because it does **not assume normality** of the sampling distribution of the indirect effect.

Step 5: Interpret Results

- If the **bootstrapped CI** for the indirect effect does **not include zero**, the chain mediation is **statistically significant**.
 - Evaluate the size of the effect (e.g., use standardized coefficients)
 - Consider alternative models (e.g., reverse paths, direct effects)
-

Optional: Control Variables and Model Comparison

- Include covariates if needed
 - Compare models with and without mediators to understand:
 - Total effect ($X \rightarrow Y$)
 - Direct effect ($X \rightarrow Y$, controlling for mediators)
 - Total indirect effect
-

Would you like a real example with data or syntax (e.g., in SPSS, R, or Python)?