ME315_list3

AUTHOR
Eduardo Gomes de Carvalho (RA:183541)

```r
library(DBI)
library(RSQLite)

con <- dbConnect(SQLite(), "C:/Users/Eduardo Gomes/Downloads/me315.sqlite")
```

```sql
SELECT * FROM PRESERVE
```

Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0

1. Exiba os valores de STATE e FEE da tabela PRESERVE mas sem duplicados.

```sql
SELECT DISTINCT STATE, FEE FROM PRESERVE
```

4 records

STATE	FEE
AZ	3
MT	0
AZ	0
MA	0

2. Exiba todos os valores de DNO na tabela EMPLOYEE. Não exiba valores duplicados.

```sql
SELECT DISTINCT DNO FROM EMPLOYEE
```

3 records

DNO
20
10
40

3. Execute as QUERYS a seguir. Examine as tabelas resultantes e faça as observações relevantes. SELECT DNO, SALARY FROM EMPLOYEE SELECT DISTINCT DNO, SALARY FROM EMPLOYEE SELECT DISTINCT DNO, SALARY FROM EMPLOYEE ORDER BY DNO, SALARY

```sql
SELECT DNO, SALARY FROM EMPLOYEE
```

6 records

DNO	SALARY
20	2000
10	2000
20	3000
40	500
10	400
20	9000

```sql
SELECT DISTINCT DNO, SALARY FROM EMPLOYEE
```

6 records

DNO	SALARY
20	2000
10	2000
20	3000
40	500
10	400
20	9000

```sql
SELECT DISTINCT DNO, SALARY FROM EMPLOYEE ORDER BY DNO, SALARY
```

6 records

DNO	SALARY
10	400
10	2000
20	2000
20	3000
20	9000
40	500

Os 2 primeiros comandos retornam o mesmo reesultado, porem no primeiro utilizamos menos comandos, por issoseria mais vantajoso utiliza-lo em vez do segundo, e o mesmo se aplica ao terceiro comando, o qual poderiamos chegar ao mesmo resultado com menos comandos, o que exigiria menos processamento da maquina.

4. Exiba todas as informações sobre qualquer reserva natural em Montana que seja menor que 1.000 acres.

```sql
SELECT * FROM PRESERVE
  WHERE STATE = 'MT' AND
    ACRES < 1000
```

2 records

PNO	PNAME	STATE	ACRES	FEE
3	DANCING PRAIRIE	MT	680	0
40	SOUTH FORK MADISON	MT	121	0

5. Exiba todas as informações sobre qualquer reserva natural cujo valor de ACRES esteja entre 1200 e 15000, inclusive.

```sql
SELECT * FROM PRESERVE
  WHERE ACRES >= 1200 AND
    ACRES <= 15000
```

2 records

PNO	PNAME	STATE	ACRES	FEE
2	PINE BUTTE SWAMP	MT	15000	0
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3

6. Exiba todas as informações sobre qualquer reserva natural localizada em Montana que não possua taxa de entrada e seja maior que 10.000 acres.

```sql
SELECT * FROM PRESERVE
  WHERE STATE = 'MT' AND
    FEE = 0 AND
    ACRES > 10000
```

1 records

PNO	PNAME	STATE	ACRES	FEE
2	PINE BUTTE SWAMP	MT	15000	0

7. Exiba todas as informações sobre as reservas naturais localizadas em Montana ou Massachusetts.

```sql
SELECT * FROM PRESERVE
  WHERE STATE = 'MT' OR
    STATE = 'MA'
```

Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
3	DANCING PRAIRIE	MT	680	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
10	HOFT FARM	MA	90	0

8. Exiba todas as informações sobre qualquer reserva natural localizada em Montana ou qualquer reserva que seja menor que 1.000 acres.

```sql
SELECT * FROM PRESERVE
  WHERE STATE = 'MT' OR
    ACRES < 1000
```

Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0

9. Exiba o número e o nome de qualquer reserva natural que possua taxa de entrada que não seja igual a zero.

```sql
SELECT PNO, PNAME FROM PRESERVE
  WHERE NOT FEE = 0
```

3 records

PNO	PNAME
5	HASSAYAMPA RIVER
80	RAMSEY CANYON
6	PAPAGONIA-SONOITA CREEK

10. Exiba o número e o nome das reservas naturais que não possuem taxa de entrada de US$ 3,00 e não possuem taxa de US$ 10,00.

```sql
SELECT PNO, PNAME FROM PRESERVE
  WHERE FEE <> 3 AND
    FEE <> 10
```

Displaying records 1 - 10

PNO	PNAME
3	DANCING PRAIRIE
7	MULESHOE RANCH
40	SOUTH FORK MADISON
14	MCELWAIN-OLSEN
13	TATKON
9	DAVID H. SMITH
11	MIACOMET MOORS
12	MOUNT PLANTAIN
1	COMERTOWN PRAIRIE
2	PINE BUTTE SWAMP

Não há FEE = 10

11. Exiba todas as informações sobre qualquer reserva natural localizada no Arizona que não possua taxa de entrada, ou qualquer reserva que seja menor que 100 acres (independentemente de seus valores de STATE e FEE).

```sql
SELECT * FROM PRESERVE
  WHERE STATE = 'AZ' AND
    FEE = 0 OR
    ACRES < 100
```

5 records

PNO	PNAME	STATE	ACRES	FEE
7	MULESHOE RANCH	AZ	49120	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
11	MIACOMET MOORS	MA	4	0
10	HOFT FARM	MA	90	0

12. Exiba todas as informações sobre qualquer reserva natural que seja menor que 1.000 acres e tenha taxa de entrada de zero dólares ou esteja localizada no Arizona.

```sql
SELECT * FROM PRESERVE
  WHERE ACRES < 1000 AND
    FEE = 0 OR
    STATE = 'AZ'
```

Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
80	RAMSEY CANYON	AZ	380	3

13. Selecione todas as informações sobre qualquer reserva natural com taxa de entrada que não seja maior que zero, ou qualquer outra reserva, independentemente de sua taxa, que esteja localizada em Montana e seja maior que 1.000 acres.

```sql
SELECT * FROM PRESERVE
  WHERE FEE <> 0 OR
    STATE = 'MT' AND
    ACRES > 1000
```

5 records

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
80	RAMSEY CANYON	AZ	380	3
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3

14. Exiba todas as informações sobre todas as reservas naturais, exceto aquelas reservas de Montana sem taxa de entrada.

```sql
SELECT * FROM PRESERVE
  WHERE STATE <> 'MT' AND
    FEE = 0
```

7 records

PNO	PNAME	STATE	ACRES	FEE
7	MULESHOE RANCH	AZ	49120	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
10	HOFT FARM	MA	90	0

15. As seguintes cláusulas WHERE são logicamente equivalentes?

WHERE STATE = ‘MA’ AND (ACRES > 1000 OR FEE = 0.0) WHERE (STATE = ‘MA’ AND ACRES > 1000) OR (STATE = ‘MA’ AND FEE = 0.0)

```sql
SELECT * FROM PRESERVE
  WHERE STATE = 'MA' AND (ACRES > 1000 OR FEE = 0.0)
```

6 records

PNO	PNAME	STATE	ACRES	FEE
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
10	HOFT FARM	MA	90	0

```sql
SELECT * FROM PRESERVE
  WHERE (STATE = 'MA' AND ACRES > 1000) OR (STATE = 'MA' AND FEE = 0.0)
```

6 records

PNO	PNAME	STATE	ACRES	FEE
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
10	HOFT FARM	MA	90	0

Sim as seguintes clausulas são equivalentes!

16. As seguintes cláusulas WHERE são logicamente equivalentes?

WHERE STATE = ‘MA’ OR (ACRES > 1000 AND FEE = 0.0) WHERE (STATE = ‘MA’ OR ACRES > 1000) AND (STATE = ‘MA’ OR FEE = 0.0)

```sql
SELECT * FROM PRESERVE
  WHERE STATE = 'MA' OR (ACRES > 1000 AND FEE = 0.0)
```

9 records

PNO	PNAME	STATE	ACRES	FEE
7	MULESHOE RANCH	AZ	49120	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
10	HOFT FARM	MA	90	0

```sql
SELECT * FROM PRESERVE
  WHERE (STATE = 'MA' OR ACRES > 1000) AND (STATE = 'MA' OR FEE = 0.0)
```

9 records

PNO	PNAME	STATE	ACRES	FEE
7	MULESHOE RANCH	AZ	49120	0
14	MCELWAIN-OLSEN	MA	66	0
13	TATKON	MA	40	0
9	DAVID H. SMITH	MA	830	0
11	MIACOMET MOORS	MA	4	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
10	HOFT FARM	MA	90	0

Sim, são equivalentes

17. As seguintes cláusulas WHERE são logicamente equivalentes?

WHERE NOT (ACRES < 50 AND STATE = ‘MA’) WHERE NOT ACRES < 50 AND NOT STATE = ‘MA’ WHERE ACRES >= 50 OR STATE <> ‘MA’

```sql
SELECT * FROM PRESERVE
  WHERE NOT (ACRES < 50 AND STATE = 'MA')
```

Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
9	DAVID H. SMITH	MA	830	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
80	RAMSEY CANYON	AZ	380	3

```sql
SELECT * FROM PRESERVE
  WHERE NOT ACRES < 50 AND NOT STATE = 'MA'
```

8 records

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
80	RAMSEY CANYON	AZ	380	3
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3

```sql
SELECT * FROM PRESERVE
  WHERE ACRES >= 50 OR STATE <> 'MA'
```

Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
9	DAVID H. SMITH	MA	830	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
80	RAMSEY CANYON	AZ	380	3

Nao, cada uma das clausulas possui uma lógica diferente - a primeira seleciona todas as reservas com os states diferente de MA que possuem acres maior que 50 - a segunda seleciona as reservas cujo acres é maior que 50 e que são de MA - a terceira seleciona tdas as reservas com acress maior ou igual a 50 e com state diferente de MA

18. As seguintes cláusulas WHERE são logicamente equivalentes?

WHERE NOT (ACRES < 50 OR STATE = ‘MA’) WHERE NOT ACRES < 50 OR NOT STATE = ‘MA’ WHERE NOT ACRES < 50 AND NOT STATE = ‘MA’

```sql
SELECT * FROM PRESERVE
  WHERE NOT (ACRES < 50 OR STATE = 'MA')
```

8 records

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
80	RAMSEY CANYON	AZ	380	3
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3

```sql
SELECT * FROM PRESERVE
  WHERE NOT ACRES < 50 OR NOT STATE = 'MA'
```

Displaying records 1 - 10

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
14	MCELWAIN-OLSEN	MA	66	0
9	DAVID H. SMITH	MA	830	0
12	MOUNT PLANTAIN	MA	730	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
80	RAMSEY CANYON	AZ	380	3

```sql
SELECT * FROM PRESERVE
  WHERE NOT ACRES < 50 AND NOT STATE = 'MA'
```

8 records

PNO	PNAME	STATE	ACRES	FEE
5	HASSAYAMPA RIVER	AZ	660	3
3	DANCING PRAIRIE	MT	680	0
7	MULESHOE RANCH	AZ	49120	0
40	SOUTH FORK MADISON	MT	121	0
1	COMERTOWN PRAIRIE	MT	1130	0
2	PINE BUTTE SWAMP	MT	15000	0
80	RAMSEY CANYON	AZ	380	3
6	PAPAGONIA-SONOITA CREEK	AZ	1200	3

Nao, apenas a primeira e a ultima clausula sao equivalentes mas a segunda é diferente

```r
Sys.setenv(TZ = "America/Sao_Paulo")
Sys.time()
```

```
[1] "2026-08-27 10:08:54 -03"
```