Plots

Eduardo Yuki Yada

Imports

```
library(tidyverse)
library(yaml)
```

Loading data

```
load('../dataset/processed_data.RData')
load('../dataset/processed_dictionary.RData')

columns_list <- yaml.load_file("./auxiliar/columns_list.yaml")

outcome_column <- params$outcome_column
```

Plots

```
library(lubridate)

medianWithoutNA <- function(x) {
   median(x[which(!is.na(x))])
}

k = 6

df[columns_list$outcome_columns] <- lapply(df[columns_list$outcome_columns], as.numeric)

for (column in setdiff(columns_list$numerical_columns, columns_list$outcome_columns)){
  if (mean(is.na(df[[column]])) > 0.5) next

  df %>%
    mutate(rounded_date_admission_t0 = lubridate::floor_date(date_admission_t0,
                                                             'month')) %>%
    group_by(rounded_date_admission_t0) %>%
    summarise('Mean' = mean(!!sym(column), na.rm = T),
              'Min' = min(!!sym(column), na.rm = T),
              'Median' = medianWithoutNA(!!sym(column)),
              'Max' = max(!!sym(column), na.rm = T)) %>%
    ungroup %>%
    arrange(rounded_date_admission_t0) %>%
    mutate(Mean = zoo::rollmean(Mean, k = k, fill = NA),
           Min = zoo::rollmean(Min, k = k, fill = NA),
           Median = zoo::rollmean(Median, k = k, fill = NA),
           Max = zoo::rollmean(Max, k = k, fill = NA)) %>%
    pivot_longer(!rounded_date_admission_t0, names_to = 'metric') %>%
    ggplot(aes(x = rounded_date_admission_t0, y = value, color = metric)) +
      geom_line() +
      geom_vline(xintercept = lubridate::ymd('2020-03-01'), linetype = "dashed") +
      labs(y = column)-> p
```

```
  print(p)
}
```

age
rounded_date_admission_t0
metric
Max
Mean
Median
Min


comorbidities_count
rounded_date_admission_t0
metric
Max
Mean
Median
Min


year_procedure_1
rounded_date_admission_t0
metric
Max
Mean
Median
Min

age_surgery_1
rounded_date_admission_t0
metric
Max
Mean
Median
Min


readmission_count
rounded_date_admission_t0
metric
Max
Mean
Median
Min


admission_t0
rounded_date_admission_t0
metric
Max
Mean
Median
Min

admission_posop_count
rounded_date_admission_t0
admission_pre_t0_count
rounded_date_admission_t0
metric
Max
Mean
Median
Min


year_adm_t0
rounded_date_admission_t0
icu_t0
rounded_date_admission_t0
metric
Max
Mean
Median
Min


dialysis_t0
rounded_date_admission_t0
n_procedure_t0
rounded_date_admission_t0
metric
Max
Mean
Median
Min


n_procedure_30d
rounded_date_admission_t0
metric
Max
Mean
Median
Min

n_procedure_60d
rounded_date_admission_t0
metric
Max
Mean
Median
Min


n_procedure_180d
rounded_date_admission_t0
metric
Max
Mean
Median
Min

n_procedure_1year
rounded_date_admission_t0
metric
Max
Mean
Median
Min


survival_time_overall
rounded_date_admission_t0
metric
Max
Mean
Median
Min

admission_t0_emergency
rounded_date_admission_t0
metric
Max
Mean
Median
Min


aco
0.0
0.2
0.4
0.6
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min
antiarritmico
0
2
4
6
8
antihipertensivo
0.0
0.5
1.0
1.5
2.0
betabloqueador
0
1
2
3
ieca_bra
0
5
10
15
dva
0
5
10
15
20


digoxina
0.0
0.2
0.4
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min
estatina
0
3
6
9
diuretico
0
5
10
15
20
vasodilatador
0
10
20
30
insuf_cardiaca
0.0
2.5
5.0
7.5
espironolactona
0
1
2
3
4


bloq_calcio
rounded_date_admission_t0
trombolitico
antiplaquetario_vo
antiplaquetario_ev
insulina
hipoglicemiante
metric
Max
Mean
Median
Min


hormonio_tireoidiano
0.050
0.025
0.000
−0.025
−0.050
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


broncodilatador
0.050
0.025
0.000
−0.025
−0.050
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


anticonvulsivante
3
2
1
0
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


psicofarmacos
8
6
4
2
0
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


atb
30
20
10
0
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


antifungico
0.9
0.6
0.3
0.0
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


antiviral
0.0
0.2
0.4
0.6
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


antiretroviral
0.00
0.05
0.10
0.15
0.20
0.25
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


classe_meds_qtde
4
5
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


classe_meds_cardio_qtde
2.4
2.8
3.2
3.6
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


meds_cardiovasc_qtde
0
25
50
75
100
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


meds_antimicrobianos
0
10
20
30
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


vni
cec
cir_cardiovascular
transplante_cardiaco
cir_toracica
outros_proced_cirurgicos
rounded_date_admission_t0
metric
Max
Mean
Median
Min


traqueostomia
0.02
0.01
0.00
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min
icp
0.04
0.03
0.02
0.01
0.00
intervencao_cv
0.05
0.04
0.03
0.02
0.01
0.00
stent
0.003
0.002
0.001
0.000
angioplastia
0.015
0.010
0.005
0.000
cateterismo
0.4
0.3
0.2
0.1
0.0


eletrofisiologia
0.20
0.15
0.10
0.05
0.00
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


suporte_hemod
1.5
1.0
0.5
0.0
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


cateter_venoso_central
0.12
0.09
0.06
0.03
0.00
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


drenagem_torax
0.08
0.06
0.04
0.02
0.00
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


proced_invasivos_qtde
2.0
1.5
1.0
0.5
0.0
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


cve_desf
0.08
0.06
0.04
0.02
0.00
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


transfusao
0.0
0.1
0.2
0.3
0.4
0.5
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min

interconsulta
0
1
2
3
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


equipe_multiprof
0
5
10
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min

ecg
0
2
4
6
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


holter
0.00
0.05
0.10
0.15
0.20
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min

teste_esforco
0.00
0.01
0.02
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


espiro_ergoespiro
0.015
0.010
0.005
0.000
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


tilt_teste
0.009
0.006
0.003
0.000
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


polissonografia
0.010
0.005
0.000
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


metodos_graficos_qtde
6
4
2
0
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


laboratorio
125
100
75
50
25
0
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


cultura
0.8
0.6
0.4
0.2
0.0
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


analises_clinicas_qtde
125
100
75
50
25
0
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min
citologia
0.04
0.03
0.02
0.01
0.00
biopsia
0.100
0.075
0.050
0.025
0.000
histopatologia_qtde
0.10
0.05
0.00
angio_rm
0.015
0.010
0.005
0.000
angio_tc
0.10
0.05
0.00


angiografia
0.0100
0.0075
0.0050
0.0025
0.0000
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min

aortografia
0.02
0.01
0.00
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


arteriografia
0.008
0.006
0.004
0.002
0.000
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min

cavografia
0.12
0.08
0.04
0.00
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min


cintilografia
0.20
0.15
0.10
0.05
0.00
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min

ecocardiograma
1.00
0.75
0.50
0.25
0.00
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min

endoscopia
0.06
0.04
0.02
0.00
2000
2005
2010
2015
2020
rounded_date_admission_t0
metric
Max
Mean
Median
Min
flebografia
0.12
0.09
0.06
0.03
0.00
pet_ct
0.02
0.01
0.00
ultrassom
0.6
0.4
0.2
0.0
tomografia
0.5
0.4
0.3
0.2
0.1
0.0
radiografia
6
4
2
0














```
column <- 'death_intraop_2'

df[columns_list$outcome_columns] <- lapply(df[columns_list$outcome_columns], factor)

for (column in c(columns_list$categorical_columns, columns_list$outcome_columns)){
  if (mean(is.na(df[[column]])) > 0.5) next
  if (length(unique(df[[column]])) > 10) print(column)
```

```
  df %>%
    mutate(rounded_date_admission_t0 = lubridate::floor_date(date_admission_t0,
                                                             'month')) %>%
    group_by(rounded_date_admission_t0, !!sym(column)) %>%
    summarise(N = n()) %>%
    ungroup %>%
    arrange(rounded_date_admission_t0) %>%
    mutate(N = zoo::rollmean(N, k = k, fill = NA)) %>%
    group_by(rounded_date_admission_t0) %>%
    mutate(percentage = N / sum(N)) %>%
    ungroup %>%
    tidyr::complete(rounded_date_admission_t0, !!sym(column),
                    fill = list(N = 0, percentage = 0)) %>%
    ggplot(aes(x = rounded_date_admission_t0, y = percentage,
               color = !!sym(column), fill = !!sym(column))) +
      geom_area(alpha=0.6) +
      scale_y_continuous(labels = scales::percent) +
      labs(y = column)-> p

  print(p)
}
```

```
## [1] "patient_state"
```




underlying_heart_disease
1
2
3
4
5
6
7
8
9
NA
underlying_heart_disease
100%
75%
50%
25%
0%
2000
2005
2010
2015
2020
rounded_date_admission_t0


heart_disease
0
1
2
NA
heart_disease
100%
75%
50%
25%
0%
2000
2005
2010
2015
2020
rounded_date_admission_t0


hypertension
0
1
hypertension
100%
75%
50%
25%
0%
2000
2005
2010
2015
2020
rounded_date_admission_t0


prior_mi
0
1
prior_mi
100%
75%
50%
25%
0%
2000
2005
2010
2015
2020
rounded_date_admission_t0


heart_failure
0
1
heart_failure
100%
75%
50%
25%
0%
2000
2005
2010
2015
2020
rounded_date_admission_t0


af
0
1
af
100%
75%
50%
25%
0%
2000
2005
2010
2015
2020
rounded_date_admission_t0


cardiac_arrest
100%
75%
50%
25%
0%
2000
2005
2010
2015
2020
rounded_date_admission_t0
cardiac_arrest
0
1


transplant
100%
75%
50%
25%
0%
2000
2005
2010
2015
2020
rounded_date_admission_t0
transplant
0
1


valvopathy
100%
75%
50%
25%
0%
2000
2005
2010
2015
2020
rounded_date_admission_t0
valvopathy
0
1


endocardites
100%
75%
50%
25%
0%
2000
2005
2010
2015
2020
rounded_date_admission_t0
endocardites
0
1


diabetes
100%
75%
50%
25%
0%
2000
2005
2010
2015
2020
rounded_date_admission_t0
diabetes
0
1


renal_failure
100%
75%
50%
25%
0%
2000
2005
2010
2015
2020
rounded_date_admission_t0
renal_failure
0
1


hemodialysis
100%
75%
50%
25%
0%
2000
2005
2010
2015
2020
rounded_date_admission_t0
hemodialysis
0
1


stroke
100%
75%
50%
25%
0%
2000
2005
2010
2015
2020
rounded_date_admission_t0
stroke
0
1


copd
100%
75%
50%
25%
0%
2000
2005
2010
2015
2020
rounded_date_admission_t0
copd
0
1


cancer
100%
75%
50%
25%
0%
2000
2005
2010
2015
2020
rounded_date_admission_t0
cancer
0
1


surgery_count
100%
75%
50%
25%
0%
2000
2005
2010
2015
2020
rounded_date_admission_t0
surgery_count
1
10
2
3
4
5
6
7
8
9


procedure_type_1
100%
75%
50%
25%
0%
2000
2005
2010
2015
2020
rounded_date_admission_t0
procedure_type_1
1
2


100%
75%
50%
25%
0%
cied_final_1
2000
2005
2010
2015
2020
rounded_date_admission_t0
cied_final_1
1
2
3
4


100%
75%
50%
25%
0%
death_intraop_1
2000
2005
2010
2015
2020
rounded_date_admission_t0
death_intraop_1
0
1


100%
75%
50%
25%
0%
dialysis_hosp
2000
2005
2010
2015
2020
rounded_date_admission_t0
dialysis_hosp
0
1


100%
75%
50%
25%
0%
icu_hosp
2000
2005
2010
2015
2020
rounded_date_admission_t0
icu_hosp
0
1


100%
75%
50%
25%
0%
admission_pre_t0_180d
2000
2005
2010
2015
2020
rounded_date_admission_t0
admission_pre_t0_180d
0
1


100%
75%
50%
25%
0%
icu_post_t0
2000
2005
2010
2015
2020
rounded_date_admission_t0
icu_post_t0
0
1
2
3
4
5
7


100%
75%
50%
25%
0%
dialysis_post_t0
2000
2005
2010
2015
2020
rounded_date_admission_t0
dialysis_post_t0
0
1
2
3


100%
75%
50%
25%
0%
disch_outcomes_t0
2000
2005
2010
2015
2020
rounded_date_admission_t0
disch_outcomes_t0
0
1


100%
75%
50%
25%
0%
readmission_cir_30d
2000
2005
2010
2015
2020
rounded_date_admission_t0
readmission_cir_30d
0
1


100%
75%
50%
25%
0%
readmission_cir_60d
2000
2005
2010
2015
2020
rounded_date_admission_t0
readmission_cir_60d
0
1


100%
75%
50%
25%
0%
readmission_cir_180d
2000
2005
2010
2015
2020
rounded_date_admission_t0
readmission_cir_180d
0
1


100%
75%
50%
25%
0%
readmission_cir_1year
2000
2005
2010
2015
2020
rounded_date_admission_t0
readmission_cir_1year
0
1


100%
75%
50%
25%
0%
final_outcome
2000
2005
2010
2015
2020
rounded_date_admission_t0
final_outcome
1
2
3


100%
75%
50%
25%
0%
readmission_30d
2000
2005
2010
2015
2020
rounded_date_admission_t0
readmission_30d
0
1


100%
75%
50%
25%
0%
readmission_60d
2000
2005
2010
2015
2020
rounded_date_admission_t0
readmission_60d
0
1


100%
75%
50%
25%
0%
readmission_180d
2000
2005
2010
2015
2020
rounded_date_admission_t0
readmission_180d
0
1


100%
75%
50%
25%
0%
readmission_1year
2000
2005
2010
2015
2020
rounded_date_admission_t0
readmission_1year
0
1


100%
75%
50%
25%
0%
death_intraop
2000
2005
2010
2015
2020
rounded_date_admission_t0
death_intraop
0
1








```
df %>%
  mutate(rounded_date_admission_t0 = lubridate::floor_date(date_admission_t0,
                                                           'month')) %>%
  filter(rounded_date_admission_t0 <= lubridate::ymd('2021-08-01'),
         rounded_date_admission_t0 <= lubridate::ymd('2021-01-01')) %>%
  .$aco %>%
  max(na.rm=T)
```

```
## [1] 98
```

```
column <- 'aco'
df %>%
    mutate(rounded_date_admission_t0 = lubridate::floor_date(date_admission_t0,
                                                             'month')) %>%
    group_by(rounded_date_admission_t0) %>%
    summarise('Mean' = mean(!!sym(column), na.rm = T),
              'Min' = min(!!sym(column), na.rm = T),
              'Median' = medianWithoutNA(!!sym(column)),
              'Max' = max(!!sym(column), na.rm = T)) %>%
    ungroup %>%
    arrange(rounded_date_admission_t0) %>%
    mutate(Mean = zoo::rollmean(Mean, k = k, fill = NA),
           Min = zoo::rollmean(Min, k = k, fill = NA),
           Median = zoo::rollmean(Median, k = k, fill = NA),
           Max = zoo::rollmean(Max, k = k, fill = NA)) %>%
  filter(rounded_date_admission_t0 <= lubridate::ymd('2021-12-01'),
```

```
        rounded_date_admission_t0 >= lubridate::ymd('2021-01-01'))
```

```
## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf
```

```
## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf
```

```
## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
```

```
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf

## Warning in min(aco, na.rm = T): no non-missing arguments to min;
## returning Inf
## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf
```

```
## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
```

```
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf
```

```
## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## Warning in max(aco, na.rm = T): no non-missing arguments to max;
## returning -Inf

## # A tibble: 12 x 5
```

```
##    rounded_date_admission_t0   Mean   Min Median   Max
##    <date>                     <dbl> <dbl>  <dbl> <dbl>
##  1 2021-01-01                 0.435   NaN      0   NaN
##  2 2021-02-01                 0.556   NaN      0   NaN
##  3 2021-03-01                 0.633   NaN      0   NaN
##  4 2021-04-01                 0.742   NaN      0   NaN
##  5 2021-05-01                 0.744   NaN      0   NaN
##  6 2021-06-01                 0.713   NaN      0   NaN
##  7 2021-07-01                 0.575   NaN      0   NaN
##  8 2021-08-01                 0.424   NaN      0   NaN
##  9 2021-09-01                 0.434   NaN      0   NaN
## 10 2021-10-01                NA        NA     NA    NA
## 11 2021-11-01                NA        NA     NA    NA
## 12 2021-12-01                NA        NA     NA    NA
```