# Processing

#### Eduardo Yuki Yada

2022-07-30

#### **Imports**

```
library(tidyverse)
library(readxl)
library(yaml)
library(lubridate)
```

Minutes to run: 0

#### Loading files

```
df <- read_csv("../dataset/BD Marcapasso_11jul22.csv", show_col_types = FALSE) %>%
    select(-record_id)
df_names <- read_excel("../dataset/Dicionario_dados_BD Marcapasso_11jul22.xlsx")</pre>
```

Minutes to run: 0.007

### Fixing data dictionary

```
names(df_names) <- make.names(names(df_names), unique=TRUE) %>% tolower
df_names <- df_names %>%
  mutate(variable.name = case_when(variable.name == 'icu_days_t0' ~ 'icu_t0',
                                   variable.name == 'dialysis_days_t0' ~ 'dialysis_t0',
                                   TRUE ~ variable.name), # mismatch with dataset column name
         variable.name = str_replace(variable.name, "\\[", ""),
         variable.name = str_replace(variable.name, "\\]", ""),
        field.label = str_replace(field.label, "\\+", "com"),
        field.label = str replace all(field.label, " ", " "), # add spaces
         field.label = str_replace_all(field.label, "[\r\n]" , ""),
         abbrev.field.label = str_replace(field.label, " \\s*\\([^\\)]+\\)", ""),
         abbrev.field.label = if_else(variable.name %in% c('admission_posop_count',
                                                           'admission_pre_t0_count'),
                                      str_replace(field.label, "de episódios", ""),
                                      abbrev.field.label)) %>%
  rename(momento.aquisicao = momento.da.aquisição.do.dado..admissão.t0.ou.pós.t0.)
```

Minutes to run: 0

## Separating columns by type

```
outcome_columns <- df_names %>%
  filter(str_detect(momento.aquisicao, 'Desfecho')) %>%
  .$variable.name

categorical_columns <- df_names %>%
```

```
filter(stringr::str_detect(options..definition, '\\|')) %>%
  .$variable.name %>%
  setdiff(outcome_columns)
date_columns <- df_names %>%
  filter(options..definition == 'data') %>%
  .$variable.name
location_columns <- c('zipcode', 'patient_city')</pre>
other_columns <- c('record_id')</pre>
numerical_columns <- setdiff(names(df),</pre>
                               c(categorical_columns, date_columns,
                                 location_columns, other_columns))
df[categorical_columns] <- lapply(df[categorical_columns],</pre>
                                    as.character)
df[outcome_columns] <- lapply(df[outcome_columns],</pre>
                                as.numeric)
df[date_columns] <- lapply(df[date_columns],</pre>
columns_list <- list('categorical_columns' = categorical_columns,</pre>
                       'numerical_columns' = numerical_columns,
                       'date_columns' = date_columns,
                       'location_columns' = location_columns,
                       'outcome_columns' = outcome_columns)
con <- file('./auxiliar/columns_list.yaml', "w")</pre>
write_yaml(columns_list, con)
close(con)
```

Minutes to run: 0.013

## Filling missing values on death outcomes

Minutes to run: 0

## Recalculating outcome columns for modeling

```
death_2year = death_30days + death_180days + death_1year + death_2year,
death_1year = death_30days + death_180days + death_1year,
death_180days = death_30days + death_180days)
```

Minutes to run: 0

## Saving processed data

```
saveRDS(df, "../dataset/processed_data.rds")
saveRDS(df_names, "../dataset/processed_dictionary.rds")

save(df, file = "../dataset/processed_data.RData")
save(df_names, file = "../dataset/processed_dictionary.RData")
```

Minutes to run: 0.014