EJE2NEWTON

April 3, 2023

1 Método de Newton

```
[2]: import numpy as np
     import matplotlib.pyplot as plt
     from mpl_toolkits.mplot3d import Axes3D
[3]: # Definamos la función f y sus derivadas.
     #f(x, y) := (e^x^2)(y^2) + (2e^y^2)(x^2) + 4xy + (2x^2) + 4x - 2y
[4]: def f(x, y):
         return np.exp(x**2) * y**2 + 2*np.exp(<math>y**2) * x**2 + 4*x*y + 2*x**2 + 4*x - <math>\Box
      <u>→</u>2*y
[5]: def grad_f(x, y):
         df_dx = 2*x*np.exp(x**2)*y**2 + 4*np.exp(y**2)*x + 4*y + 4*x + 4
         df_dy = 2*y*np.exp(x**2)*x**2 + 4*np.exp(y**2)*y + 4*x - 2
         return np.array([df_dx, df_dy])
[6]: def hess_f(x, y):
         d2f_dx2 = 2*np.exp(x**2)*y**2 + 4*np.exp(x**2)*x**2 + 4*np.exp(y**2)
         d2f_{dy2} = 2*np.exp(x**2)*x**2 + 4*np.exp(y**2)
         d2f_dxdy = 4*x*y*np.exp(x**2)
         return np.array([[d2f_dx2, d2f_dxdy], [d2f_dxdy, d2f_dy2]])
[7]: #Ahora definamos el método de Newton.
[8]: def newton_method(f, grad_f, hess_f, x0, y0, tol=1e-5, max_iter=100):
         x, y = x0, y0
         for i in range(max_iter):
             grad = grad_f(x, y)
             hess = hess_f(x, y)
             if np.linalg.norm(grad) < tol:</pre>
                 break
             delta = np.linalg.solve(hess, -grad)
             x += delta[0]
             y += delta[1]
         return x, y
```

```
[9]: #Para encontrar el punto crítico de nuestra función.
[10]: x0, y0 = -1.8, 1.3
      x_star, y_star = newton_method(f, grad_f, hess_f, x0, y0)
      print('Coordenadas del punto crítico: ({:.6f}, {:.6f})'.format(x_star, y_star))
     Coordenadas del punto crítico: (-2.809024, 0.000313)
[11]: #Grafiquemos la función
[12]: x_{vals} = np.linspace(-30, 30, 100)
      y_vals = np.linspace(-30, 30, 100)
      X, Y = np.meshgrid(x_vals, y_vals)
      Z = f(X, Y)
      fig = plt.figure(figsize=(10, 10))
      ax = fig.add_subplot(111, projection='3d')
      ax.plot_surface(X, Y, Z, cmap='viridis')
      ax.set_xlabel('x')
      ax.set ylabel('v')
      ax.set_zlabel('f(x,y)')
      # graficar el punto crítico encontrado
      ax.scatter(x_star, y_star, f(x_star, y_star), color='red', s=100, marker='*')
      plt.show()
     C:\Users\ASUS\AppData\Local\Temp\ipykernel_28648\3691417216.py:2:
     RuntimeWarning: overflow encountered in exp
       return np.exp(x**2) * y**2 + 2*np.exp(<math>y**2) * x**2 + 4*x*y + 2*x**2 + 4*x -
     2*y
     C:\Users\ASUS\anaconda3\lib\site-packages\mpl_toolkits\mplot3d\proj3d.py:109:
     RuntimeWarning: invalid value encountered in true_divide
       txs, tys, tzs = vecw[0]/w, vecw[1]/w, vecw[2]/w
```

