


Renewable Energy — Module 6 Study Guide: Sustainable Cities, Smart Growth & Conservation

VISUAL LENS — Sustainable cities and green transport



Course Macro-Framing: The Urban Transition & Ecological Preservation

As global population urbanizes, how we design our cities and manage natural resources determines whether human civilization achieves ecological sustainability. Moving away from car-centric urban sprawl requires balancing biodiversity protection, economic conservation financing, bioprospecting rights, smart growth planning, and sustainable transportation networks:



• Habitat fragmentation & loss	—▶	• Wildlife corridors & biodiversity hubs
• Loss of 2M acres of farmland annually	—▶	• Urban infill & traditional planning
• Abandoned brownfield industrial sites		• Multiuse buildings & redevelopment

Biodiversity & Ecosystem Values: Protecting life on Earth requires understanding ecosystem services, biodiversity hotspots, coextinction risks, and financing mechanisms like debt-for-nature swaps.

Smart Growth & Urban Planning: Mitigating urban sprawl relies on structured planning tools, including the urban transect model, urban growth boundaries, multiuse buildings, and brownfield redevelopment.

Sustainable Mobility: Reducing carbon emissions requires transforming transit networks through Bus Rapid Transit (BRT) and bike-share programs in leading cities like Curitiba and Copenhagen.

LEARNING IMAGE — Urban public transport



Lesson 1: The Balance of Needs

Level 1: The Basics (Foundational Concepts)

Mastery Checklist: Define biodiversity, coextinction, and biodiversity hotspots.

How do we balance human societal needs with the imperative to preserve global biological diversity?

Biodiversity: Defined as all life on Earth—encompassing the immense variety of all living species, plants, animals, fungi, and microorganisms, as well as the ecosystems they form.

Coextinction: The biological process describing the affiliation and mutual survival reliance between animals (and plants), where the extinction of one species triggers the cascading disappearance of interdependent species that rely on it for survival.

Biodiversity Hotspots: Specifically defined as areas of high biodiversity that have at least 1,500 species of

endemic vascular plants and have lost at least 70 percent of their original habitat.

ies Extinction] —► Cascading Interdependent Reliance —► [Coextinction Collapse]

MIND-BLOWING FACT: Biodiversity hotspots cover only 2.4% of Earth's land surface, yet they are home to over 50% of all plant species and 42% of all terrestrial vertebrate species!

EXAM TRAP ALERT: Memorize the exact criteria for a *biodiversity hotspot*: at least 1,500 endemic vascular plant species and at least 70 percent habitat loss. Do not confuse these numbers on the exam!

EXAM CHEAT CODE:

All life on Earth = Biodiversity

Mutual survival reliance between species = Coextinction

Areas with 1,500+ endemic plants and 70%+ habitat loss = Biodiversity hotspots

Level 2: Deepening Understanding (Ecosystem Interdependence)

COVER & TEST YOURSELF:

1. What term defines the complete variety of all life on Earth?

Answer: Biodiversity.]

2. What minimum percentage of original habitat must be lost for a region to qualify as a biodiversity hotspot?

Answer: At least 70 percent (along with 1,500+ endemic plant species).]

Lesson 2: Pricing Mother Nature

Level 1: The Basics (Foundational Concepts)

Mastery Checklist: Define ecosystem services value and real estate value.

How do economists assign financial value to natural ecosystems versus commercial land development?

Ecosystem Services Value: The economic valuation of what the land and natural systems can provide for free when protected and restored to health (e.g., clean water filtration, carbon sequestration, pollination, flood control).

Real Estate Value: The commercial market valuation of what can be built on the land (e.g., housing developments, commercial strip malls, industrial warehouses).

tural Ecosystem] —► Ecosystem Services Value (Clean Water, Carbon Storage, Pollination)

leared Land] —► Real Estate Value (Commercial Buildings, Housing, Infrastructure)

MIND-BLOWING FACT: The global economic value of natural ecosystem services has been estimated at over \$125 trillion annually—surpassing global Gross Domestic Product!

EXAM TRAP ALERT: Do not confuse ecosystem services value with real estate value. Ecosystem services measure what nature *provides* when healthy; real estate value measures what humans can *build* on cleared land.

EXAM CHEAT CODE:

Value of what land provides when protected and healthy = Ecosystem services value

Value of what can be built on the land = Real estate value

Lesson 3: Financing Conservation


Level 1: The Basics (Foundational Concepts)

Mastery Checklist: Describe ecotourism budget impacts in India and define debt-for-nature swaps.

How do nations fund long-term conservation projects and relieve national debt burdens simultaneously?

Ecotourism in India: In India, ecotourism provides approximately three-fourths (75%) of the annual budget for national parks and wildlife reserves.

Debt-for-Nature Swaps: A financial policy mechanism where an international organization or creditor nation cancels a portion of a developing nation's national debt in exchange for the nation establishing a domestic conservation program using local currency funds.



MIND-BLOWING FACT: Debt-for-nature swaps have successfully protected tens of millions of acres of rainforest across Latin America, Africa, and Asia by converting crushing national debt into permanent nature reserves!

EXAM TRAP ALERT: Remember the India ecotourism statistic: ecotourism provides three-fourths of the national park budget. Also, ensure you can define a *debt-for-nature swap* clearly.

EXAM CHEAT CODE:

Share of Indian National Park budget from ecotourism = Three-fourths

Policy canceling debt for local conservation = Debt-for-nature swaps

Lesson 4: Bioprospecting

Level 1: The Basics (Foundational Concepts)

Mastery Checklist: Identify Ethiopia's agricultural investment role, define biopiracy and bioprospecting, and cite the 1992 UN biodiversity agreement.

How do researchers and commercial enterprises explore, utilize, and protect biological genetic resources?

Agricultural Investment Leader: Ethiopia is recognized as the leading African country promoting agricultural investment as a core component of its economic growth and poverty alleviation strategy.

Biopiracy: Defined as the unauthorized extraction of biological resources and/or the patenting of processes based on traditional knowledge from indigenous communities without fair compensation.

1992 United Nations Biodiversity Agreement: In 1992, the United Nations developed an international framework (the Convention on Biological Diversity) to conserve global biodiversity, ensure biological material is used sustainably, and share benefits equally and fairly.

Bioprospecting: Defined as the exploration of biodiversity for commercially valuable genetic and biochemical resources (such as medicinal compounds from rainforest plants).

[Indigenous Biodiversity & Knowledge]



MIND-BLOWING FACT: Over 40% of all modern pharmaceutical drugs are derived directly from natural biochemical compounds discovered through bioprospecting in biodiverse regions!

EXAM TRAP ALERT: Do not confuse *bioprospecting* (legal exploration of biochemicals) with *biopiracy* (unauthorized extraction and patenting). Also, remember the landmark UN agreement year: 1992.

EXAM CHEAT CODE:

Leading African agricultural investment nation = Ethiopia

Unauthorized extraction of indigenous bio-knowledge = Biopiracy

- UN international biodiversity agreement year = 1992

Exploration of biodiversity for valuable genetics = Bioprospecting

Lesson 5: The Problem With Urban Sprawl

Level 1: The Basics (Foundational Concepts)

Mastery Checklist: Define annual U.S. land loss, habitat degradation, native species, E.O. Wilson's HIPPO acronym, suburban growth metrics, and urban sprawl problems.

What are the compounding ecological and social consequences of unmanaged urban sprawl?

- U.S. Land Loss to Sprawl: The United States loses approximately 2 million acres of agricultural and natural land each year to development and urban expansion.

Habitat Degradation: Defined as a significant change to an ecosystem as a result of human activities that reduces its overall ecological quality (distinct from complete physical removal or splitting).

Native Species: Defined as a species that is indigenous to an ecosystem (naturally occurring in that region without human introduction).

E.O. Wilson's HIPPO Acronym: Biologist E.O. Wilson categorized the primary drivers of biodiversity loss using the acronym HIPPO (Habitat loss, Invasive species, Pollution, Population growth, Overexploitation). Note that *native species* is NOT an element of HIPPO (the acronym uses *invasive* species).

Suburb Definition: A suburb is the residential area surrounding a city made up of mostly single-family homes.

Urban Sprawl Problems EXCEPT: Problems associated with urban sprawl include overrunning farmland, destroying animal habitats, and reducing green space. Blocking high views is NOT a problem associated with urban sprawl.

Urban-Suburban Population Surge: Between 1950 and 1990, the urban-suburban population in the United States experienced a massive increase of 300 percent.

[UNMANAGED URBAN SPRAWL]

- |— Loss of 2 million acres of land annually
- |— Habitat degradation & animal displacement
- |— Overrunning farmland & reducing green space
- |— 300% U.S. urban-suburban population surge (1950–1990)

MIND-BLOWING FACT: Between 1950 and 1990, the U.S. suburban population quadrupled, swallowing millions of acres of prime farmland and destroying native wildlife corridors!

EXAM TRAP ALERT: Remember the exact statistics and facts:

Annual U.S. land lost to sprawl = 2 million acres

- U.S. urban-suburban population growth (1950–1990) = 300 percent

E.O. Wilson's HIPPO includes *invasive* species, meaning native species is NOT part of HIPPO.

Blocking high views is NOT a valid ecological problem of urban sprawl.

EXAM CHEAT CODE:

Annual U.S. land loss to development = 2 million acres

Ecosystem change from human activity = Habitat degradation

Species indigenous to an ecosystem = Native species

- Non-element of E.O. Wilson's HIPPO = Native species

Single-family residential ring around a city = Suburb

Sprawl problem EXCEPT = Blocking high views

- U.S. urban-suburban growth (1950–1990) = 300 percent

Lesson 6: Defining Smart Growth

Level 1: The Basics (Foundational Concepts)

Mastery Checklist: Define multiuse buildings, built environments, and brownfields.

How do urban planners redefine architecture and land use to build sustainable communities?

Multiuse Building: A structural building that is used for both residential and commercial purposes (e.g., ground-floor retail shops with apartments above).

Built Environment: All human-created surroundings—including buildings, parks, transportation infrastructure, and public spaces that provide the setting for human activity.

Brownfield: An abandoned commercial or industrial site that is reused, often redeveloped into a multiuse building or public park.

[Brownfield Site] (Abandoned Industrial/Commercial Land)

|

▼ (Urban Regeneration & Infill)

[Multiuse Building] (Residential Apartments + Ground-Floor Retail)

MIND-BLOWING FACT: Redeveloping brownfield sites instead of clearing pristine farmland prevents toxic industrial runoff and revitalizes inner-city neighborhoods!

EXAM TRAP ALERT: Do not confuse a *brownfield* (abandoned industrial site) with a *greenfield* (undeveloped rural land). Also, memorize the definition of a *multiuse building* (residential + commercial).


EXAM CHEAT CODE:

Structure used for residential & commercial purposes = Multiuse building

All human-created surroundings (buildings, parks) = Built environments

Abandoned industrial/commercial site reused = Brownfield

LEARNING IMAGE — Biodiversity hotspots map



Conservation International (conservation.org) defines 35 biodiversity hotspots — extraordinary places that harbor vast numbers of plant and animal species found nowhere else. All are heavily threatened by habitat loss and degradation, making their conservation crucial to protecting nature for the benefit of all life on Earth.

Lesson 7: Achieving Smart Growth

Level 1: The Basics (Foundational Concepts)

Mastery Checklist: Define redevelopment and urban infill.

What practical construction strategies replace urban sprawl with compact, efficient city design?

Redevelopment: Defined as demolishing an existing building and reusing the site for another purpose to revitalize urban land.

Urban Infill: Defined as the use of land for new construction within an already built-up area (filling in vacant or underutilized lots rather than expanding outward into rural land).

vacant / Underutilized Urban Lot] —► Urban Infill (New Construction Within Built-Up Area)

Dilapidated Structure] —► Redevelopment (Demolition & New Purpose)

EXAM TRAP ALERT: Distinguish between *redevelopment* (demolishing and rebuilding on a specific site) and *urban infill* (building on vacant lots within an existing built-up area).

EXAM CHEAT CODE:

Demolishing a building and reusing the site = Redevelopment

New construction within an already built-up area = Urban infill

Lesson 8: Smart Growth Planning

Level 1: The Basics (Foundational Concepts)

Mastery Checklist: Master the urban transect model zones, urban growth boundaries, and zoning categories (six).

How do regional planners use zoning models and legal boundaries to contain urban sprawl?

[URBAN TRANSECT MODEL ZONES]

1. Natural Zones (Rural / Wilderness)
2. Rural Zone (Agricultural / Low density)
3. Edge (Suburban transition)
4. General Zone (Mostly urban residential)
5. Center (Town / Neighborhood commercial)
6. Core (Business district / High-density downtown)

(Total Zoning Categories = SIX)

Core Planning Concepts for Exam Mastery:

The Core (Business District): In the urban transect planning model, the core is located at the center and represents the high-density downtown business district.

Urban Growth Boundaries: Defined as a set restriction (or line set by city planners) to distinguish between urban land and rural land and prevent outward sprawl.

The Rural Zone (Natural Areas): Natural areas and open landscapes in the transect model are categorized as the rural zone.

The General Zone: In the transect model, the largest zone—consisting mostly of urban residential housing—is called the general zone.

Transect Zoning Categories: The complete urban transect planning model is made up of six distinct zoning categories.

MIND-BLOWING FACT: Urban growth boundaries around cities like Portland, Oregon, have successfully protected over 80,000 acres of prime farm and forest land from suburban subdivision!

EXAM TRAP ALERT: Remember the exact transect locations: the business district is in the core, natural areas are in the rural zone, the largest residential zone is the general zone, and the model contains exactly six zoning categories.

EXAM CHEAT CODE:

Business district location in transect model = The core

Set restriction separating urban and rural land = Urban growth boundaries

Natural areas in the transect model = The rural zone

Largest zone, mostly urban residential = The general zone

Total zoning categories in transect model = Six

Lesson 9: Sustainable Transportation

Level 1: The Basics (Foundational Concepts)

Mastery Checklist: Identify car carbon emission share (10%), Curitiba BRT, Copenhagen bike programs, and transit-oriented design.

How do sustainable transportation networks reduce fossil fuel dependency and traffic congestion?

Car Carbon Emissions Share: Approximately 10% of the world's carbon emissions from fossil fuels originate from passenger cars.

Curitiba, Brazil (Best BRT): Curitiba, Brazil, is globally renowned as having the best Bus Rapid Transit (BRT) system in the world, utilizing dedicated bus lanes, tube stations, and rapid boarding to rival subway efficiency at a fraction of the cost.

Copenhagen Bike Program: Copenhagen is famous for its pioneering municipal bike-share programs and cycling infrastructure, providing free and accessible bikes to transform urban mobility.

Transit-Oriented Design (TOD): Defined as mixed-use residential and commercial communities designed to maximize access to public transportation (putting housing, jobs, and transit stations within a 5-minute walk).

Transit-Oriented Design (TOD)] —► Mixed-Use Housing + Commercial + 5-Min Walk to Public Transit

MIND-BLOWING FACT: Curitiba's pioneering BRT system carries over 2 million passengers daily—matching subway capacity while costing 80 times less to construct!

EXAM TRAP ALERT: Memorize the city associations: Curitiba, Brazil for Bus Rapid Transit, and Copenhagen for municipal bike programs. Also, remember that passenger cars account for 10% of global fossil fuel carbon emissions.

EXAM CHEAT CODE:

Share of global carbon emissions from cars = 10%

City with the best Bus Rapid Transit (BRT) = Curitiba, Brazil

City famous for bicycle programs = Copenhagen

Mixed-use communities maximizing public transit access = Transit-oriented design

Lesson 10: Retrofitting Suburbia

Level 1: The Basics (Foundational Concepts)

Mastery Checklist: Define wildlife corridors, retrofit strategies count (four), NASA MODIS satellite tech, and traditional neighborhood development.

How can we retrofit existing suburban landscapes to restore ecological health and community connectivity?

Wildlife Corridors: Defined as strips of natural habitat connecting isolated protected areas as a primary

solution for decreasing animal isolation on reserves and mitigating habitat fragmentation.

Suburban Retrofit Strategies: There are four main retrofit strategies that help solve the ecological and social problems associated with car-centric suburbs.

NASA MODIS Technology: NASA established the Moderate-resolution Imaging Spectroradiometer (MODIS) satellite sensor technology to observe Earth and provide satellite imagery showing how cities and urban sprawl are expanding over time.

Traditional Neighborhood Development (TND): An urban planning model and architectural approach that is similar to the layout of neighborhoods before urban sprawl (featuring grid streets, walkable sidewalks, front porches, and mixed-use town centers).

[Wildlife Corridors] (Connecting Isolated Reserves) + [Traditional Neighborhood Layouts] = Sustainable Suburbs

MIND-BLOWING FACT: NASA's MODIS satellite instruments capture daily images of Earth from space, allowing scientists to track the exact speed at which forests and farms are converted into asphalt parking lots!

EXAM TRAP ALERT: Memorize these exact figures and names:

Solution for animal isolation = Wildlife corridors

Main suburban retrofit strategies = Four

NASA urban growth satellite imagery = Moderate-resolution Imaging Spectroradiometer (MODIS)

Pre-sprawl neighborhood layout model = Traditional neighborhood development

EXAM CHEAT CODE:

Solution for decreasing animal isolation on reserves = Wildlife corridors

Main retrofit strategies count = Four

NASA satellite tracking urban growth = Moderate-resolution Imaging Spectroradiometer (MODIS)

Urban planning model mirroring pre-sprawl layouts = Traditional neighborhood development

Comprehensive Module 6 Review & Exam Quick-Reference

Concept / Question Target	Key Term / Exact Value	Specific Exam Context & Contextual Anchor
Animal Isolation Solution	Wildlife corridors	Strips of habitat connecting isolated reserves to prevent inbreeding.
India Ecotourism Budget Share	Three-fourths	Share of Indian National Park annual budget provided by ecotourism.
Land Protection Value	Ecosystem services value	Value of what land provides when protected and restored to health.
Annual U.S. Land Sprawl Loss	2 million	Acres of agricultural and natural land lost to sprawl in the U.S. each year.
African Agricultural Leader	Ethiopia	Leading African nation promoting agricultural investment for growth.

Debt Cancellation Policy	Debt-for-nature swaps	Policy canceling national debt in exchange for local conservation funds.
Ecosystem Human Change	Habitat degradation	Significant qualitative change to an ecosystem from human activity.
Indigenous Species Term	Native species	Species that is naturally occurring and indigenous to an ecosystem.
HIPPO Non-Element	Native species	Native species is NOT part of E.O. Wilson's HIPPO biodiversity loss list.
Definition of Biodiversity	All life on Earth	The complete variety of all living organisms and ecosystems.
Mutual Survival Reliance	Coextinction	Affiliation and survival dependence between interdependent species.
Land Building Value	Real estate value	Commercial valuation of what can be built on land.
Unauthorized Bio-Extraction	Biopiracy	Unauthorized extraction of biological resources and traditional knowledge.
UN Biodiversity Agreement Year	1992	Year UN established international agreement to conserve biodiversity.
Biochemical Exploration	Bioprospecting	Exploration of biodiversity for commercially valuable biochemicals.
Biodiversity Hotspot Criteria	At least 1,500 endemic plants & 70% habitat loss	Defining metrics for global biodiversity hotspots.
Definition of a Suburb	Residential area surrounding a city of single-family homes	Standard definition of suburban settlements.
Sprawl Problem EXCEPT	Blocking high views	Blocking views is NOT an ecological problem of urban sprawl.
U.S. Suburban Growth (1950–90)	300 percent	Increase in U.S. urban-suburban population between 1950 and 1990.
Transect Business District	The core	Location of the downtown business district in the transect model.
Urban Growth Boundary Definition	Line set by city planners distinguishing urban and rural land	Set restriction preventing outward urban sprawl.
Car Carbon Emissions Share	10%	Share of global fossil fuel carbon emissions generated by cars.
World's Best BRT City	Curitiba, Brazil	City globally recognized for having the best Bus Rapid Transit system.
Suburban Retrofit Count	Four	Main retrofit strategies solving suburban ecological problems.
Demolition & Site Re-use	Redevelopment	Demolishing an existing building and reusing the site for a new purpose.
Transect Natural Areas	The rural zone	Classification of natural wilderness areas in the transect model.
Residential Commercial Building	Multiuse building	Structure used for both residential

		apartments and retail shops.
Human-Created Surroundings	Built environments	All human-created structures like buildings, parks, and infrastructure.
NASA Urban Growth Satellite	Moderate-resolution Imaging Spectroradiometer (MODIS)	NASA satellite technology showing urban growth from space.
Built-Up Area New Construction	Urban infill	Use of vacant land for new construction within built-up areas.
Free Bikes City	Copenhagen	City famous for pioneering municipal bike-share programs.
Transit-Oriented Design	Mixed-use communities maximizing public transit access	Communities designed around transit stations within walking distance.
Pre-Sprawl Layout Model	Traditional neighborhood development	Planning model mirroring pre-sprawl neighborhood layouts.
Transect Residential Zone	The general zone	Largest zone in the transect model, mostly urban residential.
Transect Categories Count	Six	Total zoning categories making up the urban transect model.
Abandoned Industrial Site Re-use	Brownfield	Abandoned commercial or industrial site reused as a multiuse building.

Active Recall & Mini-Self Quiz

Section A: Conservation & Biodiversity

What are the two strict criteria required for a region to be classified as a biodiversity hotspot?

Answer: At least 1,500 species of endemic vascular plants and loss of at least 70 percent of original habitat.

Define a debt-for-nature swap.

Answer: A policy where an international creditor cancels a portion of a developing nation's debt in exchange for domestic conservation funding.

What is the difference between bioprospecting and biopiracy?

Answer: Bioprospecting is the legal, fair exploration of biodiversity for commercial biochemicals, whereas biopiracy is the unauthorized extraction of biological resources and indigenous knowledge without compensation.

Section B: Urban Sprawl & Smart Growth

How many acres of land does the United States lose to urban development and sprawl each year?

Answer: Approximately 2 million acres.

What percentage did the U.S. urban-suburban population increase between 1950 and 1990?

Answer: 300 percent.

How many zoning categories make up the urban transect planning model?

Answer: Six categories (Natural, Rural, Edge, General Zone, Center, Core).

Section C: Sustainable Transport & Retrofitting

Which city is internationally recognized as having the best Bus Rapid Transit (BRT) system in the world?

Answer: Curitiba, Brazil.

What NASA satellite technology is used to observe Earth and monitor urban growth?

Answer: Moderate-resolution Imaging Spectroradiometer (MODIS).

How many main retrofit strategies help solve the ecological problems associated with car-centric suburbs?

Answer: Four strategies.

If you want to know more about this, visit these sites:

Explore global biodiversity hotspots, conservation priorities, and protected area maps:

[Conservation International — Biodiversity Hotspots](#) (Confidence: High based on training data)

Review smart growth principles, urban planning models, and transect zoning frameworks:

[Smart Growth America — Program Hub](#) (Confidence: High based on training data)

Investigate satellite Earth observation data, land cover changes, and MODIS imagery:

[NASA Earth Observatory — Land Cover & Urban Sprawl](#) (Confidence: High based on training data)

Examine sustainable transportation networks, Bus Rapid Transit, and urban mobility case studies:

[Institute for Transportation and Development Policy \(ITDP\)](#) (Confidence: High based on training data)

Learn more about industrial ecology, brownfield redevelopment, and sustainable urban design:

- [U.S. EPA — Brownfields and Land Revitalization](#) (Confidence: High based on training data)
- Access environmental science lessons on human populations, cities, and ecosystems:

[Khan Academy — AP Environmental Science & Human Geography](#) (Confidence: High based on training data)

ANSWERS

Use this section to check your understanding after attempting each question.

Question: What are the two strict criteria required for a region to be classified as a biodiversity hotspot?

Answer: At least 1,500 species of endemic vascular plants and loss of at least 70 percent of original habitat.

Question: What is the difference between bioprospecting and biopiracy?

Answer: Bioprospecting is the legal, fair exploration of biodiversity for commercial biochemicals, whereas biopiracy is the unauthorized extraction of biological resources and indigenous knowledge without compensation.

Question: How many acres of land does the United States lose to urban development and sprawl each year?

Answer: Approximately 2 million acres.

Question: What percentage did the U.S. urban-suburban population increase between 1950 and 1990?

Answer: 300 percent.

Question: How many zoning categories make up the urban transect planning model?

Answer: Six categories (Natural, Rural, Edge, General Zone, Center, Core).

Question: Which city is internationally recognized as having the best Bus Rapid Transit (BRT) system in the world?

Answer: Curitiba, Brazil.

Question: What NASA satellite technology is used to observe Earth and monitor urban growth?

Answer: Moderate-resolution Imaging Spectroradiometer (MODIS).

Question: How many main retrofit strategies help solve the ecological problems associated with car-centric suburbs?

Answer: Four strategies.

Designed by Mr Guevara