```
CREATE TABLE competidor (
    competidorId INT GENERATED ALWAYS AS IDENTITY PRIMARY KEY,
    nome VARCHAR(100) NOT NULL,
    nacionalidade VARCHAR(60) NOT NULL
);

-- 2. Pokemon
CREATE TABLE pokemon (
    pokemonId INT GENERATED ALWAYS AS IDENTITY PRIMARY KEY,
    nome VARCHAR(60) NOT NULL UNIQUE,
    tipo1 VARCHAR(30) NOT NULL,
    tipo2 VARCHAR(30) NULL
);

-- 3. Time
CREATE TABLE "time" (
    timeId INT GENERATED ALWAYS AS IDENTITY PRIMARY KEY,
    nome VARCHAR(100) NOT NULL,
    competidorId INT NOT NULL,
    pokemon1 INT NOT NULL,
    pokemon2 INT NULL,
    pokemon3 INT NULL,
    pokemon4 INT NULL,
    pokemon5 INT NULL,
    pokemon6 INT NULL,

    CONSTRAINT fk_time_competidor FOREIGN KEY (competidorId) REFERENCES
competidor(competidorId),
    CONSTRAINT fk_time_pokemon1 FOREIGN KEY (pokemon1) REFERENCES
pokemon(pokemonId),
    CONSTRAINT fk_time_pokemon2 FOREIGN KEY (pokemon2) REFERENCES
pokemon(pokemonId),
    CONSTRAINT fk_time_pokemon3 FOREIGN KEY (pokemon3) REFERENCES
pokemon(pokemonId),
    CONSTRAINT fk_time_pokemon4 FOREIGN KEY (pokemon4) REFERENCES
pokemon(pokemonId),
    CONSTRAINT fk_time_pokemon5 FOREIGN KEY (pokemon5) REFERENCES
pokemon(pokemonId),
    CONSTRAINT fk_time_pokemon6 FOREIGN KEY (pokemon6) REFERENCES
pokemon(pokemonId)
```

);