
Computer Networks

Peeking inside the Network with Traceroute



Network Service API Hides Details

- Apps talk to other apps with no real idea of what is inside the network
 - This is good! But you may be curious ...



Traceroute

- Widely used command-line tool to let hosts peek inside the network
 - On all OSes (tracert on Windows)
 - Developed by Van Jacobson ~1987
 - Uses a network-network interface
 (IP) in ways we will explain later


Van Jacobson




: Credit: Wikipedia (public domain)

Traceroute (2)

Probes successive hops to find network path



Traceroute (3)




Using Traceroute

```
Administrator: Command Prompt
                                                                                                  C:\Users\d.jw>tracert www.uw.edu
Tracing route to www.washington.edu [128.95.155.134]
over a maximum of 30 hops:
                <1 ms
                                 192.168.1.1
                                 88.Red-80-58-67.staticIP.rima-tde.net [80.58.67.88]
                   ms
                                 169.Red-80-58-78.staticIP.rima-tde.net [80.58.78.169]
       16 ms
                   ms
                          11 ms
       12 ms
                12 ms
                         13 ms
                                 217.Red-80-58-87.staticIP.rima-tde.net [80.58.87.217]
                                 et-1-0-0-1-101-GRTBCNES1.red.telefonica-wholesale.net [94.142.103.20
          ms
                                 176.52.250.226
       40 ms
                   ms
                            ms
                                 xe-6-0-2-0-grtnycpt2.red.telefonica-wholesale.net [213.140.43.9]
               106
                        136 ms
                   ms
      180 ms
                   ms
                        182 ms
                                 Xe9-2-0-0-grtpaopx2.red.telefonica-wholesale.net [94.142.118.178]
                   ms
                        176
                                 te-4-2.car1.SanJose2.Level3.net [4.59.0.225]
                            ms
10
               186
                        187
                                 vlan80.csw3.SanJose1.Level3.net [4.69.152.190]
                   ms
                            ms
11
                        187
                                 ae-82-82.ebr2.SanJose1.Level3.net [4.69.153.25]
12
                                 ae-7-7.ebr1.Seattle1.Level3.net [4.69.132.50]
                        207
13
                                 ae-12-51.car2.Seattle1.Level3.net [4.69.147.132]
      334 ms
                   ms
                        195 ms
14
                        195
                            ms
                                 PACIFIC-NOR.car2.Seattle1.Level3.net [4.53.146.142]
15
      197 ms
               195 ms
                                 ae0-4000.iccr-sttlwa01-02.infra.pnw-gigapop.net [209.124.188.132]
                        196 ms
16
      196 ms
               196 ms
                        195 ms
                                 v14000.uwbr-ads-01.infra.washington.edu [209.124.188.133]
17
                                 Request timed out.
                        196 ms
18
      201 ms
               194 ms
                                 ae4--583.uwar-ads-1.infra.washington.edu [128.95.155.131]
19
               196 ms
                                 www1.cac.washington.edu [128.95.155.134]
                        195 ms
Trace complete.
```

Using Traceroute (2)

ISP names and places are educated guesses



END

© 2013 D. Wetherall

Slide material from: TANENBAUM, ANDREW S.; WETHERALL, DAVID J., COMPUTER NETWORKS, 5th Edition, © 2011. Electronically reproduced by permission of Pearson Education, Inc., Upper Saddle River, New Jersey