Complete Test Case Register

Generated: 2026-10-27 · Source: static scan of the test code in the repositories (`testing/tools/generate_registers.py`) · Guideline: development guideline §6.3.3 / §6.4

Summary

Layer / suite	Test cases
Backend – admin_service	66
Backend – analytics_service	97
Backend – assessment_service	141
Backend – auth_service	88
Backend – content_service	37
Backend – course_service	81
Backend – enrollment_service	65
Backend – notification_service	38
Backend – payment_service	44
Backend – progress_service	36
Backend – user_service	85
Cross-service integration (edura-tests/integration)	5
Infrastructure (edura-infra)	12
End-to-end smoke (edura-tests/smoke)	1
Frontend – Jest (edura-frontend)	854
Total	**1650**

Notes:

- This register lists only tests that exist in the repositories on the date above. Re-run `testing/tools/generate_registers.py` after tests are added or removed.
- Type: `test_migrations` → Migration; backend test files that send HTTP requests to the FastAPI app → Integration (API); other backend tests → Unit; `edura-tests/integration` → Integration (cross-service); `edura-infra` → Config; `edura-tests/smoke` → E2E; `edura-frontend` Jest tests → Unit.
- Priority: P1 for integration and end-to-end tests, P2 for unit, migration and config tests.
- **Description** is the test's docstring if present, otherwise its humanised name. For frontend tests it is the `it(...)` title and **Class** is the top-level `describe(...)`.
- **Status** is blank until the suite is executed; this register was generated from source and no test run was done. Record *Actual Output* and *Status* per §6.3.3 after a run.
- This register is the index of test cases. The fields it does not hold (related requirement, preconditions, input, expected and actual output) still have to be written, in the §6.3.3 format, for the key cases in the development report appendix.
- The endpoint-level register is in `endpoint-register.md`.

Backend – admin_service

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0001	Integration (API)	P1	–	`test_health`	Health	`edura-backend/admin_service/tests/test_admin.py`	
TC-0002	Integration (API)	P1	–	`test_startup_creates_tables_and_starts_consumer`	Startup creates tables and starts consumer	`edura-backend/admin_service/tests/test_admin.py`	
TC-0003	Integration (API)	P1	–	`test_startup_still_starts_consumer_when_db_unavailable`	Startup still starts consumer when db unavailable	`edura-backend/admin_service/tests/test_admin.py`	
TC-0004	Integration (API)	P1	–	`test_admin_endpoint_welcomes_admin`	Admin endpoint welcomes admin	`edura-backend/admin_service/tests/test_admin.py`	
TC-0005	Integration (API)	P1	–	`test_admin_role_is_case_insensitive`	Admin role is case insensitive	`edura-backend/admin_service/tests/test_admin.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0006	Integration (API)	P1	–	`test_admin_endpoint_forbids_other_roles`	Admin endpoint forbids other roles	`edura-backend/admin_service/tests/test_admin.py`	
TC-0007	Integration (API)	P1	–	`test_admin_endpoint_requires_token`	Admin endpoint requires token	`edura-backend/admin_service/tests/test_admin.py`	
TC-0008	Integration (API)	P1	–	`test_admin_endpoint_rejects_expired_token`	Admin endpoint rejects expired token	`edura-backend/admin_service/tests/test_admin.py`	
TC-0009	Integration (API)	P1	–	`test_admin_endpoint_rejects_bad_signature`	Admin endpoint rejects bad signature	`edura-backend/admin_service/tests/test_admin.py`	
TC-0010	Integration (API)	P1	–	`test_guest_submits_feedback`	Guest submits feedback	`edura-backend/admin_service/tests/test_admin.py`	
TC-0011	Integration (API)	P1	–	`test_signed_in_feedback_is_linked_to_user`	Signed in feedback is linked to user	`edura-backend/admin_service/tests/test_admin.py`	
TC-0012	Integration (API)	P1	–	`test_feedback_with_invalid_token_is_saved_as_guest`	Feedback with invalid token is saved as guest	`edura-backend/admin_service/tests/test_admin.py`	
TC-0013	Integration (API)	P1	–	`test_feedback_text_is_trimmed_and_blank_subject_dropped`	Feedback text is trimmed and blank subject dropped	`edura-backend/admin_service/tests/test_admin.py`	
TC-0014	Integration (API)	P1	–	`test_feedback_subject_is_optional`	Feedback subject is optional	`edura-backend/admin_service/tests/test_admin.py`	
TC-0015	Integration (API)	P1	–	`test_feedback_validation`	Feedback validation	`edura-backend/admin_service/tests/test_admin.py`	
TC-0016	Integration (API)	P1	–	`test_list_feedback_newest_first`	List feedback newest first	`edura-backend/admin_service/tests/test_admin.py`	
TC-0017	Integration (API)	P1	–	`test_list_feedback_paginates`	List feedback paginates	`edura-backend/admin_service/tests/test_admin.py`	
TC-0018	Integration (API)	P1	–	`test_list_feedback_rejects_bad_paging`	List feedback rejects bad paging	`edura-backend/admin_service/tests/test_admin.py`	
TC-0019	Integration (API)	P1	–	`test_list_feedback_requires_admin`	List feedback requires admin	`edura-backend/admin_service/tests/test_admin.py`	
TC-0020	Integration (API)	P1	–	`test_mark_feedback_read`	Mark feedback read	`edura-backend/admin_service/tests/test_admin.py`	
TC-0021	Integration (API)	P1	–	`test_mark_feedback_read_not_found`	Mark feedback read not found	`edura-backend/admin_service/tests/test_admin.py`	
TC-0022	Integration (API)	P1	–	`test_mark_feedback_read_requires_admin`	Mark feedback read requires admin	`edura-backend/admin_service/tests/test_admin.py`	
TC-0023	Integration (API)	P1	–	`test_delete_feedback`	Delete feedback	`edura-backend/admin_service/tests/test_admin.py`	
TC-0024	Integration (API)	P1	–	`test_delete_feedback_not_found`	Delete feedback not found	`edura-backend/admin_service/tests/test_admin.py`	
TC-0025	Integration (API)	P1	–	`test_delete_feedback_requires_admin`	Delete feedback requires admin	`edura-backend/admin_service/tests/test_admin.py`	
TC-0026	Integration (API)	P1	–	`test_send_requires_identity`	Send requires identity	`edura-backend/admin_service/tests/test_admin.py`	
TC-0027	Integration (API)	P1	–	`test_guest_send_starts_and_reuses_thread`	Guest send starts and reuses thread	`edura-backend/admin_service/tests/test_admin.py`	
TC-0028	Integration (API)	P1	–	`test_signed_in_send_starts_user_thread`	Signed in send starts user thread	`edura-backend/admin_service/tests/test_admin.py`	
TC-0029	Integration (API)	P1	–	`test_signed_in_send_reuses_own_thread`	Signed in send reuses own thread	`edura-backend/admin_service/tests/test_admin.py`	
TC-0030	Integration (API)	P1	–	`test_signed_in_user_continues_unclaimed_guest_thread`	Signed in user continues unclaimed guest thread	`edura-backend/admin_service/tests/test_admin.py`	
TC-0031	Integration (API)	P1	–	`test_signed_in_user_cannot_use_another_users_thread`	Signed in user cannot use another users thread	`edura-backend/admin_service/tests/test_admin.py`	
TC-0032	Integration (API)	P1	–	`test_send_updates_last_message_at`	Send updates last message at	`edura-backend/admin_service/tests/test_admin.py`	
TC-0033	Integration (API)	P1	–	`test_send_validation`	Send validation	`edura-backend/admin_service/tests/test_admin.py`	
TC-0034	Integration (API)	P1	–	`test_history_empty_without_thread`	History empty without thread	`edura-backend/admin_service/tests/test_admin.py`	
TC-0035	Integration (API)	P1	–	`test_history_empty_without_identity`	History empty without identity	`edura-backend/admin_service/tests/test_admin.py`	
TC-0036	Integration (API)	P1	–	`test_guest_history_in_order`	Guest history in order	`edura-backend/admin_service/tests/test_admin.py`	
TC-0037	Integration (API)	P1	–	`test_signed_in_history_includes_admin_replies`	Signed in history includes admin replies	`edura-backend/admin_service/tests/test_admin.py`	
TC-0038	Integration (API)	P1	–	`test_guest_cannot_read_claimed_thread_by_session_id`	Guest cannot read claimed thread by session id	`edura-backend/admin_service/tests/test_admin.py`	
TC-0039	Integration (API)	P1	–	`test_sync_requires_sign_in`	Sync requires sign in	`edura-backend/admin_service/tests/test_admin.py`	
TC-0040	Integration (API)	P1	–	`test_sync_rejects_bad_session_id`	Sync rejects bad session id	`edura-backend/admin_service/tests/test_admin.py`	
TC-0041	Integration (API)	P1	–	`test_sync_nothing_to_sync`	Sync nothing to sync	`edura-backend/admin_service/tests/test_admin.py`	
TC-0042	Integration (API)	P1	–	`test_sync_attaches_guest_thread`	Sync attaches guest thread	`edura-backend/admin_service/tests/test_admin.py`	
TC-0043	Integration (API)	P1	–	`test_sync_merges_guest_thread_into_existing_one`	Sync merges guest thread into existing one	`edura-backend/admin_service/tests/test_admin.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0044	Integration (API)	P1	–	`test_sync_ignores_thread_claimed_by_someone_else`	Sync ignores thread claimed by someone else	`edura-backend/admin_service/tests/test_admin.py`	
TC-0045	Integration (API)	P1	–	`test_admin_chat_routes_require_admin`	Admin chat routes require admin	`edura-backend/admin_service/tests/test_admin.py`	
TC-0046	Integration (API)	P1	–	`test_admin_list_conversations_empty`	Admin list conversations empty	`edura-backend/admin_service/tests/test_admin.py`	
TC-0047	Integration (API)	P1	–	`test_admin_list_conversations_summary`	Admin list conversations summary	`edura-backend/admin_service/tests/test_admin.py`	
TC-0048	Integration (API)	P1	–	`test_admin_opens_existing_student_thread`	Admin opens existing student thread	`edura-backend/admin_service/tests/test_admin.py`	
TC-0049	Integration (API)	P1	–	`test_admin_starts_thread_with_known_student`	Admin starts thread with known student	`edura-backend/admin_service/tests/test_admin.py`	
TC-0050	Integration (API)	P1	–	`test_admin_cannot_start_thread_with_unknown_user`	Admin cannot start thread with unknown user	`edura-backend/admin_service/tests/test_admin.py`	
TC-0051	Integration (API)	P1	–	`test_admin_reading_messages_marks_student_messages_read`	Admin reading messages marks student messages read	`edura-backend/admin_service/tests/test_admin.py`	
TC-0052	Integration (API)	P1	–	`test_admin_messages_not_found`	Admin messages not found	`edura-backend/admin_service/tests/test_admin.py`	
TC-0053	Integration (API)	P1	–	`test_admin_reply`	Admin reply	`edura-backend/admin_service/tests/test_admin.py`	
TC-0054	Integration (API)	P1	–	`test_admin_reply_not_found`	Admin reply not found	`edura-backend/admin_service/tests/test_admin.py`	
TC-0055	Integration (API)	P1	–	`test_admin_reply_validation`	Admin reply validation	`edura-backend/admin_service/tests/test_admin.py`	
TC-0056	Integration (API)	P1	–	`test_admin_delete_conversation`	Admin delete conversation	`edura-backend/admin_service/tests/test_admin.py`	
TC-0057	Integration (API)	P1	–	`test_admin_delete_conversation_not_found`	Admin delete conversation not found	`edura-backend/admin_service/tests/test_admin.py`	
TC-0058	Integration (API)	P1	–	`test_display_names_skips_db_for_no_ids`	Display names skips db for no ids	`edura-backend/admin_service/tests/test_admin.py`	
TC-0059	Integration (API)	P1	–	`test_display_names_prefers_full_name_then_email`	Display names prefers full name then email	`edura-backend/admin_service/tests/test_admin.py`	
TC-0060	Integration (API)	P1	–	`test_consumer_stores_profile`	Consumer stores profile	`edura-backend/admin_service/tests/test_admin.py`	
TC-0061	Integration (API)	P1	–	`test_consumer_stores_account_then_profile`	Consumer stores account then profile	`edura-backend/admin_service/tests/test_admin.py`	
TC-0062	Integration (API)	P1	–	`test_consumer_deletes_profile`	Consumer deletes profile	`edura-backend/admin_service/tests/test_admin.py`	
TC-0063	Integration (API)	P1	–	`test_consumer_ignores_unrelated_events`	Consumer ignores unrelated events	`edura-backend/admin_service/tests/test_admin.py`	
TC-0064	Integration (API)	P1	–	`test_consumer_rolls_back_and_reraises`	Consumer rolls back and reraises	`edura-backend/admin_service/tests/test_admin.py`	
TC-0065	Integration (API)	P1	–	`test_consumer_start_binds_admin_queue`	Consumer start binds admin queue	`edura-backend/admin_service/tests/test_admin.py`	
TC-0066	Migration	P2	–	`test_migration_lifecycle`	Migration lifecycle	`edura-backend/admin_service/tests/test_migrations.py`	

Backend – analytics_service

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0067	Integration (API)	P1	–	`test_health`	Health	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0068	Integration (API)	P1	–	`test_startup_creates_tables_and_starts_consumer`	Startup creates tables and starts consumer	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0069	Integration (API)	P1	–	`test_startup_still_starts_consumer_when_db_unavailable`	Startup still starts consumer when db unavailable	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0070	Integration (API)	P1	–	`test_analytics_endpoint_is_admin_only`	Analytics endpoint is admin only	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0071	Integration (API)	P1	–	`test_cache_round_trip`	Cache round trip	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0072	Integration (API)	P1	–	`test_cache_defaults_to_platform_stats_key_and_ttl`	Cache defaults to platform stats key and ttl	`edura-backend/analytics_service/tests/test_analytics.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0073	Integration (API)	P1	–	`test_cache_miss_returns_none`	Cache miss returns none	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0074	Integration (API)	P1	–	`test_cache_without_redis_is_a_no_op`	Cache without redis is a no op	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0075	Integration (API)	P1	–	`test_cache_errors_are_swallowed`	Cache errors are swallowed	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0076	Integration (API)	P1	–	`test_routes_still_work_when_redis_is_down`	Routes still work when redis is down	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0077	Integration (API)	P1	–	`test_platform_stats_is_public_and_ranks_top_four`	Platform stats is public and ranks top four	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0078	Integration (API)	P1	–	`test_platform_stats_with_empty_sources`	Platform stats with empty sources	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0079	Integration (API)	P1	–	`test_platform_stats_served_from_cache`	Platform stats served from cache	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0080	Integration (API)	P1	–	`test_platform_stats_from_the_read_model`	Platform stats from the read model	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0081	Integration (API)	P1	–	`test_summary_is_cached_for_a_minute`	Summary is cached for a minute	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0082	Integration (API)	P1	–	`test_empty_cached_summary_is_still_a_hit`	Empty cached summary is still a hit	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0083	Integration (API)	P1	–	`test_summary_503_when_read_model_down`	Summary 503 when read model down	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0084	Integration (API)	P1	–	`test_student_progress_404`	Student progress 404	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0085	Integration (API)	P1	–	`test_me_progress_404_when_profile_missing`	Me progress 404 when profile missing	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0086	Integration (API)	P1	–	`test_me_progress_requires_sign_in`	Me progress requires sign in	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0087	Integration (API)	P1	–	`test_send_report_404_for_unknown_student`	Send report 404 for unknown student	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0088	Integration (API)	P1	–	`test_send_report_404_without_email`	Send report 404 without email	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0089	Integration (API)	P1	–	`test_send_report_503_when_account_lookup_fails`	Send report 503 when account lookup fails	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0090	Integration (API)	P1	–	`test_send_report_payload`	Send report payload	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0091	Integration (API)	P1	–	`test_send_report_names_unnamed_student`	Send report names unnamed student	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0092	Integration (API)	P1	–	`test_send_report_requires_admin`	Send report requires admin	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0093	Integration (API)	P1	–	`test_struggle_503_when_read_model_down`	Struggle 503 when read model down	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0094	Integration (API)	P1	–	`test_struggle_404_body`	Struggle 404 body	`edura-backend/analytics_service/tests/test_analytics.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0095	Integration (API)	P1	–	`test_struggle_requires_sign_in`	Struggle requires sign in	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0096	Integration (API)	P1	–	`test_admin_views_are_cached_for_thirty_seconds`	Admin views are cached for thirty seconds	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0097	Integration (API)	P1	–	`test_admin_analytics_503_when_read_model_down`	Admin analytics 503 when read model down	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0098	Integration (API)	P1	–	`test_admin_views_require_admin`	Admin views require admin	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0099	Integration (API)	P1	–	`test_when_handles_missing_naive_and_aware_timestamps`	When handles missing naive and aware timestamps	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0100	Integration (API)	P1	–	`test_build_stats_with_no_data`	Build stats with no data	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0101	Integration (API)	P1	–	`test_build_stats_fallback_labels`	Build stats fallback labels	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0102	Integration (API)	P1	–	`test_build_stats_keeps_eight_newest_activities`	Build stats keeps eight newest activities	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0103	Integration (API)	P1	–	`test_build_analytics_untitled_courses_and_ordering`	Build analytics untitled courses and ordering	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0104	Integration (API)	P1	–	`test_courses_for_looks_up_only_unpublished_courses`	Courses for looks up only unpublished courses	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0105	Integration (API)	P1	–	`test_run_wraps_query_errors_as_source_unavailable`	Run wraps query errors as source unavailable	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0106	Integration (API)	P1	–	`test_local_time_treats_naive_as_utc`	Local time treats naive as utc	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0107	Integration (API)	P1	–	`test_account`	Account	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0108	Integration (API)	P1	–	`test_profile_needs_a_name`	Profile needs a name	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0109	Integration (API)	P1	–	`test_empty_lookups_skip_the_database`	Empty lookups skip the database	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0110	Integration (API)	P1	–	`test_names_and_course_titles`	Names and course titles	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0111	Integration (API)	P1	–	`test_students_lists_named_students_by_name`	Students lists named students by name	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0112	Integration (API)	P1	–	`test_course_info_defaults`	Course info defaults	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0113	Integration (API)	P1	–	`test_course_modules`	Course modules	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0114	Integration (API)	P1	–	`test_exam_progress_combines_courses_and_single_lessons`	Exam progress combines courses and single lessons	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0115	Integration (API)	P1	–	`test_exam_progress_lists_only_this_students_attempts`	Exam progress lists only this students attempts	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0116	Integration (API)	P1	–	`test_first_attempts_for_course_without_exams`	First attempts for course without exams	`edura-backend/analytics_service/tests/test_analytics.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0117	Integration (API)	P1	–	`test_badge_count`	Badge count	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0118	Integration (API)	P1	–	`test_payments_without_completion_time_count_only_in_total`	Payments without completion time count only in total	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0119	Integration (API)	P1	–	`test_admin_sources_on_an_empty_read_model`	Admin sources on an empty read model	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0120	Integration (API)	P1	–	`test_enrollment_defaults_to_active_and_updates_in_place`	Enrollment defaults to active and updates in place	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0121	Integration (API)	P1	–	`test_assessment_upsert_defaults_and_update`	Assessment upsert defaults and update	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0122	Integration (API)	P1	–	`test_deleting_an_unknown_exam_is_harmless`	Deleting an unknown exam is harmless	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0123	Integration (API)	P1	–	`test_graded_event_without_submission_id_is_ignored`	Graded event without submission id is ignored	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0124	Integration (API)	P1	–	`test_graded_event_defaults_and_regrade`	Graded event defaults and regrade	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0125	Integration (API)	P1	–	`test_badges_are_stored_once_and_need_a_key`	Badges are stored once and need a key	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0126	Integration (API)	P1	–	`test_payment_without_order_id_is_ignored`	Payment without order id is ignored	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0127	Integration (API)	P1	–	`test_payment_defaults_completion_time_and_updates`	Payment defaults completion time and updates	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0128	Integration (API)	P1	–	`test_receipt_upload_does_not_reset_a_reviewed_receipt`	Receipt upload does not reset a reviewed receipt	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0129	Integration (API)	P1	–	`test_review_before_upload_creates_the_receipt`	Review before upload creates the receipt	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0130	Integration (API)	P1	–	`test_shared_events_go_to_the_replica_tables`	Shared events go to the replica tables	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0131	Integration (API)	P1	–	`test_consumer_rolls_back_and_reraises`	Consumer rolls back and reraises	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0132	Integration (API)	P1	–	`test_consumer_start_binds_analytics_queue`	Consumer start binds analytics queue	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0133	Integration (API)	P1	–	`test_minutes_and_text_helpers`	Minutes and text helpers	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0134	Integration (API)	P1	–	`test_now_local_is_sri_lanka_time`	Now local is sri lanka time	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0135	Integration (API)	P1	–	`test_report_renders_subject_without_attempts_and_long_titles`	Report renders subject without attempts and long titles	`edura-backend/analytics_service/tests/test_analytics.py`	
TC-0136	Migration	P2	–	`test_migration_lifecycle`	Migration lifecycle	`edura-backend/analytics_service/tests/test_migrations.py`	
TC-0137	Integration (API)	P1	–	`test_student_progress_groups_by_course_and_orders_history`	Student progress groups by course and orders history	`edura-backend/analytics_service/tests/test_progress.py`	
TC-0138	Integration (API)	P1	–	`test_student_progress_with_nothing_available`	Student progress with nothing available	`edura-backend/analytics_service/tests/test_progress.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0139	Integration (API)	P1	–	`test_course_struggle_uses_first_attempts_and_ranks_hardest_first`	Course struggle uses first attempts and ranks hardest first	`edura-backend/analytics_service/tests/test_progress.py`	
TC-0140	Integration (API)	P1	–	`test_report_pdf_renders_with_markup_characters_in_names`	Report pdf renders with markup characters in names	`edura-backend/analytics_service/tests/test_progress.py`	
TC-0141	Integration (API)	P1	–	`test_admin_reads_a_students_progress`	Admin reads a students progress	`edura-backend/analytics_service/tests/test_progress.py`	
TC-0142	Integration (API)	P1	–	`test_progress_is_admin_only`	Progress is admin only	`edura-backend/analytics_service/tests/test_progress.py`	
TC-0143	Integration (API)	P1	–	`test_progress_404_for_unknown_or_non_student`	Progress 404 for unknown or non student	`edura-backend/analytics_service/tests/test_progress.py`	
TC-0144	Integration (API)	P1	–	`test_student_reads_only_their_own_progress`	Student reads only their own progress	`edura-backend/analytics_service/tests/test_progress.py`	
TC-0145	Integration (API)	P1	–	`test_summary`	Summary	`edura-backend/analytics_service/tests/test_progress.py`	
TC-0146	Integration (API)	P1	–	`test_send_report_publishes_pdf_to_the_students_email`	Send report publishes pdf to the students email	`edura-backend/analytics_service/tests/test_progress.py`	
TC-0147	Integration (API)	P1	–	`test_send_report_503_when_broker_is_down`	Send report 503 when broker is down	`edura-backend/analytics_service/tests/test_progress.py`	
TC-0148	Integration (API)	P1	–	`test_source_outage_is_503_not_zeros`	Source outage is 503 not zeros	`edura-backend/analytics_service/tests/test_progress.py`	
TC-0149	Integration (API)	P1	–	`test_struggle_route`	Struggle route	`edura-backend/analytics_service/tests/test_progress.py`	
TC-0150	Integration (API)	P1	–	`test_dashboard_stats_and_activity_newest_first`	Dashboard stats and activity newest first	`edura-backend/analytics_service/tests/test_progress.py`	
TC-0151	Integration (API)	P1	–	`test_analytics_names_courses_and_skips_deleted_ones`	Analytics names courses and skips deleted ones	`edura-backend/analytics_service/tests/test_progress.py`	
TC-0152	Integration (API)	P1	–	`test_admin_routes`	Admin routes	`edura-backend/analytics_service/tests/test_progress.py`	
TC-0153	Unit	P2	–	`test_student_progress_comes_from_events_only`	Student progress comes from events only	`edura-backend/analytics_service/tests/test_readmodel.py`	
TC-0154	Unit	P2	–	`test_nothing_is_open_without_access`	Nothing is open without access	`edura-backend/analytics_service/tests/test_readmodel.py`	
TC-0155	Unit	P2	–	`test_expired_class_package_access_is_not_counted`	Expired class package access is not counted	`edura-backend/analytics_service/tests/test_readmodel.py`	
TC-0156	Unit	P2	–	`test_a_lesson_granted_on_its_own_opens_only_that_lessons_exams`	A lesson granted on its own opens only that lessons exams	`edura-backend/analytics_service/tests/test_readmodel.py`	
TC-0157	Unit	P2	–	`test_a_repeated_event_changes_nothing`	A repeated event changes nothing	`edura-backend/analytics_service/tests/test_readmodel.py`	
TC-0158	Unit	P2	–	`test_deleting_an_exam_removes_its_attempts`	Deleting an exam removes its attempts	`edura-backend/analytics_service/tests/test_readmodel.py`	
TC-0159	Unit	P2	–	`test_the_summary_lists_students_with_their_completion`	The summary lists students with their completion	`edura-backend/analytics_service/tests/test_readmodel.py`	
TC-0160	Unit	P2	–	`test_struggle_analysis_uses_first_attempts`	Struggle analysis uses first attempts	`edura-backend/analytics_service/tests/test_readmodel.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0161	Unit	P2	–	`test_admin_dashboard_numbers`	Admin dashboard numbers	`edura-backend/analytics_service/tests/test_readmodel.py`	
TC-0162	Unit	P2	–	`test_deleted_courses_and_profiles_disappear`	Deleted courses and profiles disappear	`edura-backend/analytics_service/tests/test_readmodel.py`	
TC-0163	Unit	P2	–	`test_public_platform_numbers`	Public platform numbers	`edura-backend/analytics_service/tests/test_readmodel.py`	

Backend – assessment_service

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0164	Integration (API)	P1	–	`test_get_assessment`	Get assessment	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0165	Integration (API)	P1	–	`test_get_assessment_not_found`	Get assessment not found	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0166	Integration (API)	P1	–	`test_start_session_ac1`	Start session ac1	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0167	Integration (API)	P1	–	`test_start_session_duplicate_blocked_ac5`	Start session duplicate blocked ac5	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0168	Integration (API)	P1	–	`test_submit_assessment_ac2`	Submit assessment ac2	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0169	Integration (API)	P1	–	`test_auto_submit_on_expiry_ac3`	Auto submit on expiry ac3	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0170	Integration (API)	P1	–	`test_tab_switch_violation_ac4`	Tab switch violation ac4	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0171	Integration (API)	P1	–	`test_other_violation_types`	Other violation types	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0172	Integration (API)	P1	–	`test_unauthorized_access`	Unauthorized access	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0173	Integration (API)	P1	–	`test_start_requires_enrollment`	Start requires enrollment	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0174	Integration (API)	P1	–	`test_start_blocked_before_scheduled_start`	Start blocked before scheduled start	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0175	Integration (API)	P1	–	`test_csv_template_download`	Csv template download	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0176	Integration (API)	P1	–	`test_csv_template_requires_teacher_or_admin`	Csv template requires teacher or admin	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0177	Integration (API)	P1	–	`test_csv_import_creates_valid_rows_and_reports_bad_ones`	Csv import creates valid rows and reports bad ones	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0178	Integration (API)	P1	–	`test_csv_import_rejects_non_csv`	Csv import rejects non csv	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0179	Integration (API)	P1	–	`test_list_by_module_orders_by_position_and_counts_questions`	List by module orders by position and counts questions	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0180	Integration (API)	P1	–	`test_perfect_first_attempt_earns_badges_once`	Perfect first attempt earns badges once	`edura-backend/assessment_service/tests/test_assessment.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0181	Integration (API)	P1	–	`test_rank_rows_ties_share_a_rank_and_districts_rank_separately`	Rank rows ties share a rank and districts rank separately	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0182	Integration (API)	P1	–	`test_leaderboard_is_public_and_uses_first_attempts`	Leaderboard is public and uses first attempts	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0183	Integration (API)	P1	–	`test_leaderboard_marks_caller_and_filters_district`	Leaderboard marks caller and filters district	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0184	Integration (API)	P1	–	`test_leaderboard_hides_unpublished_exams`	Leaderboard hides unpublished exams	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0185	Integration (API)	P1	–	`test_ranking_exams_public_and_per_student`	Ranking exams public and per student	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0186	Integration (API)	P1	–	`test_my_exam_rank`	My exam rank	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0187	Integration (API)	P1	–	`test_result_rank_matches_leaderboard_and_ignores_retakes`	Result rank matches leaderboard and ignores retakes	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0188	Integration (API)	P1	–	`test_sitting_an_exam_needs_the_access_list_to_say_so`	Sitting an exam needs the access list to say so	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0189	Integration (API)	P1	–	`test_a_lesson_grant_or_an_expired_grant_is_honoured`	A lesson grant or an expired grant is honoured	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0190	Integration (API)	P1	–	`test_a_teacher_can_only_manage_exams_of_courses_they_own`	A teacher can only manage exams of courses they own	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0191	Integration (API)	P1	–	`test_titles_and_leaderboard_names_come_from_the_local_copies`	Titles and leaderboard names come from the local copies	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0192	Integration (API)	P1	–	`test_the_graded_event_is_published_with_the_full_result`	The graded event is published with the full result	`edura-backend/assessment_service/tests/test_assessment.py`	
TC-0193	Integration (API)	P1	–	`test_health_needs_no_auth`	Health needs no auth	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0194	Integration (API)	P1	–	`test_startup_creates_tables_seeds_badges_and_starts_listeners`	Startup creates tables seeds badges and starts listeners	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0195	Integration (API)	P1	–	`test_startup_survives_db_and_seed_failures`	Startup survives db and seed failures	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0196	Integration (API)	P1	–	`test_consumer_start_binds_assessment_queue`	Consumer start binds assessment queue	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0197	Integration (API)	P1	–	`test_consumer_rolls_back_and_reraises`	Consumer rolls back and reraises	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0198	Integration (API)	P1	–	`test_list_needs_a_filter`	List needs a filter	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0199	Integration (API)	P1	–	`test_list_hides_drafts_from_students_and_visitors`	List hides drafts from students and visitors	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0200	Integration (API)	P1	–	`test_student_cannot_read_a_draft_but_teacher_can`	Student cannot read a draft but teacher can	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0201	Integration (API)	P1	–	`test_get_requires_sign_in`	Get requires sign in	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0202	Integration (API)	P1	–	`test_create_exam_with_defaults_and_naive_start_as_utc`	Create exam with defaults and naive start as utc	`edura-backend/assessment_service/tests/test_assessment_service.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0203	Integration (API)	P1	–	`test_create_exam_permissions`	Create exam permissions	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0204	Integration (API)	P1	–	`test_teacher_gets_404_for_an_unknown_course`	Teacher gets 404 for an unknown course	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0205	Integration (API)	P1	–	`test_update_exam`	Update exam	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0206	Integration (API)	P1	–	`test_update_exam_errors`	Update exam errors	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0207	Integration (API)	P1	–	`test_delete_exam_removes_its_questions`	Delete exam removes its questions	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0208	Integration (API)	P1	–	`test_delete_all_exams_of_a_lesson`	Delete all exams of a lesson	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0209	Integration (API)	P1	–	`test_delete_empty_lesson_announces_nothing`	Delete empty lesson announces nothing	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0210	Integration (API)	P1	–	`test_delete_lesson_exams_needs_ownership`	Delete lesson exams needs ownership	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0211	Integration (API)	P1	–	`test_owner_lists_questions_with_answers`	Owner lists questions with answers	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0212	Integration (API)	P1	–	`test_create_question_from_options`	Create question from options	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0213	Integration (API)	P1	–	`test_create_question_explicit_answer_and_no_images`	Create question explicit answer and no images	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0214	Integration (API)	P1	–	`test_create_question_needs_a_correct_answer`	Create question needs a correct answer	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0215	Integration (API)	P1	–	`test_create_question_for_missing_exam`	Create question for missing exam	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0216	Integration (API)	P1	–	`test_update_question_options_set_the_answer`	Update question options set the answer	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0217	Integration (API)	P1	–	`test_update_question_options_may_omit_is_correct`	Update question options may omit is correct	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0218	Integration (API)	P1	–	`test_update_question_explicit_answer_wins`	Update question explicit answer wins	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0219	Integration (API)	P1	–	`test_update_question_clearing_options`	Update question clearing options	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0220	Integration (API)	P1	–	`test_update_and_delete_question_errors`	Update and delete question errors	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0221	Integration (API)	P1	–	`test_delete_question`	Delete question	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0222	Integration (API)	P1	–	`test_csv_import_too_large`	Csv import too large	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0223	Integration (API)	P1	–	`test_csv_import_must_be_utf8`	Csv import must be utf8	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0224	Integration (API)	P1	–	`test_csv_import_with_only_bad_rows_creates_nothing`	Csv import with only bad rows creates nothing	`edura-backend/assessment_service/tests/test_assessment_service.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0225	Integration (API)	P1	–	`test_csv_import_needs_ownership`	Csv import needs ownership	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0226	Integration (API)	P1	–	`test_images_zip_attaches_question_and_option_images`	Images zip attaches question and option images	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0227	Integration (API)	P1	–	`test_images_zip_reports_upload_failures`	Images zip reports upload failures	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0228	Integration (API)	P1	–	`test_images_zip_rejects_bad_uploads`	Images zip rejects bad uploads	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0229	Integration (API)	P1	–	`test_images_zip_needs_ownership`	Images zip needs ownership	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0230	Integration (API)	P1	–	`test_safe_zip_limits`	Safe zip limits	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0231	Integration (API)	P1	–	`test_basename_handles_both_slashes`	Basename handles both slashes	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0232	Integration (API)	P1	–	`test_bulk_import_template_is_a_valid_bundle`	Bulk import template is a valid bundle	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0233	Integration (API)	P1	–	`test_bulk_import_creates_exams_and_reports_problems`	Bulk import creates exams and reports problems	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0234	Integration (API)	P1	–	`test_bulk_import_without_exams_csv`	Bulk import without exams csv	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0235	Integration (API)	P1	–	`test_bulk_import_ignores_deeply_nested_exams_csv`	Bulk import ignores deeply nested exams csv	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0236	Integration (API)	P1	–	`test_bulk_import_rejects_non_zip_and_non_owner`	Bulk import rejects non zip and non owner	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0237	Integration (API)	P1	–	`test_parse_helpers`	Parse helpers	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0238	Integration (API)	P1	–	`test_import_question_rows_continues_positions`	Import question rows continues positions	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0239	Integration (API)	P1	–	`test_upload_image_returns_url_then_public_id`	Upload image returns url then public id	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0240	Integration (API)	P1	–	`test_upload_image_refuses_non_images`	Upload image refuses non images	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0241	Integration (API)	P1	–	`test_upload_image_wraps_storage_errors`	Upload image wraps storage errors	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0242	Integration (API)	P1	–	`test_student_cannot_start_a_draft`	Student cannot start a draft	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0243	Integration (API)	P1	–	`test_teacher_can_preview_a_draft_without_enrollment`	Teacher can preview a draft without enrollment	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0244	Integration (API)	P1	–	`test_start_without_time_limit_gives_an_hour`	Start without time limit gives an hour	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0245	Integration (API)	P1	–	`test_start_again_after_the_old_session_expired`	Start again after the old session expired	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0246	Integration (API)	P1	–	`test_past_scheduled_start_is_open`	Past scheduled start is open	`edura-backend/assessment_service/tests/test_assessment_service.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0247	Integration (API)	P1	–	`test_submit_grades_and_clears_the_session`	Submit grades and clears the session	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0248	Integration (API)	P1	–	`test_submit_after_expiry_reuses_the_open_attempt`	Submit after expiry reuses the open attempt	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0249	Integration (API)	P1	–	`test_submit_exam_without_questions_scores_zero`	Submit exam without questions scores zero	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0250	Integration (API)	P1	–	`test_submit_missing_exam_404`	Submit missing exam 404	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0251	Integration (API)	P1	–	`test_badge_failure_does_not_fail_the_submit`	Badge failure does not fail the submit	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0252	Integration (API)	P1	–	`test_submit_returns_new_badges`	Submit returns new badges	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0253	Integration (API)	P1	–	`test_my_last_attempt`	My last attempt	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0254	Integration (API)	P1	–	`test_my_last_attempt_404_without_one`	My last attempt 404 without one	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0255	Integration (API)	P1	–	`test_my_attempts_summary_per_exam`	My attempts summary per exam	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0256	Integration (API)	P1	–	`test_my_attempts_for_course_without_exams`	My attempts for course without exams	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0257	Integration (API)	P1	–	`test_my_submissions_lists_attempts_newest_first`	My submissions lists attempts newest first	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0258	Integration (API)	P1	–	`test_my_submissions_empty_and_limit`	My submissions empty and limit	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0259	Integration (API)	P1	–	`test_student_reviews_own_attempt`	Student reviews own attempt	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0260	Integration (API)	P1	–	`test_review_visibility`	Review visibility	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0261	Integration (API)	P1	–	`test_review_of_missing_or_unfinished_attempts`	Review of missing or unfinished attempts	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0262	Integration (API)	P1	–	`test_violation_types`	Violation types	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0263	Integration (API)	P1	–	`test_violation_without_session_uses_latest_attempt`	Violation without session uses latest attempt	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0264	Integration (API)	P1	–	`test_violation_with_no_attempt_opens_one`	Violation with no attempt opens one	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0265	Integration (API)	P1	–	`test_violation_during_a_session_uses_its_attempt`	Violation during a session uses its attempt	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0266	Integration (API)	P1	–	`test_ranking_exams_for_visitors_lists_every_attempted_exam`	Ranking exams for visitors lists every attempted exam	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0267	Integration (API)	P1	–	`test_leaderboard_pages_and_unknown_exam`	Leaderboard pages and unknown exam	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0268	Integration (API)	P1	–	`test_leaderboard_when_profiles_are_unavailable`	Leaderboard when profiles are unavailable	`edura-backend/assessment_service/tests/test_assessment_service.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0269	Integration (API)	P1	–	`test_my_rank_is_null_before_sitting`	My rank is null before sitting	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0270	Integration (API)	P1	–	`test_badge_catalogue_is_public_and_sorted`	Badge catalogue is public and sorted	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0271	Integration (API)	P1	–	`test_my_badges_and_dashboard`	My badges and dashboard	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0272	Integration (API)	P1	–	`test_seed_badges_is_idempotent`	Seed badges is idempotent	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0273	Integration (API)	P1	–	`test_early_bird`	Early bird	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0274	Integration (API)	P1	–	`test_night_owl`	Night owl	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0275	Integration (API)	P1	–	`test_daytime_attempt_earns_no_time_badges`	Daytime attempt earns no time badges	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0276	Integration (API)	P1	–	`test_consistency_king_needs_seven_days`	Consistency king needs seven days	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0277	Integration (API)	P1	–	`test_speed_demon_needs_a_third_of_the_time`	Speed demon needs a third of the time	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0278	Integration (API)	P1	–	`test_speed_demon_without_time_limit_uses_an_hour`	Speed demon without time limit uses an hour	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0279	Integration (API)	P1	–	`test_improved_star`	Improved star	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0280	Integration (API)	P1	–	`test_perfect_100_only_on_the_first_attempt`	Perfect 100 only on the first attempt	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0281	Integration (API)	P1	–	`test_subject_expert_needs_five_first_passes_in_one_lesson`	Subject expert needs five first passes in one lesson	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0282	Integration (API)	P1	–	`test_first_step_only_on_the_first_paper`	First step only on the first paper	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0283	Integration (API)	P1	–	`test_century_club`	Century club	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0284	Integration (API)	P1	–	`test_junior_scholar_needs_four_active_weeks_and_an_old_account`	Junior scholar needs four active weeks and an old account	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0285	Integration (API)	P1	–	`test_badges_are_awarded_once_and_announced`	Badges are awarded once and announced	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0286	Integration (API)	P1	–	`test_concurrent_award_is_skipped`	Concurrent award is skipped	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0287	Integration (API)	P1	–	`test_local_time_conversion`	Local time conversion	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0288	Integration (API)	P1	–	`test_resync_announces_exams_badges_and_graded_attempts`	Resync announces exams badges and graded attempts	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0289	Integration (API)	P1	–	`test_resync_on_an_empty_database`	Resync on an empty database	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0290	Integration (API)	P1	–	`test_assessment_event_payload`	Assessment event payload	`edura-backend/assessment_service/tests/test_assessment_service.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0291	Integration (API)	P1	–	`test_badge_and_graded_events_without_timestamps`	Badge and graded events without timestamps	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0292	Integration (API)	P1	–	`test_lookups_with_no_ids_skip_the_database`	Lookups with no ids skip the database	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0293	Integration (API)	P1	–	`test_unknown_course_has_no_instructor`	Unknown course has no instructor	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0294	Integration (API)	P1	–	`test_memory_redis_get_set_delete`	Memory redis get set delete	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0295	Integration (API)	P1	–	`test_memory_redis_ttl`	Memory redis ttl	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0296	Integration (API)	P1	–	`test_memory_redis_expiry`	Memory redis expiry	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0297	Integration (API)	P1	–	`test_memory_redis_keys_by_prefix`	Memory redis keys by prefix	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0298	Integration (API)	P1	–	`test_get_redis_client_returns_the_module_client`	Get redis client returns the module client	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0299	Integration (API)	P1	–	`test_answers_of_tolerates_bad_json`	Answers of tolerates bad json	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0300	Integration (API)	P1	–	`test_time_taken_edge_cases`	Time taken edge cases	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0301	Integration (API)	P1	–	`test_question_helpers_tolerate_bad_json`	Question helpers tolerate bad json	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0302	Integration (API)	P1	–	`test_option_images_are_padded_and_trimmed`	Option images are padded and trimmed	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0303	Integration (API)	P1	–	`test_as_utc`	As utc	`edura-backend/assessment_service/tests/test_assessment_service.py`	
TC-0304	Migration	P2	–	`test_migration_lifecycle`	Migration lifecycle	`edura-backend/assessment_service/tests/test_migrations.py`	

Backend – auth_service

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0305	Integration (API)	P1	–	`test_health`	Health	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0306	Integration (API)	P1	–	`test_startup_creates_tables_and_schedules_the_resync`	Startup creates tables and schedules the resync	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0307	Integration (API)	P1	–	`test_startup_survives_create_all_failure`	Startup survives create all failure	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0308	Integration (API)	P1	–	`test_resync_reannounces_every_account`	Resync reannounces every account	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0309	Integration (API)	P1	–	`test_public_registration_can_never_create_an_admin`	Public registration can never create an admin	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0310	Integration (API)	P1	–	`test_teachers_may_self_register`	Teachers may self register	`edura-backend/auth_service/tests/test_auth_routes.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0311	Integration (API)	P1	–	`test_duplicate_registration`	Duplicate registration	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0312	Integration (API)	P1	–	`test_registration_profile_drops_empty_fields`	Registration profile drops empty fields	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0313	Integration (API)	P1	–	`test_password_strength_rules`	Password strength rules	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0314	Integration (API)	P1	–	`test_verification_link_for_a_changed_address_is_refused`	Verification link for a changed address is refused	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0315	Integration (API)	P1	–	`test_verifying_twice_announces_once`	Verifying twice announces once	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0316	Integration (API)	P1	–	`test_verification_link_for_a_deleted_account`	Verification link for a deleted account	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0317	Integration (API)	P1	–	`test_resend_skips_accounts_that_need_no_link`	Resend skips accounts that need no link	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0318	Integration (API)	P1	–	`test_resend_is_throttled_and_same_for_unknown_addresses`	Resend is throttled and same for unknown addresses	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0319	Integration (API)	P1	–	`test_admin_route`	Admin route	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0320	Integration (API)	P1	–	`test_admin_creates_a_verified_admin_with_a_profile`	Admin creates a verified admin with a profile	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0321	Integration (API)	P1	–	`test_create_admin_errors`	Create admin errors	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0322	Integration (API)	P1	–	`test_deactivating_an_account_is_announced_and_blocks_login`	Deactivating an account is announced and blocks login	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0323	Integration (API)	P1	–	`test_admin_deletes_an_account`	Admin deletes an account	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0324	Integration (API)	P1	–	`test_login_issues_a_token_and_a_secure_cookie`	Login issues a token and a secure cookie	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0325	Integration (API)	P1	–	`test_google_only_account_cannot_use_a_password`	Google only account cannot use a password	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0326	Integration (API)	P1	–	`test_refresh_from_the_cookie_rotates_it`	Refresh from the cookie rotates it	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0327	Integration (API)	P1	–	`test_refresh_errors`	Refresh errors	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0328	Integration (API)	P1	–	`test_expired_refresh_token`	Expired refresh token	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0329	Integration (API)	P1	–	`test_refresh_for_a_deleted_account`	Refresh for a deleted account	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0330	Integration (API)	P1	–	`test_logout_without_a_cookie_still_succeeds`	Logout without a cookie still succeeds	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0331	Integration (API)	P1	–	`test_invalid_google_token`	Invalid google token	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0332	Integration (API)	P1	–	`test_new_google_user_without_a_name_uses_the_address`	New google user without a name uses the address	`edura-backend/auth_service/tests/test_auth_routes.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0333	Integration (API)	P1	–	`test_google_links_onto_a_verified_password_account`	Google links onto a verified password account	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0334	Integration (API)	P1	–	`test_returning_google_user_is_found_by_google_id`	Returning google user is found by google id	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0335	Integration (API)	P1	–	`test_passwordless_account_becomes_a_google_account`	Passwordless account becomes a google account	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0336	Integration (API)	P1	–	`test_deactivated_google_account`	Deactivated google account	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0337	Integration (API)	P1	–	`test_google_userinfo_call`	Google userinfo call	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0338	Integration (API)	P1	–	`test_me`	Me	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0339	Integration (API)	P1	–	`test_google_user_sets_a_password_then_logs_in_with_it`	Google user sets a password then logs in with it	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0340	Integration (API)	P1	–	`test_set_password_validation_and_missing_user`	Set password validation and missing user	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0341	Integration (API)	P1	–	`test_change_password`	Change password	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0342	Integration (API)	P1	–	`test_change_password_needs_an_existing_password`	Change password needs an existing password	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0343	Integration (API)	P1	–	`test_no_reset_link_for_a_deactivated_account`	No reset link for a deactivated account	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0344	Integration (API)	P1	–	`test_reset_is_refused_once_the_account_is_deactivated`	Reset is refused once the account is deactivated	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0345	Integration (API)	P1	–	`test_reset_requires_matching_passwords`	Reset requires matching passwords	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0346	Integration (API)	P1	–	`test_reset_for_a_verified_account_is_not_reannounced`	Reset for a verified account is not reannounced	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0347	Integration (API)	P1	–	`test_reset_signs_out_every_session`	Reset signs out every session	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0348	Integration (API)	P1	–	`test_otp_round_trip_is_single_use`	Otp round trip is single use	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0349	Integration (API)	P1	–	`test_otp_purposes_are_separate`	Otp purposes are separate	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0350	Integration (API)	P1	–	`test_access_token_without_email`	Access token without email	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0351	Integration (API)	P1	–	`test_reset_token_parsing`	Reset token parsing	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0352	Integration (API)	P1	–	`test_verification_token_parsing`	Verification token parsing	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0353	Integration (API)	P1	–	`test_memory_redis_client`	Memory redis client	`edura-backend/auth_service/tests/test_auth_routes.py`	
TC-0354	Integration (API)	P1	–	`test_refresh_token_is_stored_hashed`	Refresh token is stored hashed	`edura-backend/auth_service/tests/test_auth_routes.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0355	Integration (API)	P1	–	`test_token_service_create_and_verify`	Token service create and verify	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0356	Integration (API)	P1	–	`test_otp_service_generate_and_verify`	Otp service generate and verify	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0357	Integration (API)	P1	–	`test_session_service_limit`	Session service limit	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0358	Integration (API)	P1	–	`test_register_and_login_success`	Register and login success	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0359	Integration (API)	P1	–	`test_login_invalid_credentials`	Login invalid credentials	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0360	Integration (API)	P1	–	`test_refresh_token_rotation_and_reuse`	Refresh token rotation and reuse	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0361	Integration (API)	P1	–	`test_protected_route_role_enforcement`	Protected route role enforcement	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0362	Integration (API)	P1	–	`test_missing_and_expired_token`	Missing and expired token	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0363	Integration (API)	P1	–	`test_register_rejects_weak_password`	Register rejects weak password	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0364	Integration (API)	P1	–	`test_forgot_password_does_not_reveal_unknown_emails`	Forgot password does not reveal unknown emails	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0365	Integration (API)	P1	–	`test_reset_password_flow_is_single_use_and_signs_out`	Reset password flow is single use and signs out	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0366	Integration (API)	P1	–	`test_reset_password_rejects_garbage_token`	Reset password rejects garbage token	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0367	Integration (API)	P1	–	`test_logout_revokes_refresh_token`	Logout revokes refresh token	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0368	Integration (API)	P1	–	`test_register_sends_a_verification_link`	Register sends a verification link	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0369	Integration (API)	P1	–	`test_unverified_login_hides_whether_the_address_exists`	Unverified login hides whether the address exists	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0370	Integration (API)	P1	–	`test_verification_link_is_reusable_but_only_for_verification`	Verification link is reusable but only for verification	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0371	Integration (API)	P1	–	`test_expired_verification_link_is_rejected`	Expired verification link is rejected	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0372	Integration (API)	P1	–	`test_resend_verification`	Resend verification	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0373	Integration (API)	P1	–	`test_register_announces_the_account_with_its_profile`	Register announces the account with its profile	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0374	Integration (API)	P1	–	`test_register_without_a_profile_announces_the_account_only`	Register without a profile announces the account only	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0375	Integration (API)	P1	–	`test_register_rejects_an_invalid_profile_before_announcing_anything`	Register rejects an invalid profile before announcing anything	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0376	Integration (API)	P1	–	`test_register_does_not_depend_on_any_other_service`	The broker being down must not stop an account being created.	`edura-backend/auth_service/tests/test_auth_service.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0377	Integration (API)	P1	–	`test_account_changes_are_announced`	Account changes are announced	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0378	Integration (API)	P1	–	`test_google_sign_in_verifies_and_drops_an_unverified_password`	Google sign in verifies and drops an unverified password	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0379	Integration (API)	P1	–	`test_google_without_a_verified_address_does_not_verify`	Google without a verified address does not verify	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0380	Integration (API)	P1	–	`test_password_reset_proves_the_address`	Password reset proves the address	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0381	Integration (API)	P1	–	`test_new_google_account_is_announced_with_the_google_name_and_photo`	New google account is announced with the google name and photo	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0382	Integration (API)	P1	–	`test_admin_created_by_admin_is_announced_with_a_profile`	Admin created by admin is announced with a profile	`edura-backend/auth_service/tests/test_auth_service.py`	
TC-0383	Migration	P2	–	`test_migration_lifecycle`	Migration lifecycle	`edura-backend/auth_service/tests/test_migrations.py`	
TC-0384	Unit	P2	–	`test_publish_never_raises_when_the_broker_is_down`	Publish never raises when the broker is down	`edura-backend/auth_service/tests/test_shared_messaging.py`	
TC-0385	Unit	P2	–	`test_a_down_broker_is_skipped_for_a_few_seconds`	A down broker is skipped for a few seconds	`edura-backend/auth_service/tests/test_shared_messaging.py`	
TC-0386	Unit	P2	–	`test_publish_reconnects_once_after_an_idle_connection_dropped`	Publish reconnects once after an idle connection dropped	`edura-backend/auth_service/tests/test_shared_messaging.py`	
TC-0387	Unit	P2	–	`test_a_consumer_hands_the_event_to_its_handler_and_acks`	A consumer hands the event to its handler and acks	`edura-backend/auth_service/tests/test_shared_messaging.py`	
TC-0388	Unit	P2	–	`test_a_message_that_is_not_json_is_dropped_not_retried`	A message that is not json is dropped not retried	`edura-backend/auth_service/tests/test_shared_messaging.py`	
TC-0389	Unit	P2	–	`test_a_failing_handler_is_tried_three_times_then_dropped`	A failing handler is tried three times then dropped	`edura-backend/auth_service/tests/test_shared_messaging.py`	
TC-0390	Unit	P2	–	`test_a_handler_that_recovers_is_not_called_again`	A handler that recovers is not called again	`edura-backend/auth_service/tests/test_shared_messaging.py`	
TC-0391	Unit	P2	–	`test_resync_can_be_switched_off`	Resync can be switched off	`edura-backend/auth_service/tests/test_shared_messaging.py`	
TC-0392	Unit	P2	–	`test_every_service_queue_listens_to_something_and_nothing_twice`	Every service queue listens to something and nothing twice	`edura-backend/auth_service/tests/test_shared_messaging.py`	

Backend – content_service

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0393	Integration (API)	P1	TestHealth	`test_health_returns_ok`	Health returns ok	`edura-backend/content_service/tests/test_content.py`	
TC-0394	Integration (API)	P1	TestSignedUrl	`test_missing_token_returns_401`	Missing token returns 401	`edura-backend/content_service/tests/test_content.py`	
TC-0395	Integration (API)	P1	TestSignedUrl	`test_student_not_enrolled_returns_403`	Student not enrolled returns 403	`edura-backend/content_service/tests/test_content.py`	
TC-0396	Integration (API)	P1	TestSignedUrl	`test_enrolled_student_gets_signed_url`	Enrolled student gets signed url	`edura-backend/content_service/tests/test_content.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0397	Integration (API)	P1	TestSignedUrl	`test_teacher_gets_signed_url_without_enrollment_check`	Teacher gets signed url without enrollment check	`edura-backend/content_service/tests/test_content.py`	
TC-0398	Integration (API)	P1	TestSignedUrl	`test_admin_gets_signed_url_without_enrollment_check`	Admin gets signed url without enrollment check	`edura-backend/content_service/tests/test_content.py`	
TC-0399	Integration (API)	P1	TestStreamLesson	`test_missing_token_returns_401`	Missing token returns 401	`edura-backend/content_service/tests/test_content.py`	
TC-0400	Integration (API)	P1	TestStreamLesson	`test_student_without_course_id_returns_422`	Student without course id returns 422	`edura-backend/content_service/tests/test_content.py`	
TC-0401	Integration (API)	P1	TestStreamLesson	`test_student_not_enrolled_returns_403`	Student not enrolled returns 403	`edura-backend/content_service/tests/test_content.py`	
TC-0402	Integration (API)	P1	TestStreamLesson	`test_enrolled_student_gets_embed_url`	Enrolled student gets embed url	`edura-backend/content_service/tests/test_content.py`	
TC-0403	Integration (API)	P1	TestStreamLesson	`test_teacher_gets_embed_url_without_enrollment`	Teacher gets embed url without enrollment	`edura-backend/content_service/tests/test_content.py`	
TC-0404	Integration (API)	P1	TestUpload	`test_student_cannot_upload`	Student cannot upload	`edura-backend/content_service/tests/test_content.py`	
TC-0405	Integration (API)	P1	TestUpload	`test_missing_token_returns_401`	Missing token returns 401	`edura-backend/content_service/tests/test_content.py`	
TC-0406	Integration (API)	P1	TestUpload	`test_file_too_large_returns_413`	File too large returns 413	`edura-backend/content_service/tests/test_content.py`	
TC-0407	Integration (API)	P1	TestUpload	`test_disallowed_mime_type_returns_415`	Disallowed mime type returns 415	`edura-backend/content_service/tests/test_content.py`	
TC-0408	Integration (API)	P1	TestUpload	`test_mime_mismatch_returns_415`	Mime mismatch returns 415	`edura-backend/content_service/tests/test_content.py`	
TC-0409	Integration (API)	P1	TestUpload	`test_valid_pdf_upload_passes`	Valid pdf upload passes	`edura-backend/content_service/tests/test_content.py`	
TC-0410	Integration (API)	P1	TestUpload	`test_valid_png_upload_passes`	Valid png upload passes	`edura-backend/content_service/tests/test_content.py`	
TC-0411	Integration (API)	P1	TestUpload	`test_admin_can_upload`	Admin can upload	`edura-backend/content_service/tests/test_content.py`	
TC-0412	Integration (API)	P1	–	`test_startup_creates_tables_and_starts_consumer`	Startup creates tables and starts consumer	`edura-backend/content_service/tests/test_content_service.py`	
TC-0413	Integration (API)	P1	–	`test_startup_survives_create_all_failure`	Startup survives create all failure	`edura-backend/content_service/tests/test_content_service.py`	
TC-0414	Integration (API)	P1	–	`test_access_comes_from_access_events`	Access comes from access events	`edura-backend/content_service/tests/test_content_service.py`	
TC-0415	Integration (API)	P1	–	`test_enrolled_student_streams_through_the_real_access_check`	Enrolled student streams through the real access check	`edura-backend/content_service/tests/test_content_service.py`	
TC-0416	Integration (API)	P1	–	`test_consumer_start_and_rollback`	Consumer start and rollback	`edura-backend/content_service/tests/test_content_service.py`	
TC-0417	Integration (API)	P1	–	`test_material_upload`	Material upload	`edura-backend/content_service/tests/test_content_service.py`	
TC-0418	Integration (API)	P1	–	`test_material_upload_rejections`	Material upload rejections	`edura-backend/content_service/tests/test_content_service.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0419	Integration (API)	P1	–	`test_material_upload_is_for_staff`	Material upload is for staff	`edura-backend/content_service/tests/test_content_service.py`	
TC-0420	Integration (API)	P1	–	`test_delete_uploaded_asset`	Delete uploaded asset	`edura-backend/content_service/tests/test_content_service.py`	
TC-0421	Integration (API)	P1	–	`test_only_content_assets_can_be_deleted`	Only content assets can be deleted	`edura-backend/content_service/tests/test_content_service.py`	
TC-0422	Integration (API)	P1	–	`test_delete_asset_validation_and_roles`	Delete asset validation and roles	`edura-backend/content_service/tests/test_content_service.py`	
TC-0423	Integration (API)	P1	–	`test_any_user_can_upload_an_avatar`	Any user can upload an avatar	`edura-backend/content_service/tests/test_content_service.py`	
TC-0424	Integration (API)	P1	–	`test_avatar_rejections`	Avatar rejections	`edura-backend/content_service/tests/test_content_service.py`	
TC-0425	Integration (API)	P1	–	`test_missing_credentials_are_a_503`	Missing credentials are a 503	`edura-backend/content_service/tests/test_content_service.py`	
TC-0426	Integration (API)	P1	–	`test_upload_asset_passes_safe_options`	Upload asset passes safe options	`edura-backend/content_service/tests/test_content_service.py`	
TC-0427	Integration (API)	P1	–	`test_delete_asset_tries_each_resource_type`	Delete asset tries each resource type	`edura-backend/content_service/tests/test_content_service.py`	
TC-0428	Integration (API)	P1	–	`test_signed_url_expires_in_an_hour`	Signed url expires in an hour	`edura-backend/content_service/tests/test_content_service.py`	
TC-0429	Migration	P2	–	`test_migration_lifecycle`	Migration lifecycle	`edura-backend/content_service/tests/test_migrations.py`	

Backend – course_service

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0430	Integration (API)	P1	–	`test_health`	Health	`edura-backend/course_service/tests/test_course_service.py`	
TC-0431	Integration (API)	P1	–	`test_startup_creates_tables_and_starts_listeners`	Startup creates tables and starts listeners	`edura-backend/course_service/tests/test_course_service.py`	
TC-0432	Integration (API)	P1	–	`test_startup_survives_create_all_failure`	Startup survives create all failure	`edura-backend/course_service/tests/test_course_service.py`	
TC-0433	Integration (API)	P1	–	`test_resync_reannounces_every_course_and_lesson`	Resync reannounces every course and lesson	`edura-backend/course_service/tests/test_course_service.py`	
TC-0434	Integration (API)	P1	–	`test_consumer_stores_access_and_start_binds_queue`	Consumer stores access and start binds queue	`edura-backend/course_service/tests/test_course_service.py`	
TC-0435	Integration (API)	P1	–	`test_consumer_rolls_back_and_reraises`	Consumer rolls back and reraises	`edura-backend/course_service/tests/test_course_service.py`	
TC-0436	Integration (API)	P1	–	`test_grade_bands`	Grade bands	`edura-backend/course_service/tests/test_course_service.py`	
TC-0437	Integration (API)	P1	–	`test_public_sees_only_published_courses`	Public sees only published courses	`edura-backend/course_service/tests/test_course_service.py`	
TC-0438	Integration (API)	P1	–	`test_staff_filter_by_status`	Staff filter by status	`edura-backend/course_service/tests/test_course_service.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0439	Integration (API)	P1	–	`test_grade_filter_keeps_ungraded_courses`	Grade filter keeps ungraded courses	`edura-backend/course_service/tests/test_course_service.py`	
TC-0440	Integration (API)	P1	–	`test_stream_filter_applies_only_at_a_level`	Stream filter applies only at a level	`edura-backend/course_service/tests/test_course_service.py`	
TC-0441	Integration (API)	P1	–	`test_pagination_and_page_size_limits`	Pagination and page size limits	`edura-backend/course_service/tests/test_course_service.py`	
TC-0442	Integration (API)	P1	–	`test_include_modules_hides_inactive_lessons_from_students`	Include modules hides inactive lessons from students	`edura-backend/course_service/tests/test_course_service.py`	
TC-0443	Integration (API)	P1	–	`test_include_modules_with_no_courses`	Include modules with no courses	`edura-backend/course_service/tests/test_course_service.py`	
TC-0444	Integration (API)	P1	–	`test_course_without_modules_lists_empty`	Course without modules lists empty	`edura-backend/course_service/tests/test_course_service.py`	
TC-0445	Integration (API)	P1	–	`test_get_course_visibility`	Get course visibility	`edura-backend/course_service/tests/test_course_service.py`	
TC-0446	Integration (API)	P1	–	`test_list_modules`	List modules	`edura-backend/course_service/tests/test_course_service.py`	
TC-0447	Integration (API)	P1	–	`test_create_course_as_draft`	Create course as draft	`edura-backend/course_service/tests/test_course_service.py`	
TC-0448	Integration (API)	P1	–	`test_create_course_validation`	Create course validation	`edura-backend/course_service/tests/test_course_service.py`	
TC-0449	Integration (API)	P1	–	`test_create_course_permissions`	Create course permissions	`edura-backend/course_service/tests/test_course_service.py`	
TC-0450	Integration (API)	P1	–	`test_update_course_fields`	Update course fields	`edura-backend/course_service/tests/test_course_service.py`	
TC-0451	Integration (API)	P1	–	`test_update_course_validation`	Update course validation	`edura-backend/course_service/tests/test_course_service.py`	
TC-0452	Integration (API)	P1	–	`test_publishing_a_video_course_needs_a_video`	Publishing a video course needs a video	`edura-backend/course_service/tests/test_course_service.py`	
TC-0453	Integration (API)	P1	–	`test_publishing_an_exam_course_needs_only_a_lesson`	Publishing an exam course needs only a lesson	`edura-backend/course_service/tests/test_course_service.py`	
TC-0454	Integration (API)	P1	–	`test_switching_to_exam_while_publishing_uses_the_new_type`	Switching to exam while publishing uses the new type	`edura-backend/course_service/tests/test_course_service.py`	
TC-0455	Integration (API)	P1	–	`test_archiving_unpublishes`	Archiving unpublishes	`edura-backend/course_service/tests/test_course_service.py`	
TC-0456	Integration (API)	P1	–	`test_course_ownership`	Course ownership	`edura-backend/course_service/tests/test_course_service.py`	
TC-0457	Integration (API)	P1	–	`test_delete_course_removes_everything_under_it`	Delete course removes everything under it	`edura-backend/course_service/tests/test_course_service.py`	
TC-0458	Integration (API)	P1	–	`test_create_module`	Create module	`edura-backend/course_service/tests/test_course_service.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0459	Integration (API)	P1	–	`test_module_ownership_and_missing`	Module ownership and missing	`edura-backend/course_service/tests/test_course_service.py`	
TC-0460	Integration (API)	P1	–	`test_module_must_belong_to_the_course`	Module must belong to the course	`edura-backend/course_service/tests/test_course_service.py`	
TC-0461	Integration (API)	P1	–	`test_update_module`	Update module	`edura-backend/course_service/tests/test_course_service.py`	
TC-0462	Integration (API)	P1	–	`test_delete_module_clears_its_children`	Delete module clears its children	`edura-backend/course_service/tests/test_course_service.py`	
TC-0463	Integration (API)	P1	–	`test_delete_empty_module`	Delete empty module	`edura-backend/course_service/tests/test_course_service.py`	
TC-0464	Integration (API)	P1	–	`test_create_and_update_video`	Create and update video	`edura-backend/course_service/tests/test_course_service.py`	
TC-0465	Integration (API)	P1	–	`test_create_video_needs_a_youtube_id`	Create video needs a youtube id	`edura-backend/course_service/tests/test_course_service.py`	
TC-0466	Integration (API)	P1	–	`test_video_not_found`	Video not found	`edura-backend/course_service/tests/test_course_service.py`	
TC-0467	Integration (API)	P1	–	`test_delete_video_unpins_its_materials`	Delete video unpins its materials	`edura-backend/course_service/tests/test_course_service.py`	
TC-0468	Integration (API)	P1	–	`test_videos_need_sign_in`	Videos need sign in	`edura-backend/course_service/tests/test_course_service.py`	
TC-0469	Integration (API)	P1	–	`test_students_need_access_to_open_videos`	Students need access to open videos	`edura-backend/course_service/tests/test_course_service.py`	
TC-0470	Integration (API)	P1	–	`test_staff_open_videos_without_enrollment`	Staff open videos without enrollment	`edura-backend/course_service/tests/test_course_service.py`	
TC-0471	Integration (API)	P1	–	`test_inactive_lesson_is_hidden_from_students`	Inactive lesson is hidden from students	`edura-backend/course_service/tests/test_course_service.py`	
TC-0472	Integration (API)	P1	–	`test_videos_list_with_checkpoints_in_order`	Videos list with checkpoints in order	`edura-backend/course_service/tests/test_course_service.py`	
TC-0473	Integration (API)	P1	–	`test_videos_of_a_draft_course_are_hidden`	Videos of a draft course are hidden	`edura-backend/course_service/tests/test_course_service.py`	
TC-0474	Integration (API)	P1	–	`test_empty_lesson_has_no_videos`	Empty lesson has no videos	`edura-backend/course_service/tests/test_course_service.py`	
TC-0475	Integration (API)	P1	–	`test_create_material_pinned_to_a_video`	Create material pinned to a video	`edura-backend/course_service/tests/test_course_service.py`	
TC-0476	Integration (API)	P1	–	`test_material_cannot_pin_a_video_from_another_lesson`	Material cannot pin a video from another lesson	`edura-backend/course_service/tests/test_course_service.py`	
TC-0477	Integration (API)	P1	–	`test_list_materials_filtered_by_video`	List materials filtered by video	`edura-backend/course_service/tests/test_course_service.py`	
TC-0478	Integration (API)	P1	–	`test_update_material`	Update material	`edura-backend/course_service/tests/test_course_service.py`	
TC-0479	Integration (API)	P1	–	`test_material_not_found_and_delete`	Material not found and delete	`edura-backend/course_service/tests/test_course_service.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0480	Integration (API)	P1	–	`test_parse_timestamp`	Parse timestamp	`edura-backend/course_service/tests/test_course_service.py`	
TC-0481	Integration (API)	P1	–	`test_parse_timestamp_rejects`	Parse timestamp rejects	`edura-backend/course_service/tests/test_course_service.py`	
TC-0482	Integration (API)	P1	–	`test_checkpoint_template`	Checkpoint template	`edura-backend/course_service/tests/test_course_service.py`	
TC-0483	Integration (API)	P1	–	`test_import_checkpoints`	Import checkpoints	`edura-backend/course_service/tests/test_course_service.py`	
TC-0484	Integration (API)	P1	–	`test_import_adds_to_an_existing_checkpoint`	Import adds to an existing checkpoint	`edura-backend/course_service/tests/test_course_service.py`	
TC-0485	Integration (API)	P1	–	`test_import_checkpoint_errors`	Import checkpoint errors	`edura-backend/course_service/tests/test_course_service.py`	
TC-0486	Integration (API)	P1	–	`test_checkpoints_for_a_missing_video`	Checkpoints for a missing video	`edura-backend/course_service/tests/test_course_service.py`	
TC-0487	Integration (API)	P1	–	`test_clear_checkpoints`	Clear checkpoints	`edura-backend/course_service/tests/test_course_service.py`	
TC-0488	Integration (API)	P1	–	`test_move_checkpoint`	Move checkpoint	`edura-backend/course_service/tests/test_course_service.py`	
TC-0489	Integration (API)	P1	–	`test_checkpoint_ownership_and_missing`	Checkpoint ownership and missing	`edura-backend/course_service/tests/test_course_service.py`	
TC-0490	Integration (API)	P1	–	`test_delete_checkpoint`	Delete checkpoint	`edura-backend/course_service/tests/test_course_service.py`	
TC-0491	Integration (API)	P1	–	`test_edit_checkpoint_question`	Edit checkpoint question	`edura-backend/course_service/tests/test_course_service.py`	
TC-0492	Integration (API)	P1	–	`test_checkpoint_question_validation`	Checkpoint question validation	`edura-backend/course_service/tests/test_course_service.py`	
TC-0493	Integration (API)	P1	–	`test_course_event_defaults`	Course event defaults	`edura-backend/course_service/tests/test_course_service.py`	
TC-0494	Integration (API)	P1	TestAssertCourseOwner	`test_matching_teacher_passes`	Matching teacher passes	`edura-backend/course_service/tests/test_courses.py`	
TC-0495	Integration (API)	P1	TestAssertCourseOwner	`test_mismatched_teacher_raises_403`	Mismatched teacher raises 403	`edura-backend/course_service/tests/test_courses.py`	
TC-0496	Integration (API)	P1	TestAssertCourseOwner	`test_admin_bypasses_ownership`	Admin bypasses ownership	`edura-backend/course_service/tests/test_courses.py`	
TC-0497	Integration (API)	P1	TestStudentBlockedFromCreateCourse	`test_student_cannot_create_course`	Student cannot create course	`edura-backend/course_service/tests/test_courses.py`	
TC-0498	Integration (API)	P1	TestStudentBlockedFromCreateCourse	`test_no_token_returns_401`	No token returns 401	`edura-backend/course_service/tests/test_courses.py`	
TC-0499	Integration (API)	P1	TestCreateAndGetCourse	`test_teacher_creates_course_returns_201`	Teacher creates course returns 201	`edura-backend/course_service/tests/test_courses.py`	
TC-0500	Integration (API)	P1	TestCreateAndGetCourse	`test_get_course_by_id`	Get course by id	`edura-backend/course_service/tests/test_courses.py`	
TC-0501	Integration (API)	P1	TestCreateAndGetCourse	`test_get_nonexistent_course_returns_404`	Get nonexistent course returns 404	`edura-backend/course_service/tests/test_courses.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0502	Integration (API)	P1	TestOwnershipEnforcement	`test_teacher_b_cannot_update_teacher_a_course`	Teacher b cannot update teacher a course	`edura-backend/course_service/tests/test_courses.py`	
TC-0503	Integration (API)	P1	TestOwnershipEnforcement	`test_admin_can_update_any_course`	Admin can update any course	`edura-backend/course_service/tests/test_courses.py`	
TC-0504	Integration (API)	P1	TestPublishCourse	`test_publish_requires_module_with_lesson`	Publish requires module with lesson	`edura-backend/course_service/tests/test_courses.py`	
TC-0505	Integration (API)	P1	TestPublishCourse	`test_publish_with_content_fires_rabbitmq_event`	Publish with content fires rabbitmq event	`edura-backend/course_service/tests/test_courses.py`	
TC-0506	Integration (API)	P1	TestModuleAndLessonCRUD	`test_create_module_returns_201`	Create module returns 201	`edura-backend/course_service/tests/test_courses.py`	
TC-0507	Integration (API)	P1	TestModuleAndLessonCRUD	`test_create_lesson_returns_201`	Create lesson returns 201	`edura-backend/course_service/tests/test_courses.py`	
TC-0508	Integration (API)	P1	TestStudentCourseBrowse	`test_student_only_sees_published_courses`	Student only sees published courses	`edura-backend/course_service/tests/test_courses.py`	
TC-0509	Integration (API)	P1	TestStudentCourseBrowse	`test_student_cannot_get_draft_course_directly`	Student cannot get draft course directly	`edura-backend/course_service/tests/test_courses.py`	
TC-0510	Migration	P2	–	`test_migration_lifecycle`	Migration lifecycle	`edura-backend/course_service/tests/test_migrations.py`	

Backend – enrollment_service

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0511	Integration (API)	P1	–	`test_get_enrollment_success`	Get enrollment success	`edura-backend/enrollment_service/tests/test_enrollment.py`	
TC-0512	Integration (API)	P1	–	`test_get_enrollment_not_found_returns_404`	Get enrollment not found returns 404	`edura-backend/enrollment_service/tests/test_enrollment.py`	
TC-0513	Integration (API)	P1	–	`test_enrollment_lookup_needs_login_and_is_private`	Enrollment lookup needs login and is private	`edura-backend/enrollment_service/tests/test_enrollment.py`	
TC-0514	Integration (API)	P1	–	`test_payment_success_activates_the_enrollment_and_announces_it`	Payment success activates the enrollment and announces it	`edura-backend/enrollment_service/tests/test_enrollment.py`	
TC-0515	Integration (API)	P1	–	`test_a_repeated_payment_extends_expiry_without_a_second_enrollment`	A repeated payment extends expiry without a second enrollment	`edura-backend/enrollment_service/tests/test_enrollment.py`	
TC-0516	Integration (API)	P1	–	`test_subscription_expiry_suspends_and_removes_access`	Subscription expiry suspends and removes access	`edura-backend/enrollment_service/tests/test_enrollment.py`	
TC-0517	Integration (API)	P1	–	`test_class_package_opens_published_courses_of_its_grade_until_it_expires`	Class package opens published courses of its grade until it expires	`edura-backend/enrollment_service/tests/test_enrollment.py`	
TC-0518	Integration (API)	P1	–	`test_an_expired_or_inactive_package_opens_nothing`	An expired or inactive package opens nothing	`edura-backend/enrollment_service/tests/test_enrollment.py`	
TC-0519	Integration (API)	P1	–	`test_a_lesson_grant_opens_just_that_lesson_unless_the_whole_course_is_open`	A lesson grant opens just that lesson unless the whole course is open	`edura-backend/enrollment_service/tests/test_enrollment.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0520	Integration (API)	P1	–	`test_a_package_holders_access_is_refreshed_when_a_course_is_published`	A package holders access is refreshed when a course is published	`edura-backend/enrollment_service/tests/test_enrollment.py`	
TC-0521	Integration (API)	P1	–	`test_renaming_a_course_does_not_re_announce_anyones_access`	Renaming a course does not re announce anyones access	`edura-backend/enrollment_service/tests/test_enrollment.py`	
TC-0522	Integration (API)	P1	–	`test_the_course_copy_follows_the_catalogue`	The course copy follows the catalogue	`edura-backend/enrollment_service/tests/test_enrollment.py`	
TC-0523	Integration (API)	P1	–	`test_eligible_students_are_those_in_the_course_grade_band_without_access`	Eligible students are those in the course grade band without access	`edura-backend/enrollment_service/tests/test_enrollment.py`	
TC-0524	Integration (API)	P1	–	`test_admin_grant_enrolls_announces_and_lists_by_name`	Admin grant enrolls announces and lists by name	`edura-backend/enrollment_service/tests/test_enrollment.py`	
TC-0525	Integration (API)	P1	–	`test_package_names_use_the_local_stream_copy`	Package names use the local stream copy	`edura-backend/enrollment_service/tests/test_enrollment.py`	
TC-0526	Integration (API)	P1	–	`test_auto_generate_makes_a_package_per_grade_and_active_stream`	Auto generate makes a package per grade and active stream	`edura-backend/enrollment_service/tests/test_enrollment.py`	
TC-0527	Integration (API)	P1	–	`test_class_package_changes_are_announced_to_holders`	Class package changes are announced to holders	`edura-backend/enrollment_service/tests/test_enrollment.py`	
TC-0528	Integration (API)	P1	–	`test_the_old_internal_endpoints_are_gone`	The old internal endpoints are gone	`edura-backend/enrollment_service/tests/test_enrollment.py`	
TC-0529	Integration (API)	P1	–	`test_this_service_reads_people_from_its_own_copy`	This service reads people from its own copy	`edura-backend/enrollment_service/tests/test_enrollment.py`	
TC-0530	Integration (API)	P1	–	`test_health`	Health	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0531	Integration (API)	P1	–	`test_lifespan_creates_tables_and_starts_listeners`	Lifespan creates tables and starts listeners	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0532	Integration (API)	P1	–	`test_lifespan_survives_schema_errors`	Lifespan survives schema errors	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0533	Integration (API)	P1	–	`test_resync_announces_access_and_enrollments`	Resync announces access and enrollments	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0534	Integration (API)	P1	–	`test_consumer_start_binds_enrollment_queue`	Consumer start binds enrollment queue	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0535	Integration (API)	P1	–	`test_incomplete_payment_and_expiry_events_are_ignored`	Incomplete payment and expiry events are ignored	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0536	Integration (API)	P1	–	`test_expiry_without_enrollment_still_announces_access`	Expiry without enrollment still announces access	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0537	Integration (API)	P1	–	`test_people_and_streams_go_to_their_copies`	People and streams go to their copies	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0538	Integration (API)	P1	–	`test_deleting_a_course_reannounces_package_holders`	Deleting a course reannounces package holders	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0539	Integration (API)	P1	–	`test_consumer_rolls_back_and_reraises`	Consumer rolls back and reraises	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0540	Integration (API)	P1	–	`test_lapsed_active_enrollment_restarts_from_now`	Lapsed active enrollment restarts from now	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0541	Integration (API)	P1	–	`test_suspended_enrollment_is_reactivated`	Suspended enrollment is reactivated	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0542	Integration (API)	P1	–	`test_suspend_unknown_enrollment_returns_none`	Suspend unknown enrollment returns none	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0543	Integration (API)	P1	–	`test_allowed_student_grades`	Allowed student grades	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0544	Integration (API)	P1	–	`test_package_covers`	Package covers	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0545	Integration (API)	P1	–	`test_course_access_paths`	Course access paths	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0546	Integration (API)	P1	–	`test_grant_package_reactivates_an_existing_row`	Grant package reactivates an existing row	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0547	Integration (API)	P1	–	`test_direct_enrollment_wins_over_package_end_date`	Direct enrollment wins over package end date	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0548	Integration (API)	P1	–	`test_my_enrollments_include_lesson_grants`	My enrollments include lesson grants	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0549	Integration (API)	P1	–	`test_my_access_to_a_course`	My access to a course	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0550	Integration (API)	P1	–	`test_get_enrollment_as_admin`	Get enrollment as admin	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0551	Integration (API)	P1	–	`test_list_packages_by_grade_and_stream`	List packages by grade and stream	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0552	Integration (API)	P1	–	`test_list_packages_marks_the_callers_own`	List packages marks the callers own	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0553	Integration (API)	P1	–	`test_enroll_in_a_free_package`	Enroll in a free package	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0554	Integration (API)	P1	–	`test_free_enroll_errors`	Free enroll errors	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0555	Integration (API)	P1	–	`test_my_class_enrollments`	My class enrollments	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0556	Integration (API)	P1	–	`test_admin_creates_and_filters_packages`	Admin creates and filters packages	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0557	Integration (API)	P1	–	`test_package_validation`	Package validation	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0558	Integration (API)	P1	–	`test_admin_package_routes_are_admin_only`	Admin package routes are admin only	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0559	Integration (API)	P1	–	`test_update_and_delete_missing_package`	Update and delete missing package	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0560	Integration (API)	P1	–	`test_deleting_a_package_removes_holders_and_reannounces`	Deleting a package removes holders and reannounces	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0561	Integration (API)	P1	–	`test_admin_lists_class_enrollments_with_names`	Admin lists class enrollments with names	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0562	Integration (API)	P1	–	`test_admin_grants_a_package_with_an_end_date`	Admin grants a package with an end date	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0563	Integration (API)	P1	–	`test_admin_revokes_a_class_enrollment`	Admin revokes a class enrollment	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0564	Integration (API)	P1	–	`test_grant_reactivates_a_cancelled_enrollment`	Grant reactivates a cancelled enrollment	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0565	Integration (API)	P1	–	`test_grant_skips_students_who_already_have_it`	Grant skips students who already have it	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0566	Integration (API)	P1	–	`test_grant_a_single_lesson`	Grant a single lesson	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0567	Integration (API)	P1	–	`test_grant_validation`	Grant validation	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0568	Integration (API)	P1	–	`test_revoke_a_course_keeps_the_record`	Revoke a course keeps the record	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0569	Integration (API)	P1	–	`test_revoke_a_lesson`	Revoke a lesson	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0570	Integration (API)	P1	–	`test_enrolled_list_includes_lesson_grants`	Enrolled list includes lesson grants	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0571	Integration (API)	P1	–	`test_eligible_needs_a_known_course`	Eligible needs a known course	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0572	Integration (API)	P1	–	`test_eligible_search_by_school`	Eligible search by school	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0573	Integration (API)	P1	–	`test_display_names_with_no_ids`	Display names with no ids	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0574	Integration (API)	P1	–	`test_enrollment_activated_payload`	Enrollment activated payload	`edura-backend/enrollment_service/tests/test_enrollment_service.py`	
TC-0575	Migration	P2	–	`test_migration_lifecycle`	Migration lifecycle	`edura-backend/enrollment_service/tests/test_migrations.py`	

Backend – notification_service

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0576	Unit	P2	–	`test_process_otp_requested_success`	Process otp requested success	`edura-backend/notification_service/tests/test_consumer.py`	
TC-0577	Unit	P2	–	`test_process_payment_success`	Process payment success	`edura-backend/notification_service/tests/test_consumer.py`	
TC-0578	Unit	P2	–	`test_process_certificate_issued`	Process certificate issued	`edura-backend/notification_service/tests/test_consumer.py`	
TC-0579	Unit	P2	–	`test_process_proctoring_violation`	Process proctoring violation	`edura-backend/notification_service/tests/test_consumer.py`	
TC-0580	Unit	P2	–	`test_email_failure_acks_and_logs_failed`	Email failure acks and logs failed	`edura-backend/notification_service/tests/test_consumer.py`	
TC-0581	Unit	P2	–	`test_missing_email_acks_without_processing`	Missing email acks without processing	`edura-backend/notification_service/tests/test_consumer.py`	
TC-0582	Unit	P2	–	`test_unhandled_routing_key_acks`	Unhandled routing key acks	`edura-backend/notification_service/tests/test_consumer.py`	
TC-0583	Unit	P2	–	`test_start_consumer`	Start consumer	`edura-backend/notification_service/tests/test_consumer.py`	
TC-0584	Unit	P2	–	`test_process_progress_report_attaches_pdf`	Process progress report attaches pdf	`edura-backend/notification_service/tests/test_consumer.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0585	Unit	P2	–	`test_process_email_verification_sends_the_link`	Process email verification sends the link	`edura-backend/notification_service/tests/test_consumer.py`	
TC-0586	Unit	P2	–	`test_password_reset_email_includes_reset_link`	Password reset email includes reset link	`edura-backend/notification_service/tests/test_consumer.py`	
TC-0587	Unit	P2	–	`test_password_reset_email_uses_default_values`	Password reset email uses default values	`edura-backend/notification_service/tests/test_consumer.py`	
TC-0588	Unit	P2	–	`test_send_email_posts_to_resend_with_the_api_key`	Send email posts to resend with the api key	`edura-backend/notification_service/tests/test_email_service.py`	
TC-0589	Unit	P2	–	`test_send_email_with_pdf_attachment`	Send email with pdf attachment	`edura-backend/notification_service/tests/test_email_service.py`	
TC-0590	Unit	P2	–	`test_no_attachments_key_when_there_are_none`	No attachments key when there are none	`edura-backend/notification_service/tests/test_email_service.py`	
TC-0591	Unit	P2	–	`test_missing_api_key_fails_clearly_without_calling_resend`	Missing api key fails clearly without calling resend	`edura-backend/notification_service/tests/test_email_service.py`	
TC-0592	Unit	P2	–	`test_a_rejected_email_raises_with_resends_reason`	A rejected email raises with resends reason	`edura-backend/notification_service/tests/test_email_service.py`	
TC-0593	Unit	P2	–	`test_an_unreachable_resend_raises_a_delivery_error`	An unreachable resend raises a delivery error	`edura-backend/notification_service/tests/test_email_service.py`	
TC-0594	Migration	P2	–	`test_migration_lifecycle`	Migration lifecycle	`edura-backend/notification_service/tests/test_migrations.py`	
TC-0595	Integration (API)	P1	–	`test_password_changed_email`	Password changed email	`edura-backend/notification_service/tests/test_notification_service.py`	
TC-0596	Integration (API)	P1	–	`test_student_email_and_id_fields_are_accepted`	Student email and id fields are accepted	`edura-backend/notification_service/tests/test_notification_service.py`	
TC-0597	Integration (API)	P1	–	`test_verification_link_lifetime_is_shown_in_hours`	Verification link lifetime is shown in hours	`edura-backend/notification_service/tests/test_notification_service.py`	
TC-0598	Integration (API)	P1	–	`test_progress_report_subject_without_a_month`	Progress report subject without a month	`edura-backend/notification_service/tests/test_notification_service.py`	
TC-0599	Integration (API)	P1	–	`test_broken_messages_are_dropped_not_requeued`	Broken messages are dropped not requeued	`edura-backend/notification_service/tests/test_notification_service.py`	
TC-0600	Integration (API)	P1	–	`test_consumer_retries_until_the_broker_is_reachable`	Consumer retries until the broker is reachable	`edura-backend/notification_service/tests/test_notification_service.py`	
TC-0601	Integration (API)	P1	–	`test_prepare_database_creates_tables_and_tolerates_sqlite`	Prepare database creates tables and tolerates sqlite	`edura-backend/notification_service/tests/test_notification_service.py`	
TC-0602	Integration (API)	P1	–	`test_prepare_database_survives_create_all_failure`	Prepare database survives create all failure	`edura-backend/notification_service/tests/test_notification_service.py`	
TC-0603	Integration (API)	P1	–	`test_enum_migrations_run_on_postgres`	Enum migrations run on postgres	`edura-backend/notification_service/tests/test_notification_service.py`	
TC-0604	Integration (API)	P1	–	`test_resend_error_that_is_not_json`	Resend error that is not json	`edura-backend/notification_service/tests/test_notification_service.py`	
TC-0605	Integration (API)	P1	–	`test_resend_error_without_a_message_uses_the_body`	Resend error without a message uses the body	`edura-backend/notification_service/tests/test_notification_service.py`	
TC-0606	Integration (API)	P1	–	`test_health`	Health	`edura-backend/notification_service/tests/test_notification_service.py`	
TC-0607	Integration (API)	P1	–	`test_notification_route_is_for_notification_managers`	Notification route is for notification managers	`edura-backend/notification_service/tests/test_notification_service.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0608	Integration (API)	P1	–	`test_startup_creates_tables`	Startup creates tables	`edura-backend/notification_service/tests/test_notification_service.py`	
TC-0609	Integration (API)	P1	–	`test_startup_survives_create_all_failure`	Startup survives create all failure	`edura-backend/notification_service/tests/test_notification_service.py`	
TC-0610	Unit	P2	–	`test_render_otp_email`	Render otp email	`edura-backend/notification_service/tests/test_templates.py`	
TC-0611	Unit	P2	–	`test_render_payment_confirm`	Render payment confirm	`edura-backend/notification_service/tests/test_templates.py`	
TC-0612	Unit	P2	–	`test_render_cert_issued`	Render cert issued	`edura-backend/notification_service/tests/test_templates.py`	
TC-0613	Unit	P2	–	`test_render_violation_alert`	Render violation alert	`edura-backend/notification_service/tests/test_templates.py`	

Backend – payment_service

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0614	Migration	P2	–	`test_migration_lifecycle`	Migration lifecycle	`edura-backend/payment_service/tests/test_migrations.py`	
TC-0615	Integration (API)	P1	–	`test_the_course_price_copy_follows_catalogue_events`	The course price copy follows catalogue events	`edura-backend/payment_service/tests/test_payment_events.py`	
TC-0616	Integration (API)	P1	–	`test_free_enrollment_is_decided_from_the_local_price`	Free enrollment is decided from the local price	`edura-backend/payment_service/tests/test_payment_events.py`	
TC-0617	Integration (API)	P1	–	`test_receipt_is_checked_by_its_bytes_stored_and_announced`	Receipt is checked by its bytes stored and announced	`edura-backend/payment_service/tests/test_payment_events.py`	
TC-0618	Integration (API)	P1	–	`test_approving_a_receipt_announces_the_payment_and_the_review`	Approving a receipt announces the payment and the review	`edura-backend/payment_service/tests/test_payment_events.py`	
TC-0619	Integration (API)	P1	–	`test_rejecting_a_receipt_announces_only_the_review`	Rejecting a receipt announces only the review	`edura-backend/payment_service/tests/test_payment_events.py`	
TC-0620	Integration (API)	P1	–	`test_health`	Health	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0621	Integration (API)	P1	–	`test_startup_creates_tables_and_starts_consumer`	Startup creates tables and starts consumer	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0622	Integration (API)	P1	–	`test_startup_survives_create_all_failure`	Startup survives create all failure	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0623	Integration (API)	P1	–	`test_consumer_start_binds_payment_queue`	Consumer start binds payment queue	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0624	Integration (API)	P1	–	`test_consumer_rolls_back_and_reraises`	Consumer rolls back and reraises	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0625	Integration (API)	P1	–	`test_checkout_creates_a_pending_payment_with_a_valid_hash`	Checkout creates a pending payment with a valid hash	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0626	Integration (API)	P1	–	`test_checkout_without_amount_defaults_to_1000`	Checkout without amount defaults to 1000	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0627	Integration (API)	P1	–	`test_checkout_roles`	Checkout roles	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0628	Integration (API)	P1	–	`test_webhook_confirms_payment_and_announces_it`	Webhook confirms payment and announces it	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0629	Integration (API)	P1	–	`test_webhook_is_idempotent`	Webhook is idempotent	`edura-backend/payment_service/tests/test_payment_service.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0630	Integration (API)	P1	–	`test_webhook_failure_status_marks_payment_failed`	Webhook failure status marks payment failed	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0631	Integration (API)	P1	–	`test_webhook_rejects_bad_signatures`	Webhook rejects bad signatures	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0632	Integration (API)	P1	–	`test_webhook_for_unknown_order`	Webhook for unknown order	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0633	Integration (API)	P1	–	`test_signature_check_is_case_insensitive`	Signature check is case insensitive	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0634	Integration (API)	P1	–	`test_free_course_enrolls_once`	Free course enrolls once	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0635	Integration (API)	P1	–	`test_free_enroll_errors`	Free enroll errors	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0636	Integration (API)	P1	–	`test_upload_receipt`	Upload receipt	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0637	Integration (API)	P1	–	`test_receipt_bytes_must_match_the_declared_type`	Receipt bytes must match the declared type	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0638	Integration (API)	P1	–	`test_empty_receipt_is_refused`	Empty receipt is refused	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0639	Integration (API)	P1	–	`test_storage_outage_is_reported`	Storage outage is reported	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0640	Integration (API)	P1	–	`test_teacher_cannot_upload_receipts`	Teacher cannot upload receipts	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0641	Integration (API)	P1	–	`test_list_payments_by_role`	List payments by role	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0642	Integration (API)	P1	–	`test_admin_lists_receipts_with_filter`	Admin lists receipts with filter	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0643	Integration (API)	P1	–	`test_approve_receipt`	Approve receipt	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0644	Integration (API)	P1	–	`test_reject_receipt_with_reason`	Reject receipt with reason	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0645	Integration (API)	P1	–	`test_receipt_review_errors`	Receipt review errors	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0646	Integration (API)	P1	–	`test_admin_stats`	Admin stats	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0647	Integration (API)	P1	–	`test_admin_stats_when_empty`	Admin stats when empty	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0648	Integration (API)	P1	–	`test_sl_time_conversion`	Sl time conversion	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0649	Integration (API)	P1	–	`test_bank_account_crud`	Bank account crud	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0650	Integration (API)	P1	–	`test_bank_account_errors`	Bank account errors	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0651	Integration (API)	P1	–	`test_payment_success_defaults_completion_time`	Payment success defaults completion time	`edura-backend/payment_service/tests/test_payment_service.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0652	Integration (API)	P1	–	`test_receipt_reviewed_without_time`	Receipt reviewed without time	`edura-backend/payment_service/tests/test_payment_service.py`	
TC-0653	Integration (API)	P1	TestPayHereSignature	`test_verify_payhere_signature_valid`	Verify payhere signature valid	`edura-backend/payment_service/tests/test_payments.py`	
TC-0654	Integration (API)	P1	TestPayHereSignature	`test_verify_payhere_signature_invalid`	Verify payhere signature invalid	`edura-backend/payment_service/tests/test_payments.py`	
TC-0655	Integration (API)	P1	TestPaymentEndpoints	`test_checkout_missing_token_returns_401`	Checkout missing token returns 401	`edura-backend/payment_service/tests/test_payments.py`	
TC-0656	Integration (API)	P1	TestPaymentEndpoints	`test_manual_receipt_upload_file_too_large_returns_400`	Manual receipt upload file too large returns 400	`edura-backend/payment_service/tests/test_payments.py`	
TC-0657	Integration (API)	P1	TestPaymentEndpoints	`test_manual_receipt_upload_invalid_mime_returns_400`	Manual receipt upload invalid mime returns 400	`edura-backend/payment_service/tests/test_payments.py`	

Backend – progress_service

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0658	Migration	P2	–	`test_migration_lifecycle`	Migration lifecycle	`edura-backend/progress_service/tests/test_migrations.py`	
TC-0659	Integration (API)	P1	–	`test_completion_percentage_calculation`	Unit test: 3 of 5 lessons watched -> completion_percentage = 60.0%	`edura-backend/progress_service/tests/test_progress.py`	
TC-0660	Integration (API)	P1	–	`test_certificate_eligibility_passed_and_failed`	Unit test:	`edura-backend/progress_service/tests/test_progress.py`	
TC-0661	Integration (API)	P1	–	`test_integration_lesson_watched_events_to_100_percent`	Integration test: processing lesson.watched events until completion reaches 100%.	`edura-backend/progress_service/tests/test_progress.py`	
TC-0662	Integration (API)	P1	–	`test_integration_certificate_issued_event_published`	Integration test: Certificate record created & certificate.issued event published.	`edura-backend/progress_service/tests/test_progress.py`	
TC-0663	Integration (API)	P1	–	`test_api_progress_dashboard_endpoint`	Integration test: GET /api/progress/courses/{course_id}	`edura-backend/progress_service/tests/test_progress.py`	
TC-0664	Integration (API)	P1	–	`test_api_leaderboard_endpoint`	Integration test: GET /api/progress/courses/{course_id}/leaderboard	`edura-backend/progress_service/tests/test_progress.py`	
TC-0665	Integration (API)	P1	–	`test_consumer_process_message`	Test consumer.process_message handling lesson.watched and assessment.graded.	`edura-backend/progress_service/tests/test_progress.py`	
TC-0666	Integration (API)	P1	–	`test_memory_redis_client_and_health`	Memory redis client and health	`edura-backend/progress_service/tests/test_progress.py`	
TC-0667	Integration (API)	P1	–	`test_health`	Health	`edura-backend/progress_service/tests/test_progress_service.py`	
TC-0668	Integration (API)	P1	–	`test_lifespan_creates_tables_and_starts_the_consumer_thread`	Lifespan creates tables and starts the consumer thread	`edura-backend/progress_service/tests/test_progress_service.py`	
TC-0669	Integration (API)	P1	–	`test_lifespan_survives_create_all_failure`	Lifespan survives create all failure	`edura-backend/progress_service/tests/test_progress_service.py`	
TC-0670	Integration (API)	P1	–	`test_mark_lesson_watched_and_list_progress`	Mark lesson watched and list progress	`edura-backend/progress_service/tests/test_progress_service.py`	
TC-0671	Integration (API)	P1	–	`test_rewatching_keeps_the_longest_watch_time`	Rewatching keeps the longest watch time	`edura-backend/progress_service/tests/test_progress_service.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0672	Integration (API)	P1	–	`test_only_students_mark_lessons_watched`	Only students mark lessons watched	`edura-backend/progress_service/tests/test_progress_service.py`	
TC-0673	Integration (API)	P1	–	`test_dashboard_with_no_progress`	Dashboard with no progress	`edura-backend/progress_service/tests/test_progress_service.py`	
TC-0674	Integration (API)	P1	–	`test_dashboard_rejects_a_token_without_a_user`	Dashboard rejects a token without a user	`edura-backend/progress_service/tests/test_progress_service.py`	
TC-0675	Integration (API)	P1	–	`test_dashboard_after_activity`	Dashboard after activity	`edura-backend/progress_service/tests/test_progress_service.py`	
TC-0676	Integration (API)	P1	–	`test_leaderboard_falls_back_to_the_database`	Leaderboard falls back to the database	`edura-backend/progress_service/tests/test_progress_service.py`	
TC-0677	Integration (API)	P1	–	`test_leaderboard_prefers_redis`	Leaderboard prefers redis	`edura-backend/progress_service/tests/test_progress_service.py`	
TC-0678	Integration (API)	P1	–	`test_leaderboard_is_capped_at_ten`	Leaderboard is capped at ten	`edura-backend/progress_service/tests/test_progress_service.py`	
TC-0679	Integration (API)	P1	–	`test_unknown_lesson_count_treats_one_lesson_as_the_whole_course`	Unknown lesson count treats one lesson as the whole course	`edura-backend/progress_service/tests/test_progress_service.py`	
TC-0680	Integration (API)	P1	–	`test_more_lessons_drop_completion_but_keep_the_first_completion_date`	More lessons drop completion but keep the first completion date	`edura-backend/progress_service/tests/test_progress_service.py`	
TC-0681	Integration (API)	P1	–	`test_a_failed_assessment_blocks_the_certificate`	A failed assessment blocks the certificate	`edura-backend/progress_service/tests/test_progress_service.py`	
TC-0682	Integration (API)	P1	–	`test_certificate_is_issued_once`	Certificate is issued once	`edura-backend/progress_service/tests/test_progress_service.py`	
TC-0683	Integration (API)	P1	–	`test_points_are_scores_plus_a_completion_bonus`	Points are scores plus a completion bonus	`edura-backend/progress_service/tests/test_progress_service.py`	
TC-0684	Integration (API)	P1	–	`test_incomplete_events_are_acked_without_changes`	Incomplete events are acked without changes	`edura-backend/progress_service/tests/test_progress_service.py`	
TC-0685	Integration (API)	P1	–	`test_graded_event_without_a_course_goes_to_course_1`	Graded event without a course goes to course 1	`edura-backend/progress_service/tests/test_progress_service.py`	
TC-0686	Integration (API)	P1	–	`test_lesson_watched_event`	Lesson watched event	`edura-backend/progress_service/tests/test_progress_service.py`	
TC-0687	Integration (API)	P1	–	`test_bad_messages_are_dropped`	Bad messages are dropped	`edura-backend/progress_service/tests/test_progress_service.py`	
TC-0688	Integration (API)	P1	–	`test_consumer_reconnects_until_the_broker_answers`	Consumer reconnects until the broker answers	`edura-backend/progress_service/tests/test_progress_service.py`	
TC-0689	Integration (API)	P1	–	`test_certificate_event_is_published_durably`	Certificate event is published durably	`edura-backend/progress_service/tests/test_progress_service.py`	
TC-0690	Integration (API)	P1	–	`test_certificate_event_defaults_the_time_and_never_raises`	Certificate event defaults the time and never raises	`edura-backend/progress_service/tests/test_progress_service.py`	
TC-0691	Integration (API)	P1	–	`test_memory_redis_strings_and_ttl`	Memory redis strings and ttl	`edura-backend/progress_service/tests/test_progress_service.py`	
TC-0692	Integration (API)	P1	–	`test_memory_redis_sorted_sets`	Memory redis sorted sets	`edura-backend/progress_service/tests/test_progress_service.py`	
TC-0693	Integration (API)	P1	–	`test_memory_redis_keys_and_delete`	Memory redis keys and delete	`edura-backend/progress_service/tests/test_progress_service.py`	

Backend – user_service

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0694	Integration (API)	P1	TestAdminOnly	`test_admin_passes`	Admin passes	`edura-backend/user_service/tests/test_auth.py`	
TC-0695	Integration (API)	P1	TestAdminOnly	`test_student_blocked`	Student blocked	`edura-backend/user_service/tests/test_auth.py`	
TC-0696	Integration (API)	P1	TestAdminOnly	`test_teacher_blocked`	Teacher blocked	`edura-backend/user_service/tests/test_auth.py`	
TC-0697	Integration (API)	P1	TestTeacherOrAdmin	`test_teacher_passes`	Teacher passes	`edura-backend/user_service/tests/test_auth.py`	
TC-0698	Integration (API)	P1	TestTeacherOrAdmin	`test_admin_passes`	Admin passes	`edura-backend/user_service/tests/test_auth.py`	
TC-0699	Integration (API)	P1	TestTeacherOrAdmin	`test_student_blocked`	Student blocked	`edura-backend/user_service/tests/test_auth.py`	
TC-0700	Integration (API)	P1	TestMissingToken	`test_no_header_returns_401`	No header returns 401	`edura-backend/user_service/tests/test_auth.py`	
TC-0701	Integration (API)	P1	TestMissingToken	`test_token_without_bearer_prefix_returns_401`	Token without bearer prefix returns 401	`edura-backend/user_service/tests/test_auth.py`	
TC-0702	Integration (API)	P1	TestMissingToken	`test_empty_bearer_returns_401`	Empty bearer returns 401	`edura-backend/user_service/tests/test_auth.py`	
TC-0703	Integration (API)	P1	TestExpiredToken	`test_expired_token_returns_401`	Expired token returns 401	`edura-backend/user_service/tests/test_auth.py`	
TC-0704	Integration (API)	P1	TestInvalidToken	`test_garbage_token_returns_401`	Garbage token returns 401	`edura-backend/user_service/tests/test_auth.py`	
TC-0705	Integration (API)	P1	TestInvalidToken	`test_wrong_secret_returns_401`	Wrong secret returns 401	`edura-backend/user_service/tests/test_auth.py`	
TC-0706	Integration (API)	P1	TestPayloadInjection	`test_payload_sub_and_role_accessible`	Payload sub and role accessible	`edura-backend/user_service/tests/test_auth.py`	
TC-0707	Migration	P2	–	`test_migration_lifecycle`	Migration lifecycle	`edura-backend/user_service/tests/test_migrations.py`	
TC-0708	Integration (API)	P1	–	`test_health`	Health	`edura-backend/user_service/tests/test_user_service.py`	
TC-0709	Integration (API)	P1	–	`test_startup_seeds_reference_data_once`	Startup seeds reference data once	`edura-backend/user_service/tests/test_user_service.py`	
TC-0710	Integration (API)	P1	–	`test_seeding_keeps_an_existing_catalogue`	Seeding keeps an existing catalogue	`edura-backend/user_service/tests/test_user_service.py`	
TC-0711	Integration (API)	P1	–	`test_seeding_failure_is_logged_not_raised`	Seeding failure is logged not raised	`edura-backend/user_service/tests/test_user_service.py`	
TC-0712	Integration (API)	P1	–	`test_startup_survives_create_all_failure`	Startup survives create all failure	`edura-backend/user_service/tests/test_user_service.py`	
TC-0713	Integration (API)	P1	–	`test_signup_creates_profile_and_account`	Signup creates profile and account	`edura-backend/user_service/tests/test_user_service.py`	
TC-0714	Integration (API)	P1	–	`test_repeated_signup_event_keeps_one_profile`	Repeated signup event keeps one profile	`edura-backend/user_service/tests/test_user_service.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0715	Integration (API)	P1	–	`test_signup_without_a_form_only_stores_the_account`	Signup without a form only stores the account	`edura-backend/user_service/tests/test_user_service.py`	
TC-0716	Integration (API)	P1	–	`test_signup_with_missing_role_defaults_to_student`	Signup with missing role defaults to student	`edura-backend/user_service/tests/test_user_service.py`	
TC-0717	Integration (API)	P1	–	`test_account_update_never_creates_a_profile`	Account update never creates a profile	`edura-backend/user_service/tests/test_user_service.py`	
TC-0718	Integration (API)	P1	–	`test_enrollment_credits_the_referrer_once`	Enrollment credits the referrer once	`edura-backend/user_service/tests/test_user_service.py`	
TC-0719	Integration (API)	P1	–	`test_manual_grant_or_missing_student_earns_nothing`	Manual grant or missing student earns nothing	`edura-backend/user_service/tests/test_user_service.py`	
TC-0720	Integration (API)	P1	–	`test_consumer_rolls_back_and_reraises`	Consumer rolls back and reraises	`edura-backend/user_service/tests/test_user_service.py`	
TC-0721	Integration (API)	P1	–	`test_consumer_start_binds_user_queue`	Consumer start binds user queue	`edura-backend/user_service/tests/test_user_service.py`	
TC-0722	Integration (API)	P1	–	`test_resync_announces_streams_then_profiles`	Resync announces streams then profiles	`edura-backend/user_service/tests/test_user_service.py`	
TC-0723	Integration (API)	P1	–	`test_admin_lists_users_newest_first_with_account_details`	Admin lists users newest first with account details	`edura-backend/user_service/tests/test_user_service.py`	
TC-0724	Integration (API)	P1	–	`test_admin_list_filters_and_pages`	Admin list filters and pages	`edura-backend/user_service/tests/test_user_service.py`	
TC-0725	Integration (API)	P1	–	`test_admin_only_routes`	Admin only routes	`edura-backend/user_service/tests/test_user_service.py`	
TC-0726	Integration (API)	P1	–	`test_role_stats`	Role stats	`edura-backend/user_service/tests/test_user_service.py`	
TC-0727	Integration (API)	P1	–	`test_create_own_profile_takes_role_and_email_from_the_token`	Create own profile takes role and email from the token	`edura-backend/user_service/tests/test_user_service.py`	
TC-0728	Integration (API)	P1	–	`test_create_profile_twice_is_a_conflict`	Create profile twice is a conflict	`edura-backend/user_service/tests/test_user_service.py`	
TC-0729	Integration (API)	P1	–	`test_create_profile_validation`	Create profile validation	`edura-backend/user_service/tests/test_user_service.py`	
TC-0730	Integration (API)	P1	–	`test_create_profile_with_a_referral_code`	Create profile with a referral code	`edura-backend/user_service/tests/test_user_service.py`	
TC-0731	Integration (API)	P1	–	`test_unknown_referral_code_is_ignored_at_signup`	Unknown referral code is ignored at signup	`edura-backend/user_service/tests/test_user_service.py`	
TC-0732	Integration (API)	P1	–	`test_read_own_and_other_profiles`	Read own and other profiles	`edura-backend/user_service/tests/test_user_service.py`	
TC-0733	Integration (API)	P1	–	`test_own_email_falls_back_to_the_account_copy`	Own email falls back to the account copy	`edura-backend/user_service/tests/test_user_service.py`	
TC-0734	Integration (API)	P1	–	`test_update_own_profile`	Update own profile	`edura-backend/user_service/tests/test_user_service.py`	
TC-0735	Integration (API)	P1	–	`test_update_profile_permissions_and_missing`	Update profile permissions and missing	`edura-backend/user_service/tests/test_user_service.py`	
TC-0736	Integration (API)	P1	–	`test_referral_code_entered_on_profile_edit`	Referral code entered on profile edit	`edura-backend/user_service/tests/test_user_service.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0737	Integration (API)	P1	–	`test_admin_changes_role`	Admin changes role	`edura-backend/user_service/tests/test_user_service.py`	
TC-0738	Integration (API)	P1	–	`test_admin_deletes_profile`	Admin deletes profile	`edura-backend/user_service/tests/test_user_service.py`	
TC-0739	Integration (API)	P1	–	`test_stream_crud_and_events`	Stream crud and events	`edura-backend/user_service/tests/test_user_service.py`	
TC-0740	Integration (API)	P1	–	`test_stream_errors`	Stream errors	`edura-backend/user_service/tests/test_user_service.py`	
TC-0741	Integration (API)	P1	–	`test_grade_subject_crud`	Grade subject crud	`edura-backend/user_service/tests/test_user_service.py`	
TC-0742	Integration (API)	P1	–	`test_grade_subject_errors`	Grade subject errors	`edura-backend/user_service/tests/test_user_service.py`	
TC-0743	Integration (API)	P1	–	`test_subjects_for_a_grade`	Subjects for a grade	`edura-backend/user_service/tests/test_user_service.py`	
TC-0744	Integration (API)	P1	–	`test_referral_summary`	Referral summary	`edura-backend/user_service/tests/test_user_service.py`	
TC-0745	Integration (API)	P1	–	`test_referral_events_list`	Referral events list	`edura-backend/user_service/tests/test_user_service.py`	
TC-0746	Integration (API)	P1	–	`test_apply_referral_code`	Apply referral code	`edura-backend/user_service/tests/test_user_service.py`	
TC-0747	Integration (API)	P1	–	`test_apply_referral_code_errors`	Apply referral code errors	`edura-backend/user_service/tests/test_user_service.py`	
TC-0748	Integration (API)	P1	–	`test_apply_needs_a_student_with_a_profile`	Apply needs a student with a profile	`edura-backend/user_service/tests/test_user_service.py`	
TC-0749	Integration (API)	P1	–	`test_credit_needs_a_pending_event_and_a_referrer`	Credit needs a pending event and a referrer	`edura-backend/user_service/tests/test_user_service.py`	
TC-0750	Integration (API)	P1	–	`test_bind_referral_refuses_self_and_second_referrals`	Bind referral refuses self and second referrals	`edura-backend/user_service/tests/test_user_service.py`	
TC-0751	Integration (API)	P1	–	`test_find_referrer_ignores_blank_codes`	Find referrer ignores blank codes	`edura-backend/user_service/tests/test_user_service.py`	
TC-0752	Integration (API)	P1	–	`test_referral_code_prefix`	Referral code prefix	`edura-backend/user_service/tests/test_user_service.py`	
TC-0753	Integration (API)	P1	–	`test_referral_code_falls_back_after_collisions`	Referral code falls back after collisions	`edura-backend/user_service/tests/test_user_service.py`	
TC-0754	Integration (API)	P1	–	`test_profile_event_payload`	Profile event payload	`edura-backend/user_service/tests/test_user_service.py`	
TC-0755	Integration (API)	P1	–	`test_stream_event_defaults`	Stream event defaults	`edura-backend/user_service/tests/test_user_service.py`	
TC-0756	Integration (API)	P1	TestGetUser	`test_own_record_returns_200`	Own record returns 200	`edura-backend/user_service/tests/test_users.py`	
TC-0757	Integration (API)	P1	TestGetUser	`test_admin_can_fetch_any_user`	Admin can fetch any user	`edura-backend/user_service/tests/test_users.py`	
TC-0758	Integration (API)	P1	TestGetUser	`test_nonexistent_user_returns_404`	Nonexistent user returns 404	`edura-backend/user_service/tests/test_users.py`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0759	Integration (API)	P1	TestGetUserCrossAccess	`test_student_cannot_view_other_student`	Student cannot view other student	`edura-backend/user_service/tests/test_users.py`	
TC-0760	Integration (API)	P1	TestGetUserCrossAccess	`test_teacher_cannot_view_other_user`	Teacher cannot view other user	`edura-backend/user_service/tests/test_users.py`	
TC-0761	Integration (API)	P1	TestUpdateRole	`test_admin_updates_role_to_teacher`	Admin updates role to teacher	`edura-backend/user_service/tests/test_users.py`	
TC-0762	Integration (API)	P1	TestUpdateRole	`test_invalid_role_returns_422`	Invalid role returns 422	`edura-backend/user_service/tests/test_users.py`	
TC-0763	Integration (API)	P1	TestUpdateRole	`test_student_cannot_update_own_role`	Student cannot update own role	`edura-backend/user_service/tests/test_users.py`	
TC-0764	Integration (API)	P1	TestRoleEnforcement	`test_student_blocked_from_admin_list_endpoint`	Student blocked from admin list endpoint	`edura-backend/user_service/tests/test_users.py`	
TC-0765	Integration (API)	P1	TestRoleEnforcement	`test_admin_can_access_list_endpoint`	Admin can access list endpoint	`edura-backend/user_service/tests/test_users.py`	
TC-0766	Integration (API)	P1	TestUpdateProfile	`test_student_updates_own_profile`	Student updates own profile	`edura-backend/user_service/tests/test_users.py`	
TC-0767	Integration (API)	P1	TestUpdateProfile	`test_student_cannot_update_other_profile`	Student cannot update other profile	`edura-backend/user_service/tests/test_users.py`	
TC-0768	Integration (API)	P1	TestDeleteUser	`test_admin_can_delete_user`	Admin can delete user	`edura-backend/user_service/tests/test_users.py`	
TC-0769	Integration (API)	P1	TestDeleteUser	`test_student_cannot_delete`	Student cannot delete	`edura-backend/user_service/tests/test_users.py`	
TC-0770	Integration (API)	P1	TestSignupEvents	`test_registration_builds_the_profile_and_stores_the_account`	Registration builds the profile and stores the account	`edura-backend/user_service/tests/test_users.py`	
TC-0771	Integration (API)	P1	TestSignupEvents	`test_a_repeated_event_does_not_create_a_second_profile`	A repeated event does not create a second profile	`edura-backend/user_service/tests/test_users.py`	
TC-0772	Integration (API)	P1	TestSignupEvents	`test_referral_code_from_the_signup_is_applied`	Referral code from the signup is applied	`edura-backend/user_service/tests/test_users.py`	
TC-0773	Integration (API)	P1	TestSignupEvents	`test_an_admin_created_without_a_form_still_gets_a_profile`	An admin created without a form still gets a profile	`edura-backend/user_service/tests/test_users.py`	
TC-0774	Integration (API)	P1	TestSignupEvents	`test_account_changes_update_the_listing`	Account changes update the listing	`edura-backend/user_service/tests/test_users.py`	
TC-0775	Integration (API)	P1	TestSignupEvents	`test_enrollment_credits_the_referrer_once_but_not_for_manual_grants`	Enrollment credits the referrer once but not for manual grants	`edura-backend/user_service/tests/test_users.py`	
TC-0776	Integration (API)	P1	TestProfileAnnouncements	`test_updating_and_deleting_a_profile_is_announced`	Updating and deleting a profile is announced	`edura-backend/user_service/tests/test_users.py`	
TC-0777	Integration (API)	P1	TestProfileAnnouncements	`test_streams_are_announced`	Streams are announced	`edura-backend/user_service/tests/test_users.py`	
TC-0778	Integration (API)	P1	TestNoDirectCalls	`test_the_old_internal_endpoints_are_gone`	The old internal endpoints are gone	`edura-backend/user_service/tests/test_users.py`	

Cross-service integration (edura-tests/integration)

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0779	Integration (cross-service)	P1	TestPaymentEnrollmentFlow	`test_ac1_webhook_to_enrollment_chain`	AC1: Given a seeded student and course on staging	`edura-tests/integration/test_payment_enrollment_flow.py`	
TC-0780	Integration (cross-service)	P1	TestPaymentEnrollmentFlow	`test_ac2_content_access_granted_after_enrollment`	AC2: Given the enrollment is now ACTIVE (from AC1)	`edura-tests/integration/test_payment_enrollment_flow.py`	
TC-0781	Integration (cross-service)	P1	TestPaymentEnrollmentFlow	`test_ac3_invalid_hmac_blocks_enrollment`	AC3: Given a webhook POST with an invalid HMAC signature	`edura-tests/integration/test_payment_enrollment_flow.py`	
TC-0782	Integration (cross-service)	P1	TestPaymentEnrollmentFlow	`test_ac4_duplicate_webhook_is_idempotent`	AC4: Given a valid webhook has already been processed (AC1)	`edura-tests/integration/test_payment_enrollment_flow.py`	
TC-0783	Integration (cross-service)	P1	TestPaymentEnrollmentFlow	`test_full_payment_enrollment_flow`	End-to-End sequence covering all 4 Acceptance Criteria in a single unified execution.	`edura-tests/integration/test_payment_enrollment_flow.py`	

Infrastructure (edura-infra)

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0784	Config	P2	–	`test_nginx_conf_exists`	Nginx conf exists	`edura-infra/nginx/tests/test_nginx_config.py`	
TC-0785	Config	P2	–	`test_all_11_upstream_blocks_exist`	All 11 upstream blocks exist	`edura-infra/nginx/tests/test_nginx_config.py`	
TC-0786	Config	P2	–	`test_all_11_location_routes_exist`	All 11 location routes exist	`edura-infra/nginx/tests/test_nginx_config.py`	
TC-0787	Config	P2	–	`test_rate_limiting_configured`	Rate limiting configured	`edura-infra/nginx/tests/test_nginx_config.py`	
TC-0788	Config	P2	–	`test_cors_headers_configured`	Cors headers configured	`edura-infra/nginx/tests/test_nginx_config.py`	
TC-0789	Config	P2	–	`test_proxy_headers_forwarded`	Proxy headers forwarded	`edura-infra/nginx/tests/test_nginx_config.py`	
TC-0790	Config	P2	–	`test_setup_rabbitmq_topology_mocked`	Unit test using mock pika blocking connection to test topology calls.	`edura-infra/rabbitmq/tests/test_rabbitmq_setup.py`	
TC-0791	Config	P2	–	`test_obsolete_queues_are_removed`	Obsolete queues are removed	`edura-infra/rabbitmq/tests/test_rabbitmq_setup.py`	
TC-0792	Config	P2	–	`test_topology_is_consistent`	Every binding targets a declared queue; nothing is bound twice; every service has a queue.	`edura-infra/rabbitmq/tests/test_rabbitmq_setup.py`	
TC-0793	Config	P2	–	`test_setup_idempotency`	Test that running setup multiple times is idempotent and produces no errors.	`edura-infra/rabbitmq/tests/test_rabbitmq_setup.py`	
TC-0794	Config	P2	–	`test_topology_queues_and_exchange_declared`	Verify exchange and queues are passive-declared without error.	`edura-infra/rabbitmq/tests/test_rabbitmq_setup.py`	
TC-0795	Config	P2	–	`test_pub_sub_smoke`	Publish payment.success event and verify it reaches both enrollment.queue and notification.queue.	`edura-infra/rabbitmq/tests/test_rabbitmq_setup.py`	

End-to-end smoke (edura-tests/smoke)

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0796	E2E	P1	–	`test_critical_path`	Pytest hook for running critical path test suite.	`edura-tests/smoke/critical_path.py`	

Frontend – Jest (edura-frontend)

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0797	Unit	P2	access	`sends visitors to log in, keeping the query string`	sends visitors to log in, keeping the query string	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0798	Unit	P2	–	`fetches the user when signed in without one`	fetches the user when signed in without one	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0799	Unit	P2	–	`sends non-admins home without loading courses`	sends non-admins home without loading courses	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0800	Unit	P2	list	`loads courses and streams`	loads courses and streams	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0801	Unit	P2	–	`shows each course card`	shows each course card	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0802	Unit	P2	–	`filters by title`	filters by title	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0803	Unit	P2	–	`offers to create the first course when there are none`	offers to create the first course when there are none	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0804	Unit	P2	–	`shows a failed load`	shows a failed load	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0805	Unit	P2	–	`opens and closes the access manager`	opens and closes the access manager	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0806	Unit	P2	–	`explains each course type and shows active A/L streams only for grades 12–13`	explains each course type and shows active A/L streams only for grades 12–13	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0807	Unit	P2	–	`says when no streams exist`	says when no streams exist	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0808	Unit	P2	–	`creates an A/L exam course with the chosen streams`	creates an A/L exam course with the chosen streams	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0809	Unit	P2	–	`drops streams and grade for an ungated course, and unticks a stream`	drops streams and grade for an ungated course, and unticks a stream	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0810	Unit	P2	–	`uploads a thumbnail first`	uploads a thumbnail first	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0811	Unit	P2	–	`stops when the thumbnail upload fails`	stops when the thumbnail upload fails	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0812	Unit	P2	–	`validates the title and price`	validates the title and price	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0813	Unit	P2	–	`shows a failed create inside the modal`	shows a failed create inside the modal	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0814	Unit	P2	–	`closes with Cancel or ×`	closes with Cancel or ×	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0815	Unit	P2	–	`prefills the form and locks the type once lessons exist`	prefills the form and locks the type once lessons exist	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0816	Unit	P2	–	`lets a course without lessons change type`	lets a course without lessons change type	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0817	Unit	P2	–	`keeps the current image and clears streams when the grade leaves A/L`	keeps the current image and clears streams when the grade leaves A/L	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0818	Unit	P2	–	`toggles streams while editing`	toggles streams while editing	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0819	Unit	P2	–	`replaces the image with a new upload`	replaces the image with a new upload	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0820	Unit	P2	–	`stops when the new image fails to upload`	stops when the new image fails to upload	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0821	Unit	P2	–	`validates and reports a failed save`	validates and reports a failed save	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0822	Unit	P2	–	`closes with Cancel or ×`	closes with Cancel or ×	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0823	Unit	P2	publish and delete	`unpublishes a published course and publishes a draft`	unpublishes a published course and publishes a draft	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0824	Unit	P2	–	`shows a failed publish`	shows a failed publish	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0825	Unit	P2	–	`deletes only after confirming`	deletes only after confirming	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0826	Unit	P2	–	`shows a failed delete`	shows a failed delete	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0827	Unit	P2	–	`sends visitors to log in`	sends visitors to log in	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0828	Unit	P2	–	`fetches the user when signed in without one`	fetches the user when signed in without one	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0829	Unit	P2	–	`sends students home but lets super admins in`	sends students home but lets super admins in	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0830	Unit	P2	–	`loads courses when the store is empty`	loads courses when the store is empty	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0831	Unit	P2	–	`shows the course and its lessons`	shows the course and its lessons	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0832	Unit	P2	–	`shows a free course with no lessons`	shows a free course with no lessons	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0833	Unit	P2	–	`opens and closes the lesson access manager`	opens and closes the lesson access manager	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0834	Unit	P2	–	`creates a lesson with an image`	creates a lesson with an image	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0835	Unit	P2	–	`creates a lesson without an image`	creates a lesson without an image	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0836	Unit	P2	–	`needs a title`	needs a title	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0837	Unit	P2	–	`stops when the image upload fails`	stops when the image upload fails	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0838	Unit	P2	–	`needs a course id`	needs a course id	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0839	Unit	P2	–	`shows a failed create and closes`	shows a failed create and closes	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0840	Unit	P2	–	`prefills the form and keeps the current image`	prefills the form and keeps the current image	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0841	Unit	P2	–	`removes the image, with undo`	removes the image, with undo	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0842	Unit	P2	–	`replaces the image and deletes the old one`	replaces the image and deletes the old one	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0843	Unit	P2	–	`saves a lesson that never had an image`	saves a lesson that never had an image	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0844	Unit	P2	–	`stops when the new image fails to upload`	stops when the new image fails to upload	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0845	Unit	P2	–	`validates and reports a failed save`	validates and reports a failed save	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0846	Unit	P2	–	`closes with Cancel or ×`	closes with Cancel or ×	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0847	Unit	P2	delete	`deletes the lesson and its image after confirming`	deletes the lesson and its image after confirming	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0848	Unit	P2	–	`skips the image for a lesson without one and shows failures`	skips the image for a lesson without one and shows failures	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0849	Unit	P2	–	`sends visitors to log in`	sends visitors to log in	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0850	Unit	P2	–	`fetches the user when signed in without one`	fetches the user when signed in without one	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0851	Unit	P2	–	`sends students home`	sends students home	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0852	Unit	P2	–	`loads courses when the store is empty`	loads courses when the store is empty	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0853	Unit	P2	–	`lists lessons in order`	lists lessons in order	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0854	Unit	P2	–	`shows an empty state when lessons fail to load`	shows an empty state when lessons fail to load	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0855	Unit	P2	–	`opens and closes the lesson access manager`	opens and closes the lesson access manager	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0856	Unit	P2	–	`creates a lesson with an image and reloads`	creates a lesson with an image and reloads	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0857	Unit	P2	–	`creates a lesson without an image`	creates a lesson without an image	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0858	Unit	P2	–	`needs a title and a course id`	needs a title and a course id	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0859	Unit	P2	–	`reports a missing course id`	reports a missing course id	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0860	Unit	P2	–	`stops when the image upload fails`	stops when the image upload fails	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0861	Unit	P2	–	`shows a failed create, then clears it when reopened`	shows a failed create, then clears it when reopened	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0862	Unit	P2	–	`keeps the current image and reloads`	keeps the current image and reloads	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0863	Unit	P2	–	`removes the image, with undo`	removes the image, with undo	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0864	Unit	P2	–	`replaces the image and deletes the old one`	replaces the image and deletes the old one	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0865	Unit	P2	–	`saves a lesson without an image`	saves a lesson without an image	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0866	Unit	P2	–	`stops when the new image fails to upload`	stops when the new image fails to upload	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0867	Unit	P2	–	`validates and reports a failed save`	validates and reports a failed save	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0868	Unit	P2	–	`closes with Cancel or ×`	closes with Cancel or ×	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0869	Unit	P2	delete	`deletes the lesson and its image after confirming`	deletes the lesson and its image after confirming	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0870	Unit	P2	–	`shows a failed delete`	shows a failed delete	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0871	Unit	P2	–	`shows a spinner while analysing`	shows a spinner while analysing	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0872	Unit	P2	–	`renders nothing without a course`	renders nothing without a course	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0873	Unit	P2	–	`shows a failed analysis`	shows a failed analysis	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0874	Unit	P2	–	`summarises modules and papers`	summarises modules and papers	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0875	Unit	P2	–	`says when there is nothing to analyse`	says when there is nothing to analyse	`edura-frontend/src/app/__tests__/admin-course-pages.test.tsx`	
TC-0876	Unit	P2	access	`sends visitors to log in`	sends visitors to log in	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0877	Unit	P2	–	`fetches the user when signed in without one`	fetches the user when signed in without one	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0878	Unit	P2	–	`sends students home`	sends students home	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0879	Unit	P2	–	`loads courses too when the store is empty`	loads courses too when the store is empty	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0880	Unit	P2	list	`shows this lesson's exams in order`	shows this lesson's exams in order	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0881	Unit	P2	–	`shows a loading state, then an empty lesson`	shows a loading state, then an empty lesson	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0882	Unit	P2	–	`shows a failed load`	shows a failed load	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0883	Unit	P2	–	`suggests the next order number and creates a scheduled exam`	suggests the next order number and creates a scheduled exam	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0884	Unit	P2	–	`creates an anytime exam with an image`	creates an anytime exam with an image	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0885	Unit	P2	–	`validates title and duration`	validates title and duration	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0886	Unit	P2	–	`stops when the image upload fails`	stops when the image upload fails	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0887	Unit	P2	–	`needs a lesson id`	needs a lesson id	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0888	Unit	P2	–	`shows a failed create and closes`	shows a failed create and closes	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0889	Unit	P2	–	`prefills the form and keeps the current image`	prefills the form and keeps the current image	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0890	Unit	P2	–	`leaves whole-hour durations without minutes and can clear the schedule`	leaves whole-hour durations without minutes and can clear the schedule	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0891	Unit	P2	–	`opens a sub-hour exam with minutes only`	opens a sub-hour exam with minutes only	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0892	Unit	P2	–	`removes the image, with undo`	removes the image, with undo	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0893	Unit	P2	–	`replaces the image and deletes the old one`	replaces the image and deletes the old one	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0894	Unit	P2	–	`stops when the new image fails to upload`	stops when the new image fails to upload	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0895	Unit	P2	–	`validates and reports a failed save`	validates and reports a failed save	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0896	Unit	P2	–	`closes with Cancel or ×`	closes with Cancel or ×	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0897	Unit	P2	delete	`deletes the exam and its image after confirming`	deletes the exam and its image after confirming	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0898	Unit	P2	–	`shows a failed delete`	shows a failed delete	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0899	Unit	P2	–	`downloads the template`	downloads the template	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0900	Unit	P2	–	`logs a failed template download`	logs a failed template download	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0901	Unit	P2	–	`imports a ZIP, shows the summary and reloads exams`	imports a ZIP, shows the summary and reloads exams	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0902	Unit	P2	–	`does not reload when nothing was created`	does not reload when nothing was created	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0903	Unit	P2	–	`stays open while importing and shows failures`	stays open while importing and shows failures	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0904	Unit	P2	access	`sends visitors to log in`	sends visitors to log in	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0905	Unit	P2	–	`fetches the user when signed in without one`	fetches the user when signed in without one	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0906	Unit	P2	–	`sends students home`	sends students home	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0907	Unit	P2	–	`loads the course and exams when the store is empty`	loads the course and exams when the store is empty	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0908	Unit	P2	list	`shows progress and each question`	shows progress and each question	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0909	Unit	P2	–	`counts remaining questions`	counts remaining questions	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0910	Unit	P2	–	`says when all questions exist`	says when all questions exist	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0911	Unit	P2	–	`shows loading, then an empty exam`	shows loading, then an empty exam	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0912	Unit	P2	–	`shows a failed load`	shows a failed load	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0913	Unit	P2	–	`defaults to four options when the course is unknown`	defaults to four options when the course is unknown	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0914	Unit	P2	–	`creates a question from the filled options`	creates a question from the filled options	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0915	Unit	P2	–	`uploads question and option images`	uploads question and option images	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0916	Unit	P2	–	`keeps going when an option image fails to upload`	keeps going when an option image fails to upload	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0917	Unit	P2	–	`stops when the question image fails to upload`	stops when the question image fails to upload	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0918	Unit	P2	–	`validates text, options and the correct answer`	validates text, options and the correct answer	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0919	Unit	P2	–	`shows a failed create and closes`	shows a failed create and closes	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0920	Unit	P2	–	`prefills the form and saves unchanged images`	prefills the form and saves unchanged images	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0921	Unit	P2	–	`pads options up to the grade count`	pads options up to the grade count	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0922	Unit	P2	–	`trims extra options for lower grades and fills blank questions`	trims extra options for lower grades and fills blank questions	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0923	Unit	P2	–	`removes the question image, with undo`	removes the question image, with undo	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0924	Unit	P2	–	`replaces the question image and deletes the old one`	replaces the question image and deletes the old one	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0925	Unit	P2	–	`stops when the new question image fails to upload`	stops when the new question image fails to upload	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0926	Unit	P2	–	`removes an option image, with undo`	removes an option image, with undo	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0927	Unit	P2	–	`replaces option images, deleting old ones, and skips failed uploads`	replaces option images, deleting old ones, and skips failed uploads	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0928	Unit	P2	–	`validates and reports a failed save`	validates and reports a failed save	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0929	Unit	P2	–	`needs exactly one correct answer`	needs exactly one correct answer	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0930	Unit	P2	–	`closes with Cancel or ×`	closes with Cancel or ×	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0931	Unit	P2	delete	`deletes the question and its images after confirming`	deletes the question and its images after confirming	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0932	Unit	P2	–	`shows a failed delete`	shows a failed delete	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0933	Unit	P2	–	`imports, lists skipped rows and reloads`	imports, lists skipped rows and reloads	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0934	Unit	P2	–	`reports zero imports without skipped rows`	reports zero imports without skipped rows	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0935	Unit	P2	–	`needs a file and shows failed imports`	needs a file and shows failed imports	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0936	Unit	P2	–	`downloads the template`	downloads the template	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0937	Unit	P2	–	`shows a failed template download`	shows a failed template download	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0938	Unit	P2	–	`closes with Cancel or ×`	closes with Cancel or ×	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0939	Unit	P2	–	`applies images, lists errors and reloads`	applies images, lists errors and reloads	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0940	Unit	P2	–	`shows a clean result without an error list`	shows a clean result without an error list	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0941	Unit	P2	–	`needs a file and shows failed uploads`	needs a file and shows failed uploads	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0942	Unit	P2	preview	`shows the paper as students see it, with an answer toggle`	shows the paper as students see it, with an answer toggle	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0943	Unit	P2	–	`omits grade details when the course is unknown`	omits grade details when the course is unknown	`edura-frontend/src/app/__tests__/admin-exam-pages.test.tsx`	
TC-0944	Unit	P2	Admin messages	`sends non-admins home and renders nothing`	sends non-admins home and renders nothing	`edura-frontend/src/app/__tests__/admin-messages-page.test.tsx`	
TC-0945	Unit	P2	–	`groups conversations by unread and recency`	groups conversations by unread and recency	`edura-frontend/src/app/__tests__/admin-messages-page.test.tsx`	
TC-0946	Unit	P2	–	`shows a loader while conversations sync`	shows a loader while conversations sync	`edura-frontend/src/app/__tests__/admin-messages-page.test.tsx`	
TC-0947	Unit	P2	–	`searches by name and last message`	searches by name and last message	`edura-frontend/src/app/__tests__/admin-messages-page.test.tsx`	
TC-0948	Unit	P2	–	`opens a conversation and its messages`	opens a conversation and its messages	`edura-frontend/src/app/__tests__/admin-messages-page.test.tsx`	
TC-0949	Unit	P2	–	`closes the sidebar on small screens when a conversation is picked`	closes the sidebar on small screens when a conversation is picked	`edura-frontend/src/app/__tests__/admin-messages-page.test.tsx`	
TC-0950	Unit	P2	–	`toggles the sidebar from the header`	toggles the sidebar from the header	`edura-frontend/src/app/__tests__/admin-messages-page.test.tsx`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0951	Unit	P2	–	`leaves for the dashboard, clearing the selection`	leaves for the dashboard, clearing the selection	`edura-frontend/src/app/__tests__/admin-messages-page.test.tsx`	
TC-0952	Unit	P2	–	`sends with the button and refreshes the list`	sends with the button and refreshes the list	`edura-frontend/src/app/__tests__/admin-messages-page.test.tsx`	
TC-0953	Unit	P2	–	`sends on Enter but not Shift+Enter`	sends on Enter but not Shift+Enter	`edura-frontend/src/app/__tests__/admin-messages-page.test.tsx`	
TC-0954	Unit	P2	–	`ignores blank replies`	ignores blank replies	`edura-frontend/src/app/__tests__/admin-messages-page.test.tsx`	
TC-0955	Unit	P2	–	`puts the text back when sending fails`	puts the text back when sending fails	`edura-frontend/src/app/__tests__/admin-messages-page.test.tsx`	
TC-0956	Unit	P2	deleting a conversation	`clears the open chat from the header`	clears the open chat from the header	`edura-frontend/src/app/__tests__/admin-messages-page.test.tsx`	
TC-0957	Unit	P2	–	`deletes from the sidebar without opening the chat`	deletes from the sidebar without opening the chat	`edura-frontend/src/app/__tests__/admin-messages-page.test.tsx`	
TC-0958	Unit	P2	–	`shows a failed delete in the dialog`	shows a failed delete in the dialog	`edura-frontend/src/app/__tests__/admin-messages-page.test.tsx`	
TC-0959	Unit	P2	–	`cancel keeps the conversation`	cancel keeps the conversation	`edura-frontend/src/app/__tests__/admin-messages-page.test.tsx`	
TC-0960	Unit	P2	starting a conversation	`finds the student's conversation and adds it to the list`	finds the student's conversation and adds it to the list	`edura-frontend/src/app/__tests__/admin-messages-page.test.tsx`	
TC-0961	Unit	P2	–	`closes the search`	closes the search	`edura-frontend/src/app/__tests__/admin-messages-page.test.tsx`	
TC-0962	Unit	P2	–	`refreshes conversations every 7s and the open chat every 5s`	refreshes conversations every 7s and the open chat every 5s	`edura-frontend/src/app/__tests__/admin-messages-page.test.tsx`	
TC-0963	Unit	P2	–	`lists feedback and searches it`	lists feedback and searches it	`edura-frontend/src/app/__tests__/admin-messages-page.test.tsx`	
TC-0964	Unit	P2	–	`shows empty and loading states`	shows empty and loading states	`edura-frontend/src/app/__tests__/admin-messages-page.test.tsx`	
TC-0965	Unit	P2	–	`opens a feedback entry and marks it read`	opens a feedback entry and marks it read	`edura-frontend/src/app/__tests__/admin-messages-page.test.tsx`	
TC-0966	Unit	P2	–	`shows read feedback without a mark-read button`	shows read feedback without a mark-read button	`edura-frontend/src/app/__tests__/admin-messages-page.test.tsx`	
TC-0967	Unit	P2	–	`deletes feedback from the header`	deletes feedback from the header	`edura-frontend/src/app/__tests__/admin-messages-page.test.tsx`	
TC-0968	Unit	P2	–	`deletes feedback from the list and shows failures`	deletes feedback from the list and shows failures	`edura-frontend/src/app/__tests__/admin-messages-page.test.tsx`	
TC-0969	Unit	P2	–	`goes back to chats`	goes back to chats	`edura-frontend/src/app/__tests__/admin-messages-page.test.tsx`	
TC-0970	Unit	P2	Admin dashboard	`sends visitors to log in`	sends visitors to log in	`edura-frontend/src/app/__tests__/admin-overview-pages.test.tsx`	
TC-0971	Unit	P2	–	`fetches the user when signed in without one`	fetches the user when signed in without one	`edura-frontend/src/app/__tests__/admin-overview-pages.test.tsx`	
TC-0972	Unit	P2	–	`sends non-admins home without loading stats`	sends non-admins home without loading stats	`edura-frontend/src/app/__tests__/admin-overview-pages.test.tsx`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0973	Unit	P2	–	`greets the admin and shows the stat cards`	greets the admin and shows the stat cards	`edura-frontend/src/app/__tests__/admin-overview-pages.test.tsx`	
TC-0974	Unit	P2	–	`highlights pending bank slips`	highlights pending bank slips	`edura-frontend/src/app/__tests__/admin-overview-pages.test.tsx`	
TC-0975	Unit	P2	–	`uses the singular for one pending slip and hides the banner for none`	uses the singular for one pending slip and hides the banner for none	`edura-frontend/src/app/__tests__/admin-overview-pages.test.tsx`	
TC-0976	Unit	P2	–	`links every quick action`	links every quick action	`edura-frontend/src/app/__tests__/admin-overview-pages.test.tsx`	
TC-0977	Unit	P2	–	`lists recent activity`	lists recent activity	`edura-frontend/src/app/__tests__/admin-overview-pages.test.tsx`	
TC-0978	Unit	P2	–	`shows placeholders while loading and an empty activity message`	shows placeholders while loading and an empty activity message	`edura-frontend/src/app/__tests__/admin-overview-pages.test.tsx`	
TC-0979	Unit	P2	–	`sends non-admins home`	sends non-admins home	`edura-frontend/src/app/__tests__/admin-overview-pages.test.tsx`	
TC-0980	Unit	P2	–	`loads analytics and stats and fills every panel`	loads analytics and stats and fills every panel	`edura-frontend/src/app/__tests__/admin-overview-pages.test.tsx`	
TC-0981	Unit	P2	–	`shows empty states`	shows empty states	`edura-frontend/src/app/__tests__/admin-overview-pages.test.tsx`	
TC-0982	Unit	P2	–	`shows placeholders while loading`	shows placeholders while loading	`edura-frontend/src/app/__tests__/admin-overview-pages.test.tsx`	
TC-0983	Unit	P2	–	`shows the load error`	shows the load error	`edura-frontend/src/app/__tests__/admin-overview-pages.test.tsx`	
TC-0984	Unit	P2	–	`sends non-admins home`	sends non-admins home	`edura-frontend/src/app/__tests__/admin-overview-pages.test.tsx`	
TC-0985	Unit	P2	–	`loads the exam list first and asks for an exam`	loads the exam list first and asks for an exam	`edura-frontend/src/app/__tests__/admin-overview-pages.test.tsx`	
TC-0986	Unit	P2	–	`loads the leaderboard for an exam and district`	loads the leaderboard for an exam and district	`edura-frontend/src/app/__tests__/admin-overview-pages.test.tsx`	
TC-0987	Unit	P2	–	`shows an empty board and clears filters`	shows an empty board and clears filters	`edura-frontend/src/app/__tests__/admin-overview-pages.test.tsx`	
TC-0988	Unit	P2	–	`shows the load error`	shows the load error	`edura-frontend/src/app/__tests__/admin-overview-pages.test.tsx`	
TC-0989	Unit	P2	Admin settings	`sends non-admins home`	sends non-admins home	`edura-frontend/src/app/__tests__/admin-overview-pages.test.tsx`	
TC-0990	Unit	P2	–	`shows account info and fills the name`	shows account info and fills the name	`edura-frontend/src/app/__tests__/admin-overview-pages.test.tsx`	
TC-0991	Unit	P2	–	`shows inactive accounts`	shows inactive accounts	`edura-frontend/src/app/__tests__/admin-overview-pages.test.tsx`	
TC-0992	Unit	P2	–	`reports profile saving as successful`	reports profile saving as successful	`edura-frontend/src/app/__tests__/admin-overview-pages.test.tsx`	
TC-0993	Unit	P2	–	`changes the password and clears the form`	changes the password and clears the form	`edura-frontend/src/app/__tests__/admin-overview-pages.test.tsx`	
TC-0994	Unit	P2	–	`checks the new passwords match and are long enough`	checks the new passwords match and are long enough	`edura-frontend/src/app/__tests__/admin-overview-pages.test.tsx`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-0995	Unit	P2	–	`shows the server error`	shows the server error	`edura-frontend/src/app/__tests__/admin-overview-pages.test.tsx`	
TC-0996	Unit	P2	–	`sends non-admins to their dashboard`	sends non-admins to their dashboard	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-0997	Unit	P2	–	`loads pending slips and the course filter`	loads pending slips and the course filter	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-0998	Unit	P2	–	`opens the bank accounts page`	opens the bank accounts page	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-0999	Unit	P2	–	`shows all submissions and filters by course`	shows all submissions and filters by course	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-1000	Unit	P2	–	`says when there is nothing to review`	says when there is nothing to review	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-1001	Unit	P2	–	`shows the load error`	shows the load error	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-1002	Unit	P2	–	`keeps working when the course list fails`	keeps working when the course list fails	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-1003	Unit	P2	–	`shows the slip details with the image from the API host`	shows the slip details with the image from the API host	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-1004	Unit	P2	–	`uses absolute image urls as they are`	uses absolute image urls as they are	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-1005	Unit	P2	–	`shows no image without an API url configured`	shows no image without an API url configured	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-1006	Unit	P2	–	`approves a slip`	approves a slip	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-1007	Unit	P2	–	`needs a reason to reject`	needs a reason to reject	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-1008	Unit	P2	–	`rejects with the reason`	rejects with the reason	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-1009	Unit	P2	–	`shows a failed approval`	shows a failed approval	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-1010	Unit	P2	–	`shows the rejection reason and no actions for processed slips`	shows the rejection reason and no actions for processed slips	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-1011	Unit	P2	–	`closes the review`	closes the review	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-1012	Unit	P2	–	`shows the global revenue summary`	shows the global revenue summary	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-1013	Unit	P2	–	`breaks earnings down for one course`	breaks earnings down for one course	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-1014	Unit	P2	–	`says when there is no analysis`	says when there is no analysis	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-1015	Unit	P2	–	`sends non-admins to their dashboard`	sends non-admins to their dashboard	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-1016	Unit	P2	–	`lists every account, active or not`	lists every account, active or not	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-1017	Unit	P2	–	`shows a loader, then an empty state that opens the form`	shows a loader, then an empty state that opens the form	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-1018	Unit	P2	–	`adds an account with a live preview`	adds an account with a live preview	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-1019	Unit	P2	–	`edits an account`	edits an account	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-1020	Unit	P2	–	`toggles an account on and off`	toggles an account on and off	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-1021	Unit	P2	–	`deletes only after confirming`	deletes only after confirming	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-1022	Unit	P2	–	`cancel closes the form`	cancel closes the form	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-1023	Unit	P2	–	`shows the load error`	shows the load error	`edura-frontend/src/app/__tests__/admin-payment-pages.test.tsx`	
TC-1024	Unit	P2	–	`sends non-admins home without loading students`	sends non-admins home without loading students	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1025	Unit	P2	–	`lists students with their details`	lists students with their details	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1026	Unit	P2	–	`uses the singular for one student and shows an empty table`	uses the singular for one student and shows an empty table	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1027	Unit	P2	–	`sends each filter to the API`	sends each filter to the API	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1028	Unit	P2	–	`pages through results`	pages through results	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1029	Unit	P2	–	`a new filter goes back to the first page`	a new filter goes back to the first page	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1030	Unit	P2	–	`opens a student's progress`	opens a student's progress	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1031	Unit	P2	–	`toggles a student's status in place`	toggles a student's status in place	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1032	Unit	P2	–	`shows a failed toggle`	shows a failed toggle	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1033	Unit	P2	–	`deletes a student only after confirming`	deletes a student only after confirming	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1034	Unit	P2	–	`shows a failed delete`	shows a failed delete	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1035	Unit	P2	–	`shows skeleton rows while loading`	shows skeleton rows while loading	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1036	Unit	P2	–	`loads the student's progress`	loads the student's progress	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1037	Unit	P2	–	`shows the header, metrics, contacts and subject cards`	shows the header, metrics, contacts and subject cards	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1038	Unit	P2	–	`expands a subject to list its exams`	expands a subject to list its exams	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-1039	Unit	P2	–	`lists attempt history and opens an attempt`	lists attempt history and opens an attempt	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1040	Unit	P2	–	`dispatches the report and toasts the result`	dispatches the report and toasts the result	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1041	Unit	P2	–	`uses a default success message`	uses a default success message	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1042	Unit	P2	–	`toasts a failed report`	toasts a failed report	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1043	Unit	P2	–	`shows a load error with a way back`	shows a load error with a way back	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1044	Unit	P2	–	`clears the error when leaving`	clears the error when leaving	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1045	Unit	P2	–	`loads and shows the attempt`	loads and shows the attempt	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1046	Unit	P2	–	`marks scores under 85% as not passed and navigates back`	marks scores under 85% as not passed and navigates back	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1047	Unit	P2	–	`shows the error`	shows the error	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1048	Unit	P2	–	`does nothing without both ids`	does nothing without both ids	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1049	Unit	P2	–	`sends visitors to log in`	sends visitors to log in	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1050	Unit	P2	–	`fetches the user when signed in without one`	fetches the user when signed in without one	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1051	Unit	P2	–	`sends a %s to the admin dashboard`	sends a %s to the admin dashboard	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1052	Unit	P2	–	`lists the other admins`	lists the other admins	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1053	Unit	P2	–	`shows an empty list and load errors`	shows an empty list and load errors	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1054	Unit	P2	–	`creates an admin and closes the form`	creates an admin and closes the form	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1055	Unit	P2	–	`shows a failed create in the form`	shows a failed create in the form	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1056	Unit	P2	–	`cancel and the backdrop close the form`	cancel and the backdrop close the form	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1057	Unit	P2	–	`removes an admin after confirming`	removes an admin after confirming	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1058	Unit	P2	–	`alerts when removing fails`	alerts when removing fails	`edura-frontend/src/app/__tests__/admin-people-pages.test.tsx`	
TC-1059	Unit	P2	–	`sends visitors to log in`	sends visitors to log in	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1060	Unit	P2	–	`fetches the user when signed in without one`	fetches the user when signed in without one	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-1061	Unit	P2	–	`sends non-admins home`	sends non-admins home	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1062	Unit	P2	subjects tab	`lists Grade 10 subjects first and counts active ones`	lists Grade 10 subjects first and counts active ones	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1063	Unit	P2	–	`switches grade`	switches grade	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1064	Unit	P2	–	`adds a trimmed subject and reloads`	adds a trimmed subject and reloads	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1065	Unit	P2	–	`shows a failed add`	shows a failed add	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1066	Unit	P2	–	`edits a subject name and status`	edits a subject name and status	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1067	Unit	P2	–	`cancels an edit and reports a failed save`	cancels an edit and reports a failed save	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1068	Unit	P2	–	`deletes a subject only after confirming`	deletes a subject only after confirming	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1069	Unit	P2	–	`shows a failed delete and a failed load`	shows a failed delete and a failed load	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1070	Unit	P2	–	`lists streams with their subjects`	lists streams with their subjects	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1071	Unit	P2	–	`shows an empty state`	shows an empty state	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1072	Unit	P2	–	`creates a stream from comma-separated subjects`	creates a stream from comma-separated subjects	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1073	Unit	P2	–	`needs at least one real subject`	needs at least one real subject	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1074	Unit	P2	–	`shows a failed create`	shows a failed create	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1075	Unit	P2	–	`edits a stream, including its status`	edits a stream, including its status	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1076	Unit	P2	–	`needs a subject when editing and reports failures`	needs a subject when editing and reports failures	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1077	Unit	P2	–	`closes the modal with × and Cancel`	closes the modal with × and Cancel	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1078	Unit	P2	–	`deletes a stream after confirming, and shows failures`	deletes a stream after confirming, and shows failures	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1079	Unit	P2	–	`fetches the user when auth is not initialised`	fetches the user when auth is not initialised	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1080	Unit	P2	–	`sends visitors to log in and students to their courses`	sends visitors to log in and students to their courses	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1081	Unit	P2	–	`groups packages by level`	groups packages by level	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1082	Unit	P2	–	`filters by grade and status`	filters by grade and status	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-1083	Unit	P2	–	`shows an empty state and the load error`	shows an empty state and the load error	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1084	Unit	P2	–	`reports a failed auto-generate`	reports a failed auto-generate	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1085	Unit	P2	–	`creates a package, naming it from the grade and stream`	creates a package, naming it from the grade and stream	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1086	Unit	P2	–	`drops the stream when the grade goes below A/L`	drops the stream when the grade goes below A/L	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1087	Unit	P2	–	`edits a package without renaming it`	edits a package without renaming it	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1088	Unit	P2	–	`keeps the form open with the error when saving fails`	keeps the form open with the error when saving fails	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1089	Unit	P2	–	`deletes a package after confirming in the dialog`	deletes a package after confirming in the dialog	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1090	Unit	P2	–	`reports a failed delete`	reports a failed delete	`edura-frontend/src/app/__tests__/admin-structure-pages.test.tsx`	
TC-1091	Unit	P2	access and loading	`sends visitors to log in`	sends visitors to log in	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1092	Unit	P2	–	`fetches the user when signed in without one`	fetches the user when signed in without one	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1093	Unit	P2	–	`sends students home`	sends students home	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1094	Unit	P2	–	`loads the course list when the store is empty`	loads the course list when the store is empty	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1095	Unit	P2	–	`loads the lesson, its videos and materials`	loads the lesson, its videos and materials	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1096	Unit	P2	–	`shows a failed load`	shows a failed load	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1097	Unit	P2	–	`handles an unknown lesson with no content`	handles an unknown lesson with no content	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1098	Unit	P2	content list	`shows lesson-level materials`	shows lesson-level materials	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1099	Unit	P2	–	`shows videos in order with their details and materials`	shows videos in order with their details and materials	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1100	Unit	P2	–	`adds a video from a YouTube URL`	adds a video from a YouTube URL	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1101	Unit	P2	–	`treats blank numbers as zero`	treats blank numbers as zero	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1102	Unit	P2	–	`edits a video`	edits a video	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1103	Unit	P2	–	`opens a video without a stored duration`	opens a video without a stored duration	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1104	Unit	P2	–	`shows a failed save and closes`	shows a failed save and closes	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-1105	Unit	P2	–	`deletes a video only after confirming`	deletes a video only after confirming	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1106	Unit	P2	–	`alerts when a delete fails`	alerts when a delete fails	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1107	Unit	P2	–	`needs a file for a new material`	needs a file for a new material	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1108	Unit	P2	–	`adds a lesson-level material`	adds a lesson-level material	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1109	Unit	P2	–	`adds a material to a video`	adds a material to a video	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1110	Unit	P2	–	`edits a material and keeps its file`	edits a material and keeps its file	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1111	Unit	P2	–	`replaces a material file and removes the old one, ignoring cleanup errors`	replaces a material file and removes the old one, ignoring cleanup errors	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1112	Unit	P2	–	`edits a lesson-level material without a stored public id or type`	edits a lesson-level material without a stored public id or type	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1113	Unit	P2	–	`shows a failed save and closes`	shows a failed save and closes	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1114	Unit	P2	–	`deletes a material and its file after confirming`	deletes a material and its file after confirming	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1115	Unit	P2	–	`deletes a lesson-level material without a stored file id`	deletes a lesson-level material without a stored file id	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1116	Unit	P2	–	`alerts when a delete fails`	alerts when a delete fails	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1117	Unit	P2	–	`lists the checkpoints for a video`	lists the checkpoints for a video	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1118	Unit	P2	–	`shows an empty video and logs failed loads`	shows an empty video and logs failed loads	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1119	Unit	P2	–	`downloads the CSV template and reports failures`	downloads the CSV template and reports failures	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1120	Unit	P2	–	`imports a CSV on top of existing quizzes`	imports a CSV on top of existing quizzes	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1121	Unit	P2	–	`shows a failed import`	shows a failed import	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1122	Unit	P2	–	`edits a checkpoint question and timing`	edits a checkpoint question and timing	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1123	Unit	P2	–	`updates timing only for a checkpoint without a question`	updates timing only for a checkpoint without a question	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1124	Unit	P2	–	`shows a failed checkpoint save and goes back to the list`	shows a failed checkpoint save and goes back to the list	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1125	Unit	P2	–	`leaves edit mode when the manager closes`	leaves edit mode when the manager closes	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1126	Unit	P2	–	`deletes a checkpoint after confirming`	deletes a checkpoint after confirming	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-1127	Unit	P2	–	`alerts when a checkpoint delete fails`	alerts when a checkpoint delete fails	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1128	Unit	P2	–	`clears every checkpoint after confirming`	clears every checkpoint after confirming	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1129	Unit	P2	–	`alerts when clearing fails`	alerts when clearing fails	`edura-frontend/src/app/__tests__/admin-video-content-page.test.tsx`	
TC-1130	Unit	P2	–	`signs a student in and sends them to the callback URL`	signs a student in and sends them to the callback URL	`edura-frontend/src/app/__tests__/auth-pages.test.tsx`	
TC-1131	Unit	P2	–	`sends admins to the admin dashboard`	sends admins to the admin dashboard	`edura-frontend/src/app/__tests__/auth-pages.test.tsx`	
TC-1132	Unit	P2	–	`shows wrong credentials`	shows wrong credentials	`edura-frontend/src/app/__tests__/auth-pages.test.tsx`	
TC-1133	Unit	P2	–	`offers to resend the verification email for an unverified account`	offers to resend the verification email for an unverified account	`edura-frontend/src/app/__tests__/auth-pages.test.tsx`	
TC-1134	Unit	P2	–	`explains when the verification email cannot be sent`	explains when the verification email cannot be sent	`edura-frontend/src/app/__tests__/auth-pages.test.tsx`	
TC-1135	Unit	P2	–	`toggles password visibility`	toggles password visibility	`edura-frontend/src/app/__tests__/auth-pages.test.tsx`	
TC-1136	Unit	P2	–	`shows a busy state while signing in`	shows a busy state while signing in	`edura-frontend/src/app/__tests__/auth-pages.test.tsx`	
TC-1137	Unit	P2	–	`signs in with Google`	signs in with Google	`edura-frontend/src/app/__tests__/auth-pages.test.tsx`	
TC-1138	Unit	P2	–	`logs a failed Google sign-in`	logs a failed Google sign-in	`edura-frontend/src/app/__tests__/auth-pages.test.tsx`	
TC-1139	Unit	P2	Forgot password page	`sends the reset link and shows a confirmation`	sends the reset link and shows a confirmation	`edura-frontend/src/app/__tests__/auth-pages.test.tsx`	
TC-1140	Unit	P2	–	`shows an error when the request fails`	shows an error when the request fails	`edura-frontend/src/app/__tests__/auth-pages.test.tsx`	
TC-1141	Unit	P2	–	`shows a busy state`	shows a busy state	`edura-frontend/src/app/__tests__/auth-pages.test.tsx`	
TC-1142	Unit	P2	–	`needs a token from the email link`	needs a token from the email link	`edura-frontend/src/app/__tests__/auth-pages.test.tsx`	
TC-1143	Unit	P2	–	`checks the passwords match and are long enough`	checks the passwords match and are long enough	`edura-frontend/src/app/__tests__/auth-pages.test.tsx`	
TC-1144	Unit	P2	–	`rejects a short password before calling the server`	rejects a short password before calling the server	`edura-frontend/src/app/__tests__/auth-pages.test.tsx`	
TC-1145	Unit	P2	–	`resets the password and returns to login`	resets the password and returns to login	`edura-frontend/src/app/__tests__/auth-pages.test.tsx`	
TC-1146	Unit	P2	–	`goes to plain login without a callback`	goes to plain login without a callback	`edura-frontend/src/app/__tests__/auth-pages.test.tsx`	
TC-1147	Unit	P2	–	`shows an expired-link error from the server`	shows an expired-link error from the server	`edura-frontend/src/app/__tests__/auth-pages.test.tsx`	
TC-1148	Unit	P2	–	`shows a busy state`	shows a busy state	`edura-frontend/src/app/__tests__/auth-pages.test.tsx`	
TC-1149	Unit	P2	Verify email page	`verifies the link from the email`	verifies the link from the email	`edura-frontend/src/app/__tests__/auth-pages.test.tsx`	
TC-1150	Unit	P2	–	`explains a bad link and resends a new one`	explains a bad link and resends a new one	`edura-frontend/src/app/__tests__/auth-pages.test.tsx`	
TC-1151	Unit	P2	–	`handles a link without a token and a failed resend`	handles a link without a token and a failed resend	`edura-frontend/src/app/__tests__/auth-pages.test.tsx`	
TC-1152	Unit	P2	robots and sitemap	`allows every crawler and points at the sitemap`	allows every crawler and points at the sitemap	`edura-frontend/src/app/__tests__/general-pages.test.tsx`	
TC-1153	Unit	P2	–	`lists the public pages with the home page first`	lists the public pages with the home page first	`edura-frontend/src/app/__tests__/general-pages.test.tsx`	
TC-1154	Unit	P2	Root layout metadata	`sets the title template, canonical url and theme colour`	sets the title template, canonical url and theme colour	`edura-frontend/src/app/__tests__/general-pages.test.tsx`	
TC-1155	Unit	P2	Thin wrapper pages	`both course pages render the shared course list`	both course pages render the shared course list	`edura-frontend/src/app/__tests__/general-pages.test.tsx`	
TC-1156	Unit	P2	–	`the old subjects page redirects to streams`	the old subjects page redirects to streams	`edura-frontend/src/app/__tests__/general-pages.test.tsx`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-1157	Unit	P2	–	`the feedback page shows the form and its metadata`	the feedback page shows the form and its metadata	`edura-frontend/src/app/__tests__/general-pages.test.tsx`	
TC-1158	Unit	P2	Home page	`loads stats, ranking exams, streams and then the top three`	loads stats, ranking exams, streams and then the top three	`edura-frontend/src/app/__tests__/general-pages.test.tsx`	
TC-1159	Unit	P2	–	`shows popular courses with stream names, prices and links`	shows popular courses with stream names, prices and links	`edura-frontend/src/app/__tests__/general-pages.test.tsx`	
TC-1160	Unit	P2	–	`shows skeleton cards until stats arrive`	shows skeleton cards until stats arrive	`edura-frontend/src/app/__tests__/general-pages.test.tsx`	
TC-1161	Unit	P2	–	`shows the live leaderboard with medals`	shows the live leaderboard with medals	`edura-frontend/src/app/__tests__/general-pages.test.tsx`	
TC-1162	Unit	P2	–	`names the student count in the call to action`	names the student count in the call to action	`edura-frontend/src/app/__tests__/general-pages.test.tsx`	
TC-1163	Unit	P2	–	`does not refetch what the store already has`	does not refetch what the store already has	`edura-frontend/src/app/__tests__/general-pages.test.tsx`	
TC-1164	Unit	P2	–	`sends a signed-in %s to the admin dashboard`	sends a signed-in %s to the admin dashboard	`edura-frontend/src/app/__tests__/general-pages.test.tsx`	
TC-1165	Unit	P2	–	`stays at zero until the section scrolls into view`	stays at zero until the section scrolls into view	`edura-frontend/src/app/__tests__/general-pages.test.tsx`	
TC-1166	Unit	P2	–	`counts up to the real figures, abbreviating thousands`	counts up to the real figures, abbreviating thousands	`edura-frontend/src/app/__tests__/general-pages.test.tsx`	
TC-1167	Unit	P2	–	`leaves students on the home page`	leaves students on the home page	`edura-frontend/src/app/__tests__/general-pages.test.tsx`	
TC-1168	Unit	P2	Info page	`fetches platform stats and shows them`	fetches platform stats and shows them	`edura-frontend/src/app/__tests__/general-pages.test.tsx`	
TC-1169	Unit	P2	–	`shows dashes while stats are loading`	shows dashes while stats are loading	`edura-frontend/src/app/__tests__/general-pages.test.tsx`	
TC-1170	Unit	P2	–	`skips the fetch when stats are already loaded`	skips the fetch when stats are already loaded	`edura-frontend/src/app/__tests__/general-pages.test.tsx`	
TC-1171	Unit	P2	–	`lists the FAQs and contact details`	lists the FAQs and contact details	`edura-frontend/src/app/__tests__/general-pages.test.tsx`	
TC-1172	Unit	P2	–	`shows a loader until auth is initialised`	shows a loader until auth is initialised	`edura-frontend/src/app/__tests__/general-pages.test.tsx`	
TC-1173	Unit	P2	–	`sends visitors to log in, back to the dashboard`	sends visitors to log in, back to the dashboard	`edura-frontend/src/app/__tests__/general-pages.test.tsx`	
TC-1174	Unit	P2	–	`loads enrollments, attempts, referrals and badges`	loads enrollments, attempts, referrals and badges	`edura-frontend/src/app/__tests__/general-pages.test.tsx`	
TC-1175	Unit	P2	–	`fetches the profile when signed in without one`	fetches the profile when signed in without one	`edura-frontend/src/app/__tests__/general-pages.test.tsx`	
TC-1176	Unit	P2	–	`passes store data to the three columns`	passes store data to the three columns	`edura-frontend/src/app/__tests__/general-pages.test.tsx`	
TC-1177	Unit	P2	Payment page	`sends visitors to log in, back to this page`	sends visitors to log in, back to this page	`edura-frontend/src/app/__tests__/payment-pages.test.tsx`	
TC-1178	Unit	P2	–	`needs a payment type and item`	needs a payment type and item	`edura-frontend/src/app/__tests__/payment-pages.test.tsx`	
TC-1179	Unit	P2	–	`summarises the item and lists deposit banks, selecting the first`	summarises the item and lists deposit banks, selecting the first	`edura-frontend/src/app/__tests__/payment-pages.test.tsx`	
TC-1180	Unit	P2	–	`starts a bank-slip payment with the chosen bank`	starts a bank-slip payment with the chosen bank	`edura-frontend/src/app/__tests__/payment-pages.test.tsx`	
TC-1181	Unit	P2	–	`waits for bank accounts and lets the student go back`	waits for bank accounts and lets the student go back	`edura-frontend/src/app/__tests__/payment-pages.test.tsx`	
TC-1182	Unit	P2	–	`shows a server error from a failed bank-account load`	shows a server error from a failed bank-account load	`edura-frontend/src/app/__tests__/payment-pages.test.tsx`	
TC-1183	Unit	P2	–	`needs a payment id`	needs a payment id	`edura-frontend/src/app/__tests__/payment-pages.test.tsx`	
TC-1184	Unit	P2	–	`loads the checkout and adds the PayHere script`	loads the checkout and adds the PayHere script	`edura-frontend/src/app/__tests__/payment-pages.test.tsx`	
TC-1185	Unit	P2	–	`does not add the script when the checkout cannot be loaded`	does not add the script when the checkout cannot be loaded	`edura-frontend/src/app/__tests__/payment-pages.test.tsx`	
TC-1186	Unit	P2	–	`shows the chosen bank and uploads the slip with the details`	shows the chosen bank and uploads the slip with the details	`edura-frontend/src/app/__tests__/payment-pages.test.tsx`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-1187	Unit	P2	–	`lets the student remove the chosen image`	lets the student remove the chosen image	`edura-frontend/src/app/__tests__/payment-pages.test.tsx`	
TC-1188	Unit	P2	–	`needs a payment id before uploading`	needs a payment id before uploading	`edura-frontend/src/app/__tests__/payment-pages.test.tsx`	
TC-1189	Unit	P2	–	`needs an image before uploading`	needs an image before uploading	`edura-frontend/src/app/__tests__/payment-pages.test.tsx`	
TC-1190	Unit	P2	–	`shows an upload error, e.g. after a page refresh lost the pending payment`	shows an upload error, e.g. after a page refresh lost the pending payment	`edura-frontend/src/app/__tests__/payment-pages.test.tsx`	
TC-1191	Unit	P2	–	`shows placeholder bank details until the list loads, and does not refetch a loaded list`	shows placeholder bank details until the list loads, and does not refetch a loaded list	`edura-frontend/src/app/__tests__/payment-pages.test.tsx`	
TC-1192	Unit	P2	–	`goes back on cancel`	goes back on cancel	`edura-frontend/src/app/__tests__/payment-pages.test.tsx`	
TC-1193	Unit	P2	Profile page	`sends visitors to log in, back to the profile`	sends visitors to log in, back to the profile	`edura-frontend/src/app/__tests__/profile-pages.test.tsx`	
TC-1194	Unit	P2	–	`shows a loader until auth is initialised`	shows a loader until auth is initialised	`edura-frontend/src/app/__tests__/profile-pages.test.tsx`	
TC-1195	Unit	P2	–	`refreshes the user, enrollments and streams on load`	refreshes the user, enrollments and streams on load	`edura-frontend/src/app/__tests__/profile-pages.test.tsx`	
TC-1196	Unit	P2	–	`shows the profile read-only with initials and subjects`	shows the profile read-only with initials and subjects	`edura-frontend/src/app/__tests__/profile-pages.test.tsx`	
TC-1197	Unit	P2	–	`lists up to three enrolled courses and the exam count`	lists up to three enrolled courses and the exam count	`edura-frontend/src/app/__tests__/profile-pages.test.tsx`	
TC-1198	Unit	P2	–	`saves edits, then reloads the user and their courses`	saves edits, then reloads the user and their courses	`edura-frontend/src/app/__tests__/profile-pages.test.tsx`	
TC-1199	Unit	P2	–	`unticks a subject`	unticks a subject	`edura-frontend/src/app/__tests__/profile-pages.test.tsx`	
TC-1200	Unit	P2	–	`shows the server error when saving fails`	shows the server error when saving fails	`edura-frontend/src/app/__tests__/profile-pages.test.tsx`	
TC-1201	Unit	P2	–	`cancel throws away unsaved edits`	cancel throws away unsaved edits	`edura-frontend/src/app/__tests__/profile-pages.test.tsx`	
TC-1202	Unit	P2	–	`warns about a missing NIC and opens the editor from the warning`	warns about a missing NIC and opens the editor from the warning	`edura-frontend/src/app/__tests__/profile-pages.test.tsx`	
TC-1203	Unit	P2	–	`shows the stream name and loads subjects for it`	shows the stream name and loads subjects for it	`edura-frontend/src/app/__tests__/profile-pages.test.tsx`	
TC-1204	Unit	P2	–	`rejects a badly formatted NIC without calling the API`	rejects a badly formatted NIC without calling the API	`edura-frontend/src/app/__tests__/profile-pages.test.tsx`	
TC-1205	Unit	P2	–	`accepts NIC %s`	accepts NIC %s	`edura-frontend/src/app/__tests__/profile-pages.test.tsx`	
TC-1206	Unit	P2	–	`offers only active streams and asks for one before listing subjects`	offers only active streams and asks for one before listing subjects	`edura-frontend/src/app/__tests__/profile-pages.test.tsx`	
TC-1207	Unit	P2	photo upload	`uploads the chosen file and reloads the user`	uploads the chosen file and reloads the user	`edura-frontend/src/app/__tests__/profile-pages.test.tsx`	
TC-1208	Unit	P2	–	`reports a failed upload`	reports a failed upload	`edura-frontend/src/app/__tests__/profile-pages.test.tsx`	
TC-1209	Unit	P2	–	`shows the photo instead of initials when there is one`	shows the photo instead of initials when there is one	`edura-frontend/src/app/__tests__/profile-pages.test.tsx`	
TC-1210	Unit	P2	–	`links password users to the reset flow`	links password users to the reset flow	`edura-frontend/src/app/__tests__/profile-pages.test.tsx`	
TC-1211	Unit	P2	–	`hides the section until has_password is known`	hides the section until has_password is known	`edura-frontend/src/app/__tests__/profile-pages.test.tsx`	
TC-1212	Unit	P2	–	`lets Google users set a password`	lets Google users set a password	`edura-frontend/src/app/__tests__/profile-pages.test.tsx`	
TC-1213	Unit	P2	–	`checks the passwords match`	checks the passwords match	`edura-frontend/src/app/__tests__/profile-pages.test.tsx`	
TC-1214	Unit	P2	–	`shows the server error when setting fails`	shows the server error when setting fails	`edura-frontend/src/app/__tests__/profile-pages.test.tsx`	
TC-1215	Unit	P2	–	`loads the badge dashboard and shows earned, locked and percentage`	loads the badge dashboard and shows earned, locked and percentage	`edura-frontend/src/app/__tests__/profile-pages.test.tsx`	
TC-1216	Unit	P2	–	`skips categories with no badges`	skips categories with no badges	`edura-frontend/src/app/__tests__/profile-pages.test.tsx`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-1217	Unit	P2	–	`shows a loader on first load`	shows a loader on first load	`edura-frontend/src/app/__tests__/profile-pages.test.tsx`	
TC-1218	Unit	P2	–	`shows 0% when there are no badges at all`	shows 0% when there are no badges at all	`edura-frontend/src/app/__tests__/profile-pages.test.tsx`	
TC-1219	Unit	P2	–	`registers a student with their profile and asks them to verify`	registers a student with their profile and asks them to verify	`edura-frontend/src/app/__tests__/signup-pages.test.tsx`	
TC-1220	Unit	P2	–	`keeps the button disabled until every rule passes`	keeps the button disabled until every rule passes	`edura-frontend/src/app/__tests__/signup-pages.test.tsx`	
TC-1221	Unit	P2	–	`needs an A/L stream and a valid NIC from grade 12`	needs an A/L stream and a valid NIC from grade 12	`edura-frontend/src/app/__tests__/signup-pages.test.tsx`	
TC-1222	Unit	P2	–	`prefills a referral code from the link, upper-cased`	prefills a referral code from the link, upper-cased	`edura-frontend/src/app/__tests__/signup-pages.test.tsx`	
TC-1223	Unit	P2	–	`shows a registration error and stays on the form`	shows a registration error and stays on the form	`edura-frontend/src/app/__tests__/signup-pages.test.tsx`	
TC-1224	Unit	P2	–	`lets the student resend the verification email after the wait`	lets the student resend the verification email after the wait	`edura-frontend/src/app/__tests__/signup-pages.test.tsx`	
TC-1225	Unit	P2	–	`toggles both password fields`	toggles both password fields	`edura-frontend/src/app/__tests__/signup-pages.test.tsx`	
TC-1226	Unit	P2	–	`logs a failed Google sign-up`	logs a failed Google sign-up	`edura-frontend/src/app/__tests__/signup-pages.test.tsx`	
TC-1227	Unit	P2	–	`logs a failed subject lookup`	logs a failed subject lookup	`edura-frontend/src/app/__tests__/signup-pages.test.tsx`	
TC-1228	Unit	P2	–	`shows field hints after leaving invalid fields`	shows field hints after leaving invalid fields	`edura-frontend/src/app/__tests__/signup-pages.test.tsx`	
TC-1229	Unit	P2	–	`sends visitors to log in first, keeping the page as the callback`	sends visitors to log in first, keeping the page as the callback	`edura-frontend/src/app/__tests__/signup-pages.test.tsx`	
TC-1230	Unit	P2	–	`creates the profile for a new account`	creates the profile for a new account	`edura-frontend/src/app/__tests__/signup-pages.test.tsx`	
TC-1231	Unit	P2	–	`fills in a Google-seeded profile without asking for the name again`	fills in a Google-seeded profile without asking for the name again	`edura-frontend/src/app/__tests__/signup-pages.test.tsx`	
TC-1232	Unit	P2	–	`names an existing profile that has no name yet`	names an existing profile that has no name yet	`edura-frontend/src/app/__tests__/signup-pages.test.tsx`	
TC-1233	Unit	P2	–	`updates instead when the profile appeared meanwhile`	updates instead when the profile appeared meanwhile	`edura-frontend/src/app/__tests__/signup-pages.test.tsx`	
TC-1234	Unit	P2	–	`shows other save errors`	shows other save errors	`edura-frontend/src/app/__tests__/signup-pages.test.tsx`	
TC-1235	Unit	P2	–	`asks A/L students for a stream and NIC`	asks A/L students for a stream and NIC	`edura-frontend/src/app/__tests__/signup-pages.test.tsx`	
TC-1236	Unit	P2	–	`tolerates the stream and subject lookups failing`	tolerates the stream and subject lookups failing	`edura-frontend/src/app/__tests__/signup-pages.test.tsx`	
TC-1237	Unit	P2	CourseList	`shows only exam courses on the exam page`	shows only exam courses on the exam page	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1238	Unit	P2	–	`shows only video courses on the video page`	shows only video courses on the video page	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1239	Unit	P2	–	`renders a card with price, grade, streams and enrolment state`	renders a card with price, grade, streams and enrolment state	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1240	Unit	P2	–	`searches by title and clears the search`	searches by title and clears the search	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1241	Unit	P2	–	`filters by price and counts active filters`	filters by price and counts active filters	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1242	Unit	P2	–	`clear all resets filters and sorting`	clear all resets filters and sorting	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1243	Unit	P2	–	`shows an empty state whose button clears filters`	shows an empty state whose button clears filters	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-1244	Unit	P2	–	`uses the mobile drawer for filters`	uses the mobile drawer for filters	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1245	Unit	P2	–	`closes the mobile drawer from its close button and its backdrop`	closes the mobile drawer from its close button and its backdrop	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1246	Unit	P2	–	`clears the search from the x inside the box`	clears the search from the x inside the box	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1247	Unit	P2	–	`filters by subject when courses carry one, and finds them by subject in search`	filters by subject when courses carry one, and finds them by subject in search	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1248	Unit	P2	–	`shows skeletons while loading and the error when loading fails`	shows skeletons while loading and the error when loading fails	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1249	Unit	P2	–	`renders nothing while the profile still needs completing`	renders nothing while the profile still needs completing	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1250	Unit	P2	–	`keeps working when profile completion finishes while mounted`	keeps working when profile completion finishes while mounted	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1251	Unit	P2	class packages	`does not look up packages for visitors`	does not look up packages for visitors	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1252	Unit	P2	–	`shows active and purchasable packages`	shows active and purchasable packages	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1253	Unit	P2	–	`enrols in a free package and refreshes the list`	enrols in a free package and refreshes the list	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1254	Unit	P2	–	`shows and dismisses an enrolment error`	shows and dismisses an enrolment error	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1255	Unit	P2	–	`sends visitors to log in`	sends visitors to log in	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1256	Unit	P2	–	`shows the loader while enrollments load`	shows the loader while enrollments load	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1257	Unit	P2	–	`lists enrolled courses with type, progress and a classroom link`	lists enrolled courses with type, progress and a classroom link	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1258	Unit	P2	–	`filters by course type`	filters by course type	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1259	Unit	P2	–	`shows expiry badges`	shows expiry badges	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1260	Unit	P2	–	`shows an empty state`	shows an empty state	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1261	Unit	P2	–	`renders nothing while the profile still needs completing`	renders nothing while the profile still needs completing	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1262	Unit	P2	Class packages page	`fetches the user when auth is not initialised and renders nothing yet`	fetches the user when auth is not initialised and renders nothing yet	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1263	Unit	P2	–	`sends visitors to log in`	sends visitors to log in	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1264	Unit	P2	–	`lists packages with level badges, descriptions and actions`	lists packages with level badges, descriptions and actions	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1265	Unit	P2	–	`enrols in a free package and refreshes`	enrols in a free package and refreshes	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-1266	Unit	P2	–	`shows and dismisses errors`	shows and dismisses errors	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1267	Unit	P2	–	`shows a load error and an empty state`	shows a load error and an empty state	`edura-frontend/src/app/__tests__/student-catalog-pages.test.tsx`	
TC-1268	Unit	P2	–	`loads the course and shows a spinner meanwhile`	loads the course and shows a spinner meanwhile	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1269	Unit	P2	–	`shows the load error`	shows the load error	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1270	Unit	P2	–	`shows the header, price and locked lessons for visitors`	shows the header, price and locked lessons for visitors	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1271	Unit	P2	–	`goes back to the course list`	goes back to the course list	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1272	Unit	P2	–	`sends visitors to log in before buying`	sends visitors to log in before buying	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1273	Unit	P2	–	`takes signed-in students to payment`	takes signed-in students to payment	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1274	Unit	P2	–	`enrols in a free exam course and reloads it`	enrols in a free exam course and reloads it	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1275	Unit	P2	–	`enrols in a free video course with the video endpoint`	enrols in a free video course with the video endpoint	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1276	Unit	P2	–	`sends visitors to log in before a free enrolment`	sends visitors to log in before a free enrolment	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1277	Unit	P2	–	`shows overall progress and the exam actions`	shows overall progress and the exam actions	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1278	Unit	P2	–	`shows the end date when access lasts a while`	shows the end date when access lasts a while	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1279	Unit	P2	–	`marks future exams as scheduled`	marks future exams as scheduled	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1280	Unit	P2	–	`explains why an exam is locked`	explains why an exam is locked	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1281	Unit	P2	–	`shows a live countdown for an exam already in progress`	shows a live countdown for an exam already in progress	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1282	Unit	P2	video course	`locks lessons until enrolled, except ones bought on their own`	locks lessons until enrolled, except ones bought on their own	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1283	Unit	P2	–	`lets enrolled students continue the class`	lets enrolled students continue the class	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1284	Unit	P2	–	`says when there are no lessons yet`	says when there are no lessons yet	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1285	Unit	P2	–	`says when an exam course has no content yet`	says when an exam course has no content yet	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1286	Unit	P2	–	`renders nothing while the profile still needs completing`	renders nothing while the profile still needs completing	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1287	Unit	P2	–	`keeps working when profile completion finishes while mounted`	keeps working when profile completion finishes while mounted	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-1288	Unit	P2	–	`sends visitors to log in`	sends visitors to log in	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1289	Unit	P2	–	`fetches the user when signed in without one`	fetches the user when signed in without one	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1290	Unit	P2	–	`shows the course, progress and the first lesson of the first module`	shows the course, progress and the first lesson of the first module	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1291	Unit	P2	–	`starts the YouTube player for the current lesson`	starts the YouTube player for the current lesson	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1292	Unit	P2	–	`loads the YouTube script when the API is missing and starts once it is ready`	loads the YouTube script when the API is missing and starts once it is ready	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1293	Unit	P2	–	`switches lessons from the curriculum`	switches lessons from the curriculum	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1294	Unit	P2	–	`reuses a live player when switching lessons`	reuses a live player when switching lessons	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1295	Unit	P2	–	`lists the lesson's own and shared materials`	lists the lesson's own and shared materials	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1296	Unit	P2	–	`shows placeholder text and no materials for a bare lesson`	shows placeholder text and no materials for a bare lesson	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1297	Unit	P2	–	`collapses and expands modules`	collapses and expands modules	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1298	Unit	P2	–	`formats durations in the sidebar and header`	formats durations in the sidebar and header	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1299	Unit	P2	player controls	`plays, pauses and shows buffering from player events`	plays, pauses and shows buffering from player events	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1300	Unit	P2	–	`ignores play before the player exists`	ignores play before the player exists	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1301	Unit	P2	–	`rewinds ten seconds, not below zero`	rewinds ten seconds, not below zero	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1302	Unit	P2	–	`seeks and changes volume with the sliders`	seeks and changes volume with the sliders	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1303	Unit	P2	–	`shows the time under the cursor on the seek bar`	shows the time under the cursor on the seek bar	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1304	Unit	P2	–	`changes the playback speed`	changes the playback speed	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1305	Unit	P2	–	`toggles theater mode, hiding the curriculum`	toggles theater mode, hiding the curriculum	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1306	Unit	P2	–	`toggles fullscreen with inline styles`	toggles fullscreen with inline styles	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1307	Unit	P2	–	`hides the controls while playing after the mouse stops`	hides the controls while playing after the mouse stops	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1308	Unit	P2	completion	`marks a lesson complete with the course lesson count`	marks a lesson complete with the course lesson count	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1309	Unit	P2	–	`does not re-send completed lessons`	does not re-send completed lessons	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-1310	Unit	P2	–	`keeps the lesson incomplete when saving fails`	keeps the lesson incomplete when saving fails	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1311	Unit	P2	–	`pauses at the earliest missed checkpoint and resumes after a correct answer`	pauses at the earliest missed checkpoint and resumes after a correct answer	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1312	Unit	P2	–	`clamps the clock to the lesson length`	clamps the clock to the lesson length	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1313	Unit	P2	–	`uses the live duration when the lesson has none`	uses the live duration when the lesson has none	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1314	Unit	P2	–	`renders nothing while the profile still needs completing`	renders nothing while the profile still needs completing	`edura-frontend/src/app/__tests__/student-course-pages.test.tsx`	
TC-1315	Unit	P2	Before the exam	`sends visitors to log in, back to the exam`	sends visitors to log in, back to the exam	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1316	Unit	P2	–	`checks access and shows the start modal with the exam details`	checks access and shows the start modal with the exam details	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1317	Unit	P2	–	`uses cached course data for the modal`	uses cached course data for the modal	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1318	Unit	P2	–	`blocks a locked exam from the cache without asking the server`	blocks a locked exam from the cache without asking the server	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1319	Unit	P2	–	`blocks an exam the server says is locked`	blocks an exam the server says is locked	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1320	Unit	P2	–	`still offers the exam when the access check fails`	still offers the exam when the access check fails	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1321	Unit	P2	–	`"later" goes back`	"later" goes back	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1322	Unit	P2	–	`resumes an attempt saved in this browser without the modal`	resumes an attempt saved in this browser without the modal	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1323	Unit	P2	–	`shows when a scheduled exam opens`	shows when a scheduled exam opens	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1324	Unit	P2	–	`blocks when starting hits a progression lock`	blocks when starting hits a progression lock	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1325	Unit	P2	–	`shows the last result when the exam was already attempted`	shows the last result when the exam was already attempted	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1326	Unit	P2	–	`returns to the modal after a general start failure`	returns to the modal after a general start failure	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1327	Unit	P2	–	`shows the last attempt, reading options from the review`	shows the last attempt, reading options from the review	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1328	Unit	P2	–	`falls back to the start modal when there is no previous attempt`	falls back to the start modal when there is no previous attempt	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1329	Unit	P2	During the exam	`shows questions, the timer, the watermark and saves the attempt locally`	shows questions, the timer, the watermark and saves the attempt locally	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1330	Unit	P2	–	`tracks answers and the unanswered count`	tracks answers and the unanswered count	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1331	Unit	P2	–	`shows hours for long exams`	shows hours for long exams	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-1332	Unit	P2	submitting	`warns about unanswered questions and lets the student go back`	warns about unanswered questions and lets the student go back	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1333	Unit	P2	–	`sends every question, clears local state and shows the results`	sends every question, clears local state and shows the results	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1334	Unit	P2	–	`shows the result screen with the review`	shows the result screen with the review	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1335	Unit	P2	–	`links back to the dashboard and the course`	links back to the dashboard and the course	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1336	Unit	P2	–	`falls back to the course list when the result has no course`	falls back to the course list when the result has no course	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1337	Unit	P2	–	`auto-submits when time runs out`	auto-submits when time runs out	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1338	Unit	P2	–	`warns when the auto-submit fails, and clears the saved attempt`	warns when the auto-submit fails, and clears the saved attempt	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1339	Unit	P2	–	`wipes answers, reports and warns when the student leaves the tab`	wipes answers, reports and warns when the student leaves the tab	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1340	Unit	P2	–	`a click dismisses the violation overlay`	a click dismisses the violation overlay	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1341	Unit	P2	–	`does not penalise mobile devices for the screen turning off`	does not penalise mobile devices for the screen turning off	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1342	Unit	P2	–	`ignores ordinary keys and blocks the context menu`	ignores ordinary keys and blocks the context menu	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1343	Unit	P2	–	`stops watching once the paper is submitted`	stops watching once the paper is submitted	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1344	Unit	P2	Results PDF	`captures the summary and each review item into the PDF`	captures the summary and each review item into the PDF	`edura-frontend/src/app/__tests__/student-exam-page.test.tsx`	
TC-1345	Unit	P2	–	`sends visitors to log in`	sends visitors to log in	`edura-frontend/src/app/__tests__/student-results-pages.test.tsx`	
TC-1346	Unit	P2	–	`loads attempts and progress, showing a spinner meanwhile`	loads attempts and progress, showing a spinner meanwhile	`edura-frontend/src/app/__tests__/student-results-pages.test.tsx`	
TC-1347	Unit	P2	–	`shows the analytics summary and subject cards`	shows the analytics summary and subject cards	`edura-frontend/src/app/__tests__/student-results-pages.test.tsx`	
TC-1348	Unit	P2	–	`drills into a subject and back out`	drills into a subject and back out	`edura-frontend/src/app/__tests__/student-results-pages.test.tsx`	
TC-1349	Unit	P2	–	`groups raw attempts by exam and opens a review`	groups raw attempts by exam and opens a review	`edura-frontend/src/app/__tests__/student-results-pages.test.tsx`	
TC-1350	Unit	P2	–	`shows an empty raw-data tab`	shows an empty raw-data tab	`edura-frontend/src/app/__tests__/student-results-pages.test.tsx`	
TC-1351	Unit	P2	–	`loads the review for the attempt in the url`	loads the review for the attempt in the url	`edura-frontend/src/app/__tests__/student-results-pages.test.tsx`	
TC-1352	Unit	P2	–	`shows the title, score and pass badge`	shows the title, score and pass badge	`edura-frontend/src/app/__tests__/student-results-pages.test.tsx`	
TC-1353	Unit	P2	–	`marks a score under 85% as not passed`	marks a score under 85% as not passed	`edura-frontend/src/app/__tests__/student-results-pages.test.tsx`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-1354	Unit	P2	–	`navigates back and to the results list`	navigates back and to the results list	`edura-frontend/src/app/__tests__/student-results-pages.test.tsx`	
TC-1355	Unit	P2	–	`shows the error with a way back`	shows the error with a way back	`edura-frontend/src/app/__tests__/student-results-pages.test.tsx`	
TC-1356	Unit	P2	–	`does nothing without an attempt id`	does nothing without an attempt id	`edura-frontend/src/app/__tests__/student-results-pages.test.tsx`	
TC-1357	Unit	P2	–	`captures each section into a paged A4 PDF`	captures each section into a paged A4 PDF	`edura-frontend/src/app/__tests__/student-results-pages.test.tsx`	
TC-1358	Unit	P2	–	`shortens long titles in the PDF header`	shortens long titles in the PDF header	`edura-frontend/src/app/__tests__/student-results-pages.test.tsx`	
TC-1359	Unit	P2	–	`shows an empty state when no exam has rankings`	shows an empty state when no exam has rankings	`edura-frontend/src/app/__tests__/student-results-pages.test.tsx`	
TC-1360	Unit	P2	–	`asks for an exam, grouping exams by subject and course`	asks for an exam, grouping exams by subject and course	`edura-frontend/src/app/__tests__/student-results-pages.test.tsx`	
TC-1361	Unit	P2	–	`loads the podium, the table and my rank for the chosen exam`	loads the podium, the table and my rank for the chosen exam	`edura-frontend/src/app/__tests__/student-results-pages.test.tsx`	
TC-1362	Unit	P2	–	`marks the current user on the podium`	marks the current user on the podium	`edura-frontend/src/app/__tests__/student-results-pages.test.tsx`	
TC-1363	Unit	P2	–	`shows times under a minute in seconds only`	shows times under a minute in seconds only	`edura-frontend/src/app/__tests__/student-results-pages.test.tsx`	
TC-1364	Unit	P2	–	`refetches for a district and clears filters`	refetches for a district and clears filters	`edura-frontend/src/app/__tests__/student-results-pages.test.tsx`	
TC-1365	Unit	P2	–	`shows placeholder rows while the board updates`	shows placeholder rows while the board updates	`edura-frontend/src/app/__tests__/student-results-pages.test.tsx`	
TC-1366	Unit	P2	–	`renders nothing while the profile still needs completing`	renders nothing while the profile still needs completing	`edura-frontend/src/app/__tests__/student-results-pages.test.tsx`	
TC-1367	Unit	P2	–	`keeps working when profile completion finishes while mounted`	keeps working when profile completion finishes while mounted	`edura-frontend/src/app/__tests__/student-results-pages.test.tsx`	
TC-1368	Unit	P2	StatusModal	`renders a %s message`	renders a %s message	`edura-frontend/src/components/__tests__/feedback-chat-notify.test.tsx`	
TC-1369	Unit	P2	–	`defaults to an info dialog with a Close button`	defaults to an info dialog with a Close button	`edura-frontend/src/components/__tests__/feedback-chat-notify.test.tsx`	
TC-1370	Unit	P2	–	`renders nothing without notifications`	renders nothing without notifications	`edura-frontend/src/components/__tests__/feedback-chat-notify.test.tsx`	
TC-1371	Unit	P2	–	`auto-hides timed notifications and lets the user dismiss others`	auto-hides timed notifications and lets the user dismiss others	`edura-frontend/src/components/__tests__/feedback-chat-notify.test.tsx`	
TC-1372	Unit	P2	–	`submits the chosen category and thanks the user`	submits the chosen category and thanks the user	`edura-frontend/src/components/__tests__/feedback-chat-notify.test.tsx`	
TC-1373	Unit	P2	–	`prefills the signed-in user's address`	prefills the signed-in user's address	`edura-frontend/src/components/__tests__/feedback-chat-notify.test.tsx`	
TC-1374	Unit	P2	–	`disables the button while sending`	disables the button while sending	`edura-frontend/src/components/__tests__/feedback-chat-notify.test.tsx`	
TC-1375	Unit	P2	–	`shows the server error`	shows the server error	`edura-frontend/src/components/__tests__/feedback-chat-notify.test.tsx`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-1376	Unit	P2	–	`is hidden on admin pages`	is hidden on admin pages	`edura-frontend/src/components/__tests__/feedback-chat-notify.test.tsx`	
TC-1377	Unit	P2	–	`creates a guest session id when there is none`	creates a guest session id when there is none	`edura-frontend/src/components/__tests__/feedback-chat-notify.test.tsx`	
TC-1378	Unit	P2	–	`opens, loads history, polls, and sends as a guest`	opens, loads history, polls, and sends as a guest	`edura-frontend/src/components/__tests__/feedback-chat-notify.test.tsx`	
TC-1379	Unit	P2	–	`sends as the signed-in user without a guest session`	sends as the signed-in user without a guest session	`edura-frontend/src/components/__tests__/feedback-chat-notify.test.tsx`	
TC-1380	Unit	P2	–	`shows conversation bubbles and badges unread admin replies while closed`	shows conversation bubbles and badges unread admin replies while closed	`edura-frontend/src/components/__tests__/feedback-chat-notify.test.tsx`	
TC-1381	Unit	P2	–	`caps the unread badge at 9+`	caps the unread badge at 9+	`edura-frontend/src/components/__tests__/feedback-chat-notify.test.tsx`	
TC-1382	Unit	P2	Footer	`is hidden on %s`	is hidden on %s	`edura-frontend/src/components/__tests__/layout.test.tsx`	
TC-1383	Unit	P2	–	`links to the main areas elsewhere`	links to the main areas elsewhere	`edura-frontend/src/components/__tests__/layout.test.tsx`	
TC-1384	Unit	P2	Navbar	`is hidden on %s`	is hidden on %s	`edura-frontend/src/components/__tests__/layout.test.tsx`	
TC-1385	Unit	P2	–	`shows the admin console on admin pages`	shows the admin console on admin pages	`edura-frontend/src/components/__tests__/layout.test.tsx`	
TC-1386	Unit	P2	–	`offers sign in to visitors and highlights the current page`	offers sign in to visitors and highlights the current page	`edura-frontend/src/components/__tests__/layout.test.tsx`	
TC-1387	Unit	P2	–	`hides navigation until the profile is completed`	hides navigation until the profile is completed	`edura-frontend/src/components/__tests__/layout.test.tsx`	
TC-1388	Unit	P2	–	`opens and closes the mobile menu, closing it on navigation`	opens and closes the mobile menu, closing it on navigation	`edura-frontend/src/components/__tests__/layout.test.tsx`	
TC-1389	Unit	P2	–	`shows the portal in the mobile menu for signed-in users`	shows the portal in the mobile menu for signed-in users	`edura-frontend/src/components/__tests__/layout.test.tsx`	
TC-1390	Unit	P2	AdminNavbar	`lists the admin areas and marks the current one`	lists the admin areas and marks the current one	`edura-frontend/src/components/__tests__/layout.test.tsx`	
TC-1391	Unit	P2	–	`hides admin management from non-admins`	hides admin management from non-admins	`edura-frontend/src/components/__tests__/layout.test.tsx`	
TC-1392	Unit	P2	–	`has a mobile menu with settings`	has a mobile menu with settings	`edura-frontend/src/components/__tests__/layout.test.tsx`	
TC-1393	Unit	P2	Providers	`gives children the app store`	gives children the app store	`edura-frontend/src/components/__tests__/layout.test.tsx`	
TC-1394	Unit	P2	–	`shows initials, name, grade and wallet credits for a student`	shows initials, name, grade and wallet credits for a student	`edura-frontend/src/components/__tests__/layout.test.tsx`	
TC-1395	Unit	P2	–	`shows admin links and no wallet for admins`	shows admin links and no wallet for admins	`edura-frontend/src/components/__tests__/layout.test.tsx`	
TC-1396	Unit	P2	–	`shows a plain dashboard link for teachers`	shows a plain dashboard link for teachers	`edura-frontend/src/components/__tests__/layout.test.tsx`	
TC-1397	Unit	P2	–	`falls back to the email name`	falls back to the email name	`edura-frontend/src/components/__tests__/layout.test.tsx`	
TC-1398	Unit	P2	–	`closes when clicking outside`	closes when clicking outside	`edura-frontend/src/components/__tests__/layout.test.tsx`	
TC-1399	Unit	P2	–	`logs out locally even if the server call fails`	logs out locally even if the server call fails	`edura-frontend/src/components/__tests__/layout.test.tsx`	
TC-1400	Unit	P2	–	`shows a photo stored as profile_photo_url, and initials if it fails to load`	shows a photo stored as profile_photo_url, and initials if it fails to load	`edura-frontend/src/components/__tests__/layout.test.tsx`	
TC-1401	Unit	P2	GoogleAuthProvider	`wraps the app with the configured client id`	wraps the app with the configured client id	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1402	Unit	P2	–	`asks each question and resumes the video when all are right`	asks each question and resumes the video when all are right	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1403	Unit	P2	–	`lets the student try again after a wrong answer`	lets the student try again after a wrong answer	`edura-frontend/src/components/__tests__/widgets.test.tsx`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-1404	Unit	P2	–	`falls back to the icon and shows the unlock date when earned`	falls back to the icon and shows the unlock date when earned	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1405	Unit	P2	–	`greys out a badge not yet earned`	greys out a badge not yet earned	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1406	Unit	P2	–	`shows nothing without new badges`	shows nothing without new badges	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1407	Unit	P2	–	`celebrates each new badge in turn, then clears them`	celebrates each new badge in turn, then clears them	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1408	Unit	P2	–	`ActivityFeed greets the student and lists attempts`	ActivityFeed greets the student and lists attempts	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1409	Unit	P2	–	`ActivityFeed shows loading and empty states`	ActivityFeed shows loading and empty states	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1410	Unit	P2	–	`AchievementPanel shows up to four badges and the wallet`	AchievementPanel shows up to four badges and the wallet	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1411	Unit	P2	–	`AchievementPanel falls back to an icon for badges without artwork`	AchievementPanel falls back to an icon for badges without artwork	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1412	Unit	P2	–	`AchievementPanel shows loading and empty states`	AchievementPanel shows loading and empty states	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1413	Unit	P2	–	`shows the profile, links and enrolled courses`	shows the profile, links and enrolled courses	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1414	Unit	P2	–	`says when there are no courses and shows a stored photo`	says when there are no courses and shows a stored photo	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1415	Unit	P2	–	`uploads a new photo and reloads the user`	uploads a new photo and reloads the user	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1416	Unit	P2	–	`does not reload the user when the upload fails, or when no file is chosen`	does not reload the user when the upload fails, or when no file is chosen	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1417	Unit	P2	–	`PerformanceLineChart has a default colour`	PerformanceLineChart has a default colour	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1418	Unit	P2	–	`summarises the attempt and marks right and wrong answers`	summarises the attempt and marks right and wrong answers	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1419	Unit	P2	–	`prints the video link instead of embedding it when capturing a PDF`	prints the video link instead of embedding it when capturing a PDF	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1420	Unit	P2	–	`renders nothing when closed`	renders nothing when closed	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1421	Unit	P2	–	`searches after two characters, debounced, and selects a student`	searches after two characters, debounced, and selects a student	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1422	Unit	P2	–	`says when nothing matches and survives a failed search`	says when nothing matches and survives a failed search	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1423	Unit	P2	–	`shows progress while a chat is being opened`	shows progress while a chat is being opened	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1424	Unit	P2	–	`searches eligible students by name, school or district`	searches eligible students by name, school or district	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1425	Unit	P2	–	`exam access shows the backend's limitation as an error`	exam access shows the backend's limitation as an error	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1426	Unit	P2	–	`shows a loading state while the lists load`	shows a loading state while the lists load	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1427	Unit	P2	–	`shows a load error and closes`	shows a load error and closes	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1428	Unit	P2	–	`marks a visitor as initialized without calling the server`	marks a visitor as initialized without calling the server	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1429	Unit	P2	–	`restores a fresh session straight away and loads the user`	restores a fresh session straight away and loads the user	`edura-frontend/src/components/__tests__/widgets.test.tsx`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-1430	Unit	P2	–	`refreshes a token that is about to expire, keeping it where it was`	refreshes a token that is about to expire, keeping it where it was	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1431	Unit	P2	–	`treats a token without an expiry as valid`	treats a token without an expiry as valid	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1432	Unit	P2	–	`moves a guest chat onto the account`	moves a guest chat onto the account	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1433	Unit	P2	–	`keeps going when the chat sync fails`	keeps going when the chat sync fails	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1434	Unit	P2	–	`uses the loaded user's flag too, and leaves complete profiles alone`	uses the loaded user's flag too, and leaves complete profiles alone	`edura-frontend/src/components/__tests__/widgets.test.tsx`	
TC-1435	Unit	P2	getErrorMessage	`returns a string error as is`	returns a string error as is	`edura-frontend/src/lib/__tests__/utils.test.ts`	
TC-1436	Unit	P2	–	`reads the message of a local Error or a raw {error, message} object`	reads the message of a local Error or a raw {error, message} object	`edura-frontend/src/lib/__tests__/utils.test.ts`	
TC-1437	Unit	P2	–	`prefers the Edura detail.message, then detail.msg, then a plain detail`	prefers the Edura detail.message, then detail.msg, then a plain detail	`edura-frontend/src/lib/__tests__/utils.test.ts`	
TC-1438	Unit	P2	–	`joins Pydantic validation errors`	joins Pydantic validation errors	`edura-frontend/src/lib/__tests__/utils.test.ts`	
TC-1439	Unit	P2	–	`falls back to the axios message, then a generic one`	falls back to the axios message, then a generic one	`edura-frontend/src/lib/__tests__/utils.test.ts`	
TC-1440	Unit	P2	getInitials	`uses up to two initials of the name`	uses up to two initials of the name	`edura-frontend/src/lib/__tests__/utils.test.ts`	
TC-1441	Unit	P2	–	`falls back to the email, then "U"`	falls back to the email, then "U"	`edura-frontend/src/lib/__tests__/utils.test.ts`	
TC-1442	Unit	P2	–	`saves and reads back an attempt that is still running`	saves and reads back an attempt that is still running	`edura-frontend/src/lib/__tests__/utils.test.ts`	
TC-1443	Unit	P2	–	`drops an attempt whose time is up`	drops an attempt whose time is up	`edura-frontend/src/lib/__tests__/utils.test.ts`	
TC-1444	Unit	P2	–	`ignores corrupted entries`	ignores corrupted entries	`edura-frontend/src/lib/__tests__/utils.test.ts`	
TC-1445	Unit	P2	–	`lists only running attempts and ignores other keys`	lists only running attempts and ignores other keys	`edura-frontend/src/lib/__tests__/utils.test.ts`	
TC-1446	Unit	P2	–	`clears an attempt on submit`	clears an attempt on submit	`edura-frontend/src/lib/__tests__/utils.test.ts`	
TC-1447	Unit	P2	–	`counts seconds remaining, never below zero`	counts seconds remaining, never below zero	`edura-frontend/src/lib/__tests__/utils.test.ts`	
TC-1448	Unit	P2	–	`maps a student attempt review`	maps a student attempt review	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1449	Unit	P2	–	`maps student profiles and turns skip/limit into a page`	maps student profiles and turns skip/limit into a page	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1450	Unit	P2	–	`defaults missing profile fields`	defaults missing profile fields	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1451	Unit	P2	–	`filters by district, grade and status on the current page`	filters by district, grade and status on the current page	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1452	Unit	P2	–	`flips the active flag`	flips the active flag	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1453	Unit	P2	–	`deletes the profile and the login, tolerating a missing login`	deletes the profile and the login, tolerating a missing login	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1454	Unit	P2	–	`stops if the profile cannot be deleted`	stops if the profile cannot be deleted	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1455	Unit	P2	rankings	`lists nothing until an exam is chosen`	lists nothing until an exam is chosen	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1456	Unit	P2	–	`maps the course leaderboard of the chosen exam`	maps the course leaderboard of the chosen exam	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1457	Unit	P2	–	`lists all streams, including inactive ones`	lists all streams, including inactive ones	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1458	Unit	P2	–	`creates, updates and deletes streams`	creates, updates and deletes streams	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1459	Unit	P2	–	`manages grade subjects`	manages grade subjects	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-1460	Unit	P2	–	`pages through every course`	pages through every course	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1461	Unit	P2	–	`stops after a short page`	stops after a short page	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1462	Unit	P2	–	`creates a course with course_service field names`	creates a course with course_service field names	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1463	Unit	P2	–	`updates a course, sending stream ids as numbers`	updates a course, sending stream ids as numbers	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1464	Unit	P2	–	`deletes a course`	deletes a course	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1465	Unit	P2	–	`lists, creates, updates and deletes modules`	lists, creates, updates and deletes modules	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1466	Unit	P2	–	`clears a lesson's exams before deleting the lesson`	clears a lesson's exams before deleting the lesson	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1467	Unit	P2	–	`lists exams only for a course`	lists exams only for a course	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1468	Unit	P2	–	`creates an exam, converting a local schedule to ISO`	creates an exam, converting a local schedule to ISO	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1469	Unit	P2	–	`creates an exam outside any lesson with no schedule`	creates an exam outside any lesson with no schedule	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1470	Unit	P2	–	`updates only the fields given`	updates only the fields given	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1471	Unit	P2	–	`deletes an exam and uploads question images`	deletes an exam and uploads question images	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1472	Unit	P2	–	`maps questions and marks the correct option`	maps questions and marks the correct option	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1473	Unit	P2	–	`creates an MCQ with option inputs`	creates an MCQ with option inputs	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1474	Unit	P2	–	`updates and deletes a question`	updates and deletes a question	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1475	Unit	P2	–	`imports questions from CSV and bulk-imports exams`	imports questions from CSV and bulk-imports exams	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1476	Unit	P2	uploads	`uploads an image and returns it under every field name callers use`	uploads an image and returns it under every field name callers use	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1477	Unit	P2	–	`uploads a material file`	uploads a material file	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1478	Unit	P2	–	`deletes an asset by public id`	deletes an asset by public id	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1479	Unit	P2	–	`maps videos and sends course_service field names`	maps videos and sends course_service field names	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1480	Unit	P2	–	`maps materials and pins or unpins them to a video`	maps materials and pins or unpins them to a video	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1481	Unit	P2	–	`manages in-video checkpoints`	manages in-video checkpoints	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1482	Unit	P2	–	`exam-level access lists are empty`	exam-level access lists are empty	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1483	Unit	P2	–	`grants and revokes with numeric ids`	grants and revokes with numeric ids	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1484	Unit	P2	admin accounts	`lists admins`	lists admins	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1485	Unit	P2	–	`splits the full name when creating an admin`	splits the full name when creating an admin	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1486	Unit	P2	–	`deletes an admin everywhere`	deletes an admin everywhere	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1487	Unit	P2	class packages	`drops empty filters`	drops empty filters	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1488	Unit	P2	–	`sends the stream as a number, null to clear, or omits it`	sends the stream as a number, null to clear, or omits it	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	
TC-1489	Unit	P2	–	`lists, grants and revokes package holders`	lists, grants and revokes package holders	`edura-frontend/src/lib/api/__tests__/admin.test.ts`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-1490	Unit	P2	login / register / google	`logs in with only email and password; the refresh token stays a cookie`	logs in with only email and password; the refresh token stays a cookie	`edura-frontend/src/lib/api/__tests__/auth.test.ts`	
TC-1491	Unit	P2	–	`registers as a student by default and sends the sign-up profile`	registers as a student by default and sends the sign-up profile	`edura-frontend/src/lib/api/__tests__/auth.test.ts`	
TC-1492	Unit	P2	–	`keeps an explicit role`	keeps an explicit role	`edura-frontend/src/lib/api/__tests__/auth.test.ts`	
TC-1493	Unit	P2	–	`exchanges a Google access token`	exchanges a Google access token	`edura-frontend/src/lib/api/__tests__/auth.test.ts`	
TC-1494	Unit	P2	–	`logs out with credentials so the refresh cookie is revoked`	logs out with credentials so the refresh cookie is revoked	`edura-frontend/src/lib/api/__tests__/auth.test.ts`	
TC-1495	Unit	P2	getCurrentUser	`needs a stored token`	needs a stored token	`edura-frontend/src/lib/api/__tests__/auth.test.ts`	
TC-1496	Unit	P2	–	`combines the token, the profile and /me`	combines the token, the profile and /me	`edura-frontend/src/lib/api/__tests__/auth.test.ts`	
TC-1497	Unit	P2	–	`retries a missing profile while user_service builds it`	retries a missing profile while user_service builds it	`edura-frontend/src/lib/api/__tests__/auth.test.ts`	
TC-1498	Unit	P2	–	`gives up after five tries and asks for profile completion`	gives up after five tries and asks for profile completion	`edura-frontend/src/lib/api/__tests__/auth.test.ts`	
TC-1499	Unit	P2	–	`does not retry other profile errors and tolerates /me failing`	does not retry other profile errors and tolerates /me failing	`edura-frontend/src/lib/api/__tests__/auth.test.ts`	
TC-1500	Unit	P2	–	`never asks staff for academic details`	never asks staff for academic details	`edura-frontend/src/lib/api/__tests__/auth.test.ts`	
TC-1501	Unit	P2	profile	`reads /me`	reads /me	`edura-frontend/src/lib/api/__tests__/auth.test.ts`	
TC-1502	Unit	P2	–	`creates the profile for the signed-in account`	creates the profile for the signed-in account	`edura-frontend/src/lib/api/__tests__/auth.test.ts`	
TC-1503	Unit	P2	–	`updates the profile of the user in the token`	updates the profile of the user in the token	`edura-frontend/src/lib/api/__tests__/auth.test.ts`	
TC-1504	Unit	P2	–	`refuses to update without a session`	refuses to update without a session	`edura-frontend/src/lib/api/__tests__/auth.test.ts`	
TC-1505	Unit	P2	–	`uploads a photo then stores both its URL and public id`	uploads a photo then stores both its URL and public id	`edura-frontend/src/lib/api/__tests__/auth.test.ts`	
TC-1506	Unit	P2	chat api	`sends a message, with the guest session only when there is one`	sends a message, with the guest session only when there is one	`edura-frontend/src/lib/api/__tests__/chat-feedback.test.ts`	
TC-1507	Unit	P2	–	`loads history for a guest session or the signed-in user`	loads history for a guest session or the signed-in user	`edura-frontend/src/lib/api/__tests__/chat-feedback.test.ts`	
TC-1508	Unit	P2	–	`syncs a guest thread on login`	syncs a guest thread on login	`edura-frontend/src/lib/api/__tests__/chat-feedback.test.ts`	
TC-1509	Unit	P2	–	`maps admin conversations`	maps admin conversations	`edura-frontend/src/lib/api/__tests__/chat-feedback.test.ts`	
TC-1510	Unit	P2	–	`reads, replies to and deletes a conversation`	reads, replies to and deletes a conversation	`edura-frontend/src/lib/api/__tests__/chat-feedback.test.ts`	
TC-1511	Unit	P2	–	`opens the thread with a student`	opens the thread with a student	`edura-frontend/src/lib/api/__tests__/chat-feedback.test.ts`	
TC-1512	Unit	P2	–	`submits feedback and maps optional fields`	submits feedback and maps optional fields	`edura-frontend/src/lib/api/__tests__/chat-feedback.test.ts`	
TC-1513	Unit	P2	–	`lists feedback with paging`	lists feedback with paging	`edura-frontend/src/lib/api/__tests__/chat-feedback.test.ts`	
TC-1514	Unit	P2	–	`marks read and deletes`	marks read and deletes	`edura-frontend/src/lib/api/__tests__/chat-feedback.test.ts`	
TC-1515	Unit	P2	–	`sends JSON to the gateway`	sends JSON to the gateway	`edura-frontend/src/lib/api/__tests__/client.test.ts`	
TC-1516	Unit	P2	–	`attaches the session token, preferring sessionStorage`	attaches the session token, preferring sessionStorage	`edura-frontend/src/lib/api/__tests__/client.test.ts`	
TC-1517	Unit	P2	–	`refreshes once on 401 and replays the request with the new token`	refreshes once on 401 and replays the request with the new token	`edura-frontend/src/lib/api/__tests__/client.test.ts`	
TC-1518	Unit	P2	–	`stores a refreshed token where the session lives`	stores a refreshed token where the session lives	`edura-frontend/src/lib/api/__tests__/client.test.ts`	
TC-1519	Unit	P2	–	`shares one refresh between concurrent 401s`	shares one refresh between concurrent 401s	`edura-frontend/src/lib/api/__tests__/client.test.ts`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-1520	Unit	P2	–	`signs out and goes to /login when the refresh fails`	signs out and goes to /login when the refresh fails	`edura-frontend/src/lib/api/__tests__/client.test.ts`	
TC-1521	Unit	P2	–	`never refreshes for anonymous visitors`	never refreshes for anonymous visitors	`edura-frontend/src/lib/api/__tests__/client.test.ts`	
TC-1522	Unit	P2	–	`never refreshes for the auth route %s`	never refreshes for the auth route %s	`edura-frontend/src/lib/api/__tests__/client.test.ts`	
TC-1523	Unit	P2	–	`passes other errors straight through`	passes other errors straight through	`edura-frontend/src/lib/api/__tests__/client.test.ts`	
TC-1524	Unit	P2	–	`does not retry a request that already failed after a refresh`	does not retry a request that already failed after a refresh	`edura-frontend/src/lib/api/__tests__/client.test.ts`	
TC-1525	Unit	P2	initiatePayment	`only supports whole-course payments`	only supports whole-course payments	`edura-frontend/src/lib/api/__tests__/payment.test.ts`	
TC-1526	Unit	P2	–	`starts a PayHere checkout at the real course price`	starts a PayHere checkout at the real course price	`edura-frontend/src/lib/api/__tests__/payment.test.ts`	
TC-1527	Unit	P2	–	`treats a missing price as free and a live gateway as non-sandbox`	treats a missing price as free and a live gateway as non-sandbox	`edura-frontend/src/lib/api/__tests__/payment.test.ts`	
TC-1528	Unit	P2	–	`refuses a PayHere config for an unknown order`	refuses a PayHere config for an unknown order	`edura-frontend/src/lib/api/__tests__/payment.test.ts`	
TC-1529	Unit	P2	bank slips	`defers the upload until the slip file is chosen, then sends one form`	defers the upload until the slip file is chosen, then sends one form	`edura-frontend/src/lib/api/__tests__/payment.test.ts`	
TC-1530	Unit	P2	–	`lists pending slips mapped for the admin screen`	lists pending slips mapped for the admin screen	`edura-frontend/src/lib/api/__tests__/payment.test.ts`	
TC-1531	Unit	P2	–	`shows "approved" receipts as verified`	shows "approved" receipts as verified	`edura-frontend/src/lib/api/__tests__/payment.test.ts`	
TC-1532	Unit	P2	–	`lists every slip without a filter and narrows by course`	lists every slip without a filter and narrows by course	`edura-frontend/src/lib/api/__tests__/payment.test.ts`	
TC-1533	Unit	P2	–	`finds one slip or fails`	finds one slip or fails	`edura-frontend/src/lib/api/__tests__/payment.test.ts`	
TC-1534	Unit	P2	–	`verifies a slip`	verifies a slip	`edura-frontend/src/lib/api/__tests__/payment.test.ts`	
TC-1535	Unit	P2	–	`maps payments for the UI`	maps payments for the UI	`edura-frontend/src/lib/api/__tests__/payment.test.ts`	
TC-1536	Unit	P2	–	`finds a payment by id or PayHere order id`	finds a payment by id or PayHere order id	`edura-frontend/src/lib/api/__tests__/payment.test.ts`	
TC-1537	Unit	P2	–	`filters all payments by status and method`	filters all payments by status and method	`edura-frontend/src/lib/api/__tests__/payment.test.ts`	
TC-1538	Unit	P2	–	`derives stats from payments and receipts`	derives stats from payments and receipts	`edura-frontend/src/lib/api/__tests__/payment.test.ts`	
TC-1539	Unit	P2	–	`groups earnings by course from successful payments only`	groups earnings by course from successful payments only	`edura-frontend/src/lib/api/__tests__/payment.test.ts`	
TC-1540	Unit	P2	–	`creates, updates and deletes accounts`	creates, updates and deletes accounts	`edura-frontend/src/lib/api/__tests__/payment.test.ts`	
TC-1541	Unit	P2	catalogue	`maps published courses and passes the viewer grade and stream`	maps published courses and passes the viewer grade and stream	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1542	Unit	P2	–	`browses without filters and copes with an empty answer`	browses without filters and copes with an empty answer	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1543	Unit	P2	–	`shows an outline without attempts when the student has no access`	shows an outline without attempts when the student has no access	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1544	Unit	P2	–	`unlocks a single granted lesson and counts passed exams`	unlocks a single granted lesson and counts passed exams	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1545	Unit	P2	–	`treats staff as having full access without asking the server`	treats staff as having full access without asking the server	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1546	Unit	P2	–	`treats an access-check failure as no access`	treats an access-check failure as no access	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1547	Unit	P2	–	`shows anonymous visitors only the outline and video counts`	shows anonymous visitors only the outline and video counts	`edura-frontend/src/lib/api/__tests__/student.test.ts`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-1548	Unit	P2	–	`loads videos, materials, checkpoints and progress for enrolled students`	loads videos, materials, checkpoints and progress for enrolled students	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1549	Unit	P2	–	`still lists videos when no progress was recorded`	still lists videos when no progress was recorded	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1550	Unit	P2	–	`getVideoClassDetails is the overview`	getVideoClassDetails is the overview	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1551	Unit	P2	exam lists	`lists a course's exams with lesson-level access`	lists a course's exams with lesson-level access	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1552	Unit	P2	–	`lists a lesson's exams, looking up access for their course`	lists a lesson's exams, looking up access for their course	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1553	Unit	P2	–	`returns nothing for an empty lesson`	returns nothing for an empty lesson	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1554	Unit	P2	–	`enrolls in a free course through payment_service`	enrolls in a free course through payment_service	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1555	Unit	P2	–	`lists active whole-course enrollments whose course still exists`	lists active whole-course enrollments whose course still exists	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1556	Unit	P2	–	`returns no enrollments when signed out`	returns no enrollments when signed out	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1557	Unit	P2	–	`is open for an enrolled student`	is open for an enrolled student	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1558	Unit	P2	–	`locks it for students who are not enrolled`	locks it for students who are not enrolled	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1559	Unit	P2	–	`locks it until the scheduled start`	locks it until the scheduled start	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1560	Unit	P2	taking an exam	`starts an attempt, packing the session into the attempt id`	starts an attempt, packing the session into the attempt id	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1561	Unit	P2	–	`submits answers by option text and maps the result`	submits answers by option text and maps the result	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1562	Unit	P2	–	`reports violations without ever failing the exam`	reports violations without ever failing the exam	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1563	Unit	P2	–	`loads the last attempt, or null when there is none`	loads the last attempt, or null when there is none	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1564	Unit	P2	–	`maps an attempt review with defaults`	maps an attempt review with defaults	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1565	Unit	P2	results and rankings	`lists my attempts with string ids`	lists my attempts with string ids	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1566	Unit	P2	–	`passes leaderboard filters only when set`	passes leaderboard filters only when set	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1567	Unit	P2	profile reference data and referrals	`needs a grade to list subjects`	needs a grade to list subjects	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1568	Unit	P2	–	`maps streams`	maps streams	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1569	Unit	P2	–	`lists referral events and applies a trimmed code`	lists referral events and applies a trimmed code	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1570	Unit	P2	–	`records video progress with defaults`	records video progress with defaults	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1571	Unit	P2	class packages	`filters packages by the student's grade, and stream from grade 12`	filters packages by the student's grade, and stream from grade 12	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1572	Unit	P2	–	`ignores the stream below grade 12`	ignores the stream below grade 12	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1573	Unit	P2	–	`shows every package to visitors and to students without a profile`	shows every package to visitors and to students without a profile	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1574	Unit	P2	–	`enrolls in a free package`	enrolls in a free package	`edura-frontend/src/lib/api/__tests__/student.test.ts`	
TC-1575	Unit	P2	–	`loads public streams into the same list`	loads public streams into the same list	`edura-frontend/src/lib/redux/__tests__/admin-payment-dashboard.test.ts`	
TC-1576	Unit	P2	–	`fetches students with their total`	fetches students with their total	`edura-frontend/src/lib/redux/__tests__/admin-payment-dashboard.test.ts`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-1577	Unit	P2	–	`updates the toggled student when the ids match as strings`	updates the toggled student when the ids match as strings	`edura-frontend/src/lib/redux/__tests__/admin-payment-dashboard.test.ts`	
TC-1578	Unit	P2	–	`records a failed toggle`	records a failed toggle	`edura-frontend/src/lib/redux/__tests__/admin-payment-dashboard.test.ts`	
TC-1579	Unit	P2	–	`removes a deleted student and lowers the total`	removes a deleted student and lowers the total	`edura-frontend/src/lib/redux/__tests__/admin-payment-dashboard.test.ts`	
TC-1580	Unit	P2	–	`sends a progress report`	sends a progress report	`edura-frontend/src/lib/redux/__tests__/admin-payment-dashboard.test.ts`	
TC-1581	Unit	P2	admin slice — streams and admins	`adds, edits and removes streams`	adds, edits and removes streams	`edura-frontend/src/lib/redux/__tests__/admin-payment-dashboard.test.ts`	
TC-1582	Unit	P2	–	`lists, adds and removes admins`	lists, adds and removes admins	`edura-frontend/src/lib/redux/__tests__/admin-payment-dashboard.test.ts`	
TC-1583	Unit	P2	–	`stores and clears the PayHere config`	stores and clears the PayHere config	`edura-frontend/src/lib/redux/__tests__/admin-payment-dashboard.test.ts`	
TC-1584	Unit	P2	–	`lists slips and updates one after review`	lists slips and updates one after review	`edura-frontend/src/lib/redux/__tests__/admin-payment-dashboard.test.ts`	
TC-1585	Unit	P2	–	`lists all slips by default`	lists all slips by default	`edura-frontend/src/lib/redux/__tests__/admin-payment-dashboard.test.ts`	
TC-1586	Unit	P2	–	`loads bank accounts for students or admins`	loads bank accounts for students or admins	`edura-frontend/src/lib/redux/__tests__/admin-payment-dashboard.test.ts`	
TC-1587	Unit	P2	–	`adds, edits and removes bank accounts`	adds, edits and removes bank accounts	`edura-frontend/src/lib/redux/__tests__/admin-payment-dashboard.test.ts`	
TC-1588	Unit	P2	–	`loads earnings for a course`	loads earnings for a course	`edura-frontend/src/lib/redux/__tests__/admin-payment-dashboard.test.ts`	
TC-1589	Unit	P2	–	`defaults enrollment paging and attempt limits`	defaults enrollment paging and attempt limits	`edura-frontend/src/lib/redux/__tests__/admin-payment-dashboard.test.ts`	
TC-1590	Unit	P2	–	`fetches platform stats once`	fetches platform stats once	`edura-frontend/src/lib/redux/__tests__/admin-payment-dashboard.test.ts`	
TC-1591	Unit	P2	–	`records a failed stats load`	records a failed stats load	`edura-frontend/src/lib/redux/__tests__/admin-payment-dashboard.test.ts`	
TC-1592	Unit	P2	–	`fetches ranking exams once`	fetches ranking exams once	`edura-frontend/src/lib/redux/__tests__/admin-payment-dashboard.test.ts`	
TC-1593	Unit	P2	ui slice	`queues notifications with unique ids, even in the same millisecond`	queues notifications with unique ids, even in the same millisecond	`edura-frontend/src/lib/redux/__tests__/auth-ui.test.ts`	
TC-1594	Unit	P2	–	`tracks a global loading message`	tracks a global loading message	`edura-frontend/src/lib/redux/__tests__/auth-ui.test.ts`	
TC-1595	Unit	P2	–	`stays quiet for an exam that was already attempted`	stays quiet for an exam that was already attempted	`edura-frontend/src/lib/redux/__tests__/auth-ui.test.ts`	
TC-1596	Unit	P2	–	`ignores other successes`	ignores other successes	`edura-frontend/src/lib/redux/__tests__/auth-ui.test.ts`	
TC-1597	Unit	P2	auth slice — login	`keeps a remembered session in localStorage only`	keeps a remembered session in localStorage only	`edura-frontend/src/lib/redux/__tests__/auth-ui.test.ts`	
TC-1598	Unit	P2	–	`keeps an unremembered session in this tab only`	keeps an unremembered session in this tab only	`edura-frontend/src/lib/redux/__tests__/auth-ui.test.ts`	
TC-1599	Unit	P2	–	`remembers which address still needs verifying`	remembers which address still needs verifying	`edura-frontend/src/lib/redux/__tests__/auth-ui.test.ts`	
TC-1600	Unit	P2	–	`reports wrong credentials`	reports wrong credentials	`edura-frontend/src/lib/redux/__tests__/auth-ui.test.ts`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-1601	Unit	P2	auth slice — session	`loads the current user and whether the profile needs completing`	loads the current user and whether the profile needs completing	`edura-frontend/src/lib/redux/__tests__/auth-ui.test.ts`	
TC-1602	Unit	P2	–	`marks the app initialized even when there is no session`	marks the app initialized even when there is no session	`edura-frontend/src/lib/redux/__tests__/auth-ui.test.ts`	
TC-1603	Unit	P2	–	`logs out everywhere`	logs out everywhere	`edura-frontend/src/lib/redux/__tests__/auth-ui.test.ts`	
TC-1604	Unit	P2	–	`sets credentials, persisting only when asked`	sets credentials, persisting only when asked	`edura-frontend/src/lib/redux/__tests__/auth-ui.test.ts`	
TC-1605	Unit	P2	–	`has small flags for startup and profile completion`	has small flags for startup and profile completion	`edura-frontend/src/lib/redux/__tests__/auth-ui.test.ts`	
TC-1606	Unit	P2	auth slice — Google sign-in	`stores the session in this tab and loads the user`	stores the session in this tab and loads the user	`edura-frontend/src/lib/redux/__tests__/auth-ui.test.ts`	
TC-1607	Unit	P2	–	`reports a rejected Google token`	reports a rejected Google token	`edura-frontend/src/lib/redux/__tests__/auth-ui.test.ts`	
TC-1608	Unit	P2	auth slice — profile and passwords	`creating the profile clears the completion step`	creating the profile clears the completion step	`edura-frontend/src/lib/redux/__tests__/auth-ui.test.ts`	
TC-1609	Unit	P2	–	`creating a profile without a loaded user only clears the flag`	creating a profile without a loaded user only clears the flag	`edura-frontend/src/lib/redux/__tests__/auth-ui.test.ts`	
TC-1610	Unit	P2	–	`updating without a loaded user changes nothing`	updating without a loaded user changes nothing	`edura-frontend/src/lib/redux/__tests__/auth-ui.test.ts`	
TC-1611	Unit	P2	–	`forgot-password sends the address it was given`	forgot-password sends the address it was given	`edura-frontend/src/lib/redux/__tests__/auth-ui.test.ts`	
TC-1612	Unit	P2	courses slice — admin	`fetches, creates, updates and deletes courses`	fetches, creates, updates and deletes courses	`edura-frontend/src/lib/redux/__tests__/content-slices.test.ts`	
TC-1613	Unit	P2	–	`ignores an update for a course that is not listed`	ignores an update for a course that is not listed	`edura-frontend/src/lib/redux/__tests__/content-slices.test.ts`	
TC-1614	Unit	P2	–	`keeps lessons in sync with their course`	keeps lessons in sync with their course	`edura-frontend/src/lib/redux/__tests__/content-slices.test.ts`	
TC-1615	Unit	P2	–	`ignores lesson changes for courses that are not loaded`	ignores lesson changes for courses that are not loaded	`edura-frontend/src/lib/redux/__tests__/content-slices.test.ts`	
TC-1616	Unit	P2	–	`uploads and deletes images`	uploads and deletes images	`edura-frontend/src/lib/redux/__tests__/content-slices.test.ts`	
TC-1617	Unit	P2	courses slice — student	`fetches the catalogue for the signed-in student's grade and stream`	fetches the catalogue for the signed-in student's grade and stream	`edura-frontend/src/lib/redux/__tests__/content-slices.test.ts`	
TC-1618	Unit	P2	–	`browses without a grade when signed out`	browses without a grade when signed out	`edura-frontend/src/lib/redux/__tests__/content-slices.test.ts`	
TC-1619	Unit	P2	–	`loads a course overview, clearing the previous one first`	loads a course overview, clearing the previous one first	`edura-frontend/src/lib/redux/__tests__/content-slices.test.ts`	
TC-1620	Unit	P2	–	`reports a failed free video enrollment`	reports a failed free video enrollment	`edura-frontend/src/lib/redux/__tests__/content-slices.test.ts`	
TC-1621	Unit	P2	–	`marks an exam attempted after submitting`	marks an exam attempted after submitting	`edura-frontend/src/lib/redux/__tests__/content-slices.test.ts`	
TC-1622	Unit	P2	exams slice — admin	`fetches, creates, updates and deletes exams`	fetches, creates, updates and deletes exams	`edura-frontend/src/lib/redux/__tests__/content-slices.test.ts`	
TC-1623	Unit	P2	–	`starts an attempt`	starts an attempt	`edura-frontend/src/lib/redux/__tests__/content-slices.test.ts`	
TC-1624	Unit	P2	–	`announces new badges when a submit earns them`	announces new badges when a submit earns them	`edura-frontend/src/lib/redux/__tests__/content-slices.test.ts`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-1625	Unit	P2	–	`reports a failed submit`	reports a failed submit	`edura-frontend/src/lib/redux/__tests__/content-slices.test.ts`	
TC-1626	Unit	P2	–	`loads the last attempt and the access check`	loads the last attempt and the access check	`edura-frontend/src/lib/redux/__tests__/content-slices.test.ts`	
TC-1627	Unit	P2	–	`loads, adds, edits and removes questions`	loads, adds, edits and removes questions	`edura-frontend/src/lib/redux/__tests__/content-slices.test.ts`	
TC-1628	Unit	P2	–	`imports a CSV without touching the list`	imports a CSV without touching the list	`edura-frontend/src/lib/redux/__tests__/content-slices.test.ts`	
TC-1629	Unit	P2	video classes slice	`loads a video class`	loads a video class	`edura-frontend/src/lib/redux/__tests__/content-slices.test.ts`	
TC-1630	Unit	P2	–	`creates a module and tracks admin errors`	creates a module and tracks admin errors	`edura-frontend/src/lib/redux/__tests__/content-slices.test.ts`	
TC-1631	Unit	P2	–	`updateProgress marks a video watched when the payload names it`	updateProgress marks a video watched when the payload names it	`edura-frontend/src/lib/redux/__tests__/content-slices.test.ts`	
TC-1632	Unit	P2	–	`createVideoAction surfaces the API error`	createVideoAction surfaces the API error	`edura-frontend/src/lib/redux/__tests__/content-slices.test.ts`	
TC-1633	Unit	P2	chat slice — student side	`remembers the guest session id in the browser`	remembers the guest session id in the browser	`edura-frontend/src/lib/redux/__tests__/social-slices.test.ts`	
TC-1634	Unit	P2	–	`shows a spinner only for the first load, then polls quietly`	shows a spinner only for the first load, then polls quietly	`edura-frontend/src/lib/redux/__tests__/social-slices.test.ts`	
TC-1635	Unit	P2	–	`appends a sent message`	appends a sent message	`edura-frontend/src/lib/redux/__tests__/social-slices.test.ts`	
TC-1636	Unit	P2	–	`syncs a guest thread`	syncs a guest thread	`edura-frontend/src/lib/redux/__tests__/social-slices.test.ts`	
TC-1637	Unit	P2	chat slice — admin inbox	`loads conversations, quietly when polling`	loads conversations, quietly when polling	`edura-frontend/src/lib/redux/__tests__/social-slices.test.ts`	
TC-1638	Unit	P2	–	`opens a conversation and replies`	opens a conversation and replies	`edura-frontend/src/lib/redux/__tests__/social-slices.test.ts`	
TC-1639	Unit	P2	–	`deleting the open conversation also closes it`	deleting the open conversation also closes it	`edura-frontend/src/lib/redux/__tests__/social-slices.test.ts`	
TC-1640	Unit	P2	–	`keeps the open conversation when another is deleted`	keeps the open conversation when another is deleted	`edura-frontend/src/lib/redux/__tests__/social-slices.test.ts`	
TC-1641	Unit	P2	–	`starting a chat with a student opens it and lists it once`	starting a chat with a student opens it and lists it once	`edura-frontend/src/lib/redux/__tests__/social-slices.test.ts`	
TC-1642	Unit	P2	–	`submits feedback and reports success`	submits feedback and reports success	`edura-frontend/src/lib/redux/__tests__/social-slices.test.ts`	
TC-1643	Unit	P2	–	`lists, marks read and deletes feedback`	lists, marks read and deletes feedback	`edura-frontend/src/lib/redux/__tests__/social-slices.test.ts`	
TC-1644	Unit	P2	referral slice	`loads the summary and events`	loads the summary and events	`edura-frontend/src/lib/redux/__tests__/social-slices.test.ts`	
TC-1645	Unit	P2	–	`defaults the events limit to 50`	defaults the events limit to 50	`edura-frontend/src/lib/redux/__tests__/social-slices.test.ts`	
TC-1646	Unit	P2	–	`applies a code then refreshes the summary and events`	applies a code then refreshes the summary and events	`edura-frontend/src/lib/redux/__tests__/social-slices.test.ts`	

TC ID	Type	Priority	Class	Test	Description	Test file	Status
TC-1647	Unit	P2	badges slice	`loads the badge dashboard`	loads the badge dashboard	`edura-frontend/src/lib/redux/__tests__/social-slices.test.ts`	
TC-1648	Unit	P2	–	`reports a failed dashboard load with the server detail or a fallback`	reports a failed dashboard load with the server detail or a fallback	`edura-frontend/src/lib/redux/__tests__/social-slices.test.ts`	
TC-1649	Unit	P2	–	`loads earned badges`	loads earned badges	`edura-frontend/src/lib/redux/__tests__/social-slices.test.ts`	
TC-1650	Unit	P2	–	`queues and clears badge celebrations`	queues and clears badge celebrations	`edura-frontend/src/lib/redux/__tests__/social-slices.test.ts`	