# **Annotation Type Location**

@Retention(value=RUNTIME)
@Target(value=METHOD)

public @interface Location

指定"追踪/探测的方法"中一个特定的"位置"

This annotation <u>specifies</u> a <u>particular "location"</u> within a traced/probed java method for <u>BTrace probe</u> <u>specifications</u>.

### Author:

A. Sundararajan

# Optional Element Summary

**Optional Elements** 

Optional Elements	
Modifier and Type	Optional Element and Description
java.lang.String	clazz 为某类"探测位置"指定"全路径类名" <u>Specifies</u> the fully qualified class name for certain kind of probe locations.
java.lang.String	field 指定"字段名"  Specifies the field name for Kind.FIELD_SET and Kind.FIELD_GET probes.
int	line Specifies the line number for Kind. LINE probes.
java.lang.String	method 指定"方法名"  Specifies the method name for certain kind of probe locations.
java.lang.String	Specifies field or method type for certain kind of probe locations.
Kind	value "探测位置"的类型 <u>Kind of the location</u>
Where	where 哪里是你"感兴趣的位置探测点" Specifies where do want to probe with respect to the location of interest.

### Element Detail

## value

public abstract Kind value

Kind of the location.

See Also:

Kind Default: com.sun.btrace.annotations.Kind.ENTRY 入口 where public abstract Where where Specifies where do want to probe with respect to the location of interest. See Also: Where Default: com.sun.btrace.annotations.Where.BEFORE 在"探测位置"之前 clazz public abstract java.lang.String clazz Specifies the fully qualified class name for certain kind of probe locations. Default: 11 11 method

# public abstract java.lang.String method Specifies the method name for certain kind of probe locations. Default:

### field

public abstract java.lang.String field

Specifies the field name for Kind.FIELD\_SET and Kind.FIELD\_GET probes.

### See Also:

Kind.FIELD\_GET, Kind.FIELD\_SET

### Default:

11 11

### type

public abstract java.lang.String type

Specifies field or method type for certain kind of probe locations. The type is specified like in Java source - except the method or field name and parameter names are not included.

### Default:

11 11

### line

public abstract int line

Specifies the line number for Kind.LINE probes.

### See Also:

Kind.LINE

### Default:

0