### Overview Package Class Use Tree Deprecated Index Help

PREV CLASS NEXT CLASS

SUMMARY: NESTED | FIELD | CONSTR | METHOD

FRAMES NO FRAMES All Classes
DETAIL: FIELD | CONSTR | METHOD

org. apache. commons. pool2. impl Class EvictionConfig

java. lang. Object

└ org. apache. commons. pool2. impl. EvictionConfig

public class EvictionConfig

extends Object

用于将"对象池"实现类的配置信息传递给"驱逐策略(EvictionPolicy)"实例

This class is <u>used by pool implementations to pass configuration information to EvictionPolicy</u> instances. The <u>EvictionPolicy</u> may also have its own specific configuration attributes.

This class is immutable and thread-safe. 此类是不可变和线程安全的

Since:

2.0

Version:

\$Revision: \$

## Constructor Summary

<u>EvictionConfig</u>(long poolIdleEvictTime, long poolIdleSoftEvictTime, int minIdle)

Create a new eviction configuration with the specified parameters.

# Method Summary

long getIdleEvictTime()

Obtain the idleEvictTime for this eviction configuration instance.

long | getIdleSoftEvictTime()

Obtain the idleSoftEvictTime for this eviction configuration instance.

nt getMinIdle()

Obtain the minIdle for this eviction configuration instance.

# Methods inherited from class java. lang. Object

<u>clone</u>, <u>equals</u>, <u>finalize</u>, <u>getClass</u>, <u>hashCode</u>, <u>notify</u>, <u>notifyAll</u>, <u>toString</u>, <u>wait</u>, <u>wait</u>, <u>wait</u>

# Constructor Detail

### EvictionConfig

 $\verb"public EvictionConfig" (long poolIdleEvictTime",$ 

long poolIdleSoftEvictTime,
int minIdle)

int minIdle)

Create a new eviction configuration with the specified parameters. Instances are immutable.

### Parameters:

池对象的最大空闲驱逐时间(<u>ms</u>)

poolIdleEvictTime - Expected to be provided by <a href="mailto:BaseGenericObjectPool.getMinEvictableIdleTimeMillis()">BaseGenericObjectPool.getMinEvictableIdleTimeMillis()</a>

poolIdleSoftEvictTime - Expected to be provided by 池对象的最小空闲驱逐时间(ms)

BaseGenericObjectPool.getSoftMinEvictableIdleTimeMillis()
minIdle - Expected to be provided by GenericObjectPool getMinIdle() or

minIdle - Expected to be provided by GenericObjectPool.getMinIdle() or

GenericKeyedObjectPool.getMinIdlePerKey() 对象池的最小空闲池对象数量

## Method Detail

### getIdleEvictTime

### 获取"池对象的最大空闲驱逐时间(<u>ms</u>)"。 当池对象的空闲时间超过该值时,立马被强制驱逐掉。

public long getIdleEvictTime()

Obtain the idleEvictTime for this eviction configuration instance.

How the evictor behaves based on this value will be determined by the configured EvictionPolicy.

#### Returns:

The idleEvictTime in milliseconds

#### getIdleSoftEvictTime

获取"池对象的最小空闲驱逐时间(<u>ms</u>)"。 当池对象的空闲时间超过该值时,被纳入驱逐对象列表里。

public long getIdleSoftEvictTime()

Obtain the idleSoftEvictTime for this eviction configuration instance.

How the evictor behaves based on this value will be determined by the configured EvictionPolicy.

#### Returns:

The (@code idleSoftEvictTime) in milliseconds

### getMinIdle

获取"对象池的最小空闲池对象数量"。

public int getMinIdle()

Obtain the minIdle for this eviction configuration instance.

How the evictor behaves based on this value will be determined by the configured EvictionPolicy.

#### Returns:

The minIdle

## Overview Package Class Use Tree Deprecated Index Help

 PREV CLASS
 NEXT CLASS

 SUMMARY: NESTED | FIELD | CONSTR | METHOD
 DETAIL: FIELD | CONSTR | METHOD

Copyright © 2001 - 2014 The Apache Software Foundation. All rights reserved.