Claude AI in Zotero 来了！官方接口！200K 上下文！

Original 猫小Q 青柠学术 2024年09月18日 22:52



Claude AI，整起来！

Claude AI，在多个方面具有优势，**比如优秀的数学和推理能力、快速数据处理和精准任务执行、高达 200K 的上下文语境理解能力**，等等。

之前，我已经介绍过通过「中转平台」在 Zotero 中使用 Claude AI 的方法。👇

心动已久？Zotero One 使用 Claude AI 其实很简单！

但是这还不够。

所以，【**Claude AI 官方 in Zotero**】来了，也就是说可以填入 Claude 官方 API 发起请求了。

使用前须知

Claude 的使用对网络环境要求很高。（需要合适的线路和路由规则🤔）

Claude API 购买

你可以在 **Claude 官网**[1]购买 Claude API，如果你觉得麻烦或者搞不定，不妨移步万能的淘宝。

不过需要注意：在淘宝购买 Claude API 时，**请选择官方直连 API，不要买中转 API**，因为 Zotero One 是通过官方接口发起请求的。

获取 Claude API 后，**填写在 Zotero One 插件下图所示处**，然后点击验证。



至此就可以愉快地使用了。

Claude 模型

Claude 目前主要有以下四个模型：

- claude-3-5-sonnet-20240620
- claude-3-opus-20240229
- claude-3-sonnet-20240229
- claude-3-haiku-20240307

官网有这几个模型的对比介绍[2]：




Model comparison table

To help you choose the right model for your needs, we've compiled a table comparing the key features and capabilities of each model in the Claude family:

	Claude 3.5 Sonnet	Claude 3 Opus	Claude 3 Sonnet	Claude 3 Haiku
Description	Most intelligent model	Powerful model for highly complex tasks	Balance of intelligence and speed	Fastest and most compact model for near-instant responsiveness
Strengths	Highest level of intelligence and capability	Top-level performance, intelligence, fluency, and understanding	Strong utility, balanced for scaled deployments	Quick and accurate targeted performance
Multilingual	Yes	Yes	Yes	Yes
Vision	Yes	Yes	Yes	Yes
API model name	`claude-3-5-sonnet-20240620`	`claude-3-opus-20240229`	`claude-3-sonnet-20240229`	`claude-3-haiku-20240307`
API format	Messages API	Messages API	Messages API	Messages API
Comparative latency	Fast	Moderately fast	Fast	Fastest
Context window	200K	200K	200K	200K
Max output	8192 tokens	4096 tokens	4096 tokens	4096 tokens
Cost (Input / Output per MTok)	$3.00 / $15.00	$15.00 / $75.00	$3.00 / $15.00	$0.25 / $1.25
Training data cut-off	Apr 2024	Aug 2023	Aug 2023	Aug 2023

可以看到，**这几个模型均支持 200K 上下文窗口，很适合全文 AI。**👍


Zotero One 模型列表中包含了这四个模型，请按需选择。



Claude AI 常见错误码含义

在验证 Claude API 或者使用 Claude 中，你可能会遇到一些报错弹窗或者请求错误提示。

根据官方文档，常见错误码的含义如下图所示：



Errors

HTTP errors

Our API follows a predictable HTTP error code format:

- 400 - `invalid_request_error` : There was an issue with the format or content of your request. We may also use this error type for other 4XX status codes not listed below.
- 401 - `authentication_error` : There's an issue with your API key.
- 403 - `permission_error` : Your API key does not have permission to use the specified resource.
- 404 - `not_found_error` : The requested resource was not found.
- 413 - `request_too_large` : Request exceeds the maximum allowed number of bytes.
- 429 - `rate_limit_error` : Your account has hit a rate limit.
- 500 - `api_error` : An unexpected error has occurred internal to Anthropic's systems.
- 529 - `overloaded_error` : Anthropic's API is temporarily overloaded.

When receiving a **streaming** response via SSE, it's possible that an error can occur after returning a 200 response, in which case error handling wouldn't follow these standard mechanisms.

或许你会用上～

相关链接

[1] Claude 官网：*https://www.anthropic.com/pricing*

[2] Claude 模型对比：*https://docs.anthropic.com/en/docs/about-claude/models*

-[end]-

永久会员

青柠学术的小店

永久会员 + Zotero One




小程序

✅ 已有 1万+ 人加入 VIP

- 购买后，小程序左下角联系客服获取资源 -

会员权益



▲点击查看详情

Zotero One 53 Zotero 文献生态 236 Claude AI 2

Zotero One · 目录

上一篇 下一篇

文心一言，整起来！有免费模型，还能在 Zotero 中用！

通义千问 | 岂止强，还能【联网搜索】，更能在 Zotero 中使用！