

Swagger ScreenShots

API 1.0.0

Open in Explore

SAVE

PACTFLOW

Sync

Aa

Code

Edit GitHub Push

Reset Changes

new

Export

Example Value | Schema

```
{
  "venue": 2,
  "user": 1,
  "date": "2024-08-27",
  "start_time": "17:20:00",
  "end_time": "18:20:00"
}
```

Responses

Code	Description	Links
200	Booking successfully created.	No links

Media type

application/json

Code	Description	Links
200	Booking successfully created.	No links

Media type

application/json

Controls

Accept header.

Example Value | Schema

```
{
  "message": "Booking successfully created."
}
```

400

Time slot conflict.

No links

Media type

application/json





Example Value | Schema

```
{
  "message": "This time slot is already booked.",
  "available_slots": [
    "05:00:00",
    "13:00:00"
  ]
}
```

GET

/performance

Get venue performance rankings.



Provides a ranking for venues based on the number of bookings per month. Venues are categorized into A, B, C, or D based on booking counts.

Parameters

Try it out

No parameters

Responses

Code

Description

Links

Code

Description

Links

200

Monthly venue performance.

No links

Media type

application/json

Controls

Accept

header.

Example Value

Schema

```
{
  "August": {
    "Category C": [
      "Court 2"
    ],
    "Category D": [
      "Court 1"
    ]
  },
  "September": {
    "Category D": [
      "Court 2"
    ]
  }
}
```