## Shrinking text

For this section you can either download this essay outline, or type (or copy/paste) in the code from the examples below. The main content is an outline for an essay and it should look something like this:

```
<section>
 <h1>Essay Outline</h1>
 <01>
  Introduction
    <01>
     Introduce Subject
      <u1>
        What is it?
        Why is it important?
      Propose Thesis
     Outline
    </section>
```

As with the cloud pictures, we want the listed items a bit smaller than the regular text, so we add this styling:

```
section {
   font-size: 24px;
}
section h1 {
```

```
font-size: 28px;
}
li {
  font-size: 0.5em;
}
```

Now we look at our resulting rendered page, and get this surprise:

## **Essay Outline**

## 1. Introduction

- 1. Introduce Subject

  What is 10?
  Why is 2 important
- 2. Propose Thesis
- 3. Outline

The outermost level is fine, the next level is almost readable but the innermost level is ridiculously small. Back to the debugger to see what's wrong.

## COMPUTED TAB

Looking into the style settings in the debugger, at first glance we don't see anything unusual. The font-size is .5em as expected. One odd thing is that below the user agent stylesheet panels is the over-ridden font-size setting identical to the current one, i.e. .5em on <|i> elements.

```
<!DOCTYPE html>
                                           Styles | Computed Event Listeners >>
▼<html>
                                          element.style {
                                                                            + %
   <!--
     * Please see the included README.md
   file for license terms and conditions.
                                                                     default.css:8
                                             font-size: .5em;
  <head>...</head>
▼ <body>
                                                             user agent stylesheet
     Essay Outline
                                            display: list-item;
    ▼<0l>
                                             text-align: -webkit-match-parent;
     ▼ i>
        "Introduction
                                          Inherited from ul
                                          ol ol ul, ol ul ul, user agent stylesheet
ul ol ul, ul ul ul {
       <01>
         ▼>
            "Introduce Subject
                                             list-style-type: square;
           <
                                          ul ul, ol ul {
                                                             user agent stylesheet
              What is it?
              Why is it
                                             list style type: circle;
              important
            ul, menu, dir {
                                                             user agent stylesheet
          display: block;
          Propose Thesis
                                            list style type: disc;
          0utline
                                             -webkit-margin-before: 1em;
        -webkit-margin-after: 1em;
       -webkit-margin-start: 0px;
     </01>
                                             -webkit-margin-end: 0px;
                                             -webkit-padding-start: 40px;
   </body>
                                          }
 </html>
                                          Inherited from li
                                          li {
                                                                     default.css:8
                                             font size: .5em;
                                          3.
                                          li {
                                                             user agent stylesheet
                                             display: list-item;
                                             text align: webkit match parent;
                                          }
                                          Inherited from ol
                                          ol {
                                                             user agent stylesheet
                                             display: block:
```

The styles panel doesn't tell us a lot about the actualy font-size in absolute terms. To determine that we can use the "Computed tab".

The 'computed' tab contains the values of all the CSS properties that apply to the current element. There are a lot of them, and they're listed in alphabetical order. Since the computer considers the character '-' as coming before 'a' in the alphabet, the first thing you'll see is a long list of properties starting with '-webkit'. We're going to scroll down past those to "font-size" which reveals this:

This tells us that the font-size on the innermost list item is only 3px. No wonder it's unreadable.

```
Styles Computed Event Listeners >>

Ttood—cotor: rgo(v, v, v);
flood—opacity: 1;
font—family: 'Times New Roman';
font—kerning: auto;

font—size: 3px;
font—stretch: normal;
font—style: normal;
```

When we click on the triangle we can expand the details on font-size, which makes a little more clear what's going on. We see that the font-size on the body is 24px, but there are several repetitions of the li .5em.

```
Styles Computed Event Listeners >>

tont-tamily: 'Times New Roman';
font-kerning: auto;

v font-size: 3px;
li - .5em default.css:10
li - .5em default.css:10
li - .5em default.css:10
default.css:10
default.css:10
default.css:6
font-stretch: normal;
font-style: normal;
```

If we look at the next outer list item, we see that the font-size is 6px, and the one outside of that is 12px. This doubling makes it clear what's happening. Each nested li element has a font-size 1/2 the size of its parent, because the em unit is relative measurement, depending on the current font-size.

Now that we know what's happening, we can fix it in a few different ways. We could use an absolute unit like px or pt, but a better solution would be rem. This would make the size relative to the html font-size (the default font-size for the page), not to it's surroundings.