
The multiple attribute

Themultipleattribute is used withemail and file input types. It's a Boolean attribute, so here are the different syntax possibilities:




- <input type="email|file"
 multiple>
- <input type="email|file" multiple="multiple">
- <input type="email|file" multiple="">

WITH <INPUT TYPE="EMAIL">

With the <input type="email">, this attribute enables the user to enter a set of addresses, separated by a comma instead of a single address. Entering several addresses will keep the input field valid.

Online example at JS Bin

Or try it below in your browser: type in a list of email addresses separated by a comma, then look at the input field background color (pink = invalid, green = valid), and then submit:



```
This form does not use the multiple attribute:

—Without the multiple attribute

Enter several email addresses:

Submit
```

Complete source code:

```
<!DOCTYPE html>
    <html>
    <style>
      input:invalid {
        background-color: lightPink;
      input:valid {
        background-color: lightGreen;
10.
      fieldset {
        border:1px solid;
       padding:20px;
    </style>
    <body>
     This form uses: <code><input type="email"</p>
    name="myemail">
        <b>multiple</b></code>
    <form>
       <fieldset>
21.
         <legend>With the multiple attribute</legend>
         <label for="emailmultiple">Enter several email
    addresses: </label>
         <input type="email" name="myemail"</pre>
                 title="enter multiple emails addresses, separated
    by a comma"
                multiple/>
```

```
<button>Submit
       </fieldset>
    </form>
     >
    This form does not use the multiple attribute:
33.
   <form>
     <fieldset>
       <legend>Without the multiple attribute </legend>
       <label>Enter several email addresses:</label>
       <input type="email" name="myemail"</pre>
              title="only one address please!"/>
       <button>Submit
     </fieldset>
    </form>
    >
    Type in a list of email addresses separated by a comma. Look
    at the input field background color (pink = invalid, green =
   valid), and then submit. 
44. </body>
    </html>
```

Best practice: add a title attribute indicating what you expect as a valid entry (lines 24 and 37). If you enter bad values and submit, you will see in the error message the string value of the titleattribute.

```
WITH < INPUT TYPE="FILE">
```

With this type of input field, multiple files can be chosen (whereas before HTML5, only a single file could be chosen).

Typical use: <input type=file multiple>

Try these in your browser, look at the small variations (text in the buttons, messages):

	Example with <input multiple="" type="file"/>						
	Select one or more files: Choose Files No file chosen						
	Example without the multiple attribute:						
	Select only one file: Choose File No file chosen						
	se the standard key modifiers (shift, control, command) for selecting multiple files who	϶n					
KN	NOWLEDGE CHECK 5.5.8 (NOT GRADED)						
Th	e multiple attribute can be used with several input types. Which ones?						
	<pre>email</pre>						
	□ tel						
	file						
	number						
	color						

Note: Make sure you select all of the correct options - two of them are correct!						