## Drawing rectangles - immediate drawing mode

### INTRODUCTION

In the previous sections, we learned how to draw filled or wireframe rectangles.

As soon as the ctx.strokeRect(x, y, width, height) or the ctx.fillRect(x, y, width, height) method is called, a rectangle is indeed drawn *immediately* in the canvas.


While drawing rectangles with strokeRect or fillRect, drawing text or drawing images, all these shapes will be drawn in *immediate mode*.

Another mode called "path mode" or "buffered mode" will be seen later in this course, which will be useful for drawing lines, curves, arcs, and also rectangles. Rectangles are the only shapes that have methods for drawing them *immediately* and also other methods for drawing them in "path/buffered mode".

# EXAMPLE: DRAWING RECTANGLES IN IMMEDIATE MODE USING GOOD PRACTICE

We'll just give an example here that draws several rectangles, filled or wireframe, with different colors and line widths.

Online example on JS Bin



#### Source code:

```
<!DOCTYPE HTML>
    <html>
     <head>
     <title>Some rectangles drawn in immediate mode</title>
     <style>
        #myCanvas {
            border: 1px solid #9C9898;
     </style>
10.
   <script>
        var canvas, ctx;
        window.onload = function () {
           canvas =document.getElementById('myCanvas');
           ctx = canvas.getContext('2d');
           // black rectangle, default color (black)
           ctx.fillRect(10, 10, 100, 100);
           // outlined rectangle, default color
20.
           ctx.strokeRect(150, 10, 100, 100);
           // outlined rectangle filled in red, outline blue
           ctx.fillStyle = 'red';
           ctx.strokeStyle = 'lightBlue';
```

```
ctx.lineWidth = 10;
           ctx.fillRect(100, 150, 150, 150);
           ctx.strokeRect(100, 150, 150, 150);
           // A function that automatizes previous drawing
30.
           var angle = Math.PI / 10;
     drawFilledRectangle(300, 150, 150, 150, 'pink', 'green', 10, angle);
     drawFilledRectangle(300, 150, 150, 150, 'yellow', 'purple', 10, angle +0.5);
     function drawFilledRectangle(x, y, w, h, fillColor, strokeColor, lw, angle)
        // GOOD PRACTICE: save if the function changes the context
        // or coordinate
        // system
        ctx.save();
       // position coordinate system
41.
        ctx.translate(x, y);
        ctx.rotate(angle);
        // set colors, line width...
        ctx.lineWidth = lw;
        ctx.fillStyle = fillColor;
        ctx.strokeStyle = strokeColor;
        // draw at 0, 0 as we translated the coordinate
       // system already
51.
       ctx.fillRect(0, 0, w, h);
       ctx.strokeRect(0, 0, w, h);
       // GOOD PRACTICE: a restore for a save!
       ctx.restore();
     </script>
     </head>
     <body>
         <canvas id="myCanvas" width="578"height="400">
61.
         </canvas>
     </body>
    </html>
```

### What does immediate drawing mode mean?

- The HTML5 canvas' graphic context provides a few drawing methods that work in "immediate drawing mode". When calling these methods, the drawings appear on the canvas as soon as the instructions are executed.
- The HTML5 canvas works all the time in a special mode called "immediate drawing mode". It's easier to program as all graphic instructions produce results as soon as the instructions are executed. All methods that produce drawings work in this way.