

PROGRAM GUI SEDERHANA DENGAN FUNGSI CRUD MENGUNAKAN PYTHON TKINTER



Disusun Oleh :
Mahija Ibad Pradipta (5024221026)

S1 TEKNIK KOMPUTER
FAKULTAS TEKNOLOGI ELEKTRO DAN INFORMATIKA CERDAS
INSTITUT TEKNOLOGI SEPULUH NOPEMBER
2024

KATA PENGANTAR

Puji dan syukur saya panjatkan ke hadirat Allah SWT, karena berkat rahmat-Nya, saya bisa menyelesaikan laporan berjudul “Program GUI Sederhana Dengan Fungsi CRUD Menggunakan Python Tkinter” dengan baik dan tepat waktu. Saya juga ingin mengucapkan terima kasih kepada bapak Arta Kusuma Hernanda selaku dosen pengampu yang telah membimbing saya dalam mata kuliah Struktur Data Dan Analisa Algoritma. Laporan ini saya susun berdasarkan kode program yang saya buat. Laporan ini diajukan guna memenuhi tugas mata kuliah Struktur Data Dan Analisa Algoritma.

Akhir kata, saya sadar bahwa laporan ini masih jauh dari kata sempurna. Oleh karena itu, saya sangat mengharapkan kritik dan saran dari teman-teman semua yang bersifat membangun agar kedepannya laporan ini bisa menjadi lebih baik. Semoga laporan ini memberikan informasi bagi masyarakat dan bermanfaat untuk pengembangan wawasan dan peningkatan ilmu pengetahuan bagi kita semua.

Surabaya, 23 Juni 2024

Penulis

DAFTAR ISI


HALAMAN JUDUL.....	1
KATA PENGANTAR	2
DAFTAR ISI.....	3
PENJELASAN APLIKASI.....	4
SOURCE DIRECTORY	4
SOURCE CODE	6
OUTPUT CODE	15
DEMO VIDEO.....	17

PENJELASAN APLIKASI

Pada mata kuliah Struktur Data Dan Analisa Algoritma yang diampu bapak Arta Kusuma Hernanda, S.T., M.T.. Mahasiswa diberi tugas untuk membuat sebuah aplikasi GUI sederhana dari bahasa pemrograman python yang berfokus pada CRUD, yaitu konsep dasar dalam sistem manajemen basis data untuk mengelola data. Dimana CRUD sendiri adalah singkatan dari Create, Read, Update, dan Delete. Keempat operasi yang merepresentasikan aktivitas dasar yang bisa dilakukan terhadap data di dalam sebuah basis data atau aplikasi. Program yang saya buat ialah program kasir sederhana yang dimulai dari sistem login, signup, pergantian halaman program, input data, maupun mengelola data itu sendiri. Program ini menggunakan modul Tkinter dikarenakan saya merasa tkinter merupakan GUI yang cukup mudah untuk dipelajari dan memiliki banyak fitur yang mudah dipakai untuk kebutuhan program program sederhana.

Program kasir ini sendiri diawali dengan pembuatan class secara umum dalam python. Pembuatan class ini berfungsi untuk membuat kode lebih terstruktur sehingga mudah dipahami dan dikelola secara keseluruhan. Program diawali dengan pembuatan class app yang berguna untuk mengatur halaman utama atau halaman menu program. Di class ini berisi kode untuk mengatur judul, ukuran dan ikon dari jendela program. Di class app juga berisi kode untuk fitur pergantian halaman program, dimana kode ini didefinisikan di class app. Kemudian ada class frame_login yang berisi kode untuk menerima input dan untuk fitur validasi kecocokan antar input dengan data yang sudah diinput melalui sesi signup atau halaman program yang berbeda. Selain itu ada class frame_signup untuk menerima dan menulis input yang diterima ke suatu file eksternal diluar kode dalam bentuk txt. Selanjutnya ada class frame_admin dimana class ini juga merupakan class utama karena berisi kode kode untuk fitur CRUD, seperti save button untuk menyimpan data yang diinput ke database di listbox, delete button untuk menghapus data tertentu sesuai yang dipilih yang ada di listbox atau database, update button untuk mengganti data lama yang ada di database di listbox dengan input terbaru, clear database button untuk langsung menghapus semua data didatabase yang ada di listbox tanpa terkecuali, clearbox button untuk menghilangkan input yang kita ingin tulis pada sebuah textbox, logout button untuk kembali ke halaman menu program, exit button untuk close program, dan fitur tidak langsung select yang mana jika kita memilih suatu data di database listbox maka data tersebut akan muncul di tampilan textbox setiap textbox yang ada. Dan terakhir adalah kode eksekusi dan kode perulangan untuk Tkinter itu sendiri.

SOURCE DIRECTORY



- GUI = Folder utama
 - IMAGES = Folder untuk menyimpan gambar yang akan di tampilkan di program
 - 1.png = Gambar 1 yang ingin ditampilkan di program
 - 2.png = Gambar 2 yang ingin ditampilkan di program
 - toko.ico = Gambar 3 yang ingin ditampilkan di program
 - gui.py = Kode utama untuk menjalankan program
 - database_users.txt = File untuk menyimpan hasil input menu utama program

SOURCE CODE

```
from tkinter import Tk, Frame, Label, Button, Text, PhotoImage, messagebox, Listbox, LEFT, END, TOP, BOTTOM

class App(Tk):
    def __init__(self):
        super().__init__()
        self.title("EEJA STORE")
        self.iconbitmap('c:/Users/Eeja/OneDrive - Institut Teknologi Sepuluh Nopember/Dokumen/Strukdat/GUI/images/toko.ico')
        self.geometry("800x800")
        self.resizable(False, False)

        self.main_frame = Frame(self)
        self.main_frame.pack(fill="both", expand=True)

        self.rights1 = Label(self.main_frame, text="© 2024 Eeja Store. All rights reserved.  
Developed by Mahija Ibad Pradipta - 5024221026.", font=("Helvetica", 10))
        self.rights1.pack(side=BOTTOM, padx=0)

        self.image = PhotoImage(file='c:/Users/Eeja/OneDrive - Institut Teknologi Sepuluh Nopember/Dokumen/Strukdat/GUI/images/1.png')
        self.image_label = Label(self.main_frame, image=self.image)
        self.image_label.pack(pady=(100, 20))

        self.login_button = Button(self.main_frame, text="Login", command=lambda: self.attempt_click(True), font=("Helvetica", 20), height=1, width=15)
        self.login_button.pack(side=LEFT, padx=(150, 20), pady=(0, 100))

        self.signup_button = Button(self.main_frame, text="Sign Up", command=lambda: self.attempt_click(False), font=("Helvetica", 20), height=1, width=15)
        self.signup_button.pack(side=LEFT, padx=(5, 10), pady=(0, 100))

    def attempt_click(self, is_click):
        self.main_frame.pack_forget()
        if is_click:
            self.login_frame = frame_login(self)
            self.login_frame.pack(fill="both", expand=True)
        else:
            self.signup_frame = frame_signup(self)
            self.signup_frame.pack(fill="both", expand=True)

    def reset_to_login1(self):
        try:
            self.login_frame.pack_forget()
        except AttributeError:
            pass

        self.main_frame.pack(fill="both", expand=True)

    def reset_to_login2(self):
        try:
            self.signup_frame.pack_forget()
        except AttributeError:
            pass

        self.main_frame.pack(fill="both", expand=True)

    def reset_to_login3(self):
        self.admin_frame = frame_admin(self, user_input="")
```

```

        try:
            self.login_frame.pack_forget()
        except AttributeError:
            pass
        try:
            self.signup_frame.pack_forget()
        except AttributeError:
            pass
        try:
            self.admin_frame.pack_forget()
        except AttributeError:
            pass

        self.main_frame.pack(fill="both", expand=True)

class frame_login(Frame):
    def __init__(self, master):
        super().__init__(master)
        self.image = PhotoImage(file='c:/Users/Eeja/OneDrive - Institut Teknologi Sepuluh
Nopember/Dokumen/Strukdat/GUI/images/1.png')
        self.image = self.image.subsample(3, 3)
        self.image_label = Label(self, image=self.image)
        self.image_label.pack(pady=(100, 50))

        self.login_name = Label(self, text="Username", font=("Helvetica", 15))
        self.login_name.pack(side=TOP, padx=0)

        self.login_usn_fill = Text(self, height=1, width=20, font=("Helvetica", 15))
        self.login_usn_fill.pack(side=TOP, padx=0)

        self.login_pwd = Label(self, text="Password", font=("Helvetica", 15))
        self.login_pwd.pack(side=TOP, padx=0, pady=(30,0))

        self.login_pwd_fill = Text(self, height=1, width=20, font=("Helvetica", 15))
        self.login_pwd_fill.pack(side=TOP, padx=0)

        self.login_button = Button(self, text="Login", command=self.attempt_login,
font=("Helvetica", 15), height=1, width=20)
        self.login_button.pack(side=TOP, padx=(20, 20), pady=(60, 0))

        self.backmenu_button = Button(self, text="Back To Menu", command=self.attempt_backmenu,
font=("Helvetica", 15), height=1, width=20)
        self.backmenu_button.pack(side=TOP, padx=(20, 20), pady=(20, 0))

        self.rights2 = Label(self, text="© 2024 Eeja Store. All rights reserved. Developed by Mahija
Ibad Pradipta - 5024221026.", font=("Helvetica", 10))
        self.rights2.pack(side=BOTTOM, padx=0)

    def attempt_login(self):
        user_input = self.login_usn_fill.get("1.0", "end-1c")
        pass_input = self.login_pwd_fill.get("1.0", "end-1c")
        if user_input and pass_input:
            login_successful = False
            with open('c:/Users/Eeja/OneDrive - Institut Teknologi Sepuluh
Nopember/Dokumen/Strukdat/GUI/database_users.txt', "r") as file:
                lines = file.readlines()
                for i in range(0, len(lines), 3):
                    try:
                        username_line = lines[i].strip()
                        password_line = lines[i+1].strip()
                        _, username = username_line.split(": ")
                        _, password = password_line.split(": ")

```



```

        if username == user_input and password == pass_input:
            login_successful = True
            break
        except IndexError:
            continue
    if login_successful:
        self.pack_forget()
        self.login_frame = frame_admin(self.master, user_input)
        self.login_frame.pack(fill="both", expand=True)
    else:
        messagebox.showwarning("Login Error", "User Not Found.")
else:
    messagebox.showwarning("Login Error", "Please Fill All.")

def attempt_backmenu(self):
    self.master.reset_to_login1()

class frame_signup(Frame):
    def __init__(self, master):
        super().__init__(master)
        self.image = PhotoImage(file='c:/Users/Eeja/OneDrive - Institut Teknologi Sepuluh
Nopember/Dokumen/Strukdat/GUI/images/1.png')
        self.image = self.image.subsample(3, 3)
        self.image_label = Label(self, image=self.image)
        self.image_label.pack(pady=(100, 50))

        self.signup_name = Label(self, text="Setup Username", font=("Helvetica", 15))
        self.signup_name.pack(side=TOP, padx=0)

        self.signup_usn_fill = Text(self, height=1, width=20, font=("Helvetica", 15))
        self.signup_usn_fill.pack(side=TOP, padx=0)

        self.signup_pwd = Label(self, text="Setup Password", font=("Helvetica", 15))
        self.signup_pwd.pack(side=TOP, padx=0, pady=(30,0))

        self.signup_pwd_fill = Text(self, height=1, width=20, font=("Helvetica", 15))
        self.signup_pwd_fill.pack(side=TOP, padx=0)

        self.signup_email = Label(self, text="Setup E-Mail", font=("Helvetica", 15))
        self.signup_email.pack(side=TOP, padx=0, pady=(30,0))

        self.signup_email_fill = Text(self, height=1, width=20, font=("Helvetica", 15))
        self.signup_email_fill.pack(side=TOP, padx=0)

        self.signup_button = Button(self, text="Sign Up", command=self.change, font=("Helvetica",
15), height=1, width=20)
        self.signup_button.pack(side=TOP, padx=(20, 20), pady=(60, 0))

        self.backmenu_button1 = Button(self, text="Back To Menu", command=self.attempt_backmenu,
font=("Helvetica", 15), height=1, width=20)
        self.backmenu_button1.pack(side=TOP, padx=(20, 20), pady=(20, 0))

        self.rights3 = Label(self, text="© 2024 Eeja Store. All rights reserved. Developed by Mahija
Ibad Pradipta - 5024221026.", font=("Helvetica", 10))
        self.rights3.pack(side=BOTTOM, padx=0)

    def attempt_backmenu(self):
        self.master.reset_to_login2()

    def change(self):
        user_input = self.signup_usn_fill.get("1.0", "end-1c")

```



```

pass_input = self.signup_pwd_fill.get("1.0", "end-1c")
email_input = self.signup_email_fill.get("1.0", "end-1c")

if user_input and pass_input and email_input:
    with open('c:/Users/Eeja/OneDrive - Institut Teknologi Sepuluh
Nopember/Dokumen/Strukdat/GUI/database_users.txt', "a") as file: # Change "w" to "a" to append
instead of overwrite
        file.write(f"Username: {user_input}\n")
        file.write(f"Password: {pass_input}\n")
        file.write(f"Email: {email_input}\n")

    self.pack_forget()
    self.signup_frame = frame_admin(self.master, user_input)
    self.signup_frame.pack(fill="both", expand=True)
else:
    messagebox.showwarning("Signup Error", "Please Fill All.")

class frame_admin(Frame):
    def __init__(self, master, user_input):
        super().__init__(master)
        self.users = []
        self.shop_name = Label(self, text="WELCOME BACK TO EEJA STORE, " + user_input + '!',
font=("Helvetica", 10))
        self.shop_name.pack(pady=(10, 0))

        self.image = PhotoImage(file='c:/Users/Eeja/OneDrive - Institut Teknologi Sepuluh
Nopember/Dokumen/Strukdat/GUI/images/2.png')
        self.image = self.image.subsample(5, 5)
        self.image_label = Label(self, image=self.image)
        self.image_label.pack(pady=(0, 0))

        self.shop_address= Label(self, text="EEJA STORE\n JL. STRUKTUR DATA ANALISA ALGORITMA NO.
026\n KEC. TEKNIK KOMPUTER, KOTA ITS, 5024\n -----", font=("Helvetica", 10))
        self.shop_address.pack(pady=(10, 0))

        self.admin_cst_container = Frame(self)
        self.admin_cst_container.pack(pady=(10, 0), anchor="w")

        self.admin_cst = Label(self.admin_cst_container, text="CUSTOMER", font=("Helvetica", 10))
        self.admin_cst.pack(side=LEFT, padx=(10, 65), pady=0)

        self.admin_cst_fill = Text(self.admin_cst_container, height=1, width=20, font=("Helvetica",
10))
        self.admin_cst_fill.pack(side=LEFT, padx=(5, 10), pady=0)

        self.admin_cst_button = Button(self.admin_cst_container, text="Auto", font=("Helvetica",
10), height=1, width=21)
        self.admin_cst_button.pack(side=LEFT, padx=(5, 10), pady=0)

        self.admin_settings_button = Button(self.admin_cst_container, text="Settings",
font=("Helvetica", 10), height=1, width=35)
        self.admin_settings_button.pack(side=LEFT, padx=(5, 10), pady=0)

        self.admin_id_cst_container = Frame(self)
        self.admin_id_cst_container.pack(pady=(10, 0), anchor="w")

        self.admin_id_cst = Label(self.admin_id_cst_container, text="CUSTOMER ID",
font=("Helvetica", 10))
        self.admin_id_cst.pack(side=LEFT, padx=(10, 50), pady=0)

```

```

        self.admin_id_cst_fill = Text(self.admin_id_cst_container, height=1, width=20,
font=("Helvetica", 10))
        self.admin_id_cst_fill.pack(side=LEFT, padx=(5, 10), pady=0)

        self.admin_id_cst_button1 = Button(self.admin_id_cst_container, text="+", font=("Helvetica",
10), height=1, width=9)
        self.admin_id_cst_button1.pack(side=LEFT, padx=(5, 10), pady=0)

        self.admin_id_cst_button2 = Button(self.admin_id_cst_container, text="-", font=("Helvetica",
10), height=1, width=9)
        self.admin_id_cst_button2.pack(side=LEFT, padx=(5, 10), pady=0)

        self.admin_clear_box_button = Button(self.admin_id_cst_container, text="Clear Box",
font=("Helvetica", 10), height=1, width=35, command=self.clear_box)
        self.admin_clear_box_button.pack(side=LEFT, padx=(5, 10), pady=0)

        self.admin_date_time_container = Frame(self)
        self.admin_date_time_container.pack(pady=(10, 0), anchor="w")

        self.admin_date_time = Label(self.admin_date_time_container, text="DATE & TIME",
font=("Helvetica", 10))
        self.admin_date_time.pack(side=LEFT, padx=(10, 60), pady=0)

        self.admin_date_time_fill = Text(self.admin_date_time_container, height=1, width=20,
font=("Helvetica", 10))
        self.admin_date_time_fill.pack(side=LEFT, padx=(5, 10), pady=0)

        self.admin_date_time_button = Button(self.admin_date_time_container, text="Auto",
font=("Helvetica", 10), height=1, width=21)
        self.admin_date_time_button.pack(side=LEFT, padx=(5, 10), pady=0)

        self.admin_print_receipt_button = Button(self.admin_date_time_container, text="Print
Receipt", font=("Helvetica", 10), height=1, width=35)
        self.admin_print_receipt_button.pack(side=LEFT, padx=(5, 10), pady=0)

        self.admin_note_container = Frame(self)
        self.admin_note_container.pack(pady=(10, 0), anchor="w")

        self.admin_note = Label(self.admin_note_container, text="NOTE", font=("Helvetica", 10))
        self.admin_note.pack(side=LEFT, padx=(10, 107), pady=0)

        self.admin_note_fill = Text(self.admin_note_container, height=1, width=20,
font=("Helvetica", 10))
        self.admin_note_fill.pack(side=LEFT, padx=(5, 10), pady=0)

        self.admin_note_button = Button(self.admin_note_container, text=" - ", font=("Helvetica",
10), height=1, width=21)
        self.admin_note_button.pack(side=LEFT, padx=(5, 10), pady=0)

        self.admin_save_button = Button(self.admin_note_container, text="Save", font=("Helvetica",
10), height=1, width=35, command=self.save)
        self.admin_save_button.pack(side=LEFT, padx=(5, 10), pady=0)

        self.admin_item_id_container = Frame(self)
        self.admin_item_id_container.pack(pady=(10, 0), anchor="w")

        self.admin_item_id = Label(self.admin_item_id_container, text="ITEM ID", font=("Helvetica",
10))
        self.admin_item_id.pack(side=LEFT, padx=(10, 93), pady=0)

        self.admin_item_id_fill = Text(self.admin_item_id_container, height=1, width=20,
font=("Helvetica", 10))

```

```

self.admin_item_id_fill.pack(side=LEFT, padx=(5, 10), pady=0)

self.admin_item_id_button1 = Button(self.admin_item_id_container, text="+",
font=("Helvetica", 10), height=1, width=9)
self.admin_item_id_button1.pack(side=LEFT, padx=(5, 10), pady=0)

self.admin_item_id_button2 = Button(self.admin_item_id_container, text="-",
font=("Helvetica", 10), height=1, width=9)
self.admin_item_id_button2.pack(side=LEFT, padx=(5, 10), pady=0)

self.admin_update_button = Button(self.admin_item_id_container, text="Update",
font=("Helvetica", 10), height=1, width=35, command=self.update)
self.admin_update_button.pack(side=LEFT, padx=(5, 10), pady=0)

self.admin_item_name_container = Frame(self)
self.admin_item_name_container.pack(pady=(10, 0), anchor="w")

self.admin_item_name = Label(self.admin_item_name_container, text="ITEM NAME",
font=("Helvetica", 10))
self.admin_item_name.pack(side=LEFT, padx=(10, 68), pady=0)

self.admin_item_name_fill = Text(self.admin_item_name_container, height=1, width=20,
font=("Helvetica", 10))
self.admin_item_name_fill.pack(side=LEFT, padx=(5, 10), pady=0)

self.admin_item_name_button = Button(self.admin_item_name_container, text="Auto",
font=("Helvetica", 10), height=1, width=21)
self.admin_item_name_button.pack(side=LEFT, padx=(5, 10), pady=0)

self.admin_delete_button = Button(self.admin_item_name_container, text="Delete",
font=("Helvetica", 10), height=1, width=35, command=self.delete)
self.admin_delete_button.pack(side=LEFT, padx=(5, 10), pady=0)

self.admin_item_price_container = Frame(self)
self.admin_item_price_container.pack(pady=(10, 0), anchor="w")

self.admin_item_price = Label(self.admin_item_price_container, text="ITEM PRICE",
font=("Helvetica", 10))
self.admin_item_price.pack(side=LEFT, padx=(10, 67), pady=0)

self.admin_item_price_fill = Text(self.admin_item_price_container, height=1, width=20,
font=("Helvetica", 10))
self.admin_item_price_fill.pack(side=LEFT, padx=(5, 10), pady=0)

self.admin_item_price_button = Button(self.admin_item_price_container, text="Auto",
font=("Helvetica", 10), height=1, width=21)
self.admin_item_price_button.pack(side=LEFT, padx=(5, 10), pady=0)

self.admin_clear_db_button = Button(self.admin_item_price_container, text="Clear Database",
font=("Helvetica", 10), height=1, width=35, command=self.clear_db)
self.admin_clear_db_button.pack(side=LEFT, padx=(5, 10), pady=0)

self.admin_item_discount_container = Frame(self)
self.admin_item_discount_container.pack(pady=(10, 0), anchor="w")

self.admin_item_discount = Label(self.admin_item_discount_container, text="ITEM DISCOUNT",
font=("Helvetica", 10))
self.admin_item_discount.pack(side=LEFT, padx=(10, 40), pady=0)

self.admin_item_discount_fill = Text(self.admin_item_discount_container, height=1, width=20,
font=("Helvetica", 10))
self.admin_item_discount_fill.pack(side=LEFT, padx=(5, 10), pady=0)

```

```

        self.admin_item_discount_button = Button(self.admin_item_discount_container, text="Auto",
font=("Helvetica", 10), height=1, width=21)
        self.admin_item_discount_button.pack(side=LEFT, padx=(5, 10), pady=0)

        self.admin_report_button = Button(self.admin_item_discount_container, text="Report",
font=("Helvetica", 10), height=1, width=35)
        self.admin_report_button.pack(side=LEFT, padx=(5, 10), pady=0)

        self.admin_payment_methods_container = Frame(self)
        self.admin_payment_methods_container.pack(pady=(10, 0), anchor="w")

        self.admin_payment_methods = Label(self.admin_payment_methods_container, text="PAYMENT
METHODS", font=("Helvetica", 10))
        self.admin_payment_methods.pack(side=LEFT, padx=(10, 9), pady=0)

        self.admin_payment_methods_fill = Text(self.admin_payment_methods_container, height=1,
width=20, font=("Helvetica", 10))
        self.admin_payment_methods_fill.pack(side=LEFT, padx=(5, 10), pady=0)

        self.admin_payment_methods_button1 = Button(self.admin_payment_methods_container,
text="Cash", font=("Helvetica", 10), height=1, width=5)
        self.admin_payment_methods_button1.pack(side=LEFT, padx=(5, 10), pady=0)

        self.admin_payment_methods_button2 = Button(self.admin_payment_methods_container, text="TF",
font=("Helvetica", 10), height=1, width=5)
        self.admin_payment_methods_button2.pack(side=LEFT, padx=(5, 10), pady=0)

        self.admin_payment_methods_button3 = Button(self.admin_payment_methods_container,
text="QRIS", font=("Helvetica", 10), height=1, width=5)
        self.admin_payment_methods_button3.pack(side=LEFT, padx=(5, 10), pady=0)

        self.admin_logout_button = Button(self.admin_payment_methods_container, text="Log Out",
font=("Helvetica", 10), height=1, width=35, command=lambda: self.attempt_admin(True),)
        self.admin_logout_button.pack(side=LEFT, padx=(5, 10), pady=0)

        self.admin_payment_amount_container = Frame(self)
        self.admin_payment_amount_container.pack(pady=(10, 0), anchor="w")

        self.admin_payment_amount = Label(self.admin_payment_amount_container, text="PAYMENT
AMOUNT", font=("Helvetica", 10))
        self.admin_payment_amount.pack(side=LEFT, padx=(10, 20), pady=0)

        self.admin_payment_amount_fill = Text(self.admin_payment_amount_container, height=1,
width=20, font=("Helvetica", 10))
        self.admin_payment_amount_fill.pack(side=LEFT, padx=(5, 10), pady=0)

        self.admin_payment_amount_button1 = Button(self.admin_payment_amount_container, text="+",
font=("Helvetica", 10), height=1, width=9)
        self.admin_payment_amount_button1.pack(side=LEFT, padx=(5, 10), pady=0)

        self.admin_payment_amount_button2 = Button(self.admin_payment_amount_container, text="-",
font=("Helvetica", 10), height=1, width=9)
        self.admin_payment_amount_button2.pack(side=LEFT, padx=(5, 10), pady=0)

        self.admin_exit_button = Button(self.admin_payment_amount_container, text="Exit",
font=("Helvetica", 10), height=1, width=35, command=lambda: self.attempt_admin(False),)
        self.admin_exit_button.pack(side=LEFT, padx=(5, 10), pady=0)

        self.listbox_database_container = Frame(self)
        self.listbox_database_container.pack(pady=(10, 0), anchor="ne")

```

```

        self.listbox_database = Listbox(self.listbox_database_container, font=("Helvetica", 10),
height=13, width=110)
        self.listbox_database.pack(side=LEFT, padx=(10, 10), pady=0)
        self.listbox_database.bind('<<ListBoxSelect>>', self.select)

    def save(self):
        customer = self.admin_cst_fill.get("1.0", "end-1c")
        costumer_id = self.admin_id_cst_fill.get("1.0", "end-1c")
        date_time = self.admin_date_time_fill.get("1.0", "end-1c")
        note = self.admin_note_fill.get("1.0", "end-1c")
        item_id = self.admin_item_id_fill.get("1.0", "end-1c")
        item_name = self.admin_item_name_fill.get("1.0", "end-1c")
        item_price = self.admin_item_price_fill.get("1.0", "end-1c")
        item_discount = self.admin_item_discount_fill.get("1.0", "end-1c")
        payment_methods = self.admin_payment_methods_fill.get("1.0", "end-1c")
        payment_amount = self.admin_payment_amount_fill.get("1.0", "end-1c")

        if customer and costumer_id and date_time and item_id and item_name and item_price and
item_discount and payment_methods and payment_amount and note:
            self.users.append({"Customer": customer, "Customer ID": costumer_id, "Date & Time":
date_time, "Item ID": item_id, "Item Name": item_name, "Item Price": item_price, "Item Discount":
item_discount, "Payment Methods": payment_methods, "Payment Amount": payment_amount, "Note": note})
            self.update_listbox()
            self.clear_box()
        else:
            messagebox.showwarning("Input Error", "Please Fill All.")

    def update(self):
        selected_index = self.listbox_database.curselection()
        if selected_index:
            index = selected_index[0]
            self.users[index] = {"Customer": self.admin_cst_fill.get("1.0", "end-1c"), "Customer
ID": self.admin_id_cst_fill.get("1.0", "end-1c"), "Date & Time":
self.admin_date_time_fill.get("1.0", "end-1c"), "Item ID": self.admin_item_id_fill.get("1.0", "end-
1c"), "Item Name": self.admin_item_name_fill.get("1.0", "end-1c"), "Item Price":
self.admin_item_price_fill.get("1.0", "end-1c"), "Item Discount":
self.admin_item_discount_fill.get("1.0", "end-1c"), "Payment Methods":
self.admin_payment_methods_fill.get("1.0", "end-1c"), "Payment Amount":
self.admin_payment_amount_fill.get("1.0", "end-1c"), "Note": self.admin_note_fill.get("1.0", "end-
1c")}]
            self.update_listbox()
            self.clear_box()
        else:
            messagebox.showwarning("Selection Error", "Please select a user to update.")

    def delete(self):
        selected_index = self.listbox_database.curselection()
        if selected_index:
            index = selected_index[0]
            del self.users[index]
            self.update_listbox()
            self.clear_box()
        else:
            messagebox.showwarning("Selection Error", "Please select a user to delete.")

    def select(self, event):
        selected_index = self.listbox_database.curselection()
        if selected_index:
            index = selected_index[0]
            user = self.users[index]
            self.admin_cst_fill.delete("1.0", END)

```

```

        self.admin_cst_fill.insert("1.0", user['Customer'])
        self.admin_id_cst_fill.delete("1.0", END)
        self.admin_id_cst_fill.insert("1.0", user['Customer ID'])
        self.admin_date_time_fill.delete("1.0", END)
        self.admin_date_time_fill.insert("1.0", user['Date & Time'])
        self.admin_note_fill.delete("1.0", END)
        self.admin_note_fill.insert("1.0", user['Note'])
        self.admin_item_id_fill.delete("1.0", END)
        self.admin_item_id_fill.insert("1.0", user['Item ID'])
        self.admin_item_name_fill.delete("1.0", END)
        self.admin_item_name_fill.insert("1.0", user['Item Name'])
        self.admin_item_price_fill.delete("1.0", END)
        self.admin_item_price_fill.insert("1.0", user['Item Price'])
        self.admin_item_discount_fill.delete("1.0", END)
        self.admin_item_discount_fill.insert("1.0", user['Item Discount'])
        self.admin_payment_methods_fill.delete("1.0", END)
        self.admin_payment_methods_fill.insert("1.0", user['Payment Methods'])
        self.admin_payment_amount_fill.delete("1.0", END)
        self.admin_payment_amount_fill.insert("1.0", user['Payment Amount'])

    def update_listbox(self):
        self.listbox_database.delete(0, END)
        for user in self.users:
            self.listbox_database.insert(END, f"{user['Customer']} | {user['Customer ID']} | {user['Date & Time']} | {user['Item ID']} | {user['Item Name']} | {user['Item Price']} | {user['Item Discount']} | {user['Payment Methods']} | {user['Payment Amount']} | {user['Note']}")

    def clear_box(self):
        self.admin_cst_fill.delete("1.0", END)
        self.admin_id_cst_fill.delete("1.0", END)
        self.admin_date_time_fill.delete("1.0", END)
        self.admin_note_fill.delete("1.0", END)
        self.admin_item_id_fill.delete("1.0", END)
        self.admin_item_name_fill.delete("1.0", END)
        self.admin_item_price_fill.delete("1.0", END)
        self.admin_item_discount_fill.delete("1.0", END)
        self.admin_payment_methods_fill.delete("1.0", END)
        self.admin_payment_amount_fill.delete("1.0", END)

    def clear_db(self):
        self.users = []
        self.update_listbox()


    def attempt_admin(self, is_click):
        self.pack_forget()
        if is_click:
            self.master.reset_to_login3()
        else:
            exit()

app = App()
app.mainloop()


```

OUTPUT CODE

Frame Menu :



Frame login :



Frame Signup :

EEJA STORE

EEJ STORE

Setup Username

Setup Password

Setup E-Mail

Sign Up

Back To Menu

© 2024 Eeja Store. All rights reserved. Developed by Mahija Ibad Pradipta - 5024221026.

Frame Admin :

EEJA STORE

WELCOME BACK TO EEJA STORE, al


EEJ STORE

EEJA STORE
JL. STRUKTUR DATA ANALISA ALGORITMA NO. 026
KEC. TEKNIK KOMPUTER, KOTA ITS, 5024

CUSTOMER		Auto	Settings
CUSTOMER ID		+ -	Clear Box
DATE & TIME		Auto	Print Receipt
NOTE		-	Save
ITEM ID		+ -	Update
ITEM NAME		Auto	Delete
ITEM PRICE		Auto	Clear Database
ITEM DISCOUNT		Auto	Report
PAYMENT METHODS		Cash TF QRIS	Log Out
PAYMENT AMOUNT		+ -	Exit

DEMO VIDEO

Screenshoot Youtube :



Link Youtube :

<https://youtu.be/iMqoMKUNpWk?si=rkmOcKnTpsoaEuk3>