

Adventures in Bayesian Structural Time Series Part 1: Introduction

Andrew Bates, Josh Gloyd, Tyler Tucker



The Adventure



Structural time series

The Adventure



- Structural time series
- Bayesian approach to structural time series

The Adventure



- Structural time series
- Bayesian approach to structural time series
- Implementation via bsts in R



© "Predicting the Present with Bayesian Structural Time Series" Steven L. Scott and Hal Varian



- * "Predicting the Present with Bayesian Structural Time Series" Steven L. Scott and Hal Varian
- "An Introduction to State Space Time Series Analysis" Commandeur and Koopman



- © "Predicting the Present with Bayesian Structural Time Series" Steven L. Scott and Hal Varian
- "An Introduction to State Space Time Series Analysis" Commandeur and Koopman
- "Time Series Analysis By State Space Methods" Durbin and Koopman



- © "Predicting the Present with Bayesian Structural Time Series" Steven L. Scott and Hal Varian
- "An Introduction to State Space Time Series Analysis" Commandeur and Koopman
- "Time Series Analysis By State Space Methods" Durbin and Koopman
- bsts documentation

- © "Predicting the Present with Bayesian Structural Time Series" Steven L. Scott and Hal Varian
- "An Introduction to State Space Time Series Analysis" Commandeur and Koopman
- "Time Series Analysis By State Space Methods" Durbin and Koopman
- bsts documentation
- Adventures in BSTS GitHub



 \otimes Stochastic process indexed by time $\{X_t, t \in \mathbb{T}\}$

$$E[X_t] = \mu$$

$$Cov(X_t, X_{t+k}) = \gamma(k)$$



- \otimes Stochastic process indexed by time $\{X_t, t \in \mathbb{T}\}$
- (weak) Stationarity

$$E[X_t] = \mu$$

$$Cov(X_t, X_{t+k}) = \gamma(k)$$



- \otimes Stochastic process indexed by time $\{X_t, t \in \mathbb{T}\}\$
- (weak) Stationarity

$$E[X_t] = \mu$$

$$Cov(X_t, X_{t+k}) = \gamma(k)$$

♥ Not i.i.d.



AR(1)


$$X_t = \phi X_{t-1} + e_t$$

$$e_t$$
 i.i.d. $(0, \sigma^2)$

$$|\phi| < 1$$



Simulated AR(1)






MA(1)

$$X_t = \theta e_{t-1} + e_t$$

$$e_t$$
 i.i.d. $(0, \sigma^2)$



Simulated MA(1)





ARMA(p,q)

$$\phi(B)X_t = \theta(B)e_t$$

$$\phi(B)X_t = X_t - \phi_1 X_{t-1} - \dots - \phi_p X_{t-p}$$

$$\theta(B)e_t = e_t + \theta_1e_{t-1} + \cdots + \theta_qe_{t-q}$$



Your quest...