------------------------------------------- COMBO-MF Initiated↙
-------------------------------------------

Select mode for COMBO-MF:
1. Intra-Plate Analysis
2. Inter-Plate Analysis
1

---- Intra-Plate Analysis ---

Video Collection path: F:\CUSP9A\1-4\9095

COMBO-Pick Specification path: F:\CUSP9A\M059K_190429_9095.xlsx

Enter hours after drug addition for the 1st recorded time point/frame:
0

Select mode for Intra-Plate Analysis:
1. Run a particular prototype
2. Merge results from several prototypes
2

MF folders to be merged:
F:\CUSP9A\1-4\9095\MF_s1
F:\CUSP9A\1-4\9095\MF_s10
F:\CUSP9A\1-4\9095\MF_s2
F:\CUSP9A\1-4\9095\MF_s3
F:\CUSP9A\1-4\9095\MF_s4
F:\CUSP9A\1-4\9095\MF_s5
F:\CUSP9A\1-4\9095\MF_s6
F:\CUSP9A\1-4\9095\MF_s7
F:\CUSP9A\1-4\9095\MF_s8
F:\CUSP9A\1-4\9095\MF_s9

Generation of time evolving apoptotic-like cell count curves with all 10 different↙
prototypes started...
Generation of time evolving apoptotic-like cell count curves with all 10 different↙
prototypes completed...

Generation of maximum time evolving apoptotic-like cell count curves started...

Generation of maximum time evolving apoptotic-like cell count curves completed...

Time elapsed for COMBO-MF: 0.00 (hrs) 6.00 (min) 20.70 (sec)

------------------------------------------ COMBO-MF Completed↙
------------------------------------------

>>