

Магазин электроники API

1.0.0 OAS 3.0

openapi/json

Development documentation

[Authorize](#) 

default

**POST** /auth/login**Parameters**[Try it out](#)

No parameters

Request body required

application/json

Example Value Schema

```
{  
  "username": "string",  
  "password": "string"  
}
```

Responses

Code	Description	Links
200	Response for status 200 Media type application/json Controls Accept header.	<i>No links</i>

Code	Description	Links
	<p>Example Value Schema</p> <pre>{ "token": "string" }</pre>	
400	<p>Response for status 400</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p> <pre>{ "error": "string" }</pre>	<i>No links</i>

POST /auth/register		
Parameters	Try it out	
No parameters		
Request body <small>required</small>	application/json	
<p>Example Value Schema</p> <pre>{ "username": "string", "password": "string" }</pre>		
Responses		
Code	Description	Links
200	<p>Response for status 200</p> <p>Media type</p>	<i>No links</i>

Code	Description	Links
	<p>application/json</p> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "message": "string" }</pre>	
400	<p>Response for status 400</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p> <pre>{ "error": "string" }</pre>	<i>No links</i>

POST /auth/logout		
Parameters		
Try it out		
No parameters		
Responses		
Code	Description	Links
200	<p>Response for status 200</p> <p>Media type</p> <p>application/json</p> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "message": "string" }</pre>	<i>No links</i>

Code	Description	Links
400	<p>Response for status 400</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p> <pre>{ "error": "string"}</pre>	<i>No links</i>
401	<p>Response for status 401</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p> <pre>{ "error": "string"}</pre>	<i>No links</i>

GET	/items	 
Parameters		Try it out
No parameters		
Responses		
Code	Description	Links
200	<p>Response for status 200</p> <p>Media type</p> <p>application/json</p> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>[</pre>	<i>No links</i>

Code	Description	Links
400	<pre>{\n "id": 2147483647,\n "name": "string",\n "price": 2147483647,\n "unitsInStock": 2147483647,\n "createdAt": "string"\n}\n]</pre> <p>Response for status 400</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p> <pre>{\n "error": "string"\n}</pre>	<i>No links</i>
401	<p>Response for status 401</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p> <pre>{\n "error": "string"\n}</pre>	<i>No links</i>

POST /items 🔒 ⌂

Parameters **Try it out**

No parameters

Request body required **application/json**

Example Value Schema

```
{\n    "id": 2147483647,\n    "name": "string",\n    "price": 2147483647,\n    "unitsInStock": 2147483647,\n    "createdAt": "string"\n}
```

```
    "createdAt": "string"
}
```

Responses

Code	Description	Links
200	<p>Response for status 200</p> <p>Media type</p> <p>application/json</p> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "id": 2147483647, "name": "string", "price": 2147483647, "unitsInStock": 2147483647, "createdAt": "string" }</pre>	<i>No links</i>
400	<p>Response for status 400</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p> <pre>{ "error": "string" }</pre>	<i>No links</i>
401	<p>Response for status 401</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p> <pre>{ "error": "string" }</pre>	<i>No links</i>

GET /items/{id}  

Parameters

No parameters

Responses

Code	Description	Links
200	<p>Response for status 200</p> <p>Media type</p> <p>application/json</p> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "id": 2147483647, "name": "string", "price": 2147483647, "unitsInStock": 2147483647, "createdAt": "string" }</pre>	<i>No links</i>
400	<p>Response for status 400</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p> <pre>{ "error": "string" }</pre>	<i>No links</i>
401	<p>Response for status 401</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p> <pre>{ "error": "string" }</pre>	<i>No links</i>

Code	Description	Links		
PUT	/items/{id}	 		
Parameters		Try it out		
No parameters				
Request body <small>required</small>	application/json			
Example Value Schema				
{ "id": 2147483647, "name": "string", "price": 2147483647, "unitsInStock": 2147483647, "createdAt": "string" }				
Responses				
Code	Description	Links		
200	Response for status 200	<i>No links</i>		
Media type				
application/json				
Controls Accept header.				
Example Value Schema				
{ "id": 2147483647, "name": "string", "price": 2147483647, "unitsInStock": 2147483647, "createdAt": "string" }				
400	Response for status 400	<i>No links</i>		
Media type				

Code	Description	Links
	<p>application/json</p> <p>Example Value Schema</p> <pre>{ "error": "string" }</pre>	
401	<p>Response for status 401</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p> <pre>{ "error": "string" }</pre>	<i>No links</i>

DELETE	/items/{id}	
Parameters		Try it out
	No parameters	
Responses		
Code	Description	Links
200	<p>Response for status 200</p> <p>Media type</p> <p>application/json</p> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "id": 2147483647, "name": "string", "price": 2147483647, "category": "string", "quantity": 0 }</pre>	<i>No links</i>

Code	Description	Links
400	<pre>"unitsInStock": 2147483647, "createdAt": "string" }</pre> <p>Response for status 400</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p> <pre>{ "error": "string" }</pre>	<i>No links</i>
401	<p>Response for status 401</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p> <pre>{ "error": "string" }</pre>	<i>No links</i>

GET /users  

Parameters 

No parameters

Responses

Code	Description	Links
200	<p>Response for status 200</p> <p>Media type</p> <p>application/json</p> <p>Controls Accept header.</p> <p>Example Value Schema</p>	<i>No links</i>

Code	Description	Links
[{ "id": 2147483647, "name": "string", "passwordHash": "string", "isManager": true, "createdAt": "string" }] 400 Response for status 400		No links
Media type application/json		
Example Value Schema		
{ "error": "string" }		
401 Response for status 401		No links
Media type application/json		
Example Value Schema		
{ "error": "string" }		

GET	/users/{id}	 
Parameters		Try it out
No parameters		
Responses		
Code	Description	Links

Code	Description	Links
200	<p>Response for status 200</p> <p>Media type</p> <p>application/json</p> <p>Controls Accept header.</p>	<i>No links</i>
400	<p>Response for status 400</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p> <pre>{ "id": 2147483647, "name": "string", "passwordHash": "string", "isManager": true, "createdAt": "string" }</pre>	<i>No links</i>
401	<p>Response for status 401</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p> <pre>{ "error": "string" }</pre>	<i>No links</i>

PUT /users/{id} 🔒 ⌂

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{  
  "id": 2147483647,  
  "name": "string",  
  "passwordHash": "string",  
  "isManager": true,  
  "createdAt": "string"  
}
```

Responses

Code	Description	Links
200	<p>Response for status 200</p> <p>Media type</p> <p>application/json</p> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "id": 2147483647, "name": "string", "passwordHash": "string", "isManager": true, "createdAt": "string" }</pre>	<i>No links</i>
400	<p>Response for status 400</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p> <pre>{ "error": "string" }</pre>	<i>No links</i>
401	<p>Response for status 401</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p>	<i>No links</i>

Code	Description	Links
	{ "error": "string" }	

DELETE /users/{id}  

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Response for status 200 Media type application/json Controls Accept header.	<i>No links</i>
400	Response for status 400 Media type application/json Example Value Schema { "id": 2147483647, "name": "string", "passwordHash": "string", "userManager": true, "createdAt": "string" } Example Value Schema { "error": "string" }	<i>No links</i>

Code	Description	Links
401	<p>Response for status 401</p> <p>Media type</p> <p>application/json</p>	<i>No links</i>

GET	/orders	
Parameters		Try it out
No parameters		
Responses		
Code	Description	Links
200	<p>Response for status 200</p> <p>Media type</p> <p>application/json</p> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>[{ "id": 2147483647, "userId": 2147483647, "status": "string", "totalPrice": 2147483647, "createdAt": "string" }]</pre>	<i>No links</i>
400	<p>Response for status 400</p> <p>Media type</p> <p>application/json</p>	<i>No links</i>

Code	Description	Links
	<p>Example Value Schema</p> <pre>{ "error": "string" }</pre>	
401	<p>Response for status 401</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p> <pre>{ "error": "string" }</pre>	<i>No links</i>

POST	/orders	
Parameters		Try it out
No parameters		
Request body <small>required</small>	application/json	
<p>Example Value Schema</p> <pre>{ "id": 2147483647, "userId": 2147483647, "status": "string", "totalPrice": 2147483647, "createdAt": "string" }</pre>		
Responses		
Code	Description	Links

Code	Description	Links
200	<p>Response for status 200</p> <p>Media type</p> <p>application/json</p> <p>Controls Accept header.</p>	<i>No links</i>
400	<p>Response for status 400</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p> <pre>{ "id": 2147483647, "userId": 2147483647, "status": "string", "totalPrice": 2147483647, "createdAt": "string" }</pre>	<i>No links</i>
401	<p>Response for status 401</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p> <pre>{ "error": "string" }</pre>	<i>No links</i>

GET `/orders/{id}`

Parameters

No parameters

Try it out

Responses

Code	Description	Links
200	<p>Response for status 200</p> <p>Media type</p> <p>application/json</p> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "id": 2147483647, "userId": 2147483647, "status": "string", "totalPrice": 2147483647, "createdAt": "string", "items": [{ "orderId": 2147483647, "itemId": 2147483647, "amount": 2147483647 }] }</pre>	<i>No links</i>
400	<p>Response for status 400</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p> <pre>{ "error": "string" }</pre>	<i>No links</i>
401	<p>Response for status 401</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p> <pre>{ "error": "string" }</pre>	<i>No links</i>

PUT /orders/{id}

Parameters

[Try it out](#)

No parameters

Request body required

application/json

Example Value Schema

```
{  
  "id": 2147483647,  
  "userId": 2147483647,  
  "status": "string",  
  "totalPrice": 2147483647,  
  "createdAt": "string"  
}
```

Responses

Code	Description	Links
200	Response for status 200	<i>No links</i>
	<p>Media type</p> <p>application/json</p> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "id": 2147483647, "userId": 2147483647, "status": "string", "totalPrice": 2147483647, "createdAt": "string" }</pre>	
400	Response for status 400	<i>No links</i>
	<p>Media type</p> <p>application/json</p> <p>Example Value Schema</p>	

Code	Description	Links
	<pre>{\n "error": "string"\n}</pre>	
401	Response for status 401 Media type application/json	No links

DELETE	/orders/{id}	
Parameters		Try it out
No parameters		
Responses		
Code	Description	Links
200	Response for status 200 Media type application/json Controls Accept header.	No links
Example Value Schema		
<pre>{\n "id": 2147483647,\n "userId": 2147483647,\n "status": "string",\n "totalPrice": 2147483647,\n "createdAt": "string"\n}</pre>		

Code	Description	Links
400	<p>Response for status 400</p> <p>Media type</p> <p>application/json</p>	<i>No links</i>
401	<p>Response for status 401</p> <p>Media type</p> <p>application/json</p>	<i>No links</i>

GET /cart

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	<p>Response for status 200</p> <p>Media type</p> <p>application/json</p> <p>Controls Accept header.</p>	<i>No links</i>

Example Value Schema

```
[  
  {
```

Code	Description	Links
400	<pre>"userId": 0, "items": [{ "userId": 2147483647, "itemId": 2147483647, "amount": 2147483647 }]</pre> <p>Response for status 400</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div> <p>Example Value Schema</p> <pre>{ "error": "string" }</pre>	No links
401	<p>Response for status 401</p> <p>Media type</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;">application/json</div> <p>Example Value Schema</p> <pre>{ "error": "string" }</pre>	No links

POST /cart 🔒 ⌂

Parameters Try it out

No parameters

Request body required application/json

Example Value Schema

```
{  
    "userId": 0,  
    "items": [  
        {  
            "userId": 2147483647,  
            "itemId": 2147483647,  
            "amount": 2147483647  
        }  
    ]  
}
```

```
{  
    "userId": 2147483647,  
    "itemId": 2147483647,  
    "amount": 2147483647  
}  
]  
}
```

Responses

Code	Description	Links
200	<p>Response for status 200</p> <p>Media type</p> <p>application/json</p> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "userId": 0, "items": [{ "userId": 2147483647, "itemId": 2147483647, "amount": 2147483647 }] }</pre>	<i>No links</i>
400	<p>Response for status 400</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p> <pre>{ "error": "string" }</pre>	<i>No links</i>
401	<p>Response for status 401</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p>	<i>No links</i>

Code	Description	Links
	{ "error": "string" }	

GET	/cart/{id}	
Parameters		Try it out
No parameters		
Responses		
Code	Description	Links
200	Response for status 200 Media type application/json Controls Accept header.	<i>No links</i>
Example Value <small>Schema</small>		
{ "userId": 0, "items": [{ "userId": 2147483647, "itemId": 2147483647, "amount": 2147483647 }] }		
400	Response for status 400 Media type application/json	<i>No links</i>
Example Value <small>Schema</small>		
{ "error": "string" }		

Code	Description	Links
401	<p>Response for status 401</p> <p>Media type</p> <p>application/json</p> <p>Example Value Schema</p> <pre>{ "error": "string"}</pre>	No links

PUT	/cart/{id}	
Parameters		Try it out
No parameters		
Request body <small>required</small>	application/json	
Example Value Schema		
<pre>{ "userId": 0, "items": [{ "userId": 2147483647, "itemId": 2147483647, "amount": 2147483647 }]}</pre>		
Responses		
Code	Description	Links
200	<p>Response for status 200</p> <p>Media type</p>	No links

Code	Description	Links
	<p>application/json</p> <p>Controls Accept header.</p>	
	<p>Example Value Schema</p> <pre>{ "userId": 0, "items": [{ "userId": 2147483647, "itemId": 2147483647, "amount": 2147483647 }] }</pre>	
400	Response for status 400	<i>No links</i>
	<p>Media type</p> <p>application/json</p>	
	<p>Example Value Schema</p> <pre>{ "error": "string" }</pre>	
401	Response for status 401	<i>No links</i>
	<p>Media type</p> <p>application/json</p>	
	<p>Example Value Schema</p> <pre>{ "error": "string" }</pre>	

DELETE /cart/{id} 🔒 ⌂

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	<p>Response for status 200</p> <p>Media type</p> <p>application/json</p> <p>Controls Accept header.</p>	<i>No links</i>
400	<p>Response for status 400</p> <p>Media type</p> <p>application/json</p>	<i>No links</i>
401	<p>Response for status 401</p> <p>Media type</p> <p>application/json</p>	<i>No links</i>

Schemas



```
credentials {  
    username*           string  
    password*          string  
}
```

```
error {  
    error*             string  
}
```

```
message {  
    message*           string  
}
```

```
token {  
    token*             string  
}
```

```
id {  
    id*               number  
}
```