
On Application Start:



Creating a new journal entry :JournalEntryScreen SnowBall:SnowBallApp SnowBall.journal:Journal 1.2.1 : presses submit button 1.3.1 : self.createJournalEntry() 1.2.e : return if invalid input 1.3.2 : create new JournalEntry object 1.3.3 : get data and fill in empty object 1.4.1 : self.journal + JournalEntry 1.5.1 : self.__add__(JournalEntry) 1.5.2 : generate valid random id 1.5.2 : assign id to JournalEntry object 1.5.3 : self.entries.append(JournalEntry) 1.3.4.2 : return 1.2.2: return to journal page Editing/Removing a journal entry :JournalEditScreen SnowBall:SnowBallApp SnowBall.journal:Journal 2.1.1 : presses edit button 2.2.1 : self.updateJournalEntry(self.journal_entry) 2.3.1 : SnowBall.updateJournalEntry(self.journal_entry) 2.4.1 : self.journal * JournalEntry 2.5.1 : self.__mul__(JournalEntry) 2.5.2 : finds index of entry, i 2.5.3.1 : self.entries[i].setName(JournalEntry.name) [2.5.3.2 : self.entries[i].setData(JournalEntry.data) 2.5.3.3 : self.entries[i].setTag(JournalEntry.tag) 2.4.2 : return opt 2.1.1 : presses delete button 2.2.1 : self.removeJournalEntry(self.journal_entry) 2.5.1 : self.__sub__(JournalEntry) 2.5.2 : finds index of entry, i 2.5.3 : self.entries.pop(i) **l**2.2.2 : return

From JournalScreen to JournalEditScreen

