


SITE ADMIN - CONFIGURATION




SITE ADMIN - DESIGN




PEOPLE - MAPPING




PEOPLE - ROLES AND GROUPS




PEOPLE - USER


profile_audit_log
PK id bigint
FK userid varchar(64)
module_name varchar(100)
function_name varchar(100)
action varchar(100)
value json
FK created_by varchar(64)
created_on datetime
users_profile
PK id bigint
PK,AK userid varchar(64)
AK username varchar(100)
password varchar(150)
email varchar(150)
secondemail varchar(150)
firstname varchar(100)
lastname varchar(100)
gender varchar(1)
middlename varchar(100)
nameprefix varchar(50)
namesuffix varchar(50)
fullname varchar(150)
textsearch varchar(500)
displayname varchar(150)
nickname varchar(100)
profileurl varchar(500)
pictureurl varchar(500)
phone varchar(100)
mobile varchar(100)
address varchar(255)
city varchar(255)
state varchar(150)
state_name varchar(150)
country varchar(150)
country_name varchar(150)
zipcode varchar(50)
preference json
timezone varchar(50)
timezone_name varchar(50)
AK companyname varchar(255)
currentstatus varchar(50)
oneprofile varchar(64)
dataload_by varchar(225)
custom_dataload int
createdon datetime
FK createdby varchar(64)
updatedon datetime
FK updatedby varchar(64)
users_profile_attributes
PK id bigint
FK userid varchar(64)
companyname varchar(255)
employeeno varchar(255)
userrole json
usertype json
employmenttype json
jobtitle json
department json
manager json
organization json
organization_type varchar(100)
jobrole json
custom json
otherinfo json
is_current int
hiredon date
terminatedon date
costcenter varchar(100)
division varchar(100)
profile_change_from date
profile_change_to date
dataload_by varchar(225)
custom_dataload int
createdon datetime
FK createdby varchar(64)
updatedon datetime
FK updatedby varchar(64)
user_manager
FK tenant_id bigint
FK portal_id bigint
access json
PK id bigint
FK user_id varchar(64)
FK manager_id varchar(64)
is_direct tinyint
created_by varchar(64)
created_on datetime
updated_by varchar(64)
updated_on datetime
custom0 text(65535)
custom1 text(65535)
custom2 text(65535)
custom3 text(65535)
custom4 text(65535)
user_points
PK id bigint
FK tenant_id bigint
FK portal_id bigint
FK user_id varchar(255)
entity_id int
entity_type varchar(255)
FK activity_code varchar(100)
status tinyint
earned_points int
total_points int
expires_on date
created_by varchar(64)
created_on datetime
updated_by varchar(64)
updated_on datetime
custom0 text(65535)
custom1 text(65535)
custom2 text(65535)
custom3 text(65535)
custom4 text(65535)
activity_points
PK id bigint
FK tenant_id bigint
FK portal_id bigint
PK activity_code varchar(200)
activity_name longtext(4294967295)
is_system tinyint
points int
validity int
activity_status tinyint
created_by varchar(64)
created_on datetime
updated_by varchar(64)
updated_on datetime
custom0 text(65535)
custom1 text(65535)
custom2 text(65535)
custom3 text(65535)
custom4 text(65535)


MISCELLANEOUS - AUDIT LOGS




MISCELLANEOUS - CRONS




META DATA LIBRARY - CUSTOM FIELD



META DATA LIBRARY - LEARNING



LEARNING - CATALOG - COURSE



LEARNING - MAPPINGS

skill

FK	tenant_id	bigint
FK	portal_id	bigint
	access	json
PK	id	bigint
	skill_name	varchar(255)
	code	varchar(255)
	description	longtext(4294967295)
	created_by	varchar(64)
	created_on	datetime
	updated_by	varchar(64)
	updated_on	datetime
	custom0	text(65535)
	custom1	text(65535)
	custom2	text(65535)
	custom3	text(65535)
	custom4	text(65535)

skill_mapping

FK	tenant_id	bigint
FK	portal_id	bigint
	access	json
PK	id	bigint
FK	entity_id	bigint
	entity_type	varchar(50)
FK	skill_id	bigint
FK	proficiency_model_id	bigint
FK	proficiency_model_level_id	bigint
	status	int
	created_by	varchar(64)
	created_on	datetime
	updated_by	varchar(64)
	updated_on	datetime
	custom0	text(65535)
	custom1	text(65535)
	custom2	text(65535)
	custom3	text(65535)
	custom4	text(65535)

catalog_details

FK	tenant_id	bigint
FK	portal_id	bigint
	access	json
PK	id	bigint
FK	catalog_id	bigint
	title	varchar(500)
	code	varchar(255)

questionpro_response

FK	tenant_id	bigint
FK	portal_id	bigint
PK	id	bigint
FK	enrollment_id	bigint
FK	survey_id	int
	entity_type	varchar(20)
FK	entity_id	bigint
	response_id	varchar(50)
	response_ipaddr	varchar(50)
	response_timestamp	varchar(50)
	custom_variable_1	text(65535)
	custom_variable_2	text(65535)
	custom_variable_3	text(65535)
	custom_variable_4	text(65535)
	custom_variable_5	text(65535)
	custom_variable_6	text(65535)
	custom_variable_7	text(65535)
	custom_variable_8	text(65535)
	custom_variable_9	text(65535)
	custom_variable_10	text(65535)
	custom_variable_11	text(65535)
	status	text(65535)
	evaluation_status	text(65535)
	evaluation_score	int
	survey_response	longtext(4294967295)
	created_by	varchar(64)
	created_on	datetime
	updated_by	varchar(64)
	updated_on	datetime

course_enrollment

FK	tenant_id	bigint
FK	portal_id	bigint
	access	json
FK	catalog_detail_id	bigint
FK	order_id	bigint
FK	catalog_id	bigint
PK	id	bigint
	user_id	varchar(64)
	register_status	int
	completion_status	int

file_details

FK	tenant_id	bigint
FK	portal_id	bigint
	access	json
	name	varchar(300)
	path	longtext(4294967295)
	size	varchar(300)
PK	id	bigint
	type	varchar(300)
	sub_type	varchar(30)
	status	int
	added_from	varchar(255)
	created_by	varchar(64)
	created_on	datetime
	updated_by	varchar(64)
	updated_on	datetime
	custom0	text(65535)
	custom1	text(65535)
	custom2	text(65535)
	custom3	text(65535)
	custom4	text(65535)

file_entity_mappings

FK	tenant_id	bigint
	access	json
FK	portal_id	bigint
PK	id	bigint
	entity_type	varchar(255)
FK	entity_id	bigint
	visible_to	json
FK	file_id	bigint
	is_parent	tinyint
FK	enrollment_id	bigint
	overwrite_flag	tinyint
	created_by	varchar(64)
	created_on	datetime
	updated_by	varchar(64)
	updated_on	datetime
	custom0	text(65535)
	custom1	text(65535)
	custom2	text(65535)
	custom3	text(65535)
	custom4	text(65535)

skill_set

FK	tenant_id	bigint
FK	portal_id	bigint
	access	json
PK	id	bigint
FK	course_enrollment_id	bigint
FK	program_enrollment_id	bigint
	entity_id	int
	entity_type	varchar(50)
	skill_name	varchar(300)
	type	varchar(50)
	external_training_type	varchar(50)
	display_to_others	varchar(255)
	proficiency	varchar(50)
	proficiency_model	varchar(255)
FK	user_id	varchar(64)
	company	varchar(300)
	certificate_number	varchar(100)
	verification_sent	varchar(15)
	verification_status	varchar(30)
	certificate_type	varchar(30)
	valid_from	date
	valid_to	date
	completed_on	date
	certificate_img	varchar(255)
	verification_required	varchar(255)
	user_name	varchar(255)
	email	varchar(50)
	mobile_no	varchar(50)
	admin_added	tinyint
	is_deleted	int
	created_by	varchar(64)
	created_on	datetime
	updated_by	varchar(64)
	updated_on	datetime
	custom0	varchar(255)
	custom1	varchar(255)
	custom2	varchar(255)
	custom3	varchar(255)
	custom4	varchar(255)

proficiency_model

FK	tenant_id	bigint
FK	portal_id	bigint
	access	json
PK	id	bigint
	model_name	varchar(255)
	created_by	varchar(64)
	created_on	datetime
	updated_by	varchar(64)
	updated_on	datetime
	custom0	text(65535)
	custom1	text(65535)
	custom2	text(65535)
	custom3	text(65535)
	custom4	text(65535)

proficiency_model_level

FK	tenant_id	bigint
FK	portal_id	bigint
	access	json
PK	id	bigint
FK	proficiency_model_id	bigint
	level_name	varchar(255)
	created_by	varchar(64)
	created_on	datetime
	updated_by	varchar(64)
	updated_on	datetime
	custom0	text(65535)
	custom1	text(65535)
	custom2	text(65535)
	custom3	text(65535)
	custom4	text(65535)

file_user_mappings

FK	tenant_id	bigint
FK	portal_id	bigint
	access	json
PK	id	bigint
FK	file_id	bigint
FK	user_id	varchar(64)
	created_by	varchar(64)
	created_on	datetime
	updated_by	varchar(64)
	updated_on	datetime
	custom0	text(65535)
	custom1	text(65535)
	custom2	text(65535)
	custom3	text(65535)
	custom4	text(65535)


users_profile

PK	id	bigint
PK,AK	userid	varchar(64)
AK	username	varchar(100)
	password	varchar(150)
	email	varchar(150)
AK	companyname	varchar(255)


course_observation_checklist

FK	tenant_id	bigint
FK	portal_id	bigint
	access	json
PK	id	bigint
FK	entity_id	bigint
	entity_type	varchar(30)
	overwrite_flag	tinyint
PK	external_assessment_id	int
	external_assessment_title	text(65535)
	external_assessment_url	varchar(250)
	evaluator	varchar(25)
	evaluator_ids	longtext(4294967295)
	coordinator	varchar(25)
	coordinator_ids	longtext(4294967295)
	allow_manager	tinyint
	after_reg_learner	varchar(5)
	after_reg_instructor	varchar(5)
	after_instructor_feedback_learner	varchar(5)
	after_instructor_feedback_instructor	varchar(5)
	after_learner_feedback_learner	varchar(5)
	after_learner_feedback_instructor	varchar(5)
	created_by	varchar(64)
	created_on	datetime
	updated_by	varchar(64)
	updated_on	datetime
	custom0	text(65535)
	custom1	text(65535)
	custom2	text(65535)
	custom3	text(65535)
	custom4	text(65535)


LEARNING - CATALOG - INFORMATION




LEARNING - CATALOG - PROGRAM




LEARNING - CERTIFICATE / LEARNING ASSIGNMENT




LEARNING - CONTENT




LEARNING - LOCATION




LEARNER - CATALOG_DETAILS




LEARNER - DATA




LEARNER - SET UP




LEARNER - STATISTICS




LEARNER - USER




ENROLLMENTS




COMMUNICATION




COMMERCE


tax_settings
FK tenant_id bigint
FK portal_id bigint
access json
PK id bigint
FK country char(4)
states json
nexus enum(3)
vat_numbers json
tax_product_code json
status tinyint
status_name varchar(50)
created_by varchar(64)
created_on datetime
updated_by varchar(64)
updated_on datetime
custom0 text(65535)
custom1 text(65535)
custom2 text(65535)
custom3 text(65535)
custom4 text(65535)
order_items
FK tenant_id bigint
FK portal_id bigint
access json
PK id bigint
FK tax_price decimal
FK order_id bigint
FK user_id varchar(64)
order_status varchar(30)
discount_code varchar(255)
FK currency varchar(30)
discount_price decimal
product_price decimal
base_price decimal
item_price decimal
refund_price decimal
conversion_rate decimal
FK catalog_id bigint
FK catalog_detail_id bigint
nexus_val varchar(50)
vat_no varchar(100)
feed varchar(20)
custom_dataload int
created_by varchar(64)
created_on datetime
updated_by varchar(64)
updated_on datetime
custom0 text(65535)
custom1 text(65535)
custom2 text(65535)
custom3 text(65535)
custom4 text(65535)
drop_policy
FK tenant_id bigint
FK portal_id bigint
access json
PK id bigint
days int
refund_percentage varchar(50)
PK delivery_type varchar(255)
created_by varchar(64)
created_on datetime
updated_by varchar(64)
updated_on datetime
custom0 text(65535)
custom1 text(65535)
custom2 text(65535)
custom3 text(65535)
custom4 text(65535)
catalog
FK tenant_id bigint
FK portal_id bigint
access json
FK type varchar(50)
PK id bigint
catalog_details
FK tenant_id bigint
FK portal_id bigint
access json
FK catalog_id bigint
PK id bigint
FK currency varchar(50)
title varchar(500)
code varchar(255)
FK Type varchar(50)
discounts
FK tenant_id bigint
FK portal_id bigint
access json
PK id bigint
name varchar(255)
description text(65535)
code varchar(255)
type smallint
type_name varchar(25)
value int
currency_type varchar(25)
criteria_type smallint
criteria_type_name varchar(25)
criteria_values json
valid_from date
valid_to date
discount_type smallint
discount_type_name varchar(25)
status tinyint
status_name varchar(50)
created_by varchar(64)
created_on datetime
updated_by varchar(64)
updated_on datetime
custom0 text(65535)
custom1 text(65535)
custom2 text(65535)
custom3 text(65535)
custom4 text(65535)
discounts_mapping
FK tenant_id bigint
FK portal_id bigint
access json
PK id bigint
FK discount_entity_id bigint
FK discounts_id bigint
discount_entity_type varchar(50)
created_by varchar(64)
created_on datetime
updated_by varchar(64)
updated_on datetime
custom0 text(65535)
custom1 text(65535)
custom2 text(65535)
custom3 text(65535)
custom4 text(65535)
currency_conversion_details
FK tenant_id bigint
FK portal_id bigint
PK id bigint
FK base_type varchar(5)
FK convert_type varchar(3)
rate decimal
created_by varchar(64)
created_on datetime
updated_by varchar(64)
updated_on datetime
custom0 text(65535)
custom1 text(65535)
custom2 text(65535)
custom3 text(65535)
custom4 text(65535)
payment_logs
FK tenant_id bigint
FK portal_id bigint
PK id bigint
FK order_id bigint
transaction_type varchar(20)
type varchar(20)
request_param json
payment_response json
transaction_id varchar(64)
created_by varchar(64)
created_on datetime
updated_by varchar(64)
updated_on datetime
custom0 text(65535)
custom1 text(65535)
custom2 text(65535)
custom3 text(65535)
custom4 text(65535)
order_details
FK tenant_id bigint
FK portal_id bigint
access json
PK id bigint
FK user_id varchar(64)
order_status varchar(30)
order_price decimal
order_comment longtext(4294967295)
FK tax_price decimal
order_date datetime
order_remarks longtext(4294967295)
payment_ref_no varchar(255)
currency varchar(30)
file_url longtext(4294967295)
FK payment_type varchar(30)
course_level_price int
discount_price decimal
cart_bg_status varchar(5)
billing_firstname varchar(100)
billing_lastname varchar(100)
billing_add1 varchar(255)
billing_add2 varchar(255)
billing_city varchar(25)
billing_state varchar(25)
billing_postalcode varchar(50)
billing_country varchar(25)
billing_phone varchar(50)
feed varchar(50)
custom_dataload varchar(100)
created_by varchar(64)
created_on datetime
updated_by varchar(64)
updated_on datetime
approved_by varchar(64)
approved_on datetime
custom0 text(65535)
custom1 text(65535)
custom2 text(65535)
custom3 text(65535)
custom4 text(65535)
users_profile
PK id bigint
PK,AK userid varchar(64)
AK username varchar(100)
password varchar(150)
email varchar(150)
AK companyname varchar(255)
payment_methods
PK id bigint
PK payment_method_name varchar(255)
status smallint
created_by varchar(64)
created_on datetime
updated_by varchar(64)
updated_on datetime
custom0 text(65535)
custom1 text(65535)
custom2 text(65535)
custom3 text(65535)
custom4 text(65535)
currencies
FK,AK tenant_id bigint
FK portal_id bigint
access json
PK id bigint
PK,AK code varchar(50)
name varchar(255)
status tinyint
PK short_code varchar(5)
PK symbol varchar(5)
cart_products
FK tenant_id bigint
FK portal_id bigint
FK currency_code varchar(50)
PK id bigint
cart_training_type varchar(15)
FK currency_short_code varchar(5)
FK currency_symbol varchar(5)
price decimal
FK cart_training_id bigint
FK learner_id varchar(64)
created_on datetime

ASSESSMENT


assessment
FK tenant_id bigint
FK portal_id bigint
access json
PK id bigint
title varchar(255)
code varchar(100)
FK lang_code varchar(50)
status tinyint
status_name varchar(50)
description longtext(4294967295)
pass_percentage int
total_questions int
question_to_answer int
random_strategy tinyint
timer varchar(10)
attempts int
is_standalone tinyint
share_url varchar(255)
sections json
created_by varchar(64)
created_on datetime
updated_by varchar(64)
updated_on datetime
custom0 text(65535)
custom1 text(65535)
custom2 text(65535)
custom3 text(65535)
custom4 text(65535)
assessment_group
FK tenant_id bigint
FK portal_id bigint
access json
PK id bigint
FK assessment_id bigint
title longtext(4294967295)
code varchar(100)
sequence int
created_by varchar(64)
created_on datetime
updated_by varchar(64)
updated_on datetime
custom0 text(65535)
custom1 text(65535)
custom2 text(65535)
custom3 text(65535)
custom4 text(65535)
assessment_group_question
FK tenant_id bigint
FK portal_id bigint
access json
PK id bigint
FK assessment_id bigint
FK assessment_group_id bigint
FK question_id bigint
sequence int
mandatory tinyint
created_by varchar(64)
created_on datetime
updated_by varchar(64)
updated_on datetime
custom0 text(65535)
custom1 text(65535)
custom2 text(65535)
custom3 text(65535)
custom4 text(65535)
assessment_question
FK tenant_id bigint
FK portal_id bigint
access json
PK id bigint
status tinyint
status_name varchar(50)
display_type varchar(1)
question_type tinyint
question_text text(65535)
FK lang_code varchar(50)
score float
right_ans_desc varchar(255)
wrong_ans_desc varchar(255)
answer_choices json
image varchar(255)
created_by varchar(64)
created_on datetime
updated_by varchar(64)
updated_on datetime
custom0 text(65535)
custom1 text(65535)
custom2 text(65535)
custom3 text(65535)
custom4 text(65535)
assessment_results
FK tenant_id bigint
FK portal_id bigint
access json
PK id bigint
enrollment_id bigint
object_type varchar(70)
FK question_id bigint
FK assessment_id bigint
FK user_id varchar(64)
question_type varchar(200)
FK object_id bigint
FK program_structure_id bigint
question_txt text(65535)
answer_txt text(65535)
answer_status varchar(25)
re_attend int
no_of_attempts int
pre_status int
score float
isanonymous varchar(200)
created_by varchar(64)
created_on datetime
updated_by varchar(64)
updated_on datetime
custom0 text(65535)
custom1 text(65535)
custom2 text(65535)
custom3 text(65535)
custom4 text(65535)
users_profile
PK id bigint
PK,AK userid varchar(64)
AK username varchar(100)
password varchar(150)
email varchar(150)
AK companyname varchar(255)
assessment_mapping
FK tenant_id bigint
FK portal_id bigint
access json
PK id bigint
FK entity_id bigint
assessment_course_id int
entity_type varchar(50)
FK program_structure_id bigint
FK assessment_id bigint
view_option varchar(1)
no_of_attempts tinyint
pre_status tinyint
preview_option tinyint
review_option tinyint
testout_option tinyint
overwrite_flag tinyint
created_by varchar(64)
created_on datetime
updated_by varchar(64)
updated_on datetime
custom0 text(65535)
custom1 text(65535)
custom2 text(65535)
custom3 text(65535)
custom4 text(65535)
catalog_details
FK tenant_id bigint
FK portal_id bigint
access json
PK id bigint
FK catalog_id bigint
title varchar(500)
code varchar(255)
program_structure
FK tenant_id bigint
FK portal_id bigint
access json
FK program_catalog_id bigint
FK program_catalog_details_id bigint
PK id bigint
sequence tinyint
duration varchar(10)
is_compliance tinyint
price decimal
FK currency varchar(50)
pricing_rule varchar(100)

SURVEY


survey
FK tenant_id bigint
FK portal_id bigint
access json
PK id bigint
title longtext(4294967295)
code varchar(100)
FK lang_code varchar(50)
status tinyint
status_name varchar(50)
description longtext(4294967295)
questions_per_page int
random_strategy tinyint
random_strategy_name varchar(50)
is_standalone tinyint
share_url varchar(255)
sections json
created_by varchar(64)
created_on datetime
updated_by varchar(64)
updated_on datetime
custom0 text(65535)
custom1 text(65535)
custom2 text(65535)
custom3 text(65535)
custom4 text(65535)
survey_group_question
FK tenant_id bigint
FK portal_id bigint
access json
PK id bigint
FK question_id bigint
FK survey_id bigint
sequence int
FK survey_group_id bigint
mandatory tinyint
created_by varchar(64)
created_on datetime
updated_by varchar(64)
updated_on datetime
custom0 text(65535)
custom1 text(65535)
custom2 text(65535)
custom3 text(65535)
custom4 text(65535)
survey_question
FK tenant_id bigint
FK portal_id bigint
access json
PK id bigint
status tinyint
status_name varchar(50)
display_type varchar(1)
question_type tinyint
question_text text(65535)
FK lang_code varchar(50)
answer_choices json
image varchar(255)
created_by varchar(64)
created_on datetime
updated_by varchar(64)
updated_on datetime
custom0 text(65535)
custom1 text(65535)
custom2 text(65535)
custom3 text(65535)
custom4 text(65535)
survey_group
FK tenant_id bigint
FK portal_id bigint
access json
FK survey_id bigint
title longtext(4294967295)
PK id bigint
code varchar(100)
sequence int
created_by varchar(64)
created_on datetime
updated_by varchar(64)
updated_on datetime
custom0 text(65535)
custom1 text(65535)
custom2 text(65535)
custom3 text(65535)
custom4 text(65535)
survey_results
FK tenant_id bigint
FK portal_id bigint
access json
PK id bigint
FK enrollment_id bigint
object_type varchar(70)
question_type varchar(200)
FK survey_id bigint
FK question_id bigint
question_txt text(65535)
answer_txt text(65535)
re_attend int
FK user_id varchar(64)
no_of_attempts int
FK object_id bigint
isanonymous varchar(200)
FK program_structure_id bigint
created_by varchar(64)
created_on datetime
updated_by varchar(64)
updated_on datetime
custom0 text(65535)
custom1 text(65535)
custom2 text(65535)
custom3 text(65535)
custom4 text(65535)
users_profile
PK id bigint
PK,AK userid varchar(64)
AK username varchar(100)
password varchar(150)
email varchar(150)
AK companyname varchar(255)
survey_mapping
FK tenant_id bigint
FK portal_id bigint
access json
PK id bigint
FK survey_id bigint
FK entity_id bigint
FK program_structure_id bigint
survey_course_id int
entity_type varchar(50)
view_option varchar(1)
survey_link longtext(4294967295)
all_survey_link longtext(4294967295)
consider_for_completion int
overwrite_flag tinyint
created_by varchar(64)
created_on datetime
updated_by varchar(64)
updated_on datetime
custom0 text(65535)
custom1 text(65535)
custom2 text(65535)
custom3 text(65535)
custom4 text(65535)
catalog_details
FK tenant_id bigint
FK portal_id bigint
access json
PK id bigint
FK catalog_id bigint
title varchar(500)
code varchar(255)
program_structure
FK tenant_id bigint
FK portal_id bigint
access json
FK program_catalog_id bigint
FK program_catalog_details_id bigint
PK id bigint