Acute Coronary Syndromes – Section Summary

STEMI • RV infarct • Complications • Takotsubo • IABP • Sudden death

Critical Care Board Review • Section 7 • MCQ-Oriented

1. STEMI & Arrest

- Post-arrest STEMI → **TTM + aspirin/heparin + PCI**
- Arrhythmia/bleeding during cooling → stop and rewarm
- Syncope + STEMI → **primary PCI**
- Somnolent with shock/hypoxia → intubate

2. RV Infarct & Mechanical

- RV infarct hypotension → **volume** first
- Papillary rupture/VSR/free wall → **urgent cardiothoracic surgery**; untreated > 25% die in 24 h

3. Takotsubo & Others

- Stress cardiomyopathy hypotension → **IV fluids** (avoid inotropes if LVOTO); then **carvedilol + ACEi**
- Myocarditis → **CMR**
- Pericarditis/dissection workup when atypical pain
- HFrEF post-MI → β-blocker, ACEi, MRA
- Cardiogenic shock mortality predictor: **age**

4. Antiplatelets & Devices

- Pseudothrombocytopenia (EDTA) → **continue DAPT**
- IABP late inflation → adjust timing; wean by ratio **1:2** or volume ↓
- ARVD: sudden death in young athlete
- VT/syncope in structural disease → **β-blocker**, ICD

5. High-Yield MCQ Pearls

- ☑ RV infarct → fluids
- ☑ Takotsubo + hypotension → fluids, avoid inotropes

1. STEMI & Arrest

- Post-arrest STEMI → **TTM + aspirin/heparin + PCI**
- Arrhythmia/bleeding during cooling → stop and rewarm
- Syncope + STEMI → **primary PCI**
- Somnolent with shock/hypoxia → intubate

2. RV Infarct & Mechanical

- RV infarct hypotension → **volume** first
- Papillary rupture/VSR/free wall → **urgent cardiothoracic surgery**; untreated > 25% die in 24 h

3. Takotsubo & Others

- Stress cardiomyopathy hypotension → **IV fluids** (avoid inotropes if LVOTO); then **carvedilol + ACEi**
- Myocarditis → **CMR**
- Pericarditis/dissection workup when atypical pain
- HFrEF post-MI → β-blocker, ACEi, MRA
- Cardiogenic shock mortality predictor: **age**

4. Antiplatelets & Devices

- Pseudothrombocytopenia (EDTA) → **continue DAPT**
- IABP late inflation → adjust timing; wean by ratio **1:2** or volume ↓
- ARVD: sudden death in young athlete
- VT/syncope in structural disease → **β-blocker**, ICD

5. High-Yield MCQ Pearls

- RV infarct → fluids
- Takotsubo + hypotension → fluids, avoid inotropes