Thromboembolic Disease – Section Summary

Risk • Diagnosis • Thrombolysis • Heparin

Critical Care Board Review • Section 11 • MCQ-Oriented

1. Key Points

- Low-risk PE (sPESI 0) → **outpatient**
- Pregnancy/CKD/contrast issue → **V/Q scan**
- Superficial thrombophlebitis ≠ DVT
- High-risk PE: **alteplase 100 mg** (15 mg bolus + 85 mg/90 min); recent stroke = contraindication
- UFH: **80 U/kg bolus, 18 U/kg/h**
- Heparin resistance with low antithrombin → **FFP/AT concentrate**

2. High-Yield MCQ Pearls

- ☑ UFH 80 + 18 U/kg
- ☑ Alteplase 100 mg/2 h

1. Key Points

- Low-risk PE (sPESI 0) → **outpatient**
- Pregnancy/CKD/contrast issue → **V/Q scan**
- Superficial thrombophlebitis ≠ DVT
- High-risk PE: **alteplase 100 mg** (15 mg bolus + 85 mg/90 min); recent stroke = contraindication
- UFH: **80 U/kg bolus, 18 U/kg/h**
- Heparin resistance with low antithrombin → **FFP/AT concentrate**

2. High-Yield MCQ Pearls

- UFH 80 + 18 U/kg
- Alteplase 100 mg/2 h