# Status Epilepticus – Section Summary

Definitions • Drug therapy • EEG patterns

Critical Care Board Review • Section 17 • MCQ-Oriented

## 1. Key Points

- > 5 min = **established/status epilepticus**
- While giving lorazepam → glucose, labs, 2nd-line AED, EEG
- ESRD → dose-adjust **levetiracetam**
- Generalised epilepsy → **valproate** (monitor LFTs, ammonia, platelets)
- Elderly confusion + automatisms → focal temporal seizure; fever → LP
- Brain metastases → focal NCSE, **LPDs**
- Post-anoxic → myoclonic status

## 2. High-Yield MCQ Pearls

- [x] Levetiracetam: renal dosing
- [x] LPDs: irritable cortex

# 1. Key Points

- > 5 min = **established/status epilepticus**
- While giving lorazepam → glucose, labs, 2nd-line AED, EEG
- ESRD → dose-adjust **levetiracetam**
- Generalised epilepsy → **valproate** (monitor LFTs, ammonia, platelets)
- Elderly confusion + automatisms → focal temporal seizure; fever → LP
- Brain metastases → focal NCSE, **LPDs**
- Post-anoxic → myoclonic status

## 2. High-Yield MCQ Pearls

- [x] Levetiracetam: renal dosing
- [x] LPDs: irritable cortex