Antimicrobials – Section Summary

Resistance • Pseudomonas • Vancomycin dosing • Renal • Neurocysticercosis

Critical Care Board Review • Section 22 • MCQ-Oriented

1. Key Points

- Cholangitis organism with inducible resistance → **AmpC** → **cefepime** OK
- Macrolide resistance: **erm** target-site modification
- Cystic fibrosis Pseudomonas → **ceftazidime + inhaled tobramycin**; request **ceftolozane-tazobactam** susceptibility
- Vancomycin trough **15–20** (older target); random level 8–10 h after load guides
- HD: vancomycin **25 mg/kg** load; meropenem 500 mg q8h on SLEDD
- Neurocysticercosis → **albendazole + praziquantel + steroids**

2. High-Yield MCQ Pearls

- [x] AmpC → cefepime
- [x] Cysticercosis: steroids too

1. Key Points

- Cholangitis organism with inducible resistance → **AmpC** → **cefepime** OK
- Macrolide resistance: **erm** target-site modification
- Cystic fibrosis Pseudomonas → **ceftazidime + inhaled tobramycin**; request **ceftolozane-tazobactam** susceptibility
- Vancomycin trough **15–20** (older target); random level 8–10 h after load guides
- HD: vancomycin **25 mg/kg** load; meropenem 500 mg q8h on SLEDD
- Neurocysticercosis → **albendazole + praziquantel + steroids**

2. High-Yield MCQ Pearls

- [x] AmpC → cefepime
- [x] Cysticercosis: steroids too