Endocrinology – Section Summary

DI • Pituitary • Thyroid • Adrenal • Hypoglycaemia • DKA/HHS • Calcium

Critical Care Board Review • Section 23 • MCQ-Oriented

1. Pituitary & Water

- Amphotericin → nephrogenic DI (urine osm ~250) → fluids, switch to **liposomal**
- Sheehan → **hypothyroidism**, AI
- Sick euthyroid → no thyroid treatment

2. Thyroid

- Amiodarone thyrotoxicosis → **Doppler US** (type 1 vs 2)
- Mixed/type 2 → **methimazole + prednisone**
- Myxoedema coma: T4, hydrocortisone, warming — **not inotropes** for bradycardia

3. Adrenal

- Adrenal crisis suspected → **stat IV steroids**

4. Glucose

- Sulfonylurea: **high insulin, high C-peptide**
- Hypoglycaemia → **D10** infusion + hourly checks
- DKA → **NS + insulin + K**; K falls most during insulin
- Resolved DKA: closed gap, HCO_3 ≥ 18, pH > 7.3
- HHS → **NS hydration** first

5. Calcium

- Post-thyroidectomy tetany → **hypoparathyroidism** → IV calcium

6. High-Yield MCQ Pearls

- ☑ Sulfonylurea: high C-peptide
- ☑ DKA: watch potassium

1. Pituitary & Water

- Amphotericin → nephrogenic DI (urine osm ~250) → fluids, switch to **liposomal**
- Sheehan → **hypothyroidism**, AI
- Sick euthyroid → no thyroid treatment

2. Thyroid

- Amiodarone thyrotoxicosis → **Doppler US** (type 1 vs 2)
- Mixed/type 2 → **methimazole + prednisone**
- Myxoedema coma: T4, hydrocortisone, warming — **not inotropes** for bradycardia

3. Adrenal

- Adrenal crisis suspected → **stat IV steroids**

4. Glucose

- Sulfonylurea: **high insulin, high C-peptide**
- Hypoglycaemia → **D10** infusion + hourly checks
- DKA → **NS + insulin + K**; K falls most during insulin
- Resolved DKA: closed gap, HCO_3 ≥ 18, pH > 7.3
- HHS → **NS hydration** first

5. Calcium

- Post-thyroidectomy tetany → **hypoparathyroidism** → IV calcium

6. High-Yield MCQ Pearls

- Sulfonylurea: high C-peptide
- DKA: watch potassium