Surgical ICU – Section Summary

Leaks • Bleeding • Fat embolism • Compartment • Necrotising infection • Fistula

Critical Care Board Review • Section 28 • MCQ-Oriented

1. Key Points

- Post-Whipple/duodenal leak; mesenteric ischaemia types
- Vasoplegia → **vasopressin**
- Post-op flank pain/Hb drop on anticoagulation → **retroperitoneal haematoma** (age, anticoagulation risks)
- NIV contraindications: unprotected airway, vomiting, facial trauma...
- Unexplained fever, no source → **drug fever**
- Long-bone fracture + hypoxia + confusion → **fat embolism** → supportive
- Carotid endarterectomy reperfusion → **BP control**
- Peritonitis → **ex-lap**; necrotising infection → **wide debridement**
- Compartment syndrome → **fasciotomy**
- Bowel contents from wound → **enterocutaneous fistula**

2. High-Yield MCQ Pearls

- [x] Fat embolism: supportive
- [x] Hyperperfusion after CEA → BP control

1. Key Points

- Post-Whipple/duodenal leak; mesenteric ischaemia types
- Vasoplegia → **vasopressin**
- Post-op flank pain/Hb drop on anticoagulation → **retroperitoneal haematoma** (age, anticoagulation risks)
- NIV contraindications: unprotected airway, vomiting, facial trauma...
- Unexplained fever, no source → **drug fever**
- Long-bone fracture + hypoxia + confusion → **fat embolism** → supportive
- Carotid endarterectomy reperfusion → **BP control**
- Peritonitis → **ex-lap**; necrotising infection → **wide debridement**
- Compartment syndrome → **fasciotomy**
- Bowel contents from wound → **enterocutaneous fistula**

2. High-Yield MCQ Pearls

- Fat embolism: supportive
- Hyperperfusion after CEA → BP control