Transplantation – Section Summary

HSCT phases • Lung • Liver • Infection timeline • Rejection

Critical Care Board Review • Section 29 • MCQ-Oriented

1. Key Points

- Late HSCT phase: **encapsulated bacteria + VZV**
- 3 months post-HSCT: **bronchiolitis obliterans**
- Lung Tx: week 1 death → **primary graft dysfunction**; 5-year → **BOS**
- CMV peak **1–6 months**
- Bronchial **dehiscence** early post-lung Tx
- Hypoxaemia in cirrhosis, orthodeoxia → **hepatopulmonary syndrome**
- Severe **portopulmonary hypertension** → contraindication to listing
- Acute cellular rejection: **first year**

2. High-Yield MCQ Pearls

- [x] CMV 1–6 months
- [x] BOS limits lung Tx survival

1. Key Points

- Late HSCT phase: **encapsulated bacteria + VZV**
- 3 months post-HSCT: **bronchiolitis obliterans**
- Lung Tx: week 1 death → **primary graft dysfunction**; 5-year → **BOS**
- CMV peak **1–6 months**
- Bronchial **dehiscence** early post-lung Tx
- Hypoxaemia in cirrhosis, orthodeoxia → **hepatopulmonary syndrome**
- Severe **portopulmonary hypertension** → contraindication to listing
- Acute cellular rejection: **first year**

2. High-Yield MCQ Pearls

- CMV 1–6 months
- BOS limits lung Tx survival