Toxicology – Section Summary

Antidotes • Toxidromes • Enhanced elimination • Envenomation • Metals

Critical Care Board Review • Section 31 • MCQ-Oriented

1. Key Points

- Digoxin toxicity → **Fab**
- Salicylate → **$NaHCO_3$ drip** (dialysis if severe)
- β-blocker → **glucagon** (repeat bolus/infusion), HIE
- Baclofen pump issues: withdrawal vs overdose; meningitis → LP + stop pump
- Serotonin syndrome → **cyproheptadine**; NMS → rigidity, high CK
- Chronic paracetamol + malnutrition → **5-oxoproline**
- Osmolar gap without acidosis → **isopropanol**
- Lithium severe → **extracorporeal removal**
- Organophosphate → **atropine until secretions/wheeze clear** + pralidoxime
- TCA → **sodium bicarbonate**
- Scorpion grade IV → more antivenom
- Iron: late **gastric outlet obstruction** (~4 weeks)

2. High-Yield MCQ Pearls

- [x] OP: atropine to dry chest
- [x] Isopropanol: gap without acidosis

1. Key Points

- Digoxin toxicity → **Fab**
- Salicylate → **$NaHCO_3$ drip** (dialysis if severe)
- β-blocker → **glucagon** (repeat bolus/infusion), HIE
- Baclofen pump issues: withdrawal vs overdose; meningitis → LP + stop pump
- Serotonin syndrome → **cyproheptadine**; NMS → rigidity, high CK
- Chronic paracetamol + malnutrition → **5-oxoproline**
- Osmolar gap without acidosis → **isopropanol**
- Lithium severe → **extracorporeal removal**
- Organophosphate → **atropine until secretions/wheeze clear** + pralidoxime
- TCA → **sodium bicarbonate**
- Scorpion grade IV → more antivenom
- Iron: late **gastric outlet obstruction** (~4 weeks)

2. High-Yield MCQ Pearls

- OP: atropine to dry chest
- Isopropanol: gap without acidosis