

Технический отчёт по инциденту информационной безопасности

1. План расследования

1.1 Определение масштаба и критичности

- **Масштаб:** Скомпрометированы 3 узла:
- 1 узел – рабочая станция сотрудника **ws7 (10.0.0.27)** стартовая точка входа злоумышленника, была скомпрометирована с помощью фишинговой атаки
- 2 узел – контроллер домена **dc01 (10.0.0.10)** был скомпрометирован злоумышленником, проэксплуатирован и с его помощью был получен доступ к файловому серверу и всей доменной структуры
- 3 узел – файловый сервер **fileserver (10.0.0.15)** был скомпрометирован злоумышленником, получен доступ к чувствительным конфиденциальным файлам, а также с него произведена эксфильтрация данных во внешнюю сеть
- Злоумышленник использовал профессиональные утилиты MythicFrejya, DarkGate
- **Критичность: Критическая (Critical)** поскольку был скомпрометирован контроллер домена, через него получен доступ в домен организации, получен доступ к файловому серверу, получены и похищены чувствительные конфиденциальные файлы
- **Затронутые системы:**
- 1 узел – рабочая станция сотрудника **ws7 (10.0.0.27)**
- 2 узел – контроллер домена **dc01 (10.0.0.10)**
- 3 узел – файловый сервер **fileserver (10.0.0.15)**

1.2 Рабочие гипотезы

1. **Гипотеза 1:** Злоумышленник с помощью фишинговой атаки получил первоначальный доступ (Initial Access) к рабочей станции сотрудника финансового отдела ws7 это подтверждается сразу на этапе подачи тикета от службы поддержки в службу аналитики, это в дальнейшем подтвердится логами.
2. **Гипотеза 2:** Злоумышленник должен закрепиться в системе в реестре, в автозагрузке или с помощью планировщика задач. (Persistence). Подтверждается логами в дальнейшем
3. **Гипотеза 3:** Злоумышленник будет производить разведку внутри системы (Discovery), чтобы понимать, как и где он оказался, чтобы построить дальнейший вектор атаки. В дальнейшем подтвердится логами
4. **Гипотеза 4:** Злоумышленник будет пытаться совершить боковое перемещение внутри доменной сети. (Lateral Movement)
5. **Гипотеза 5:** Злоумышленник будет пытаться копировать чувствительные файлы в системе (Collection)для дальнейшей эксфильтрации. Подтвердилось логами на файловом сервере

6. **Гипотеза 6:** Злоумышленник будет использовать C2 сервер. (Command and Control). Подтвердилось логами
7. **Гипотеза 7:** Злоумышленник будет пытаться скрыть следы своего присутствия внутри доменной инфраструктуры, очищая логи и журналы, также удаляя, созданные им временные файлы (Defense Evasion). В дальнейшем подтвердится логами

1.3 Пошаговый план действий

1. Проверяем фишинговое письмо. Находим стартовую точку входа злоумышленника в систему. С помощью ELK и EDR(Velociraptor) мы находим сам файл и его хэш - сумму. Фиксируем время произошедшего
2. Проверяем реестр, автозагрузку и планировщик задач, на наличие закрепления злоумышленника в системе.
3. Проверяем гипотезу о разведке, проводимой злоумышленником внутри сети, используя запросы -netstat, net, ipconfig, whoami в строке для запросов в kibana
4. Проверяем гипотезу о боковом перемещении злоумышленника внутри доменной инфраструктуры по различным протоколам. Проверяем подключения с скомпрометированного хоста на потенциально возможный атакуемый хост
5. Проверяем гипотезу об использовании злоумышленником C2 сервера для управления и эксфильтрации данных
6. Проверяем гипотезу о получении доступа и чтении злоумышленником конфиденциальных чувствительных файлов, которые хранятся на защищаемых активах
7. Проверяем гипотезу об сокрытии злоумышленником своего присутствия. Очистки логов, очистки журналов безопасности, удаления созданных им временных файлов
8. Фиксация временного промежутка для каждого критически важного для расследования события. Восстановление хронологической цепочки инцидента

2. Общая информация

- **Дата инцидента:** 15 апреля 2025 года
- **Время обнаружения:** Первое подозрительное действие — фишинговое письмо в 08:04:55 UTC. (Во время расследования используется время по UTC, на локальном устройстве, где была зафиксирована первоначальная атака время UTC+3)
- **Затронутые системы:**
 - ws7 (10.0.0.27) - рабочая станция сотрудника финансового отдела
 - dc01 (10.0.0.10) - контроллер домена adds.demo.lab
 - filesaver (10.0.0.15) - файловый сервер
- **Тип инцидента:** Целенаправленная атака с использованием фишинга, вредоносного ПО и хакерских утилит (DarkGate, Mythic Frejya), бокового

передвижения, кражи и эксфильтрации данных на C2 сервер злоумышленника

3. Описание инцидента

В момент расследования используется время по UTC, локальное время на рабочей станции, которая подверглась атаке (UTC+3)

Начало атаки 15 апреля 2025 года в 08:04:55 UTC с получения сотрудником финансового отдела учетная запись ws7 фишингового письма с адреса accounting@financial-docs.net. Письмо содержало вложение Financial_Report_Q1_2025.exe, которое пользователь запустил вручную (в логах мы видим explorer.exe) в 08:28:51 UTC. В результате был активирован дроппер, который создал файлы интерпретатора AutoIt и скрипта DarkGate в папке C:\ProgramData\cdkcdhb\, а также добавил запись в реестр для автозагрузки (HKCU\Software\Microsoft\Windows\CurrentVersion\Run). Через несколько минут DarkGate установил соединение с первым C2-сервером (138.124.182.161:443), а затем развернул сетевой туннель (mscv.exe) для запутывания следов.

После проведения разведки, находясь внутри доменной сети, с помощью штатных утилит (netstat, net, ipconfig, whoami и т.п.) злоумышленник в 11:00:46 UTC успешно подключился по RDP к контроллеру домена (10.0.0.10) под учётной записью administrator. На DC был загружен и запущен агент Mythic Frejya (msedge-update.exe), который установил соединение с основным C2-сервером (194.87.252.221). Затем через административную шару C\$ злоумышленник получил доступ к файловому серверу (10.0.0.15), где развернул ещё один экземпляр Фрей (cryptoservice.exe) и приступил к сбору данных. Далее злоумышленником были прочитаны и скопированы во временную папку конфиденциальные чувствительные файлы: Q1_2025_Budget.xlsx, Employee_Records_2025.xlsx, Strategic_Plan_2025-2027.docx, admin_credentials.xlsx и Project_Quantum_Specs.pdf. Все файлы были скопированы в архив data.zip и в два этапа (16:07:10 и 16:16:32 UTC) переданы на C2-сервер. Общий объём переданных данных составил около 39 МБ. После завершения эксфильтрации злоумышленник удалил все артефакты, включая исходные вредоносные файлы, туннель, архив и временные папки и очистил системные журналы с помощью утилиты wevtutil.exe.

4. Таймлайн атаки

Время UTC	Событие	Категория (MITRE ATT&CK)	Описание
15.04.2025 08:04:55	Получение фишингового письма	T1566.001 (Phishing: Spearphishing Attachment)	Письмо с вложением Financial_Report_Q1_2025.exe от accounting@financial-docs.net получено пользователем user7@demo.lab

Время UTC	Событие	Категория (MITRE ATT&CK)	Описание
15.04.2025 08:28:51	Запуск вредоносного файла	T1204.002 (User Execution: Malicious File)	Пользователь запустил вложение через explorer.exe, активировав дроппер
15.04.2025 08:28:51	Создание файлов DarkGate	T1059.006 (Command and Scripting Interpreter)	Дроппер создал Autoit3.exe и kffccgg.a3x в C:\ProgramData\cdkcdh\
15.04.2025 09:01:11	Модификация реестра (закрепление)	T1547.001 (Boot/Logon Autostart Execution: Registry Run Keys)	В HKCU\...\Run добавлена запись для автозапуска AutoIt
15.04.2025 09:01:11	Запуск AutoIt и скрипта	T1059.006 (Command and Scripting Interpreter)	Autoit3.exe выполнил kffccgg.a3x, запустив DarkGate
15.04.2025 09:01:11	C2-соединение DarkGate	T1071.001 (Application Layer Protocol: Web Protocols)	Установлено соединение с 138.124.182.161:443 (домен railradman.site)
15.04.2025 10:03:17	Создание и запуск туннеля	T1572 (Protocol Tunneling)	Создан и запущен mscvs.exe, установлено соединение с 45.144.30.77:8443
15.04.2025 10:03:05–10:03:14	Разведка (Discovery)	T1087.001 (Account Discovery: Local Account) / T1016 (System Network Configuration Discovery) / T1033 (System Owner/User Discovery) / T1057 (Process Discovery) / T1049 (System Network Connections Discovery)	Выполнены net.exe, ipconfig.exe, whoami.exe, tasklist.exe, netstat.exe

Время UTC	Событие	Категория (MITRE ATT&CK)	Описание
15.04.2025 11:00:46	RDP- логин на контроллер домена	T1021.001 (Remote Services: Remote Desktop Protocol)	Успешный вход с ws7 на dc01 под administrator
15.04.2025 11:00:46	Установка и запуск Фрей на DC	T1059.006 (Command and Scripting Interpreter) / T1105 (Ingress Tool Transfer)	Создан и запущен msedge-update.exe (Mythic Frejya), установлено C2-соединение на 194.87.252.221
15.04.2025 13:04:50	Доступ к файловому серверу через C\$	T1021.002 (Remote Services: SMB/Windows Admin Shares)	С DC выполнен доступ к административной шаре C\$ файлового сервера (10.0.0.15)
15.04.2025 13:04:50	Установка Фрей на файловом сервере	T1059.006 / T1105	Создан и запущен cryptoservice.exe (Mythic Frejya) на fileserver
15.04.2025 13:04:50–13:04:58	Чтение конфиденциальных файлов	T1005 (Data from Local System) / T1213 (Data from Information Repositories)	Прочитаны Q1_2025_Budget.xlsx, Employee_Records_2025.xlsx, Strategic_Plan_2025-2027.docx, admin_credentials.xlsx, Project_Quantum_Specs.pdf
15.04.2025 13:05:21	Создание архива data.zip	T1560.001 (Archive Collected Data: Archive via Utility)	Через PowerShell создан data.zip из папки staging
15.04.2025 14:00:46	Запуск LaZagne	T1003.001 (OS Credential Dumping: LSASS Memory)	Запущен LaZagne.exe на ws7 (кража учётных данных)
15.04.2025 16:04:14–16:04:38	Экспорт Active Directory	T1069.002 (Permission Groups Discovery: Domain Groups) / T1087.002 (Account Discovery: Domain Account)	Запущены ldifde.exe и csvde.exe для выгрузки данных AD (пользователи, компьютеры, группы)

Время UTC	Событие	Категория (MITRE ATT&CK)	Описание
15.04.2025 16:07:10	Эксфильтрация (часть 1)	T1048 (Exfiltration Over Alternative Protocol)	Передано около 15 МБ на 194.87.252.221 через msedge-update.exe
15.04.2025 16:16:32	Эксфильтрация (часть 2)	T1048 (Exfiltration Over Alternative Protocol)	Передано около 24 МБ на 194.87.252.221, общий объём около 39 МБ
15.04.2025 23:02:19–23:07:02	Соккрытие следов	T1070.001 (Indicator Removal on Host: File Deletion) / T1070.004 (Indicator Removal on Host: Clear Windows Event Logs)	Удалены все артефакты (фишинговый файл, туннель, Фрея, архив, временные папки) и очищены логи через wevtutil.exe

*Если кто-то это читает знайте, что я устал это классифицировать ((

5. Технический анализ

5.1 Вектор атаки

- Фишинговое письмо с вредоносным вложением (Initial Access). Пользователь user7 получил письмо от accounting@financial-docs.net и запустил вложение Financial_Report_Q1_2025.exe
- Запуск дроппера и установка DarkGate (Execution, Persistence). Дроппер создал файлы интерпретатора AutoIt и скрипта, а также записался в реестр для автозапуска
- Разведка и настройка туннеля (Discovery, Command and Control). Злоумышленник выполнил команды сбора информации о системе и сети, а затем развернул туннель mscvs.exe для скрытого доступа
- Боковое перемещение на контроллер домена (Lateral Movement). С использованием учётной записи администратора был установлен RDP сеанс с ws7 на dc01
- Установка вредоносной утилиты Mythic Frejya на контроллере домена и файловом сервере (Persistence, Command and Control). На обоих серверах были развёрнуты агенты для удалённого управления и сбора данных Mythic Frejya
- Сбор и эксфильтрация данных (Collection, Exfiltration). Чувствительные файлы были прочитаны, упакованы в архив data.zip и переданы на C2-сервер 194.87.252.221
- Соккрытие следов (Defense Evasion). Все артефакты были удалены, системные журналы очищены с помощью wevtutil.exe

5.2 Используемое вредоносное ПО

- DarkGate - загрузчик и бэкдор. Использовал интерпретатор AutoIt для выполнения скрипта kffccgg.a3x. Основные признаки: создание файлов в C:\ProgramData\cdkcdh\, запись в реестре, C2-соединения на 138.124.182.161:443
- Mythic Frejya - агент для скрытого управления. Основные признаки: файлы msedge-update.exe и cryptoservice.exe, C2-соединения на 194.87.252.221, DNS-запросы к wmpssvc.online и weventlog.store, чтение и копирование файлов
- mscvs.exe (туннель) инструмент протокольного туннелирования. Использован для создания скрытого канала связи. Основные признаки: наличие файла mscvs.exe, соединения на 45.144.30.77:8443
- LaZagne - инструмент для извлечения сохранённых паролей. Признаки: файл LaZagne.exe на ws7, попытка доступа к памяти LSASS

6. Проверка и корректировка гипотез

Гипотеза 1: Фишинговая атака для получения первоначального доступа

Статус: Подтверждена

Доказательства:

Найдено фишинговое письмо от accounting@financial-docs.net с вложением Financial_Report_Q1_2025.exe (время получения 08:04:55 UTC). Пользователь user7 запустил вложение вручную через explorer.exe (event_id 1, время 08:28:51 UTC). Это подтверждает начальный вектор атаки (Initial Access)

Гипотеза 2: Закрепление в системе (реестр / автозагрузка)

Статус: Подтверждена

Доказательства:

Обнаружена запись в реестре HKCU\SOFTWARE\Microsoft\Windows\CurrentVersion\Run для запуска AutoIt (event_id 13, время 09:01:11 UTC). Это обеспечивает закрепление в системе при перезагрузке

Гипотеза 3: Разведка внутри системы (Discovery)

Статус: Подтверждена

Доказательства:

Зафиксировано выполнение команд net.exe, ipconfig.exe, whoami.exe, tasklist.exe, netstat.exe на хосте ws7 (время 10:03:05–10:03:14 UTC)

Гипотеза 4: Горизонтальное перемещение (Lateral Movement) внутри доменной сети

Статус: Подтверждена

Доказательства:

Успешный RDP-логин на контроллер домена с ws7 на dc01 под учётной записью administrator (время 11:00:46 UTC). Обнаружен доступ к административной шаре C\$

файлового сервера с контроллера домена (время 13:04:50 UTC). Это подтверждает боковое перемещение на критический узел инфраструктуры

Гипотеза 5: Копирование чувствительных файлов (Collection) для дальнейшей эксфильтрации

Статус: Подтверждена

Доказательства:

Зафиксировано чтение файлов Q1_2025_Budget.xlsx, Employee_Records_2025.xlsx, Strategic_Plan_2025-2027.docx, admin_credentials.xlsx, Project_Quantum_Specs.pdf на файловом сервере (event_id 11, время 13:04:50–13:04:58 UTC). Создание архива data.zip через PowerShell (event_id 1 и 11, время 13:05:21 UTC). Это подтверждает этап сбора данных

Гипотеза 6: Использование C2-сервера

Статус: Подтверждена

Доказательства:

Обнаружены исходящие соединения на внешние IP: 138.124.182.161:443 (DarkGate), 45.144.30.77:8443 (туннель), 194.87.252.221:443 (Mythic Frejya). DNS-запросы к доменам railradman.site, wmpssvc.online, weventlog.store. Использование туннеля для маскировки C2-трафика

Гипотеза 6: Соккрытие следов (очистка логов и удаление артефактов)

Статус: Подтверждена

Доказательства:

Обнаружены события удаления всех вредоносных файлов: Financial_Report_Q1_2025.exe, mscvs.exe, cryptoservice.exe, msedge-update.exe, data.zip, папки staging (event_id 23 и 1, время 23:02–23:07 UTC). Зафиксирована очистка системных журналов через wevtutil.exe на всех трёх хостах (event_id 1 с командой wevtutil cl Security и т.д.)

7. Индикаторы компрометации (IoC)

Доменные имена:

- railradman.site - C2-домен DarkGate
- wmpssvc.online - C2-домен Mythic Frejya (использовался на контроллере домена)
- weventlog.store - C2-домен Mythic Frejya (использовался на файловом сервере для эксфильтрации)

IP-адреса:

- 138.124.182.161- C2-сервер DarkGate
- 45.144.30.77 – прокси сервер для создания туннеля
- 194.87.252.221 – основной C2 – сервер для эксфильтрации

Хеши файлов:

- Financial_Report_Q1_2025.exe (на ws7): eed9223ff9bc5a20f5fa6114aa9cc6be (из логов ELK)
- Financial_Report_Q1_2025.exe (на dc01): c164c1292b187895a44d6ded60391f75 (из логов Velociraptor)
- AutoIt3.exe: a5a74a068b7a9e2d890dc99aacdf8a99 (из логов ELK)
- kffccgg.a3x (скрипт DarkGate): 2c2c0318194131aadd836c91c16232d6 (из логов ELK)
- mscvs.exe: 7de20abf342e652981476e45aab5accc (из логов ELK)
- msedge-update.exe (Mythic Frejya на DC): 17202b8404a17f64288f4befcde7b7cc (из логов ELK)
- cryptoservice.exe (Mythic Frejya на файловом сервере): 900637eefd5301e35645bea9b2a69947 (из логов ELK)
- LaZagne.exe: 7a3c394c61ebaa4729721b77c6524dee (из логов ELK)
-

8. Техники и тактики (MITRE ATT&CK)

ID	Техника	Описание
T1566.001	Initial Access: Spearphishing Attachment	Фишинговое письмо с вредоносным вложением .exe, отправленное на user7@demo.lab
T1204.002	Execution: Malicious File	Пользователь вручную запустил вложение Financial_Report_Q1_2025.exe через explorer.exe
T1059.006	Execution: Command and Scripting Interpreter	Использование AutoIt для выполнения скрипта kffccgg.a3x (DarkGate)
T1547.001	Persistence: Registry Run Keys	Запись в HKCU\SOFTWARE\Microsoft\Windows\CurrentVersion\Run для автозапуска AutoIt
T1071.001	Command and Control: Web Protocols	C2-соединения по HTTPS на 138.124.182.161:443 и 194.87.252.221:443
T1572	Command and Control: Protocol Tunneling	Использование mscvs.exe для туннелирования трафика через 45.144.30.77:8443

ID	Техника	Описание
T1087.00 1	Discovery: Local Account Discovery	net.exe для получения информации о пользователях
T1016	Discovery: System Network Configuration Discovery	ipconfig.exe /all
T1033	Discovery: System Owner/User Discovery	whoami.exe
T1049	Discovery: System Network Connections Discovery	netstat.exe -ano
T1021.00 1	Lateral Movement: Remote Desktop Protocol	RDP-логин с ws7 на контроллер домена (10.0.0.10) под учётной записью администратора
T1021.00 2	Lateral Movement: SMB/Windows Admin Shares	Доступ к C\$ на файловом сервере (10.0.0.15) с контроллера домена
T1105	Lateral Movement: Ingress Tool Transfer	Передача вредоносных файлов (msedge-update.exe, cryptoservice.exe) на DC и файловый сервер
T1005	Collection: Data from Local System	Чтение конфиденциальных файлов с файлового сервера (Budget, Employees, Strategic Plan, admin_credentials, Project_Quantum_Specs)
T1560.00 1	Collection: Archive via Utility	Создание data.zip через PowerShell (Compress-Archive)
T1003.00 1	Credential Access: LSASS Memory	Запуск LaZagne.exe и попытка доступа к памяти LSASS (EDR-алерт)

ID	Техника	Описание
T1069.00 2	Discovery: Domain Groups Discovery	Экспорт AD через csvde.exe и ldifde.exe (пользователи, компьютеры, группы)
T1048	Exfiltration: Exfiltration Over Alternative Protocol	Передача data.zip на C2-сервер 194.87.252.221 в два этапа (общий объём около 39 МБ)
T1070.00 1	Defense Evasion: File Deletion	Удаление всех артефактов (Financial_Report, mscvs, cryptoservice, msedge-update, data.zip, папка staging)
T1070.00 4	Defense Evasion: Clear Windows Event Logs	Очистка логов через wevtutil.exe на всех трёх хостах

* Снова моя «любимая матрица MITRE». Усталъ((

9. Уязвимости и векторы атаки

1. Отсутствие фильтрации почтовых вложений. Например в sandbox
2. Отсутствие многофакторной аутентификации (MFA)
3. Использование RDP без ограничений по подключению
4. Недостаточная сложность пароля на контроллере домена, что привело к его компрометации
5. Отсутствие сегментации сети для рабочих станций и ключевых серверов

10. Рекомендации

10.1 Немедленные действия

1. Изолировать скомпрометированные системы от сети, чтобы предотвратить распространение
2. Сброс и смена паролей на скомпрометированных системах, также завершить рабочие сессии на этих системах
3. Срочное сканирование и поиск вредоносных программ и утилит. Проверка антивирусом, а также дополнительно вручную
4. При необходимости собрать дампы памяти и образы с дисков для команды расследования и реагирования
5. Заблокировать на брандмауэре все адреса и домены, которые участвовали в атаке
6. Дополнительно проверить другие системы внутри доменной сети на возможность их компрометации

10.2 Долгосрочные меры

1. Внедрить многофакторную аутентификацию (MFA) для всех административных учётных записей и, по возможности, для пользователей с доступом к конфиденциальным данным
2. Внедрить строгие политики подключения по RDP. Разрешить RDP подключения только с определенных IP-адресов и только через VPN шлюз
3. Подключить к почтовым сервисам фильтрацию писем. Запретить запуск исполняемых файлов .exe в почтовых вложениях без дополнительных проверок, например в Sandbox
4. Внедрить сегментацию сети. Разделить на сегменты рабочие станции и ключевые серверы по разным виртуальным сетям через VLAN
5. Пересмотреть политику сложности паролей на всех устройствах внутри доменной инфраструктуры
6. Провести дополнительное информирование и обучение сотрудников компании по мерам безопасности в сетевом пространстве

11. Поисковые запросы ELK для расследования

11.1

Что ищем: Поиск и запуск Financial_Report_Q1_2025.exe на рабочей станции

Запрос: host: 10.0.0.27 and *Financial_Report_Q1_2025*

Результат: Найдены события, получения и запуска Financial_Report_Q1_2025.exe. (event_id: 1, 08:28:51 UTC). Также создание Autoit3.exe и kffccgg.a3x (event_id: 11, 08:28:51 UTC), также модификация реестра (event_id: 13, 09:01:11 UTC)

11.2

Что ищем: Создание файлов Autoit3.exe и kffccgg.a3x и их результат

Запрос: host: 10.0.0.27 and (*Autoit3.exe* or *kffccgg.a3x*)

Результат: В результате просмотра событий выявлено:

Событие event_id: 1 с временем 2025-04-15 09:01:11 UTC. process_command_line: C:\ProgramData\cdkcdh\Autoit3.exe C:\ProgramData\cdkcdh\kffccgg.a3x

Запуск AutoIt (Autoit3.exe C:\ProgramData\cdkcdh\kffccgg.a3x) - 09:01:11

Закрепление (запись в реестр) - 09:01:11

C2-соединение DarkGate на 138.124.182.161:443 - 09:01:11

Разведка: Autoit3.exe - родительский процесс для всех этих действий:

10:03:13 - запуск tasklist.exe /v (сбор процессов)

10:03:14 - запуск netstat.exe -ano (сетевые соединения)

10:03:17 - создание mscvs.exe (туннель)

10:03:17 - запись в реестр для закрепления

10:03:17 - запуск mscvcs.exe

11.3

Что ищем: Горизонтальное перемещение. Ищем попытки подключения по RDP

Запрос: host: 10.0.0.10 and source_ip: 10.0.0.27

Результат: 11:00:46 UTC успешная попытка злоумышленника подключиться к контроллеру домена по RDP

11.4

Что ищем: События на контроллере домена после подключения по RDP

Запрос: host: 10.0.0.10 and @timestamp >= "2025-04-15T11:00:00" AND @timestamp <= "2025-04-15T12:00:00"

Результат: Найден установленный файл msedge-update.exe

11.5

Что ищем: Действия вредоносного файла msedge-update.exe

Запрос: host: 10.0.0.10 and *msedge-update*

Результат: Выясняем что это вредоносный агент-утилита Mythic Frejya с помощью которой злоумышленник совершил несколько действий:

Создание файла msedge-update.exe (event_id 11, 11:00:46)

Запуск файла (event_id 1, 11:00:46)

C2-соединение с 194.87.252.221 (event_id 3, 11:00:46)

Удаление файла (event_id 23, 20:04:26)

11.6

Что ищем: Боковое перемещение с контроллера домена на файловый сервер

Запрос: host: 10.0.0.15 and source_ip:10.0.0.10

Результат: 13:04:50 доступ к административной шаре C\$. Момент, когда злоумышленник получил полный доступ к файловой системе файлового сервера

13:36:50 - доступ на чтение к шаре Docs

13:49:21 - доступ на удаление к шаре IT

11.7

Что ищем: Обращение злоумышленника к чувствительным конфиденциальным файлам

Запрос: host: 10.0.0.15 and (*Finance* or *HR* or *Executive* or *IT* or *Projects*)

Результат: Находим множественные обращения, чтение и копирование конфиденциальных файлов процессом cryptoservice.exe

11.8

Что ищем: Выясняем что за процесс cryptoservice.exe

Запрос: host: 10.0.0.15 AND *cryptoservice*

Результат: В ходе расследования выясняется что это также вредоносный агент-утилита Mythic Frejya

11.9

Что ищем: Ищем, куда злоумышленник мог скопировать прочитанные и скопированные файлы. Будем искать на примере одного из файлов

Запрос: host: 10.0.0.15 and *Project_Quantum_Specs.pdf*

Результат: находим папку, куда злоумышленник копирует скомпрометированные файлы

file_path: C:\Windows\Temp\staging\Project_Quantum_Specs.pdf

11.10

Что ищем: В предыдущем шаге мы увидели, что злоумышленник копирует файлы в папку **staging**. Проверяем, эту папку

Запрос: host: 10.0.0.15 and *staging*

Результат: Находим папку, куда злоумышленник копирует все скомпрометированные файлы. Также находим время ее удаления, когда злоумышленник будет заметать следы

11.11

Что ищем: Ищем создание архива, созданного злоумышленников для эксфильтрации скопированных конфиденциальных файлов

Запрос: host: 10.0.0.15 and *zip

Результат: Находим создание архива для эксфильтрации

11.12

Что ищем: Ищем факт эксфильтрации

Запрос: host: 10.0.0.15 and destination_ip: 194.87.252.221

Результат: Находим 2 соединения на C2 сервер:

16:07:10 UTC – примерно 15 МБ

16:16:32 UTC – примерно 24 МБ

Общий объем около 39МБ

11.13

Что ищем:

Запрос: Примерный общий запрос: host: * and event_id: 23 and (file_name: Financial_Report_Q1_2025.exe or file_name: mscvs.exe or file_name: cryptoservice.exe or file_name: msedge-update.exe or file_name: data.zip)

Результат: Находим факт удалений всех искомых файлов с помощью wevtutil.exe

*Я все еще тут и я устал{

12. Action Items

12.1 Немедленные улучшения мониторинга

1. Мониторинг создания файлов во временных системных папках
2. Мониторинг модификаций реестра в ключах автозагрузки
3. Мониторинг запуска штатных утилит (net.exe, ipconfig.exe, whoami.exe)
4. Мониторинг запусков wevtutil.exe (очистка логов)особенно в нерабочее время

12.2 Улучшение процессов расследования

1. Разработать стандартный чек лист для расследования подобных инцидентов
2. Проводить регулярные имитации атак с использованием подобных сценариев, чтобы аналитики быстрее распознавали тактики и техники

12.3 Улучшение алертинга

1. Правило на модификацию реестра в автозагрузке нестандартными процессами
2. Правило на последовательный запуск утилит разведки (net, ipconfig, whoami) за короткий промежуток времени
3. Правило на исходящие соединения на нестандартные порты (> 1024) с большим объёмом данных
4. Правило на попытки RDP-подключений с рабочих станций на контроллеры домена

13. Четкое разделение фактов и предположений

Установленные факты

- Вложение Financial_Report_Q1_2025.exe было запущено пользователем через explorer.exe в 08:28:51 UTC
- Дроппер создал файлы AutoIt3.exe и kffccgg.a3x в C:\ProgramData\cdkcdh\
- В реестр была добавлена запись для автозапуска AutoIt
- AutoIt выполнил скрипт kffccgg.a3x и установил C2-соединение с 138.124.182.161
- На ws7 были выполнены команды разведки (net, ipconfig, whoami, tasklist, netstat)

- Был создан туннель (mscvs.exe) и установлено соединение с 45.144.30.77:8443
- В 11:00:46 UTC был установлен RDP-сеанс с ws7 на dc01 под учётной записью administrator
- На dc01 был создан и запущен msedge-update.exe (Mythic Frejya) с C2-соединением на 194.87.252.221
- На fileserver был создан и запущен cryptoservice.exe (Mythic Frejya)
- cryptoservice.exe прочитал файлы Q1_2025_Budget.xlsx, Employee_Records_2025.xlsx, Strategic_Plan_2025-2027.docx, admin_credentials.xlsx, Project_Quantum_Specs.pdf
- Был создан архив data.zip в C:\Windows\Temp\
- В 16:07:10 и 16:16:32 UTC на 194.87.252.221 были переданы большие объёмы данных (в сумме около 39 МБ)
- На всех трёх хостах были удалены вредоносные файлы и очищены логи с помощью wevtutil.exe

Интерпретации

- Использование DarkGate и Mythic Frejya указывает на высокую степень подготовленности злоумышленника
- Разделение эксфильтрации на две части может объясняться ограничениями C2-канала или желанием снизить заметность
- Отсутствие прямых следов кражи учётных данных (Mimikatz, дампы LSASS) до момента RDP - подключения позволяет предположить, что пароль учётной записи administrator мог быть недостаточно сложным, либо был скомпрометирован ранее



Предположения

- После удаления файлов и очистки логов злоумышленник мог сохранить доступ через другие бэкдоры (хотя в логах это не зафиксировано)
- Пароль администратора был скомпрометирован до атаки (либо украден, либо подобран)
- Злоумышленник мог использовать дополнительные инструменты, не оставившие следов в логах (например, для доступа к LSASS)

14. Приложения

Скриншоты из SIEM работающих правил корреляции

- Правила корреляции в ELK:



-

Скрин фишингового письма:

Documents (10)		Field statistics
	@timestamp	Summary
☐	Apr 15, 2025 @ 08:28:51.000	process_name Financial_Report_Q1_2025.exe @timestamp Apr 15, 2025 (rogramData\cdkcdhb\Autoit3.exe host 10.0.0.27 hostname ws7 log_type alicious dropper created AutoIt interpreter process_id 5,536 user l
☐	Apr 15, 2025 @ 08:28:51.000	process_name Financial_Report_Q1_2025.exe @timestamp Apr 15, 2025 (rogramData\cdkcdhb\Kffccgg.a3x host 10.0.0.27 hostname ws7 log_type icious dropper created DarkGate script file process_id 6,327 user
☐	Apr 15, 2025 @ 08:28:51.000	process_name Financial_Report_Q1_2025.exe @timestamp Apr 15, 2025 (7 log_type windows_sysmon nd5 eed9223ff9bc5a20f5fa6114aa9cc6be mess l parent_process_id 5,529 parent_process_name explorer.exe process.
☐	Apr 15, 2025 @ 08:04:55.000	attachment Financial_Report_Q1_2025.exe @timestamp Apr 15, 2025 @ email host 10.0.0.27 hostname ws7 log_type edr message Email with e b severity low source accounting@financial-docs.net user Demo.lab(t
☐	Apr 15, 2025 @ 08:04:55.000	attachment_name Financial_Report_Q1_2025.exe @timestamp Apr 15, 20 b event_id 496 log_type email_security message Email security gatew n source accounting@financial-docs.net source_ip 203.0.113.42 spam.
☐	Apr 15, 2025 @ 08:04:55.000	attachment_name Financial_Report_Q1_2025.exe @timestamp Apr 15, 20 s7 destination_ip 10.0.0.27 email_body Dear Team Member, Please fin ent review and approval. The executive board needs your feedback b

1. *Journal of the American Medical Association*, 2000; 283: 2689-2696.

Documents (10)Field statistics

@timestamp

Summary

Apr 15, 2025 @ 20:02:22.000

file_name Financial_Report_Q1_2025.exe @timestamp Apr 15, 2025 @ 20:02:22.000

process_id 2,194 process_name explorer.exe user NT AUTHORITY\SYSTEM

Apr 15, 2025 @ 09:01:11.000

parent_process_name Financial_Report_Q1_2025.exe @timestamp Apr 15, 2025 @ 09:01:11.000

log_type windows_sysmon md5 a5a74a068b7a9e2d890dc99aacdf8a99 message r parent_process_id 6,258 process_command_line C:\ProgramData\cdkcdh\Autoit3.exe C:\ProgramData\cdkcdh\kffccgg.a3x reg

Apr 15, 2025 @ 09:01:11.000

process_name Financial_Report_Q1_2025.exe @timestamp Apr 15, 2025 @ 09:01:11.000

log_type windows_sysmon message Malware established persistence through registry Run key

Apr 15, 2025 @ 08:28:51.000

file_name Financial_Report_Q1_2025.exe @timestamp Apr 15, 2025 @ 08:28:51.000

process_file_path C:\Users\user7\Downloads\Financial_Report_Q1_2025.exe md5 0f5fa6114aa9cc6be message Suspicious process execution from Downloads

Apr 15, 2025 @ 08:28:51.000

process_name Financial_Report_Q1_2025.exe @timestamp Apr 15, 2025 @ 08:28:51.000

log_type windows_sysmon message Suspicious process execution from Downloads

Apr 15, 2025 @ 08:28:51.000

process_name Financial_Report_Q1_2025.exe @timestamp Apr 15, 2025 @ 08:28:51.000

log_type windows_sysmon message Suspicious process execution from Downloads

Apr 15, 2025 @ 08:28:51.000

process_name Financial_Report_Q1_2025.exe @timestamp Apr 15, 2025 @ 08:28:51.000

log_type windows_sysmon message Suspicious process execution from Downloads

Rows per page: 100

DocumentK < 2 of 10 > X

Actions: View single documentView surrounding documents

TableJSON

Search field names or values

Selected only

Field	Value
message	DarkGate launched via AutoIt interpreter
parent_process_id	6,258
parent_process_name	Financial_Report_Q1_2025.exe
process_command_line	C:\ProgramData\cdkcdh\Autoit3.exe C:\ProgramData\cdkcdh\kffccgg.a3x
process_id	1,653
process_name	Autoit3.exe
process_path	C:\ProgramData\cdkcdh\Autoit3.exe
user	Demo.lab\user7

Close

Documents (10)Field statistics

@timestamp

Summary

Apr 15, 2025 @ 20:02:22.000

file_name Financial_Report_Q1_2025.exe @timestamp Apr 15, 2025 @ 20:02:22.000

process_id 2,194 process_name explorer.exe user NT AUTHORITY\SYSTEM

Apr 15, 2025 @ 09:01:11.000

parent_process_name Financial_Report_Q1_2025.exe @timestamp Apr 15, 2025 @ 09:01:11.000

log_type windows_sysmon md5 a5a74a068b7a9e2d890dc99aacdf8a99 message r parent_process_id 6,258 process_command_line C:\ProgramData\cdkcdh\Autoit3.exe C:\ProgramData\cdkcdh\kffccgg.a3x reg

Apr 15, 2025 @ 09:01:11.000

process_name Financial_Report_Q1_2025.exe @timestamp Apr 15, 2025 @ 09:01:11.000

log_type windows_sysmon message Malware established persistence through registry Run key

Apr 15, 2025 @ 08:28:51.000

file_name Financial_Report_Q1_2025.exe @timestamp Apr 15, 2025 @ 08:28:51.000

process_file_path C:\Users\user7\Downloads\Financial_Report_Q1_2025.exe md5 0f5fa6114aa9cc6be message Suspicious process execution from Downloads

Apr 15, 2025 @ 08:28:51.000

process_name Financial_Report_Q1_2025.exe @timestamp Apr 15, 2025 @ 08:28:51.000

log_type windows_sysmon message Suspicious process execution from Downloads

Apr 15, 2025 @ 08:28:51.000

process_name Financial_Report_Q1_2025.exe @timestamp Apr 15, 2025 @ 08:28:51.000

log_type windows_sysmon message Suspicious process execution from Downloads

Apr 15, 2025 @ 08:28:51.000

process_name Financial_Report_Q1_2025.exe @timestamp Apr 15, 2025 @ 08:28:51.000

log_type windows_sysmon message Suspicious process execution from Downloads

Rows per page: 100

DocumentK < 3 of 10 > X

Actions: View single documentView surrounding documents

TableJSON

Search field names or values

Selected only

Field	Value
message	Malware established persistence through registry Run key
process_id	4,994
process_name	Financial_Report_Q1_2025.exe
registry_data	C:\ProgramData\cdkcdh\Autoit3.exe C:\ProgramData\cdkcdh\kffccgg.a3x
registry_key	HKCU\SOFTWARE\Microsoft\Windows\CurrentVersion\Run
registry_value	fehbbag
user	Demo.lab\user7

Close

elastic

Find apps, content, and more.

Discover

Try ES|QLInspectAlerts+Save

Data viewwin

event_id: 3 and source_ip: 10.0.0.27 and hostname: ws7

Apr 14, 2025 @ 00:00:00.000 → Apr 21, 2025 @ 00:00:00.000

Auto intervalNo breakdown

Available fields

@timestampaccess_typeactionanswerattachmentattachment_namebytesbytes_receivedbytes_sentdata_volume_mb

Add a field

Documents (2)Field statistics

Apr 15, 2025 @ 10:03:17.000

hostname ws7 @timestamp Apr 15, 2025 @ 10:03:17.000

destination_ip 45.144.30.7

Apr 15, 2025 @ 09:01:11.000

hostname ws7 @timestamp Apr 15, 2025 @ 09:01:11.000

destination_ip 138.124.182.1

DocumentK < 2 of 2 > X

Actions: View single documentView surrounding documents

TableJSON

Search field names or values

Selected only

Field	Value
_score	-
@timestamp	Apr 15, 2025 @ 09:01:11.000
destination_ip	138.124.182.161
destination_port	443
event_id	3
host	10.0.0.27

Close

Documents (6)Field statistics

@timestamp

Summary

Apr 15, 2025 @ 20:06:52.000

file_name mscvs.exe message Attacker deleting malware file: mscvs.exe
3 file_path C:\Windows\System32\mscv.exe host 10.0.0.15 hostname v
0 process_name explorer.exe user NT AUTHORITY\SYSTEM_id sKFfP6ABCO

Apr 15, 2025 @ 20:04:27.000

file_name mscvs.exe message Attacker deleting malware file: mscvs.exe
3 file_path C:\Windows\System32\mscv.exe host 10.0.0.10 hostname v
rer.exe user NT AUTHORITY\SYSTEM_id paFfP6ABCQLdIXr9EIqu_ignored

Apr 15, 2025 @ 20:02:38.000

file_name mscvs.exe message Attacker deleting malware file: mscvs.exe
3 file_path C:\Windows\System32\mscv.exe host 10.0.0.27 hostname v
er.exe user NT AUTHORITY\SYSTEM_id mqFfP6ABCQLdIXr9EIqu_ignored

Apr 15, 2025 @ 10:03:17.000

process_name mscvs.exe @timestamp Apr 15, 2025 @ 10:03:17.000 dest:
0.0.0.27 hostname ws7 log_type windows_sysmon message Network tunn
process_id 2,585 protocol tcp source_ip 10.0.0.27 source_port 58,

Apr 15, 2025 @ 10:03:17.000

process_name mscvs.exe @timestamp Apr 15, 2025 @ 10:03:17.000 event:
de28abf342e652981476e45aab5acc message Network tunneling tool exe
e process_command_line C:\Windows\System32\mscv.exe process_id 7,

Apr 15, 2025 @ 10:03:17.000

file_name mscvs.exe @timestamp Apr 15, 2025 @ 10:03:17.000 event:
7 hostname ws7 log_type windows_sysmon md5 7de28abf342e652981476e45
1 process_id 3,267 process_name Autoit3.exe user NT AUTHORITY\SYSTE

Document K < 5 of 6 > |

Actions: View single document View surrounding documents

Table JSON

Search field names or values

Selected only

Field	Value
message	Network tunneling tool executed
parent_process_id	5,093
parent_process_name	Autoit3.exe
process_command_line	C:\Windows\System32\mscv.exe
process_id	7,014
process_name	mscv.exe
process_path	C:\Windows\System32\mscv.exe
user	NT AUTHORITY\SYSTEM

Close

Documents (6)Field statistics

@timestamp

Summary

Apr 15, 2025 @ 20:06:52.000

file_name mscvs.exe message Attacker deleting malware file: mscvs.exe
3 file_path C:\Windows\System32\mscv.exe host 10.0.0.15 hostname v
0 process_name explorer.exe user NT AUTHORITY\SYSTEM_id sKFfP6ABCO

Apr 15, 2025 @ 20:04:27.000

file_name mscvs.exe message Attacker deleting malware file: mscvs.exe
3 file_path C:\Windows\System32\mscv.exe host 10.0.0.10 hostname v
rer.exe user NT AUTHORITY\SYSTEM_id paFfP6ABCQLdIXr9EIqu_ignored

Apr 15, 2025 @ 20:02:38.000

file_name mscvs.exe message Attacker deleting malware file: mscvs.exe
3 file_path C:\Windows\System32\mscv.exe host 10.0.0.27 hostname v
er.exe user NT AUTHORITY\SYSTEM_id mqFfP6ABCQLdIXr9EIqu_ignored

Apr 15, 2025 @ 10:03:17.000

process_name mscvs.exe @timestamp Apr 15, 2025 @ 10:03:17.000 dest:
0.0.0.27 hostname ws7 log_type windows_sysmon message Network tunn
r process_id 2,585 protocol tcp source_ip 10.0.0.27 source_port 58,

Apr 15, 2025 @ 10:03:17.000

process_name mscvs.exe @timestamp Apr 15, 2025 @ 10:03:17.000 event:
de28abf342e652981476e45aab5acc message Network tunneling tool exe
e process_command_line C:\Windows\System32\mscv.exe process_id 7,

Apr 15, 2025 @ 10:03:17.000

file_name mscvs.exe @timestamp Apr 15, 2025 @ 10:03:17.000 event:
7 hostname ws7 log_type windows_sysmon md5 7de28abf342e652981476e45
1 process_id 3,267 process_name Autoit3.exe user NT AUTHORITY\SYSTE

Document K < 4 of 6 > |

Actions: View single document View surrounding documents

Table JSON

Search field names or values

Selected only

Field	Value
@timestamp	Apr 15, 2025 @ 10:03:17.000
destination_ip	45.144.30.77
destination_port	8,443
event_id	3
host	10.0.0.27
hostname	ws7
log_type	windows_sysmon
message	Network tunnel establishing connection to command and control server

Close

Скрин разведки, которую проводит злоумышленник:

Documents (15)		Field statistics			↑ Sort fields 1 🔍 ⚙️ ⛶
☐	@timestamp	Summary			
☒	Apr 15, 2025 @ 10:03:17.000	process_name Autoit3.exe @timestamp Apr 15, 2025 @ 10:03:17.000 event_id 11 file_name mscvs.exe file_path C:\Windows\System32\mscvs.exe host 10.0.0.27 hostname ws7 log_type windows_sysmon md5 7de20abf342e652981476e45aab5acc message Malware dropped network tunneling tool process_id 3,267 user NT AUTHORITY\SYSTEM _id saFFP6ABCQLdIXr9EIan _ignored - _index win_score -			
☐	Apr 15, 2025 @ 10:03:14.000	parent_process_name Autoit3.exe @timestamp Apr 15, 2025 @ 10:03:14.000 event_id 1 host 10.0.0.27 hostname ws7 log_type windows_sysmon message Attacker using netstat.exe for host discovery parent_process_id 8,542 process_command_line C:\Windows\System32\netstat.exe -ano process_id 1,618 process_name netstat.exe process_path C:\Windows\System32\netstat.exe user NT AUTHORITY\SYSTEM _id _			
☐	Apr 15, 2025 @ 10:03:13.000	parent_process_name Autoit3.exe @timestamp Apr 15, 2025 @ 10:03:13.000 event_id 1 host 10.0.0.27 hostname ws7 log_type windows_sysmon message Attacker using tasklist.exe for host discovery parent_process_id 3,534 process_command_line C:\Windows\System32\tasklist.exe /v process_id 9,376 process_name tasklist.exe process_path C:\Windows\System32\tasklist.exe user NT AUTHORITY\SYSTEM _id _			
☒	Apr 15, 2025 @ 10:03:08.000	parent_process_name Autoit3.exe @timestamp Apr 15, 2025 @ 10:03:08.000 event_id 1 host 10.0.0.27 hostname ws7 log_type windows_sysmon message Attacker using whoami.exe for host discovery parent_process_id 5,521 process_command_line C:\Windows\System32\whoami.exe process_id 1,355 process_name whoami.exe process_path C:\Windows\System32\whoami.exe user NT AUTHORITY\SYSTEM _id rKFFP6ABCQLdIXr9_			
☒	Apr 15, 2025 @ 10:03:05.000	parent_process_name Autoit3.exe @timestamp Apr 15, 2025 @ 10:03:05.000 event_id 1 host 10.0.0.27 hostname ws7 log_type windows_sysmon message Attacker using ipconfig.exe for host discovery parent_process_id 4,519 process_command_line C:\Windows\System32\ipconfig.exe /all process_id 4,635 process_name ipconfig.exe process_path C:\Windows\System32\ipconfig.exe user NT AUTHORITY\SYSTEM _id _			
☐	Apr 15, 2025 @ 10:03:02.000	parent_process_name Autoit3.exe @timestamp Apr 15, 2025 @ 10:03:02.000 event_id 1 host 10.0.0.27 hostname ws7 log_type windows_sysmon message Attacker using net.exe for host discovery parent_process_id 1,107 process_command_line C:\Windows\System32\net.exe user process_id 5,945 process_name net.exe process_path C:\Windows\System32\net.exe user NT AUTHORITY\SYSTEM _id rKFFP6ABCQLdIXr9_			

Documents (2)
Field statistics

☐
@timestamp
Summary

☒
Apr 15, 2025 @ 10:03:35.000
processes net.exe, ipconfig.exe, whoami.exe, tasklist.exe, netstat event_id 851 event_type suspicious_process_chain host 10.0.0.27 I executed in short succession severity medium user NT AUTHORITY\SYSTEM

☐
Apr 15, 2025 @ 10:03:14.000
message Attacker using netstat.exe for host discovery process_command_line C:\Windows\System32\netstat.exe @timestamp Apr 15, 2025 @ 10:03:14.000 event_id 7 log_type windows_sysmon parent_process_id 8,542 parent_process_name Autoit3.exe

Document
1 of 2

Actions:
View single document
View surrounding documents

Table
JSON

Search field names or values

Selected only

Field	Value
action	alert
event_id	851
event_type	suspicious_process_chain
host	10.0.0.27
hostname	ws7
log_type	edr
message	Multiple discovery commands executed in short succession
processes	net.exe, ipconfig.exe, whoami.exe, tasklist.exe, netstat.exe

Close

Боковое перемещение и успешный вход злоумышленника на контроллер домена:

elastic

Find apps, content, and more.

Discover

Try ES/SQL

Inspect

Alerts

+

+

+

Save

Data view

win

10.0.0.10 and event_id: 4624 and source_ip: 10.0.0.27

Apr 14, 2025 @ 00:00:00.000 → Apr 21, 2025 @ 00:00:00.000

Auto interval

No breakdown

Available fields

@timestamp

access_type

action

answer

attachment

attachment_name

bytes

bytes_received

bytes_sent

data_volume_mb

Add a field

1

14th April 2025

15th

16th

17th

18th

19th

20th

Apr 14, 2025 @ 00:00:00.000 - Apr 21, 2025 @ 00:00:00.000 (interval: Auto - 3 hours)

Documents (1)

Field statistics

Sort fields

Summary

@timestamp

Apr 15, 2025 @ 11:00:46.000

@timestamp Apr 15, 2025 @ 11:00:46.000 event_id 4,624 host 10.0.0.10 hostname dc01 log_type win...

Document

Actions: View single document View surrounding documents

Table JSON

Search field names or values

Selected only

Field Value

k hostname dc01

k log_type windows_security

f logon_type 10

f message Successful remote logon from compromised host

k source_hostname ws7

source_ip 10.0.0.27

Close

Documents (6)

Field statistics

Summary

Apr 15, 2025 @ 11:00:46.000

@timestamp Apr 15, 2025 @ 11:00:46.000 action alert event_id 1,024 1 log_typeedr message Suspicious logon detected from potentially compromised host source_ip 10.0.0.27 user Demo.lab\administrator _id cqFFP6ABCQLd1Xr9EIep_ignored - _index win_score -

Apr 15, 2025 @ 11:00:46.000

@timestamp Apr 15, 2025 @ 11:00:46.000 event_id 4,778 host 10.0.0.10 logon_type 10 message Successful remote logon from compromised host session_name RDP-Tcp#0 source_hostname ws7 source_ip 10.0.0.27 _id baFFP6ABCQLd1Xr9EIep_ignored - _index win_score -

Apr 15, 2025 @ 06:47:15.000

@timestamp Apr 15, 2025 @ 06:47:15.000 event_id 4,624 host 10.0.0.10 log_type windows_sysmon md5 17202b84 on domain controller process_id 4,817 process_name explorer.exe user Demo.lab\user7 _id j6FFP6ABCQLd1Xr9EISi_ignored - _index win_score -

Apr 15, 2025 @ 06:43:29.000

@timestamp Apr 15, 2025 @ 06:43:29.000 access_type delete event_id 5 y message Network share delete access to Public share_name Public share_path \\demo.lab\user7 _id hqFFP6ABCQLd1Xr9EISi_ignored - _index win_score -

Apr 15, 2025 @ 05:02:25.000

@timestamp Apr 15, 2025 @ 05:02:25.000 access_type delete event_id 5 y message Network share delete access to HR share_name HR share_path \\demo.lab\user7 _id fqFFP6ABCQLd1Xr9EIog_ignored - _index win_score -

Document

Actions: View single document View surrounding documents

Table JSON

Search field names or values

Selected only

Field Value

@timestamp Apr 15, 2025 @ 11:00:46.000

event_id 4,624

host 10.0.0.10

k hostname dc01

k log_type windows_security

f logon_type 10

f message Successful remote logon from compromised host

k source_hostname ws7

source_ip 10.0.0.27

Close

Documents (182)

Field statistics

Summary

Apr 15, 2025 @ 11:00:46.000

@timestamp Apr 15, 2025 @ 11:00:46.000 event_id 1 host 10.0.0.10 log_type windows_sysmon md5 17202b84 on domain controller process_id 4,817 process_name explorer.exe user Demo.lab\user7 _id j6FFP6ABCQLd1Xr9EISi_ignored - _index win_score -

Apr 15, 2025 @ 11:00:46.000

@timestamp Apr 15, 2025 @ 11:00:46.000 event_id 4,778 host 10.0.0.10 logon_type 10 message Successful remote logon from compromised host session_name RDP-Tcp#0 source_hostname ws7 source_ip 10.0.0.27 _id baFFP6ABCQLd1Xr9EIep_ignored - _index win_score -

Apr 15, 2025 @ 10:53:28.000

@timestamp Apr 15, 2025 @ 10:53:28.000 event_id 4,624 host 10.0.0.10 log_type windows_sysmon md5 17202b84 on domain controller process_id 4,817 process_name explorer.exe user Demo.lab\user7 _id j6FFP6ABCQLd1Xr9EISi_ignored - _index win_score -

Apr 15, 2025 @ 10:47:10.000

@timestamp Apr 15, 2025 @ 10:47:10.000 event_id 4,624 host 10.0.0.10 log_type windows_sysmon md5 17202b84 on domain controller process_id 4,817 process_name explorer.exe user Demo.lab\user7 _id j6FFP6ABCQLd1Xr9EISi_ignored - _index win_score -

Document

Actions: View single document View surrounding documents

Table JSON

Search field names or values

Selected only

Field Value

@timestamp Apr 15, 2025 @ 11:00:46.000

event_id 4,778

host 10.0.0.10

k hostname dc01

k log_type windows_security

f logon_type 10

f message RDP session established from compromised host

k session_name RDP-Tcp#0

k source_hostname ws7

source_ip 10.0.0.27

Close

Установка Mythic Frejya на контроллере домена:

Documents (4)Field statistics

☐

@timestamp

🕒

↓Summary

☒

Apr 15, 2025 @ 20:04:26.000

file_name msedge-update.exe file_path C:\Windows\System32\msedge-u

3 host 10.0.0.10 hostname dc01 log_type windows_sysmon message Att

9 process_name explorer.exe user NT AUTHORITY\SYSTEM_id pKFFP6ABCC

☒

Apr 15, 2025 @ 11:00:46.000

process_name msedge-update.exe @timestamp Apr 15, 2025 @ 11:00:46.1

3 event_id 3 host 10.0.0.10 hostname dc01 log_type windows_sysmon m

trol server from domain controller process_id 8,720 protocol tcp se

☒

Apr 15, 2025 @ 11:00:46.000

process_command_line C:\Windows\System32\msedge-update.exe process.

update.exe @timestamp Apr 15, 2025 @ 11:00:46.000 event_id 1 host 1

7f64288f4befcde7b7cc message Mythic Frejya malware executed on dom

☒

Apr 15, 2025 @ 11:00:46.000

file_name msedge-update.exe file_path C:\Windows\System32\msedge-u

1 host 10.0.0.10 hostname dc01 log_type windows_sysmon md5 17202b84

on domain controller process_id 4,817 process_name explorer.exe use

DocumentK < 3 of 4 > X

Actions: View single documentView surrounding documents

TableJSON

Search field names or values

Selected only

Field	Value
# event_id	1
host	10.0.0.10
hostname	dc01
log_type	windows_sysmon
md5	17202b8404a17f64288f4befcde7b7cc
message	Mythic Frejya malware executed on domain controller
# parent_process_id	1,804
parent_process_name	explorer.exe
process_command_line	C:\Windows\System32\msedge-update.exe

Close

Mythic Frejya устанавливает соединение с C2 сервером:

Documents (4)Field statistics

☐

@timestamp

🕒

↓Summary

☒

Apr 15, 2025 @ 20:04:26.000

file_name msedge-update.exe file_path C:\Windows\System32\msedge-u

3 host 10.0.0.10 hostname dc01 log_type windows_sysmon message Att

9 process_name explorer.exe user NT AUTHORITY\SYSTEM_id pKFFP6ABCC

☒

Apr 15, 2025 @ 11:00:46.000

process_name msedge-update.exe @timestamp Apr 15, 2025 @ 11:00:46.1

3 event_id 3 host 10.0.0.10 hostname dc01 log_type windows_sysmon m

trol server from domain controller process_id 8,720 protocol tcp se

☒

Apr 15, 2025 @ 11:00:46.000

process_command_line C:\Windows\System32\msedge-update.exe process.

update.exe @timestamp Apr 15, 2025 @ 11:00:46.000 event_id 1 host 1

7f64288f4befcde7b7cc message Mythic Frejya malware executed on dom

☒

Apr 15, 2025 @ 11:00:46.000

file_name msedge-update.exe file_path C:\Windows\System32\msedge-u

1 host 10.0.0.10 hostname dc01 log_type windows_sysmon md5 17202b84

on domain controller process_id 4,817 process_name explorer.exe use

DocumentK < 2 of 4 > X

Actions: View single documentView surrounding documents

TableJSON

Search field names or values

Selected only

Field	Value
destination_ip	194.87.252.221
destination_port	443
# event_id	3
host	10.0.0.10
hostname	dc01
log_type	windows_sysmon
message	Mythic Frejya establishing connection to command and control server from domain controller
# process_id	8,720
process_name	msedge-update.exe

Close

Documents (9)Field statistics

@timestamp

Summary

16:16:32.000

server log_type windows_sysmon message Second large data transfer from msedge-update.exe protocol tcp source_ip 10.0.0.15 source_port 62,257

✓ Apr 15, 2025 @ 16:16:32.000

@timestamp Apr 15, 2025 @ 16:16:32.000 action alert data_volume_mb 2.221 event_id 1,714 event_type data_exfiltration host 10.0.0.15 host_ip 10.0.0.15 host_name detected process_name msedge-update.exe severity critical user NT AUTHORITY\SYSTEM

✓ Apr 15, 2025 @ 16:07:10.000

@timestamp Apr 15, 2025 @ 16:07:10.000 bytes_received 1,024 bytes_sent 0 destination_ip 194.87.252.221 event_id 1,710 log_type proxy message T source_hostname fileserver source_ip 10.0.0.15 status_code 200 user NT AUTHORITY\SYSTEM

✓ Apr 15, 2025 @ 16:07:10.000

@timestamp Apr 15, 2025 @ 16:07:10.000 destination_ip 194.87.252.221 server log_type windows_sysmon message Large data transfer to command.exe protocol tcp source_ip 10.0.0.15 source_port 65,398 user NT AUTHORITY\SYSTEM

✓ Apr 15, 2025 @ 16:07:10.000

@timestamp Apr 15, 2025 @ 16:07:10.000 answer 194.87.252.221 event_id 1,710 log_type proxy message T source_hostname fileserver source_ip 10.0.0.15 status_code 200 user NT AUTHORITY\SYSTEM

✓ Apr 15, 2025 @ 11:00:46.000

@timestamp Apr 15, 2025 @ 11:00:46.000 answer 194.87.252.221 event_id 1,710 log_type proxy message T source_hostname fileserver source_ip 10.0.0.15 status_code 200 user NT AUTHORITY\SYSTEM

✓ Apr 15, 2025 @ 11:00:46.000

@timestamp Apr 15, 2025 @ 11:00:46.000 destination_ip 194.87.252.221 log_type windows_sysmon message Mythic Frejya establishing connection process_id 8,720 process_name msedge-update.exe protocol tcp source_ip 10.0.0.15 source_port 62,257

Document 8 of 9

Actions: View single document View surrounding documents

Table JSON

Search field names or values

Selected only

Field Value

@timestamp Apr 15, 2025 @ 11:00:46.000

answer 194.87.252.221

event_id 1,023

log_type dns

message DNS resolution for command and control domain from domain controller

query wmpssvc.online

query_type A

source_hostname dc01

source_ip 10.0.0.10

Close

Злоумышленник собирает данные об AD:

Documents (182)Field statistics

@timestamp

Summary

13:04:32.000

g Active Directory data parent_process_id 4,282 parent_process_name rs.csv -d "DC=demo,DC=lab" -r "(objectClass=computer)" -l "cn,oper

✓ Apr 15, 2025 @ 13:04:22.000

@timestamp Apr 15, 2025 @ 13:04:22.000 event_id 11 file_name users 0 hostname dc01 log_type windows_sysmon message Active Directory data user Demo.lab\administrator_id uaFP6ABCQLdIXr9EIir_ignored -

✓ Apr 15, 2025 @ 13:04:22.000

@timestamp Apr 15, 2025 @ 13:04:22.000 event_id 1 host 10.0.0.10 host_ip 10.0.0.10 host_name g Active Directory data parent_process_id 1,894 parent_process_name sv -d "DC=demo,DC=lab" -r "(&(objectClass=user)(objectCategory=per

✓ Apr 15, 2025 @ 13:04:14.000

@timestamp Apr 15, 2025 @ 13:04:14.000 event_id 11 file_name ad_exp 0 hostname dc01 log_type windows_sysmon message Active Directory data user Demo.lab\administrator_id t6FP6ABCQLdIXr9EIir_ignored -

✓ Apr 15, 2025 @ 13:04:14.000

@timestamp Apr 15, 2025 @ 13:04:14.000 event_id 1 host 10.0.0.10 host_ip 10.0.0.10 host_name g Active Directory data parent_process_id 3,369 parent_process_name ort.ldf -s localhost -d "DC=demo,DC=lab" -p subtree process_id 9,41

✓ Apr 15, 2025 @ 12:59:41.000

@timestamp Apr 15, 2025 @ 12:59:41.000 event_id 19 host 10.0.0.10 host_ip 10.0.0.10 host_name tivity status Installed successfully update_title KB5641328 user NT AUTHORITY\SYSTEM

✓ Apr 15, 2025 @ 12:58:47.000

@timestamp Apr 15, 2025 @ 12:58:47.000 event_id 4,634 host 10.0.0.10 host_ip 10.0.0.10 host_name y logon_type 2 message User logged off user Demo.lab\administrator

Document 62 of 182

Actions: View single document View surrounding documents

Table JSON

Search field names or values

Selected only

Field Value

log_type windows_sysmon

message Attacker collecting Active Directory data

parent_process_id 3,369

parent_process_name cmd.exe

process_command_line kldifde -f C:\Windows\Temp\ad_export.ldf -s localhost -d "DC=demo,DC=lab" -p subtree

process_id 9,481

process_name kldifde.exe

process_path C:\Windows\System32\kldifde.exe

Close

Доступ к административной папке контроллера домена и боковое перемещение на файловый сервер:

Documents (111)Field statistics

@timestamp

Apr 15, 2025 @ 13:04:50.000

13:04:50.000

13:04:50.000

13:04:50.000

13:01:30.000

13:01:01.000

12:50:55.000

12:43:26.000

Summary

@timestamp Apr 15, 2025 @ 13:04:50.000 event_id 1 host 10.0.0.15 hostname fileserver log_type windows_sysmon md5 900637eefd5301e35645bea9b2a69947 message Mythic Frejya malware executed on file server process_id 6,425 process_name services.exe user NT AUTHORITY\SYSTEM

@timestamp Apr 15, 2025 @ 13:04:50.000 event_id 11 file_name cryptoservice.exe host 10.0.0.15 hostname fileserver log_type windows_sysmon md5 900637eefd5301e35645bea9b2a69947 message Mythic Frejya malware executed on file server process_id 6,425 process_name services.exe user NT AUTHORITY\SYSTEM

@timestamp Apr 15, 2025 @ 13:04:50.000 event_id 11 file_name cryptoservice.exe host 10.0.0.15 hostname fileserver log_type windows_sysmon md5 900637eefd5301e35645bea9b2a69947 message Mythic Frejya malware executed on file server process_id 6,425 process_name services.exe user NT AUTHORITY\SYSTEM

@timestamp Apr 15, 2025 @ 13:01:30.000 access_type read event_id 5 message Network share read access to HR share_name HR share_path \\10.0.0.15\HR user Demo.lab\administrator_id sKFFP6ABCQLdIXr9EIir _ignored - _index win_score -

@timestamp Apr 15, 2025 @ 13:01:01.000 access_type delete event_id 5 message SMB delete access to IT from 10.0.0.254 pid 8,014 program d1Xr9EIir _ignored - _index win_score -

@timestamp Apr 15, 2025 @ 12:50:55.000 database orders duration_ms 1000 log_type database message Database DELETE operation on orders operation_id mKFFP6ABCQLdIXr9EIir _ignored - _index win_score -

@timestamp Apr 15, 2025 @ 12:43:26.000 access_type create event_id 1 message Network share create access to IT share_name IT share_path \\10.0.0.15\IT user Demo.lab\administrator_id sKFFP6ABCQLdIXr9EIir _ignored - _index win_score -

Document79 of 111

Actions: View single documentView surrounding documents

TableJSON

Search field names or values

Selected only

Field	Value
host	10.0.0.15
hostname	fileserver
log_type	windows_security
message	Administrative share accessed from domain controller
share_name	C\$
share_path	\\10.0.0.15\C\$
source_hostname	dc01
source_ip	10.0.0.10

Close

Установка Mythic Frejya на файловом сервере:

Documents (111)Field statistics

@timestamp

Apr 15, 2025 @ 13:04:55.000

13:04:55.000

13:04:55.000

13:04:50.000

13:04:50.000

13:04:50.000

13:04:50.000

13:04:50.000

13:04:50.000

Summary

@timestamp Apr 15, 2025 @ 13:04:55.000 event_id 11 file_name Employee_Records_2025.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon md5 900637eefd5301e35645bea9b2a69947 message Mythic Frejya malware executed on file server process_id 8,443 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM

@timestamp Apr 15, 2025 @ 13:04:55.000 event_id 11 file_name Employee_Records_2025.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon md5 900637eefd5301e35645bea9b2a69947 message Mythic Frejya malware executed on file server process_id 8,443 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM

@timestamp Apr 15, 2025 @ 13:04:50.000 event_id 11 file_name Q1_2025.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon md5 900637eefd5301e35645bea9b2a69947 message Mythic Frejya malware executed on file server process_id 6,384 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM

@timestamp Apr 15, 2025 @ 13:04:50.000 event_id 11 file_name Q1_2025.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon md5 900637eefd5301e35645bea9b2a69947 message Mythic Frejya malware executed on file server process_id 6,384 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM

@timestamp Apr 15, 2025 @ 13:04:50.000 event_id 11 file_name Q1_2025.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon md5 900637eefd5301e35645bea9b2a69947 message Mythic Frejya malware executed on file server process_id 6,384 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM

@timestamp Apr 15, 2025 @ 13:04:50.000 event_id 1 host 10.0.0.15 hostname fileserver log_type windows_sysmon md5 900637eefd5301e35645bea9b2a69947 message Mythic Frejya malware executed on file server process_id 6,425 process_name services.exe user NT AUTHORITY\SYSTEM

@timestamp Apr 15, 2025 @ 13:04:50.000 event_id 11 file_name cryptoservice.exe host 10.0.0.15 hostname fileserver log_type windows_sysmon md5 900637eefd5301e35645bea9b2a69947 message Mythic Frejya malware executed on file server process_id 6,425 process_name services.exe user NT AUTHORITY\SYSTEM

@timestamp Apr 15, 2025 @ 13:04:50.000 event_id 5,140 host 10.0.0.15 hostname fileserver log_type windows_sysmon md5 900637eefd5301e35645bea9b2a69947 message Mythic Frejya malware executed on file server process_id 6,425 process_name services.exe user NT AUTHORITY\SYSTEM

Document77 of 111

Actions: View single documentView surrounding documents

TableJSON

Search field names or values

Selected only

Field	Value
host	10.0.0.15
hostname	fileserver
log_type	windows_sysmon
md5	900637eefd5301e35645bea9b2a69947
message	Mythic Frejya malware executed on file server
parent_process_id	5,909
parent_process_name	services.exe
process_command_line	C:\Windows\System32\cryptoservice.exe

Close

Созданная папка, куда злоумышленник копирует прочитанные файлы:

Documents (7)		Field statistics	
@timestamp	Summary		
20:07:02.000	\staging @timestamp Apr 15, 2025 @ 20:07:02.000 event_id 1 host 10.0.0.15 hostname fileserver log_type windows_sysmon n parent_process_id 6,146 parent_process_name explorer.exe process_id 1,716 process_name cmd.exe process_path C:\Windows\System3_		
✓ Apr 15, 2025 @ 13:05:21.000	process_command_line powershell -Command "Compress-Archive -Path 'C:\Windows\Temp\staging*' -DestinationPath 'C:\Windows\Temp\da ta.zip' -Force @timestamp Apr 15, 2025 @ 13:05:21.000 event_id 1 host 10.0.0.15 hostname fileserver log_type windows_sysmo n message Attacker creating archive of collected data parent_process_id 7,158 parent_process_name cryptoservice.exe process_id 6_		
✓ Apr 15, 2025 @ 13:05:11.000	file_path C:\Windows\Temp\staging\Project_Quantum_Specs.pdf message Sensitive file copied to staging directory @timestamp Apr 15, 2025 @ 13:05:11.000 event_id 11 file_name Project_Quantum_Specs.pdf host 10.0.0.15 hostname fileserver log_type windows_sysmo n process_id 4,916 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id yqFfP6ABQCQLdIXr9EIir_ignored - _index wi_		
✓ Apr 15, 2025 @ 13:05:01.000	file_path C:\Windows\Temp\staging\admin_credentials.xlsx message Sensitive file copied to staging directory @timestamp Apr 15, 20 25 @ 13:05:01.000 event_id 11 file_name admin_credentials.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmo n process_id 4,772 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id yKfFp6ABQCQLdIXr9EIir_ignored - _index wi_		
✓ Apr 15, 2025 @ 13:04:58.000	file_path C:\Windows\Temp\staging\Strategic_Plan_2025-2027.docx message Sensitive file copied to staging directory @timestamp Apr 15, 2025 @ 13:04:58.000 event_id 11 file_name Strategic_Plan_2025-2027.docx host 10.0.0.15 hostname fileserver log_type windows_s ysmo process_id 4,594 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id xqFfP6ABQCQLdIXr9EIir_ignored - _index wi_		
✓ Apr 15, 2025 @ 13:04:55.000	file_path C:\Windows\Temp\staging\Employee_Records_2025.xlsx message Sensitive file copied to staging directory @timestamp Apr 1 5, 2025 @ 13:04:55.000 event_id 11 file_name Employee_Records_2025.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmo n process_id 8,443 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id xKfFp6ABQCQLdIXr9EIir_ignored - _index wi_		
✓ Apr 15, 2025 @ 13:04:50.000	file_path C:\Windows\Temp\staging\Q1_2025_Budget.xlsx message Sensitive file copied to staging directory @timestamp Apr 15, 2025 @ 13:04:50.000 event_id 11 file_name Q1_2025_Budget.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon process_id 6, 384 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id wqFfP6ABQCQLdIXr9EIir_ignored - _index win_score -		

Множественное чтение и копирование файлов на файловом сервере:

Documents (111)		Field statistics	
@timestamp	Summary		
✓ Apr 15, 2025 @ 13:13:09.000	@timestamp Apr 15, 2025 @ 13:13:09.000 access_type write event_id g message SMB write access to HR from 10.0.0.254 pid 7,512 program IXr9EIir_ignored - _index win_score -		
✓ Apr 15, 2025 @ 13:12:08.000	@timestamp Apr 15, 2025 @ 13:12:08.000 access_type create event_id g message SMB create access to Finance from 10.0.1.254 pid 7,981 p KfFp6ABQCQLdIXr9EIir_ignored - _index win_score -		
✓ Apr 15, 2025 @ 13:05:21.000	@timestamp Apr 15, 2025 @ 13:05:21.000 action alert event_id 1,371 5 hostname fileserver log_typeedr message Mass file access detecte ptoservice.exe user NT AUTHORITY\SYSTEM_id zaFfP6ABQCQLdIXr9EIir_ignored -		
✓ Apr 15, 2025 @ 13:05:21.000	@timestamp Apr 15, 2025 @ 13:05:21.000 event_id 11 file_name data. 5 hostname fileserver log_type windows_sysmon message Archive of se exe user NT AUTHORITY\SYSTEM_id zKfFp6ABQCQLdIXr9EIir_ignored -		
✓ Apr 15, 2025 @ 13:05:21.000	@timestamp Apr 15, 2025 @ 13:05:21.000 event_id 1 host 10.0.0.15 ho ating archive of collected data parent_process_id 7,158 parent_pro mmand "Compress-Archive -Path 'C:\Windows\Temp\staging*' -Destina		
✓ Apr 15, 2025 @ 13:05:11.000	@timestamp Apr 15, 2025 @ 13:05:11.000 event_id 11 file_name Proj e Quantum_Specs.pdf host 10.0.0.15 hostname fileserver log_type windo y process_id 4,916 process_name cryptoservice.exe user NT AUTHORITY		

Document 64 of 111

Actions: View single document View surrounding documents

Table JSON

Search field names or values

Selected only

Field	Value
@timestamp	Apr 15, 2025 @ 13:05:21.000
action	alert
event_id	1,371
event_type	data_collection
files_accessed	5
host	10.0.0.15
hostname	fileserver
log_type	edr
message	Mass file access detected to sensitive shares

Close

Documents (101)Field statistics

@timestamp

Summary

Apr 15, 2025 @ 13:04:58.000

message Sensitive file copied to staging directory user NT AUTHORITY\SYSTEM @timestamp Apr 15, 2025 @ 13:04:58.000 event_id 11 file_name Strategic_Plan_2025-2027.docx file_path C:\Windows\Temp\staging\Strategic_Plan_2025-2027.docx host 10.0.0.15 hostname fileserv log_type windows_sysmon process_id 4,594 process_name cryptoservice.exe _id xqFfP6ABCQLdIXr9EIir _ignored - _index win_score -

Apr 15, 2025 @ 13:04:58.000

file_path D:\Shares\Executive\Strategic_Plan_2025-2027.docx message Attacker accessing Sensitive file user NT AUTHORITY\SYSTEM @timestamp Apr 15, 2025 @ 13:04:58.000 event_id 11 file_name Strategic_Plan_2025-2027.docx host 10.0.0.15 hostname fileserv log_type windows_sysmon process_id 9,125 process_name cryptoservice.exe _id xAFfP6ABCQLdIXr9EIir _ignored - _index win_score -

Apr 15, 2025 @ 13:04:55.000

message Sensitive file copied to staging directory user NT AUTHORITY\SYSTEM @timestamp Apr 15, 2025 @ 13:04:55.000 event_id 11 file_name Employee_Records_2025.xlsx file_path C:\Windows\Temp\staging\Employee_Records_2025.xlsx host 10.0.0.15 hostname fileserv log_type windows_sysmon process_id 8,443 process_name cryptoservice.exe _id xKfFp6ABCQLdIXr9EIir _ignored - _index win_score -

Apr 15, 2025 @ 13:04:55.000

file_path D:\Shares\HR\Employee_Records_2025.xlsx message Attacker accessing Sensitive file user NT AUTHORITY\SYSTEM @timestamp Apr 15, 2025 @ 13:04:55.000 event_id 11 file_name Employee_Records_2025.xlsx host 10.0.0.15 hostname fileserv log_type windows_sysmon process_id 2,717 process_name cryptoservice.exe _id w6FfP6ABCQLdIXr9EIir _ignored - _index win_score -

Apr 15, 2025 @ 13:04:50.000

message Sensitive file copied to staging directory user NT AUTHORITY\SYSTEM @timestamp Apr 15, 2025 @ 13:04:50.000 event_id 11 file_name Q1_2025_Budget.xlsx file_path C:\Windows\Temp\staging\Q1_2025_Budget.xlsx host 10.0.0.15 hostname fileserv log_type windows_sysmon process_id 6,384 process_name cryptoservice.exe _id wqFfP6ABCQLdIXr9EIir _ignored - _index win_score -

Apr 15, 2025 @ 13:04:50.000

file_path D:\Shares\Finance\Q1_2025_Budget.xlsx message Attacker accessing Sensitive file user NT AUTHORITY\SYSTEM @timestamp Apr 15, 2025 @ 13:04:50.000 event_id 11 file_name Q1_2025_Budget.xlsx host 10.0.0.15 hostname fileserv log_type windows_sysmon process_id 7,859 process_name cryptoservice.exe _id wAFfP6ABCQLdIXr9EIir _ignored - _index win_score -

Documents (111)Field statistics

@timestamp

Summary

Apr 15, 2025 @ 13:05:11.000

@timestamp Apr 15, 2025 @ 13:05:11.000 event_id 11 file_name Project_Quantum_Specs.pdf host 10.0.0.15 hostname fileserv log_type windows_sysmon process_id 4,916 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM

Apr 15, 2025 @ 13:05:11.000

@timestamp Apr 15, 2025 @ 13:05:11.000 event_id 11 file_name Project_Quantum_Specs.pdf host 10.0.0.15 hostname fileserv log_type windows_sysmon process_id 2 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM _id yaFfP6ABCQLdIXr9EIir

Apr 15, 2025 @ 13:05:01.000

@timestamp Apr 15, 2025 @ 13:05:01.000 event_id 11 file_name admin_credentials.xlsx host 10.0.0.15 hostname fileserv log_type windows_sysmon process_id 4,772 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM

Apr 15, 2025 @ 13:05:01.000

@timestamp Apr 15, 2025 @ 13:05:01.000 event_id 11 file_name admin_credentials.xlsx host 10.0.0.15 hostname fileserv log_type windows_sysmon message Attacker accessing Sensitive file user NT AUTHORITY\SYSTEM _id x6FfP6ABCQLdIXr9EIir

Apr 15, 2025 @ 13:04:58.000

@timestamp Apr 15, 2025 @ 13:04:58.000 event_id 11 file_name Strategic_Plan_2025-2027.docx host 10.0.0.15 hostname fileserv log_type windows_sysmon process_id 4,594 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM

Apr 15, 2025 @ 13:04:58.000

@timestamp Apr 15, 2025 @ 13:04:58.000 event_id 11 file_name Strategic_Plan_2025-2027.docx host 10.0.0.15 hostname fileserv log_type windows_sysmon process_id 9,125 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM

Document 70 of 111

Actions: View single document View surrounding documents

TableJSON

Search field names or values

Selected only

Field	Value
@timestamp	Apr 15, 2025 @ 13:05:01.000
event_id	11
file_name	admin_credentials.xlsx
file_path	D:\Shares\IT\admin_credentials.xlsx
host	10.0.0.15
hostname	fileserv
log_type	windows_sysmon
message	Attacker accessing sensitive file
process_id	4,654

Close

Documents (111)Field statistics

@timestamp

Summary

Apr 15, 2025 @ 13:05:11.000

@timestamp Apr 15, 2025 @ 13:05:11.000 event_id 11 file_name Project_Quantum_Specs.pdf host 10.0.0.15 hostname fileserv log_type windows_sysmon process_id 4,916 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM

Apr 15, 2025 @ 13:05:11.000

@timestamp Apr 15, 2025 @ 13:05:11.000 event_id 11 file_name Project_Quantum_Specs.pdf host 10.0.0.15 hostname fileserv log_type windows_sysmon process_id 2 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM _id yaFfP6ABCQLdIXr9EIir

Apr 15, 2025 @ 13:05:01.000

@timestamp Apr 15, 2025 @ 13:05:01.000 event_id 11 file_name admin_credentials.xlsx host 10.0.0.15 hostname fileserv log_type windows_sysmon process_id 4,772 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM

Apr 15, 2025 @ 13:05:01.000

@timestamp Apr 15, 2025 @ 13:05:01.000 event_id 11 file_name admin_credentials.xlsx host 10.0.0.15 hostname fileserv log_type windows_sysmon message Attacker accessing Sensitive file user NT AUTHORITY\SYSTEM _id x6FfP6ABCQLdIXr9EIir

Apr 15, 2025 @ 13:04:58.000

@timestamp Apr 15, 2025 @ 13:04:58.000 event_id 11 file_name Strategic_Plan_2025-2027.docx host 10.0.0.15 hostname fileserv log_type windows_sysmon process_id 4,594 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM

Apr 15, 2025 @ 13:04:58.000

@timestamp Apr 15, 2025 @ 13:04:58.000 event_id 11 file_name Strategic_Plan_2025-2027.docx host 10.0.0.15 hostname fileserv log_type windows_sysmon process_id 9,125 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM

Document 70 of 111

Actions: View single document View surrounding documents

TableJSON

Search field names or values

Selected only

Field	Value
@timestamp	Apr 15, 2025 @ 13:05:01.000
event_id	11
file_name	admin_credentials.xlsx
file_path	D:\Shares\IT\admin_credentials.xlsx
host	10.0.0.15
hostname	fileserv
log_type	windows_sysmon
message	Attacker accessing sensitive file
process_id	4,654

Close

Documents (111)		Field statistics
☐	@timestamp	Summary
☐	Apr 15, 2025 @ 13:04:58.000	4 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id x6Ff
☒	Apr 15, 2025 @ 13:04:58.000	@timestamp Apr 15, 2025 @ 13:04:58.000 event_id 11 file_name Strategic_Plan_2025-2027.docx host 10.0.0.15 hostname fileserver log_type w6Ff process_id 4,594 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM
☒	Apr 15, 2025 @ 13:04:58.000	@timestamp Apr 15, 2025 @ 13:04:58.000 event_id 11 file_name Strategic_Plan_2025-2027.docx host 10.0.0.15 hostname fileserver log_type w6Ff process_id 9,125 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM
☒	Apr 15, 2025 @ 13:04:55.000	@timestamp Apr 15, 2025 @ 13:04:55.000 event_id 11 file_name Employee_Records_2025.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon message Q1_2025.xlsx process_id 8,443 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM
☒	Apr 15, 2025 @ 13:04:55.000	@timestamp Apr 15, 2025 @ 13:04:55.000 event_id 11 file_name Employee_Records_2025.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon message Q1_2025.xlsx process_id 7 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id w6Ff
☒	Apr 15, 2025 @ 13:04:50.000	@timestamp Apr 15, 2025 @ 13:04:50.000 event_id 11 file_name Q1_2025.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon message Q1_2025.xlsx process_id 6,384 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM
☒	Apr 15, 2025 @ 13:04:50.000	@timestamp Apr 15, 2025 @ 13:04:50.000 event_id 11 file_name Q1_2025.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon message Q1_2025.xlsx process_id 9 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id w6Ff
Rows per page: 100		

Documents (111)
Field statistics

☐
@timestamp

☐
Apr 15, 2025 @ 13:05:11.000

☐
Apr 15, 2025 @ 13:05:11.000

☐
Apr 15, 2025 @ 13:05:01.000

☐
Apr 15, 2025 @ 13:05:01.000

☐
Apr 15, 2025 @ 13:04:58.000

☐
Apr 15, 2025 @ 13:04:58.000

Summary

```

mmcmd "Compress-Archive -Path 'C:\Windows\Temp\staging\*' -Destina
@timestamp Apr 15, 2025 @ 13:05:11.000 event_id 11 file_name Projec
Quantum_Specs.pdf host 10.0.0.15 hostname fileserver log_type windo
y process_id 4,916 process_name cryptoservice.exe user NT AUTHORITY
@timestamp Apr 15, 2025 @ 13:05:11.000 event_id 11 file_name Projec
um_Specs.pdf host 10.0.0.15 hostname fileserver log_type windows_sy
2 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM _id yaFf
@timestamp Apr 15, 2025 @ 13:05:01.000 event_id 11 file_name admin.
ntials.xlsx host 10.0.0.15 hostname fileserver log_type windows_sys
y process_id 4,772 process_name cryptoservice.exe user NT AUTHORITY
@timestamp Apr 15, 2025 @ 13:05:01.000 event_id 11 file_name admin.
x host 10.0.0.15 hostname fileserver log_type windows_sysmon messag
4 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM _id x6Ff
@timestamp Apr 15, 2025 @ 13:04:58.000 event_id 11 file_name Strate
gic_Plan_2025-2027.docx host 10.0.0.15 hostname fileserver log_ty
ectory process_id 4,594 process_name cryptoservice.exe user NT AUTH
@timestamp Apr 15, 2025 @ 13:04:58.000 event_id 11 file_name Strate
c_Plan_2025-2027.docx host 10.0.0.15 hostname fileserver log_type
e process_id 9,125 process_name cryptoservice.exe user NT AUTHORITY

```

Rows per page: 100

Document
69 of 111

Actions:
View single document
View surrounding documents

Table
JSON

Search field names or values

Field

Value

@timestamp

Apr 15, 2025 @ 13:05:01.000

event_id

11

k file_name

admin_credentials.xlsx

k file_path

C:\Windows\Temp\staging\admin_credentials.xlsx

u host

10.0.0.15

k hostname

fileserver

k log_type

windows_sysmon

t message

Sensitive file copied to staging directory

process_id

4,772

Close

Documents (111)
Field statistics

	@timestamp	Summary
☐	Apr 15, 2025 @ 13:04:55.000	@timestamp Apr 15, 2025 @ 13:04:55.000 event_id 11 file_name Employe_Records_2025.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon message Sensitive file copied to staging directory process_id 8,443 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM
☒	Apr 15, 2025 @ 13:04:55.000	@timestamp Apr 15, 2025 @ 13:04:55.000 event_id 11 file_name Employe_Records_2025.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon message Sensitive file copied to staging directory process_id 7 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM
☐	Apr 15, 2025 @ 13:04:50.000	@timestamp Apr 15, 2025 @ 13:04:50.000 event_id 11 file_name Q1_2025_Budget.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon message Sensitive file copied to staging directory process_id 6,384 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM
☒	Apr 15, 2025 @ 13:04:50.000	@timestamp Apr 15, 2025 @ 13:04:50.000 event_id 11 file_name Q1_2025_Budget.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon message Sensitive file copied to staging directory process_id 9 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM
☐	Apr 15, 2025 @ 13:04:50.000	@timestamp Apr 15, 2025 @ 13:04:50.000 event_id 1 host 10.0.0.15 hostname fileserver log_type windows_sysmon message Mythic Frejya malware executed on file server process_command_line C:\Windows\System32\cryptoservice.exe process_id 5,645
☒	Apr 15, 2025 @ 13:04:50.000	@timestamp Apr 15, 2025 @ 13:04:50.000 event_id 11 file_name cryptoservice.exe host 10.0.0.15 hostname fileserver log_type windows_sysmon md5 9f2c1d00000000000000000000000000 ripped on file server process_id 6,425 process_name services.exe user NT AUTHORITY\SYSTEM
☐	Apr 15, 2025 @ 13:04:50.000	@timestamp Apr 15, 2025 @ 13:04:50.000 event_id 5,140 host 10.0.0.15 hostname fileserver log_type windows_sysmon message Sensitive file copied to staging directory process_id 5,140 process_name services.exe user NT AUTHORITY\SYSTEM

Rows per page: 100

Document | < 75 of 111 > | X
 Actions: View single document View surrounding documents
 Table JSON
 Search field names or values [0]
☐ Selected only

Field	Value
k file_name	Q1_2025_Budget.xlsx
k file_path	C:\Windows\Temp\staging\Q1_2025_Budget.xlsx
h host	10.0.0.15
k hostname	fileserver
k log_type	windows_sysmon
t message	Sensitive file copied to staging directory
# process_id	6,384
k process_name	cryptoservice.exe
k user	NT AUTHORITY\SYSTEM

X Close

Documents (111)Field statistics

@timestamp

Summary

4 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id x6Ff

Apr 15, 2025 @ 13:04:58.000

@timestamp Apr 15, 2025 @ 13:04:58.000 event_id 11 file_name Strategic_Plan_2025-2027.docx host 10.0.0.15 hostname fileserver log_type vactory process_id 4,594 process_name cryptoservice.exe user NT AUTH

Apr 15, 2025 @ 13:04:58.000

@timestamp Apr 15, 2025 @ 13:04:58.000 event_id 11 file_name Strategic_Plan_2025-2027.docx host 10.0.0.15 hostname fileserver log_type vactory process_id 9,125 process_name cryptoservice.exe user NT AUTHORITY

Apr 15, 2025 @ 13:04:55.000

@timestamp Apr 15, 2025 @ 13:04:55.000 event_id 11 file_name Employee_Records_2025.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon_7 process_id 8,443 process_name cryptoservice.exe user NT AUTHORITY

Apr 15, 2025 @ 13:04:55.000

@timestamp Apr 15, 2025 @ 13:04:55.000 event_id 11 file_name Employee_Records_2025.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon_7 process_id 7 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id w6Ff

Apr 15, 2025 @ 13:04:50.000

@timestamp Apr 15, 2025 @ 13:04:50.000 event_id 11 file_name Q1_2025.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon_7 process_id 6,384 process_name cryptoservice.exe user NT AUTHORITY

Apr 15, 2025 @ 13:04:50.000

@timestamp Apr 15, 2025 @ 13:04:50.000 event_id 11 file_name Q1_2025.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon_7 process_id 9 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id waFf

Rows per page: 100

DocumentK < 73 of 111 > X

Actions: View single documentView surrounding documents

TableJSON

Q Search field names or values

Selected only

Field	Value
@timestamp	Apr 15, 2025 @ 13:04:55.000
event_id	11
file_name	Employee_Records_2025.xlsx
file_path	C:\Windows\Temp\staging\Employee_Records_2025.xlsx
host	10.0.0.15
hostname	fileserver
log_type	windows_sysmon
message	Sensitive file copied to staging directory
process_id	8,443

Close

Documents (111)Field statistics

@timestamp

Summary

5 hostname fileserver log_type windows_sysmon message Archive of sensitive file

Apr 15, 2025 @ 13:05:21.000

@timestamp Apr 15, 2025 @ 13:05:21.000 event_id 1 host 10.0.0.15 hostname fileserver log_type windows_sysmon message Archive of sensitive file parent_process_id 7,158 parent_process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id zKF6P6ABCQdLXr9Eiir_ignored -

Apr 15, 2025 @ 13:05:11.000

@timestamp Apr 15, 2025 @ 13:05:11.000 event_id 11 file_name Project_Quantum_Specs.pdf host 10.0.0.15 hostname fileserver log_type windows_sysmon_2 process_id 4,916 process_name cryptoservice.exe user NT AUTHORITY

Apr 15, 2025 @ 13:05:11.000

@timestamp Apr 15, 2025 @ 13:05:11.000 event_id 11 file_name Project_Quantum_Specs.pdf host 10.0.0.15 hostname fileserver log_type windows_sysmon_2 process_id 2 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id yaFf

Apr 15, 2025 @ 13:05:01.000

@timestamp Apr 15, 2025 @ 13:05:01.000 event_id 11 file_name administrative_data.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon_2 process_id 4,772 process_name cryptoservice.exe user NT AUTHORITY

Apr 15, 2025 @ 13:05:01.000

@timestamp Apr 15, 2025 @ 13:05:01.000 event_id 11 file_name administrative_data.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon_2 process_id 4 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id x6Ff

Apr 15, 2025 @ 13:04:58.000

@timestamp Apr 15, 2025 @ 13:04:58.000 event_id 11 file_name Strategic_Plan_2025-2027.docx host 10.0.0.15 hostname fileserver log_type vactory process_id 4,594 process_name cryptoservice.exe user NT AUTH

Rows per page: 100

DocumentK < 67 of 111 > X

Actions: View single documentView surrounding documents

TableJSON

Q Search field names or values

Selected only

Field	Value
@timestamp	Apr 15, 2025 @ 13:05:11.000
event_id	11
file_name	Project_Quantum_Specs.pdf
file_path	C:\Windows\Temp\staging\Project_Quantum_Specs.pdf
host	10.0.0.15
hostname	fileserver
log_type	windows_sysmon
message	Sensitive file copied to staging directory
process_id	4,916

Close

Documents (111)Field statistics

@timestamp

Summary

2 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id yaFf

Apr 15, 2025 @ 13:05:11.000

@timestamp Apr 15, 2025 @ 13:05:11.000 event_id 11 file_name Project_Quantum_Specs.pdf host 10.0.0.15 hostname fileserver log_type windows_sysmon_2 process_id 2 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id yaFf

Apr 15, 2025 @ 13:05:01.000

@timestamp Apr 15, 2025 @ 13:05:01.000 event_id 11 file_name administrative_data.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon_2 process_id 4,772 process_name cryptoservice.exe user NT AUTHORITY

Apr 15, 2025 @ 13:05:01.000

@timestamp Apr 15, 2025 @ 13:05:01.000 event_id 11 file_name administrative_data.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon_2 process_id 4 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id x6Ff

Apr 15, 2025 @ 13:04:58.000

@timestamp Apr 15, 2025 @ 13:04:58.000 event_id 11 file_name Strategic_Plan_2025-2027.docx host 10.0.0.15 hostname fileserver log_type vactory process_id 4,594 process_name cryptoservice.exe user NT AUTH

Apr 15, 2025 @ 13:04:58.000

@timestamp Apr 15, 2025 @ 13:04:58.000 event_id 11 file_name Strategic_Plan_2025-2027.docx host 10.0.0.15 hostname fileserver log_type vactory process_id 9,125 process_name cryptoservice.exe user NT AUTHORITY

Apr 15, 2025 @ 13:04:55.000

@timestamp Apr 15, 2025 @ 13:04:55.000 event_id 11 file_name Employee_Records_2025.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon_7 process_id 8,443 process_name cryptoservice.exe user NT AUTHORITY

Apr 15, 2025 @ 13:04:55.000

@timestamp Apr 15, 2025 @ 13:04:55.000 event_id 11 file_name Employee_Records_2025.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon_7 process_id 7 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id w6Ff

Rows per page: 100

DocumentK < 71 of 111 > X

Actions: View single documentView surrounding documents

TableJSON

Q Search field names or values

Selected only

Field	Value
@timestamp	Apr 15, 2025 @ 13:04:58.000
event_id	11
file_name	Strategic_Plan_2025-2027.docx
file_path	C:\Windows\Temp\staging\Strategic_Plan_2025-2027.docx
host	10.0.0.15
hostname	fileserver
log_type	windows_sysmon
message	Sensitive file copied to staging directory
process_id	4,594

Close

Documents (111)Field statistics

@timestamp

Apr 15, 2025 @ 13:04:55.000

13:04:55.000

Summary

@timestamp Apr 15, 2025 @ 13:04:55.000 event_id 11 file_name Employe_Records_2025.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon message Attacker accessing sensitive file process_id 8,443 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id w6FfI...

Apr 15, 2025 @ 13:04:55.000

@timestamp Apr 15, 2025 @ 13:04:55.000 event_id 11 file_name Employe_Records_2025.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon message Attacker accessing sensitive file process_id 8,443 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id w6FfI...

Apr 15, 2025 @ 13:04:50.000

@timestamp Apr 15, 2025 @ 13:04:50.000 event_id 11 file_name Q1_2025_Budget.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon message Attacker accessing sensitive file process_id 6,384 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id w6FfI...

Apr 15, 2025 @ 13:04:50.000

@timestamp Apr 15, 2025 @ 13:04:50.000 event_id 11 file_name Q1_2025_Budget.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon message Attacker accessing sensitive file process_id 6,384 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id w6FfI...

Apr 15, 2025 @ 13:04:50.000

@timestamp Apr 15, 2025 @ 13:04:50.000 event_id 1 host 10.0.0.15 hostname fileserver log_type windows_sysmon message Mythic Frejya malware executed on file server process_id 5,140 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id w6FfI...

Apr 15, 2025 @ 13:04:50.000

@timestamp Apr 15, 2025 @ 13:04:50.000 event_id 11 file_name cryptoservice.exe host 10.0.0.15 hostname fileserver log_type windows_sysmon message Attacker accessing sensitive file process_id 6,425 process_name services.exe user NT AUTHORITY\SYSTEM_id w6FfI...

Apr 15, 2025 @ 13:04:50.000

@timestamp Apr 15, 2025 @ 13:04:50.000 event_id 5,140 host 10.0.0.15 hostname fileserver log_type windows_sysmon message Attacker accessing sensitive file process_id 5,140 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id w6FfI...

Rows per page: 100

Document76 of 111

Actions: View single documentView surrounding documents

TableJSON

Search field names or values

Selected only

Field	Value
event_id	11
file_name	Q1_2025_Budget.xlsx
file_path	D:\Shares\Finance\Q1_2025_Budget.xlsx
host	10.0.0.15
hostname	fileserver
log_type	windows_sysmon
message	Attacker accessing sensitive file
process_id	7,859
process_name	cryptoservice.exe

Close

Documents (111)Field statistics

@timestamp

Apr 15, 2025 @ 13:05:21.000

13:05:21.000

Summary

5 hostname fileserver log_type windows_sysmon message Archive of sensitive data collected from parent_process_id 7,158 parent_process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id zKfFP6ABCOQLdIXr9EIir ignored -

Apr 15, 2025 @ 13:05:21.000

@timestamp Apr 15, 2025 @ 13:05:21.000 event_id 1 host 10.0.0.15 hostname fileserver log_type windows_sysmon message Attacker accessing sensitive file process_id 7,158 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id zKfFP6ABCOQLdIXr9EIir ignored -

Apr 15, 2025 @ 13:05:11.000

@timestamp Apr 15, 2025 @ 13:05:11.000 event_id 11 file_name Project_Quantum_Specs.pdf host 10.0.0.15 hostname fileserver log_type windows_sysmon message Attacker accessing sensitive file process_id 4,916 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id yaFfI...

Apr 15, 2025 @ 13:05:11.000

@timestamp Apr 15, 2025 @ 13:05:11.000 event_id 11 file_name Project_Quantum_Specs.pdf host 10.0.0.15 hostname fileserver log_type windows_sysmon message Attacker accessing sensitive file process_id 4,916 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id yaFfI...

Apr 15, 2025 @ 13:05:01.000

@timestamp Apr 15, 2025 @ 13:05:01.000 event_id 11 file_name admin_notifications.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon message Attacker accessing sensitive file process_id 4,772 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id x6FfI...

Apr 15, 2025 @ 13:05:01.000

@timestamp Apr 15, 2025 @ 13:05:01.000 event_id 11 file_name admin_notifications.xlsx host 10.0.0.15 hostname fileserver log_type windows_sysmon message Attacker accessing sensitive file process_id 4,772 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id x6FfI...

Apr 15, 2025 @ 13:04:58.000

@timestamp Apr 15, 2025 @ 13:04:58.000 event_id 11 file_name Strategic_Plan_2025-2027.docx host 10.0.0.15 hostname fileserver log_type windows_sysmon message Attacker accessing sensitive file process_id 4,772 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM_id x6FfI...

Rows per page: 100

Document68 of 111

Actions: View single documentView surrounding documents

TableJSON

Search field names or values

Selected only

Field	Value
_id	yaFfI6ABCOQLdIXr9EIir
_ignored	-
_index	win
_score	-
@timestamp	Apr 15, 2025 @ 13:05:11.000
event_id	11
file_name	Project_Quantum_Specs.pdf
file_path	D:\Shares\Projects\Project_Quantum_Specs.pdf
host	10.0.0.15

Close

Архив, созданный злоумышленников для эксфильтрации украденных данных

Documents (111)Field statistics

@timestamp

Summary

Apr 15, 2025 @ 13:13:09.000	@timestamp Apr 15, 2025 @ 13:13:09.000 access_type write event_id 11 message SMB write access to HR from 10.0.0.254 pid 7,512 program powershell.exe user NT AUTHORITY\SYSTEM _id zKFFP6ABCQLdIXr9EIir _ignored - _index win _score -
Apr 15, 2025 @ 13:12:08.000	@timestamp Apr 15, 2025 @ 13:12:08.000 access_type create event_id 11 message SMB create access to Finance from 10.0.1.254 pid 7,981 program powershell.exe user NT AUTHORITY\SYSTEM _id zKFFP6ABCQLdIXr9EIir _ignored - _index win _score -
Apr 15, 2025 @ 13:05:21.000	@timestamp Apr 15, 2025 @ 13:05:21.000 action alert event_id 1,371 5 hostname fileserver log_type edr message Mass file access detected process_name ptoservice.exe user NT AUTHORITY\SYSTEM _id zKFFP6ABCQLdIXr9EIir _ignored - _index win _score -
Apr 15, 2025 @ 13:05:21.000	@timestamp Apr 15, 2025 @ 13:05:21.000 event_id 11 file_name data.75 hostname fileserver log_type windows_sysmon message Archive of st Quantum_Specs.pdf host 10.0.0.15 hostname fileserver log_type windows_sysmon message Archive of collected data parent_process_id 7,158 parent_process_name powershell.exe process_command_line "Compress-Archive -Path 'C:\Windows\Temp\staging*' -DestinationPath 'C:\Windows\Temp\data.zip' -Force"
Apr 15, 2025 @ 13:05:21.000	@timestamp Apr 15, 2025 @ 13:05:21.000 event_id 1 host 10.0.0.15 hostname fileserver log_type windows_sysmon message Archive of collected data parent_process_id 7,158 parent_process_name powershell.exe process_command_line "Compress-Archive -Path 'C:\Windows\Temp\staging*' -DestinationPath 'C:\Windows\Temp\data.zip' -Force"
Apr 15, 2025 @ 13:05:11.000	@timestamp Apr 15, 2025 @ 13:05:11.000 event_id 11 file_name Project_Quantum_Specs.pdf host 10.0.0.15 hostname fileserver log_type windows_sysmon message Large data transfer to command and control server process_id 4,916 process_name cryptoservice.exe user NT AUTHORITY\SYSTEM

Rows per page: 100

Document 66 of 111

Actions: View single document View surrounding documents

TableJSON

Search field names or values

Field

Value

message	Attacker creating archive of collected data
parent_process_id	7,158
parent_process_name	cryptoservice.exe
process_command_line	powershell -Command "Compress-Archive -Path 'C:\Windows\Temp\staging*' -DestinationPath 'C:\Windows\Temp\data.zip' -Force"
process_id	6,431
process_name	powershell.exe
process_path	C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe

Close

Эксфилтрация данных на C2 сервер:

Documents (3)Field statistics

@timestamp

Summary

Apr 15, 2025 @ 16:16:32.000	@timestamp Apr 15, 2025 @ 16:16:32.000 destination_ip 194.87.252.221 event_id 1,714 event_type data_exfiltration host 10.0.0.15 hostname fileserver log_type windows_sysmon message Second large data transfer to command and control server process_name msedge-update.exe protocol tcp source_ip 10.0.0.15 source_port 62,257 user NT AUTHORITY\SYSTEM
Apr 15, 2025 @ 16:16:32.000	@timestamp Apr 15, 2025 @ 16:16:32.000 action alert data_volume_mb 2.221 event_id 1,714 event_type data_exfiltration host 10.0.0.15 hostname fileserver log_type windows_sysmon message Second large data transfer to command and control server process_name msedge-update.exe severity critical user NT AUTHORITY\SYSTEM
Apr 15, 2025 @ 16:07:10.000	@timestamp Apr 15, 2025 @ 16:07:10.000 destination_ip 194.87.252.221 event_id 1,714 event_type data_exfiltration host 10.0.0.15 hostname fileserver log_type windows_sysmon message Large data transfer to command and control server process_name msedge-update.exe protocol tcp source_ip 10.0.0.15 source_port 65,398 user NT AUTHORITY\SYSTEM

Rows per page: 100

Document 3 of 3

Actions: View single document View surrounding documents

TableJSON

Search field names or values

Field

Value

destination_ip	194.87.252.221
destination_port	443
event_id	3
host	10.0.0.15
hostname	fileserver
log_type	windows_sysmon
message	Large data transfer to command and control server
process_id	8,144
process_name	msedge-update.exe

Close

Documents (3)Field statistics

@timestamp

↓Summary

✓

Apr 15, 2025 @ 16:16:32.000

@timestamp Apr 15, 2025 @ 16:16:32.000 destination_ip 194.87.252.221 server log_type windows_sysmon message Second large data transfer to e-update.exe protocol tcp source_ip 10.0.0.15 source_port 62,257 user NT /

✓

Apr 15, 2025 @ 16:16:32.000

@timestamp Apr 15, 2025 @ 16:16:32.000 action alert data_volume_mb 2.221 event_id 1,714 event_type data_exfiltration host 10.0.0.15 hostion detected process_name msedge-update.exe severity critical user

✓

Apr 15, 2025 @ 16:07:10.000

@timestamp Apr 15, 2025 @ 16:07:10.000 destination_ip 194.87.252.221 server log_type windows_sysmon message Large data transfer to command e.exe protocol tcp source_ip 10.0.0.15 source_port 65,398 user NT /

Document1 of 3

Actions: View single documentView surrounding documents

TableJSON

Search field names or values

Selected only

Field	Value
destination_ip	194.87.252.221
destination_port	443
event_id	3
host	10.0.0.15
hostname	fileserv
log_type	windows_sysmon
message	Second large data transfer to command and control s
process_id	4,163
process_name	msedge-update.exe

Close

Documents (3)Field statistics

@timestamp

↓Summary

✓

Apr 15, 2025 @ 16:16:32.000

@timestamp Apr 15, 2025 @ 16:16:32.000 destination_ip 194.87.252.221 server log_type windows_sysmon message Second large data transfer to e-update.exe protocol tcp source_ip 10.0.0.15 source_port 62,257 user

✓

Apr 15, 2025 @ 16:16:32.000

@timestamp Apr 15, 2025 @ 16:16:32.000 action alert data_volume_mb 2.221 event_id 1,714 event_type data_exfiltration host 10.0.0.15 hostion detected process_name msedge-update.exe severity critical user

✓

Apr 15, 2025 @ 16:07:10.000

@timestamp Apr 15, 2025 @ 16:07:10.000 destination_ip 194.87.252.221 server log_type windows_sysmon message Large data transfer to command e.exe protocol tcp source_ip 10.0.0.15 source_port 65,398 user NT /

Document2 of 3

Actions: View single documentView surrounding documents

TableJSON

Search field names or values

Selected only

Field	Value
@timestamp	Apr 15, 2025 @ 16:16:32.000
action	alert
data_volume_mb	39
destination_domain	weventlog.store
destination_ip	194.87.252.221
event_id	1,714
event_type	data_exfiltration
host	10.0.0.15
hostname	fileserv

Close

Соккрытие следов. Удаление логов, папок, архивов, вредоносных программ и файлов:

Documents (3)		Field statistics	Sort fields 1			
☐	@timestamp	Summary				
☒	Apr 15, 2025 @ 20:02:22.000	process_command_line C:\Windows\System32\wevtutil.exe cl Application process_name wevtutil.exe @timestamp Apr 15, 2025 @ 20:02:22.000 event_id 1 host 10.0.0.27 hostname ws7 log_type windows_sysmon message Attacker attempting to clear Application event log s parent_process_id 9,086 parent_process_name cmd.exe process_id 4,860 process_path C:\Windows\System32\wevtutil.exe user NT AUTH-				
☒	Apr 15, 2025 @ 20:02:21.000	process_command_line C:\Windows\System32\wevtutil.exe cl System process_name wevtutil.exe @timestamp Apr 15, 2025 @ 20:02:21.000 event_id 1 host 10.0.0.27 hostname ws7 log_type windows_sysmon message Attacker attempting to clear System event log s parent_process_id 6,400 parent_process_name cmd.exe process_id 9,963 process_path C:\Windows\System32\wevtutil.exe user NT AUTH-				
☐	Apr 15, 2025 @ 20:02:19.000	process_command_line C:\Windows\System32\wevtutil.exe cl Security process_name wevtutil.exe @timestamp Apr 15, 2025 @ 20:02:19.000 event_id 1 host 10.0.0.27 hostname ws7 log_type windows_sysmon message Attacker attempting to clear Security event log s parent_process_id 3,282 parent_process_name cmd.exe process_id 1,973 process_path C:\Windows\System32\wevtutil.exe user NT AUTH-				

Documents (3)		Field statistics	Sort fields 1			
☐	@timestamp	Summary				
☒	Apr 15, 2025 @ 20:04:20.000	process_command_line C:\Windows\System32\wevtutil.exe cl Application process_name wevtutil.exe @timestamp Apr 15, 2025 @ 20:04:20.000 event_id 1 host 10.0.0.10 hostname dc01 log_type windows_sysmon message Attacker attempting to clear Application event log s parent_process_id 1,431 parent_process_name cmd.exe process_id 1,906 process_path C:\Windows\System32\wevtutil.exe user NT AUTH...				
☒	Apr 15, 2025 @ 20:04:19.000	process_command_line C:\Windows\System32\wevtutil.exe cl System process_name wevtutil.exe @timestamp Apr 15, 2025 @ 20:04:19.000 event_id 1 host 10.0.0.10 hostname dc01 log_type windows_sysmon message Attacker attempting to clear System event log s parent_process_id 4,731 parent_process_name cmd.exe process_id 5,971 process_path C:\Windows\System32\wevtutil.exe user NT AUTH...				
☒	Apr 15, 2025 @ 20:04:15.000	process_command_line C:\Windows\System32\wevtutil.exe cl Security process_name wevtutil.exe @timestamp Apr 15, 2025 @ 20:04:15.000 event_id 1 host 10.0.0.10 hostname dc01 log_type windows_sysmon message Attacker attempting to clear Security event log s parent_process_id 8,069 parent_process_name cmd.exe process_id 6,738 process_path C:\Windows\System32\wevtutil.exe user NT AUTH...				

Documents (3)		Field statistics	Sort fields 1		  	
☐	@timestamp	Summary	Exit fullscreen (esc)			
☒	Apr 15, 2025 @ 20:06:44.000	process_command_line C:\Windows\System32\wevtutil.exe cl Application process_name wevtutil.exe @timestamp Apr 15, 2025 @ 20:06:44.000 event_id 1 host 10.0.0.15 hostname fileservr log_type windows_sysmon message Attacker attempting to clear Application event logs parent_process_id 4,902 parent_process_name cmd.exe process_id 1,949 process_path C:\Windows\System32\wevtutil.exe user NT AUTH...				
☒	Apr 15, 2025 @ 20:06:40.000	process_command_line C:\Windows\System32\wevtutil.exe cl System process_name wevtutil.exe @timestamp Apr 15, 2025 @ 20:06:40.000 event_id 1 host 10.0.0.15 hostname fileservr log_type windows_sysmon message Attacker attempting to clear System event logs parent_process_id 6,621 parent_process_name cmd.exe process_id 4,172 process_path C:\Windows\System32\wevtutil.exe user NT AUTH...				
☒	Apr 15, 2025 @ 20:06:37.000	process_command_line C:\Windows\System32\wevtutil.exe cl Security process_name wevtutil.exe @timestamp Apr 15, 2025 @ 20:06:37.000 event_id 1 host 10.0.0.15 hostname fileservr log_type windows_sysmon message Attacker attempting to clear Security event logs parent_process_id 7,024 parent_process_name cmd.exe process_id 2,933 process_path C:\Windows\System32\wevtutil.exe user NT AUTH...				

Documents (1)Field statistics

@timestamp

Summary

Apr 15, 2025 @ 20:06:59.000

file_name data.zip @timestamp Apr 15, 2025 @ 20:06:59.000 event_id ileserver log_type windows_sysmon message Attacker deleting exfiltrated data archive user NT AUTHORITY\SYSTEM_id tkFfP6ABCQLdIXr9EIqu_ignored -

Document

Actions: [View single document](#) [View surrounding documents](#)

TableJSON

Search field names or values

Selected only

Field	Value
@timestamp	Apr 15, 2025 @ 20:06:59.000
event_id	23
file_name	data.zip
file_path	C:\Windows\Temp\data.zip
host	10.0.0.15
hostname	fileserver
log_type	windows_sysmon
message	Attacker deleting exfiltrated data archive
process_id	3,958

Close

Documents (10)Field statistics

@timestamp

Summary

Apr 15, 2025 @ 20:02:22.000

file_name Financial_Report_Q1_2025.exe @timestamp Apr 15, 2025 @ 20:02:22.000 event_id 23

Apr 15, 2025 @ 09:01:11.000

parent_process_name Financial_Report_Q1_2025.exe @timestamp Apr 15, 2025 @ 09:01:11.000 event_id 7

Apr 15, 2025 @ 09:01:11.000

process_name Financial_Report_Q1_2025.exe @timestamp Apr 15, 2025 @ 09:01:11.000 event_id 7

Apr 15, 2025 @ 08:28:51.000

file_name Financial_Report_Q1_2025.exe @timestamp Apr 15, 2025 @ 08:28:51.000 event_id 8

Apr 15, 2025 @ 08:28:51.000

process_name Financial_Report_Q1_2025.exe @timestamp Apr 15, 2025 @ 08:28:51.000 event_id 8

Apr 15, 2025 @ 08:28:51.000

process_name Financial_Report_Q1_2025.exe @timestamp Apr 15, 2025 @ 08:28:51.000 event_id 8

Document

Actions: [View single document](#) [View surrounding documents](#)

TableJSON

Search field names or values

Selected only

Field	Value
_score	-
@timestamp	Apr 15, 2025 @ 20:02:22.000
event_id	23
file_name	Financial_Report_Q1_2025.exe
file_path	C:\Users\user7\Downloads\Financial_Report_Q1_2025.exe
host	10.0.0.27
hostname	ws7
log_type	windows_sysmon
message	Attacker deleting initial phishing attachment

Close

Documents (6)Field statistics

@timestamp

Summary

Apr 15, 2025 @ 20:07:02.000

message Attacker deleting data staging directory @timestamp Apr 15, 2025 @ 20:07:02.000 event_id 1

Apr 15, 2025 @ 13:05:11.000

message Sensitive file copied to staging directory @timestamp Apr 15, 2025 @ 13:05:11.000 event_id 1

Apr 15, 2025 @ 13:05:01.000

message Sensitive file copied to staging directory @timestamp Apr 15, 2025 @ 13:05:01.000 event_id 1

Apr 15, 2025 @ 13:04:58.000

message Sensitive file copied to staging directory @timestamp Apr 15, 2025 @ 13:04:58.000 event_id 1

Apr 15, 2025 @ 13:04:55.000

message Sensitive file copied to staging directory @timestamp Apr 15, 2025 @ 13:04:55.000 event_id 1

Apr 15, 2025 @ 13:04:50.000

message Sensitive file copied to staging directory @timestamp Apr 15, 2025 @ 13:04:50.000 event_id 1

Document

Actions: [View single document](#) [View surrounding documents](#)

TableJSON

Search field names or values

Selected only

Field	Value
event_id	1
host	10.0.0.15
hostname	fileserver
log_type	windows_sysmon
message	Attacker deleting data staging directory
parent_process_id	6,146
parent_process_name	explorer.exe
process_command_line	C:\Windows\System32\cmd.exe /c rmdir /s /q C:\Windows\Temp\staging

Close

Documents (6)

Field statistics

☐

@timestamp

Summary

Apr 15, 2025 @ 20:06:52.000

file_name mscvs.exe message Attacker deleting malware file: mscvs.3 file_path C:\Windows\System32\mscvs.exe host 10.0.0.15 hostname 10 process_name explorer.exe user NT AUTHORITY\SYSTEM_id sKFfP6ABCC

Apr 15, 2025 @ 20:04:27.000

file_name mscvs.exe message Attacker deleting malware file: mscvs.3 file_path C:\Windows\System32\mscvs.exe host 10.0.0.10 hostname d rer.exe user NT AUTHORITY\SYSTEM_id paFFP6ABCQLdIXr9EIqu_ignored

Apr 15, 2025 @ 20:02:38.000

file_name mscvs.exe message Attacker deleting malware file: mscvs.3 file_path C:\Windows\System32\mscvs.exe host 10.0.0.27 hostname v er.exe user NT AUTHORITY\SYSTEM_id mqFFP6ABCQLdIXr9EIqu_ignored

Apr 15, 2025 @ 10:03:17.000

process_name mscvs.exe @timestamp Apr 15, 2025 @ 10:03:17.000 dest: 0.0.0.27 hostname ws7 log_type windows_sysmon message Network tunn r process_id 2,505 protocol tcp source_ip 10.0.0.27 source_port 58,

Apr 15, 2025 @ 10:03:17.000

process_name mscvs.exe @timestamp Apr 15, 2025 @ 10:03:17.000 event de2Babf342e652981476e45aab5acco message Network tunneling tool exe e process_command_line C:\Windows\System32\mscvs.exe process_id 7,(

Apr 15, 2025 @ 10:03:17.000

file_name mscvs.exe @timestamp Apr 15, 2025 @ 10:03:17.000 event_id 7 hostname ws7 log_type windows_sysmon md5 7de2Babf342e652981476e41 process_id 3,267 process_name Autoit3.exe user NT AUTHORITY\SYSTE

Document

3 of 6

Actions: [View single document](#) [View surrounding documents](#)

Table

JSON

Search field names or values

Selected only

Field	Value
@timestamp	Apr 15, 2025 @ 20:02:38.000
event_id	23
file_name	mscvs.exe
file_path	C:\Windows\System32\mscvs.exe
host	10.0.0.27
hostname	ws7
log_type	windows_sysmon
message	Attacker deleting malware file: mscvs.exe
process_id	8,844

Close

Documents (1)

Field statistics

☐

@timestamp

Summary

Apr 15, 2025 @ 20:04:20.000

file_name cryptoservice.exe @timestamp Apr 15, 2025 @ 20:04:20.000 e host 10.0.0.10 hostname dc01 log_type windows_sysmon message Atte 4 process_name explorer.exe user NT AUTHORITY\SYSTEM_id oqFFP6ABCC

Document

1 of 1

Actions: [View single document](#) [View surrounding documents](#)

Table

JSON

Search field names or values

Selected only

Field	Value
@timestamp	Apr 15, 2025 @ 20:04:20.000
event_id	23
file_name	cryptoservice.exe
file_path	C:\Windows\System32\cryptoservice.exe
host	10.0.0.10
hostname	dc01
log_type	windows_sysmon
message	Attacker deleting malware file: cryptoservice.exe
process_id	4,214

Close

Documents (1)

Field statistics

☐

@timestamp

Summary

Apr 15, 2025 @ 20:06:44.000

file_name cryptoservice.exe @timestamp Apr 15, 2025 @ 20:06:44.000 e host 10.0.0.15 hostname fileservr log_type windows_sysmon messag e process_id 4,801 process_name explorer.exe user NT AUTHORITY\SYSTE

Document

1 of 1

Actions: [View single document](#) [View surrounding documents](#)

Table

JSON

Search field names or values

Selected only

Field	Value
@timestamp	Apr 15, 2025 @ 20:06:44.000
event_id	23
file_name	cryptoservice.exe
file_path	C:\Windows\System32\cryptoservice.exe
host	10.0.0.15
hostname	fileservr
log_type	windows_sysmon
message	Attacker deleting malware file: cryptoservice.exe
process_id	4,801

Close

Documents (1)Field statistics

@timestamp

Summary

Apr 15, 2025 @ 20:02:27.000

file_name cryptoservice.exe @timestamp Apr 15, 2025 @ 20:02:27.000
e host 10.0.0.27 hostname ws7 log_type windows_sysmon message Attac
6 process_name explorer.exe user NT AUTHORITY\SYSTEM _id 16FFP6ABCB

Document

Actions: View single documentView surrounding documents

TableJSON

Search field names or values

Selected only

Field	Value
@timestamp	Apr 15, 2025 @ 20:02:27.000
event_id	23
file_name	cryptoservice.exe
file_path	C:\Windows\System32\cryptoservice.exe
host	10.0.0.27
hostname	ws7
log_type	windows_sysmon
message	Attacker deleting malware file: cryptoservice.exe
process_id	6,666

Close

Хэш фишингового файла из Velociraptor:

Search clients

adds.demo.labConnected

admin

Completed

0-10/23

10

✓	F.D9394NG3R1704	Generic.Forensic.LocalHashes.Glob	2026-07-02T16:31:26.289Z	2026-07-02T16:31:29.305Z	admin	0 b	13
---	-----------------	-----------------------------------	--------------------------	--------------------------	-------	-----	----

Artifact CollectionUploaded FilesRequestsResultsLogNotebook

Generic.Forensic.LocalHashes.Glob

0-1/1

10

OSPath (Financial_Report_Q1_2025)

OSPath	Hash	Size
C:\Users\Administrator\Downloads\Financial_Report_Q1_2025.exe	c164c1292b187895a44d6ded60391f75	95904

2026-08-29T20:51:12.739Z