

PARTS LIST	BOEING	CORPORATE OFFICES SEATTLE, WA 98124	EXPORT CONTROL COM	CAGE 81205	NUMBER 112U2910-1	REV D	SHEET 1 of 7	
LIST TITLE FRONT SPAR ASSEMBLY - WING EXTENSION					MODEL	CONTRACT NUMBER		DATE 12-27-2008
THE PARTS LIST IN THIS REPORT SUPERSEDES THE DRAWING SHEET PARTS LIST FOR THIS PART								
OWNER WING, HUNG PHAM, 425-717-9683					PIN/ITEM 11-220300			
QPI####, Char. No. ## Attachments								

. . . REVISIONS . . .								
REV	REVISION DESCRIPTION	APPROVED DATE	CHANGE NUMBER	PHASE		CLASS		
D	PROVIDED OPTIONAL PART 112U2920-67 FOR 112U2920-25. REASON: TO EASE FASTENER INSTALLATION. NBMT SIMILAR TO 12U1910-1. PROD INFO: AIRPLANE/PARTS SATISFACTORY. MFG-INFO: 4235, PRR95000E, LCMERW52829, OUT-OF-SEQ BY EXCEPTION MODULE AND OSIP. IN-SEQ BY KAL. INCORP AT LN 1420. RAYMOND E. FALKNER, E-BFDA, PLANNING, 425-717-2598, 12/16/08.	12-27-2008	LCCME	RW52829	PRODUCTION			

. . . PART SPECIFIC DATA . . .								
NOTE TITLE		NOTE DESCRIPTION						
ASSEMBLY TOLERANCE		① FOR ASSEMBLED PART AND FASTENER LOCATIONS NOT SPECIFICALLY DIMENSIONED OR TOLERANCED: LINEAR VALUES WILL BE INTERROGATED TO TWO DECIMAL PLACES AND HAVE A TOLERANCE OF +/- .03. ANGLES WILL BE INTERROGATED TO ONE DECIMAL PLACE AND HAVE A TOLERANCE OF +/- 2 DEGREES. NOTE THAT CHAINING VALUES IS NOT ALLOWED.						
DATASET FILENAME		112U2910-1						
DATASET FILENAME		CA112U2910-1 "See Char. No. ##"라고 기입하고, PL처럼 별도 첨부 후 검사/확인						
DRAWING		② 112U2910 SHEET DL (8페이지 PDSL 내용 참고)						
INSTALL BOLTS		③ INSTALL BACB30WR BOLTS PER BAC5060 USING BMS5-95 SEALANT PER BAC5000, METHOD 2. EXCEPT A MAXIMUM OF 5 PERCENT OF 1/4 DIAMETER BOLTS MAY BE OUTSIDE THE TORQUE RANGE BUT NOT BELOW 65 IN-LB						
MATERIAL IDENTIFIER AND TEST		C9200-002-N0						
(CONTINUED ON NEXT PAGE)								
BOEING PROPRIETARY - SEE STANDARD NOTES FOR RESTRICTIONS ON DATA USE OR DISCLOSURE								

: Required to record on Form 3
 : Not required to record on Form 3,
but recorded on Form 1 or Form 2

PARTS LIST	BOEING	CORPORATE OFFICES SEATTLE, WA 98124	EXPORT CONTROL COM	CAGE 81205	NUMBER 112U2910-1	REV D	SHEET 2 of 7
LIST TITLE FRONT SPAR ASSEMBLY - WING EXTENSION					MODEL	CONTRACT NUMBER	
						DATE 12-27-2008	

(CONTINUED FROM PRECEDING PAGE)

NOTE TITLE	NOTE DESCRIPTION
REQUIREMENTS CODE	
OPPOSITE PART	112U2910-2 IS OPPOSITE TO 112U2910-1
PROCESS SPECIFICATION	④ CAUTION - ALL PARTS TO BE MANUFACTURED PER HIGH SONIC REQUIREMENTS PER BAC 5300
PROCESS SPECIFICATION	⑤ MARK PARTS PER BAC 5307 CODE M
PROCESS SPECIFICATION	⑥ SEE FLAGNOTE(S) OR PICTURE SHEET(S) FOR PROCESSING REQUIREMENTS PER BAC 5117
PROCESS SPECIFICATION	⑦ SEE FLAGNOTE(S) OR PICTURE SHEET(S) OR DATASET(S) FOR PROCESSING REQUIREMENTS PER BAC 5719
PROCESS SPECIFICATION	⑧ SEE FLAGNOTE(S), PICTURE SHEET(S), AND/OR CATIA DATASET(S) FOR PROCESSING REQUIREMENTS PER BAC 5000.
PROCESS SPECIFICATION	⑨ SEE FLAGNOTE(S), PICTURE SHEET(S), AND/OR CATIA DATASET(S) FOR PROCESSING REQUIREMENTS PER BAC 5060.

. . . COMPONENTS . . .

QTY REQD	PART OR IDENTIFYING NUMBER	DESCRIPTION	NOTE TITLE	NOTE DESCRIPTION
1	112U2910-3	SPAR FITTING ASSY		
1	112U2910-5	SPAR FITTING ASSY		
1	112U2920-1	WEB, FRONT SPAR - WING EXTENSION		
1	112U2920-11	DOUBLER FRONT SPAR - WING EXTENSION		
1	112U2920-13	DOUBLER FRONT SPAR - WING EXTENSION		

PARENTHESIS () INDICATES SUBSTITUTE PART

(CONTINUED ON NEXT PAGE)

BOEING PROPRIETARY - SEE STANDARD NOTES FOR RESTRICTIONS ON DATA USE OR DISCLOSURE

PARTS LIST	BOEING		CORPORATE OFFICES SEATTLE, WA 98124	EXPORT CONTROL COM	CAGE 81205	NUMBER 112U2910-1		REV D	SHEET 3 of 7
LIST TITLE						MODEL	CONTRACT NUMBER		DATE 12-27-2008
FRONT SPAR ASSEMBLY - WING EXTENSION									
(CONTINUED FROM PRECEDING PAGE)									
QTY REQD	PART OR IDENTIFYING NUMBER	DESCRIPTION	NOTE TITLE	NOTE DESCRIPTION					
1	112U2920-15	STIFFENER, FRONT SPAR - WING EXTENSION							
1	112U2920-17	INSPAR RIB POST 50, FRONT							
1	112U2920-19	STIFFENER, FRONT SPAR - WING EXTENSION							
1	112U2920-21	STIFFENER, FRONT SPAR - WING EXTENSION							
1	112U2920-23	STIFFENER, FRONT SPAR - WING EXTENSION							
1	112U2920-25	STIFFENER, FRONT SPAR - WING EXTENSION	SUBSTITUTION	112U2920-25 HAS SUBSTITUTE 112U2920-67.					
(1)	(112U2920-67)	STIFFENER, FRONT SPAR - WING EXTENSION	SUBSTITUTION	112U2920-67 IS A SUBSTITUTE FOR 112U2920-25.					
1	112U2920-27	STIFFENER, FRONT SPAR - WING EXTENSION							
1	112U2920-29	STIFFENER, FRONT SPAR - WING EXTENSION							
1	112U2920-3	UPPER CHORD, FRONT SPAR - WING							
PARENTHESIS () INDICATES SUBSTITUTE PART									
(CONTINUED ON NEXT PAGE)									
BOEING PROPRIETARY - SEE STANDARD NOTES FOR RESTRICTIONS ON DATA USE OR DISCLOSURE									

PARTS LIST	BOEING		CORPORATE OFFICES SEATTLE, WA 98124	EXPORT CONTROL COM	CAGE 81205	NUMBER 112U2910-1	REV D	SHEET 4 of 7
LIST TITLE						MODEL	CONTRACT NUMBER	
FRONT SPAR ASSEMBLY - WING EXTENSION							DATE 12-27-2008	
(CONTINUED FROM PRECEDING PAGE)								
QTY REQD	PART OR IDENTIFYING NUMBER	DESCRIPTION	NOTE TITLE	NOTE DESCRIPTION				
			</					

PARTS LIST	BOEING	CORPORATE OFFICES SEATTLE, WA 98124	EXPORT CONTROL COM	CAGE 81205	NUMBER 112U2910-1	REV D	SHEET 5 of 7
LIST TITLE FRONT SPAR ASSEMBLY - WING EXTENSION					MODEL	CONTRACT NUMBER	
						DATE 12-27-2008	

(CONTINUED FROM PRECEDING PAGE)

QTY REQD	PART OR IDENTIFYING NUMBER	DESCRIPTION	NOTE TITLE	NOTE DESCRIPTION
1	112U2920-7	LOWER CHORD, FRONT SPAR - WING EXTENSION		
1	287T0014-149	ZEE ASSY		
1	287U0051-45	BRACKET ASSY		
1	287U0052-46	BRACKET ASSEMBLY		
8	287U0052-65	ASSEMBLY, SUPPORT CABLE		
2	287U1235-1	WHP SEAL WIRE SUPPORT BRACKET - ASSEMBLY		
34	BACB30VT6K5	BOLT		
65	BACB30VT6K6	BOLT		
20	BACB30VT6K7	HI-LOK		
1	BACB30VT8K5	BOLT		
32	BACB30WR3K5L	BOLT, RADIUS LEAD-IN		
12	BACB30WR4K10L	BOLT, RADIUS LEAD-IN		
6	BACB30WR4K11L	BOLT, RADIUS LEAD-IN		
38	BACB30WR4K5L	BOLT, RADIUS LEAD-IN		
179	BACB30WR4K6L	BOLT, RADIUS LEAD-IN		
73	BACB30WR4K7L	BOLT, RADIUS LEAD-IN		

PARENTHESIS () INDICATES SUBSTITUTE PART

(CONTINUED ON NEXT PAGE)

BOEING PROPRIETARY - SEE STANDARD NOTES FOR RESTRICTIONS ON DATA USE OR DISCLOSURE

PARTS LIST	BOEING		CORPORATE OFFICES SEATTLE, WA 98124	EXPORT CONTROL COM	CAGE 81205	NUMBER 112U2910-1	REV D	SHEET 6 of 7
LIST TITLE FRONT SPAR ASSEMBLY - WING EXTENSION						MODEL	CONTRACT NUMBER	
							DATE 12-27-2008	

(CONTINUED FROM PRECEDING PAGE)

QTY REQD	PART OR IDENTIFYING NUMBER	DESCRIPTION	NOTE TITLE	NOTE DESCRIPTION
21	BACB30WR4K8L	BOLT, RADIUS LEAD-IN		
53	BACB30WR4K9L	BOLT, RADIUS LEAD-IN		
119	BACC30BL6	COLLAR		
1	BACC30BL8	COLLAR		
24	BACN10HY3AC	SELF-LOCKING NUT		
390	BACN10HY4AC	SELF-LOCKING NUT		
2	BACS40R012B022P	SHIM, LAMINATED		
2	BACS40R025B034P	SHIM, LAMINATED		

Detail Part 및 H/W는 Dash No. 대체 번호 사용 등에 대한
확인을 완료한 후 Form 1에 기입한 것으로 간주하므로 PL
에서는 추가 확인/날인하지 않음

PARENTHESIS () INDICATES SUBSTITUTE PART

BOEING PROPRIETARY - SEE STANDARD NOTES FOR RESTRICTIONS ON DATA USE OR DISCLOSURE

PARTS LIST	BOEING	CORPORATE OFFICES SEATTLE, WA 98124	EXPORT CONTROL COM	CAGE 81205	NUMBER 112U2910-1	REV D	SHEET 7 of 7
LIST TITLE					MODEL	CONTRACT NUMBER	
FRONT SPAR ASSEMBLY - WING EXTENSION						DATE 12-27-2008	

. . . STANDARD NOTES . . .							
NOTICE - THE INFORMATION CONTAINED HEREIN IS PROPRIETARY TO THE BOEING COMPANY AND SHALL NOT BE REPRODUCED OR DISCLOSED IN WHOLE OR IN PART OR USED FOR ANY PURPOSE EXCEPT WHEN SUCH USER POSSESSES DIRECT, WRITTEN AUTHORIZATION FROM THE BOEING COMPANY.							
MATERIALS, PART & PROCESS SUBSTITUTION AND EQUIVALENTS PER 65B88700 (747), 012T2100 (767), 012W6100 (777), 012W6101 (EVERETT LIAISON) AND 65-88700 (ALL OTHERS).							
FASTENER SYMBOL CODES PER BACD2074. INSTALL PER BAC5004 AND BAC5047 (FLUID TIGHT). 12							
SURFACE ROUGHNESS INTERPRETATION PER BACD2097. 13							
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.							
FOR DRAWING SHEETS DATED PRIOR TO 8/27/84: DIMENSIONING AND TOLERANCING PER ANSI Y14.5-1973. FOR DRAWING SHEETS DATED ON OR AFTER 8/27/84: DIMENSIONING AND TOLERANCING PER ANSI Y14.5M-1982, UNLESS OTHERWISE NOTED ON DRAWING SHEET.							
UNLESS OTHERWISE SPECIFIED, RIVET & BOLT EDGE MARGINS PLUS OR MINUS .05. 14							
UNLESS OTHERWISE SPECIFIED, BEND RADII SHALL BE PLUS OR MINUS .01 INCH ON MATERIAL THICKNESS BELOW .06 INCH AND PLUS OR MINUS .03 ON MATERIAL THICKNESS GREATER THAN .06 INCH. 15							
UNLESS OTHERWISE SPECIFIED, SHEET METAL CORNER RADII SHALL BE .16 INCH TO .19 INCH ON INTERNAL RADII AND .00 INCH TO .25 INCH ON EXTERNAL RADII. 16							
DIMENSIONS AND SURFACE TEXTURE DESIGNATIONS APPLY BEFORE PLATING OR FINISH COATING UNLESS OTHERWISE NOTED. 17							
UNLESS OTHERWISE SPECIFIED, FABRICATION, ASSEMBLY, AND INSTALLATION SHALL CONFORM TO THE FOLLOWING:							
BAC5009 FOR INSTALLATION OF BOLTS AND NUTS. 18							
BAC5300 TO FORM, PUNCH, STRAIGHTEN, BREAK SHARP EDGES AND FIT METAL PARTS. 19							
BAC5307 FOR PART MARKING. 20							
BAC5602 FOR HEAT TREAT OF ALUMINUM ALLOYS. 21							

: Required to record on Form 3

: Not required to record on Form 3, but recorded on Form 1 or Form 2

PICTURE SHEET DATA LIST	BOEING	CORPORATE OFFICES SEATTLE, WA 98124	EXPORT CONTROL COM	CAGE 81205	NUMBER 112U2910 SHEET DL	REV B	SHEET OF 2 1 2
LIST TITLE					MODEL	CONTRACT NUMBER	
FRONT SPAR ASSEMBLY - WING EXTENSION						DATE 07-02-2008	
QPI####, Char. No. ## Attachments							
FLAGNOTES AND GEOMETRY RELATED NOTES IN THIS REPORT SUPERSEDE THE DRAWING SHEET PL FOR THIS DRAWING							
PIN/ITEM 11-220300							

. . . REVISIONS . . .							
REV	REVISION DESCRIPTION	APPROVED DATE	CHANGE NUMBER	PHASE	CLASS		
B	REVISED FL6. REASON: 747-8 SUPPLEMENTAL RELEASE. MFG INFO: 4235, POA KAL ON SCP 112U0150-901/-902. NO OUT-OF-SEQUENCE WORK REQUIRED. RAYMON FALKNER, E-FAAA, 425-717-2598, 06/25/2008.	07-02-2008	PIN RC501		11-220300		

. . . FLAGNOTES . . .							
FLAG NOTE NUMBER	TITLE	DESCRIPTION					
2	FLAGNOTE	(22) 63 MICROINCHES RA SURFACE ROUGHNESS PER BACD2097.					
4	PROCESS SPECIFICATION	(23) INSTALL BUSHING BY SHRINK FIT METHOD WITH BMS 5-95 SEALANT PER BAC 5435.					
5	PROCESS SPECIFICATION	(24) APPLY FAYING SURFACE SEAL WITH BMS 5-95 PER BAC 5000 BETWEEN ENTIRE MATING SURFACE OF PARTS.					
6	PREPARE FAYING SURFACE	(25) DESIGNATED BOND - INSTALL ELECTRICAL FAYING SURFACE BOND PER BAC5117-6 CATEGORY 2 (FAY SEALED). SEAL FOR NON FUEL TANK AREA. PREPARE STRUCTURE SURFACE PER ABRASIVE CLEANING METHOD CM1. PREPARE BRACKET SURFACE PER ABRASIVE CLEANING METHOD CM1. MAXIMUM RESISTANCE PER BAC5117-6.					

. . . GEOMETRY RELATED NOTES . . .							
BOEING PROPRIETARY - SEE STANDARD NOTES FOR RESTRICTIONS ON DATA USE OR DISCLOSURE							

PICTURE SHEET DATA LIST	BOEING	CORPORATE OFFICES SEATTLE, WA 98124	EXPORT CONTROL COM	CAGE 81205	NUMBER 112U2910 SHEET DL	REV B	SHEET 2 OF 2														
LIST TITLE FRONT SPAR ASSEMBLY - WING EXTENSION					MODEL	CONTRACT NUMBER															
						DATE 07-02-2008															
<table><thead><tr><th>TITLE</th><th>DESCRIPTION</th></tr></thead><tbody><tr><td colspan="2">NO APPLICABLE DATA EXISTS</td></tr><tr><td colspan="2">*****</td></tr><tr><td colspan="2">. . . STANDARD NOTES . . .</td></tr><tr><td colspan="2">NOTICE - THE INFORMATION CONTAINED HEREIN IS PROPRIETARY TO THE BOEING COMPANY AND SHALL NOT BE REPRODUCED OR DISCLOSED IN WHOLE OR IN PART OR USED FOR ANY PURPOSE EXCEPT WHEN SUCH USER POSSESSES DIRECT, WRITTEN AUTHORIZATION FROM THE BOEING COMPANY.</td></tr><tr><td colspan="2">UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES</td></tr><tr><td colspan="2">DIMENSIONS AND SURFACE TEXTURE DESIGNATIONS APPLY BEFORE PLATING OR SURFACE FINISH COATING UNLESS OTHERWISE NOTED.</td></tr></tbody></table>								TITLE	DESCRIPTION	NO APPLICABLE DATA EXISTS		*****		. . . STANDARD NOTES . . .		NOTICE - THE INFORMATION CONTAINED HEREIN IS PROPRIETARY TO THE BOEING COMPANY AND SHALL NOT BE REPRODUCED OR DISCLOSED IN WHOLE OR IN PART OR USED FOR ANY PURPOSE EXCEPT WHEN SUCH USER POSSESSES DIRECT, WRITTEN AUTHORIZATION FROM THE BOEING COMPANY.		UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES		DIMENSIONS AND SURFACE TEXTURE DESIGNATIONS APPLY BEFORE PLATING OR SURFACE FINISH COATING UNLESS OTHERWISE NOTED.	
TITLE	DESCRIPTION																				
NO APPLICABLE DATA EXISTS																					

. . . STANDARD NOTES . . .																					
NOTICE - THE INFORMATION CONTAINED HEREIN IS PROPRIETARY TO THE BOEING COMPANY AND SHALL NOT BE REPRODUCED OR DISCLOSED IN WHOLE OR IN PART OR USED FOR ANY PURPOSE EXCEPT WHEN SUCH USER POSSESSES DIRECT, WRITTEN AUTHORIZATION FROM THE BOEING COMPANY.																					
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES																					
DIMENSIONS AND SURFACE TEXTURE DESIGNATIONS APPLY BEFORE PLATING OR SURFACE FINISH COATING UNLESS OTHERWISE NOTED.																					