

초도품 검사 기록서 (AS9102)

First Article Inspection Record (AS9102)

AS 9102 Rev A

Form 1 : Part Number Accountability

Sheet 1 of 1

1. Part Number 191Z2544-904	2. Part Name INSPAR RIB-44	3. Part Serial Number K0003	4. FAI Report Number F41010479
5. Part Revision Level 02W	6. Drawing Number See the attached #1	7. Drawing Revision Level See the attached #1	8. Additional Changes N/A
9. Manufacturing Process Reference 000000221	10. Organization Name KAL-ASD (협력업체)	11. Supplier Code 583971	12. P.O. Number (Redacted)
13. Detail FAI ☒ Assembly FAI ☐	14. Full FAI ☐ Partial FAI ☒		
Reason For Partial FAI Shotpeen 공정 추가. New P/N(WAS: B/N-2)			
a) If above part number is a detail part only, go to field 19. b) If above part number is an assembly, go to the "INDEX" section below. INDEX of part numbers or sub-assembly numbers required to make the assembly noted above.			
15. Part Number N/A	16. Part Name N/A	17. Part Serial Number N/A	18. Notes N/A
Peening 외 "Teflon Deleted" 내용이 Change 사유로 PL에 기입되어이 있는데, 이 내용에 대한 검사/확인 기록 없음			
FAI Complete ☒ FAI Not Complete ☐			
19. Signature (Redacted)		20. Date 010323	
21. Reviewed By (Redacted)		22. Date (Redacted)	
23. Customer Approval		24. Date	

Reviewed By 날인 없이 FAIR 완료기록으로 볼수 없음

Attachment #1

Drawing Revision Status

Sheet 1 of 1

Part Number : 191Z2544-904

FAI Report Number : F41010479

ED No	SHT No	REV No	ECN No	FROM	TO
191Z2544-3	MBD	NEW		K0003	K9999
191Z2544-3	MBDPL	NEW		K0003	K9999
191Z2544-3	PRODU		03042007	K0003	K9999
191Z2544-4	MBD	NEW		K0003	K9999
191Z2544-4	MBDPL	NEW		K0003	K9999
191Z2544-4	PRODU		03042007	K0003	K9999

Check 및 Stamp 날인 필요

MBD 뿐만 아니라, PL도 R/H (-4)에는 내용이 없고 대신 L/H (-3) 요건을 적용해야 한다면, -3 PL 검사/확인 결과를 Form 3에 기록해야 함 (-3 PL 첨부 누락됨)

초도품 검사 기록서 (AS9102)

First Article Inspection Record (AS9102)

AS 9102 Rev A

Sheet 1 of 1

Form 2 : Product Accountability Raw Material, Specifications and Special Process(es), Functional Testing

1. Part Number 191Z2544-904	2. Part Name INSPAR RIB-44	3. Part Serial Number K0003	4. FAI Report Number F41010479
5. Material or Process Name 7050-T7451 SHOT PEEN INSPECTION	6. Specification Number BMS7-323 TYIII BAC 5730	7. Code N/A N/A	8. Special Process Supplier Name ALCOA KHL
		9. Customer Approval Verification (Yes/No/NA) YES YES	10. Certificate of Conformance Number 01-1669 DI-4426
PT per BSS 7039 기록 누락 Anodize per BAC5632 CL2 기록 누락 Primer 10-11 TY1 기록 누락			
11. Functional Test Procedure Number 	12. Acceptance Report Number. If Applicable 		
13. Comments 			
14. Prepared By 	15. Date 		

Prepared By 날인 없이 FAIR 완료기록으로 볼수 없음

1. Part Number 191Z2544-904 (191Z2544-4)			2. Part Name ()안에 IP 번호 추가 필요 Detail 도면 작업이 포함된 공정서인 경우, Detail IP용 Form 3는 별도 추가 해야 함		3. Lot Number 22821	4. FAI Report Number FAI010419
Characteristic Accountability				Inspection / Test Results		
5. Char No	6. Reference Location	7. Characteristic Designator	8. Requirement	9. Results	10. Designated Tooling	11. Non-Conformance Number
S1	Sheet 2[Page: 2]	Profile Tolerance of any surface.2	PROP/.0200	$\Delta .0012$	CMM	
S2	Sheet 2[Page: 2]	Linear Size.4	DIA .5030 $\pm$.0015	$\phi .5045$	CMM	
S3	Sheet 2[Page: 2]	Geometrical Tolerance.1	PERP/D.0020M A	$\perp .001$	CMM	
S4	Sheet 2[Page: 2]	Geometrical Tolerance.8	PROP/.0200 A B C	$\Delta .0012$ A B C	CMM	
S5	Sheet 2[Page: 2]	Linear Size.6	DIA .3810 $\pm$.0015	$\phi .3824$	CMM	
S6	Sheet 2[Page: 2]	Geometrical Tolerance.2	TRUP/D.0050M A BS & PERP/D.0020M A	$\phi .0039$ A B C $\perp .000$	CMM	
S7	Sheet 2[Page: 3]	Text.6	COORD. P/H FOR DIA 6/32 FASTENER	$\phi .0991$	CMM	
S8	Sheet 2[Page: 3]	Geometrical Tolerance.5	TRUP/D.0280S A B C	$\phi .0042$ A B C	CMM	
S9	Sheet 2[Page: 4]	Profile Tolerance of any surface.1	PROP/.0100	$\Delta .0045$	CMM	
S10	Sheet 2[Page: 5]	Linear Size.3	DIA .5060 $\pm$.0015	$\phi .5068$	CMM	
S11	Sheet 2[Page: 5]	Geometrical Tolerance.4	TRUP/D.0050M A BS CS & PERP/D.0020M A	$\phi .0011$ A B C $\perp .000$	CMM	
S12	Sheet 2[Page: 5]	Geometrical Tolerance.8	PROP/.0200 A B C	$\Delta .0023$ A B C	CMM	
S13	Sheet 2[Page: 5]	Linear Size.5	DIA .3810 $\pm$.0015 .3840	$\phi .3852$	CMM	
S14	Sheet 2[Page: 5]	Geometrical Tolerance.3	TRUP/D.0050M A BS CS & PERP/D.0020M A	$\phi .0045$ A B C $\perp .000$	CMM	
S15	Sheet 2[Page: 5]	Linear Size.1	DIA .4100 $\pm$.0060	$\phi .4103$	CMM	
S16	Sheet 2[Page: 5]	Linear Size.2	DIA .4100 $\pm$.0060	$\phi .4103$	CMM	

CMM Data 첨부 표시,
측정 Point 기입 필요

1. Part Number 191Z2544-904 (191Z2544-4)		2. Part Name INSPAR RIB-CLL		3. Part Serial Number 0000802821		4. FAI Report Number F41010419	
Characteristic Accountability				Inspection / Test Results			
5. Char No	6. Reference Location	7. Characteristic Designator	8. Requirement	9. Results	10. Designated Tooling	11. Non-Conformance Number	14. Notes
S17	Sheet 2[Page: 6]	Dimension.1	(L)	34	CALIPERS		
S18	Sheet 2[Page: 6]	Dimension.2	(LT)	P.1	CALIPERS		Direction 방향이 언급되지 않음, L/LT/ST 중에서 언급 필요
S19	Sheet 2[Page: 6]	Dimension.3	(ST)	4	CALIPERS		
S20	Sheet 2[Page: 6]	Dimension.4	GRAIN DIRECTION	VERIFIED			
S21	Sheet 2[Page: 7]	Geometrical Tolerance.6	PROP/.0100 A BM CM & PERP/.010 A	Δ .0045 A B C D CH $\angle$.0019 A	CMM		
S22	Sheet 2[Page: 7]	Geometrical Tolerance.7	PROP/.0100 A BM CM & PERP/.010 A	Δ .0010 A B C D CH $\angle$.0016 A	CMM		
S23	Sheet 2[Page: 8]	Text.10	P8 THRU P10 FOR DIA 6/32 FASTENER	VERIFIED	CMM		
S24	Sheet 2[Page: 8]	Text.9	P3 THRU P7 FOR DIA 8/32 FASTENER	VERIFIED	CMM		
S25	Sheet 2[Page: 8]	Text.11	P11 THRU P13 FOR DIA 6/32 FASTENER	VERIFIED	CMM		
S26	Sheet 2[Page: 8]	Text.12	P14 THRU P18 FOR DIA 8/32 FASTENER	VERIFIED	CMM		
S27	Sheet 2[Page: 8]	Text.13	P19 THRU P20 FOR DIA 6/32 FASTENER	VERIFIED	CMM		CMM으로 측정했다면 값을 적어야 함
S28	Sheet 2[Page: 8]	Text.8	P1 THRU P2 FOR DIA 6/32 FASTENER	VERIFIED	CMM		
S1	Sheet 2[Page: 10]	RDD Dim.1	.070 $\pm$.03	.013	THICKNESS GAGE		
S2	Sheet 2[Page: 10]	RDD Dim.2	.070 $\pm$.03	.016	THICKNESS GAGE		
S3	Sheet 2[Page: 10]	RDD Dim.3	.070 $\pm$.03	.011	THICKNESS GAGE		
S4	Sheet 2[Page: 10]	RDD Dim.4	.083 $\pm$.03	.086	THICKNESS GAGE		

Sheet

2 Of

1. Part Number 191Z2544-904 (191Z2544-4)				2. Part Name 10SPAR R/B-44		3. Part Serial Number 0000822821	4. FAI Report Number FAI010419
Characteristic Accountability				Inspection / Test Results			
5. Char No	6. Reference Location	7. Characteristic Designator	8. Requirement	9. Results	10. Designated Tooling	11. Non-Conformance Number	14. Notes
S5	Sheet 2 [Page: 10]	RDD Dim.4	.115 ± .03	.118	THICKNESS GAGE		
S6	Sheet 2 [Page: 10]	RDD Dim.5	.115 ± .03	.116	THICKNESS GAGE		
S7	Sheet 2 [Page: 10]	RDD Dim.6	.060 ± .03	.063	THICKNESS GAGE		
S8	Sheet 2 [Page: 10]	RDD Dim.7	.060 ± .03	.063	THICKNESS GAGE		
S9	Sheet 2 [Page: 10]	RDD Dim.8	.080 ± .03	.081	THICKNESS GAGE		
S10	Sheet 2 [Page: 10]	RDD Dim.9	.060 ± .03	.062	THICKNESS GAGE		
	191Z2544-3	Part Note	5PR0000000334	o.k			REFER TO SEQ/STEP 00600 OF FWO
	191Z2544-3	Part Note	5PR0000000968	o.k			REFER TO SEQ/STEP 00600 OF FWO
	191Z2544-3	Part Note	5PR0000001115				
	191Z2544-3	Part Note	5PR0000002090	o.k			REFER TO SEQ/STEP 00600 OF FWO
	191Z2544-3	Part Note	5PR0000002642				
	191Z2544-3	Part Note	5PR0000002643				"Accept", "Reject", "Verified" 형태로
	191Z2544-3	Part Note	5PR0000002644				
	191Z2544-3	Part Note	5PR0000002805	o.k			REFER TO SEQ/STEP 00600 OF FWO
	191Z2544-3	Part Note	5PR0000003000	o.k			REFER TO SEQ/STEP 00600 OF FWO
	191Z2544-3	Part Note	5PR0000003761				

Sheet

3 Of

1. Part Number 191Z2544-904 (191Z2544-4)				2. Part Name 10SPAR RIB-44		3. Part Serial Number 0000802821	4. FAI Report Number F41010419
Characteristic Accountability				Inspection / Test Results			
5. Char No	6. Reference Location	7. Characteristic Designator	8. Requirement	9. Results	10. Designated Tooling	11. Non-Conformance Number	14. Notes
	191Z2544-3	Part Note	5PR0000003904	O.K			REFER TO SEQ/STEP 00600 OF FWO
	191Z2544-3	Part Note	5SN0000001074	O.K			REFER TO SEQ/STEP 00600 OF FWO
	191Z2544-3	Part Note	5SN0000001476	O.K			REFER TO SEQ/STEP 00110 OF FWO
	191Z2544-3	Part Note	5SN0000003270	O.K			REFER TO SEQ/STEP 00110 OF FWO
	191Z2544-3	Part Note	5SN0000008022	O.K			REFER TO SEQ/STEP 00600 OF FWO
	191Z2544-3	Part Note	5PR0000002695				
	191Z2544-3	Part Note	5SN0000008135				
	191Z2544-3	Part Note	PartNote 1	O.K			REFER TO SEQ/STEP 00600 OF FWO
	191Z2544-3	Part Note	PartNote 2	O.K			REFER TO SEQ/STEP 00600 OF FWO
	191Z2544-3	Part Note	PartNote 3	O.K			REFER TO SEQ/STEP 00600 OF FWO
	191Z2544-3	Part Note	PartNote 4	O.K			REFER TO SEQ/STEP 00110 OF FWO
	191Z2544-3	Part Note	FINISH SEQUENCE				
	191Z2544-3	Annotation Note	FL 1				
	191Z2544-3	Annotation Note	FL 2	O.K			REFER TO SEQ/STEP 00600 OF FWO
	191Z2544-3	Annotation Note	FL 3				
	191Z2544-3	Annotation Note	FL 4				

"Accept", "Reject", "Verified" 형태로

Partial 원인이 Peening 관련 사항인데,
검사/확인 결과 기록 없음

Sheet

4 Of

Sheet 5 Of

1. Part Number 191Z2544-904			2. Part Name INSPAR RIB-44			3. Part Serial Number 000000-821	4. FAI Report Number F41010409
Characteristic Accountability			Inspection / Test Results				
5. Char No	6. Reference Location	7. Characteristic Designator	8. Requirement	9. Results	10. Designated Tooling	11. Non-Conformance Number	14. Notes
The Requirements as outlined in the Parts List and Part Notes have been verified during First Article Inspection.						Verified By: [Redacted]	
Prepared By : [Redacted]			Date: 070326				

대부분의 PL 요건들이 -3에 있고 -4에는 -3를 참조하라고 되어 있는데, -3 첨부되지 않음

IP-NO: IP_191Z2544-904_00

INSPECTION PLAN SHEET 1

PAGE 1 OF 13

PROJECT : 41

PART NO. : 191Z2544-904

REV. : 0

PREPARED BY :

SHY

DATE :

070322

IP REV. : 0

MBD SOURCE :

191Z2544-3.Catpart

PART NAME :

CLOSURE RIB

CATIA FILE :

C41SHY.070322.W.191Z2544-3.CLOSURE RIB

INSPECTION METHOD :

1&2&6

Checker

YHCho2007-03-22

YHCho2007-03-22

1)MYLAR 2)P_CMM 3)MOI 4)M_CMM

5)OPTICS 6)CONVENTIONAL

7)OTHERS

191Z2544-904 is an exact opposite part of the 191Z2544-903

IP는 MBD No.를 사용하는 것으로 통일

Part No. 역시 MBD No.를 기입하는 것으로 통일
RH 부품에 LH MBD를 적용하는 경우 별도 구분하지 않아도 됨

COMMENTS / INSTRUCTIONS :

1. Please view CATIA MBD file to verify
source dataset

ECCN

Engineering Geometry(REF)

EAMR

Closure Rib Interface Surface Flatness Requirement Geometry

Shot Peening Area

Material Description:

Part Notes:

Annotation Notes:

Approval Status

Repository=787 ENOVIA LCA

Document Rev =191Z2544-3

Status=Approved

Status Date =3-1-2007

Annotation Set.1

Captures

All Annotations View Capture

Engineering Definition Release View Capture


Coordination Pilot Hole View Capture

GD&T Back-side View Capture

GD&T Tension Bolt Hole View Capture

Grain Directin View Capture

GD&T Inboard View Capture

**KOREAN AIR**

Boeing Proprietary

PARTS LIST	COMPANY NAME THE BOEING COMPANY COMMERCIAL AIRPLANES SEATTLE, WA 98124	ENTERPRISE TYPE CAGE Code	ENTERPRISE NUMBER 81205	NUMBER 192Z2544-4	VER ---	SHT 1
LIST TITLE 192_RWT_REM-CLOSURE-RIB_RH		PART TYPE Detail	PART CLASS Engineering	ATN	PROGRAM CODE 787	DATE 2007-02-13T00:55:00
EXPORT CONTROL	ECCN - 9E991 -			MI NUMBER C9200-002-N0	STATE Approved	

CREATOR Tae Mok Heo PIN/TYPE DESIGN RESPONSIBILITY KAA
ORGANIZATION KAA WBS 3.029 AUTHORITY SYSTEM 787 ENOVIA

REVISIONS

VERSION	VERSION DESCRIPTION	APPROVED DATE	CHANGE NUMBER	PHASE
---	NEW PART	Tuesday, 13 February 2007 00:54:52.	WBS-3.029.2_CN-AA2777	Production

PART SPECIFIC DATA

DESCRIPTION		
OPPOSITE	192Z2544-3	
BAC COLOR NAME		
HAZARDOUS MATERIAL	- Chromium -	
LIFE LIMITED	FALSE	SERIAL NUMBER CONTROLLED
THERMAL CHARACTERISTIC		ELECTROSTATIC DISCHARGE
VIBRATION SENSITIVE		PRESSURE VESSEL FALSE
COOLING REQMT		

Boeing Proprietary

-4 PL에는 내용이 없고 -3 내용을 적요해야
하므로 -3 내용 검사 후 결과를 기록해야 함