

1. Manufacturing Number (MBD Number and Revision) 412Z5109-903(412Z5109-3)				2. Part Name TOP BEAM 9 STA 254.50		3. Part Serial Number K0038	4. FAI Report Number QPI3021
Characteristic Accountability				Inspection / Test Results			
5. Char No	6. Reference Location	7. Characteristic Designator	8. Requirement	9. Results	10. Designated Tooling	11. Non-Conformance Number	14. Notes
N31	Sheet 2[Page: 10]	RDD Dim.24	.081 ± .010	.083	CALIPER		C/N: AF0000 2455
N32	Sheet 2[Page: 10]	RDD Dim.25	.081 ± .010	.084			
N33	Sheet 2[Page: 10]	RDD Dim.26	.106 ± .010	.104			
N34	Sheet 2[Page: 10]	RDD Dim.27	.106 ± .010	.108			
N35	Sheet 5[Page: 11]	Part Note	5SN0000003236	CONFIRM	N/A		
N36	Sheet 5[Page: 11]	Part Note	5SN0000007968	CONFIRM			
N37	Sheet 5[Page: 11]	Part Note	5SN0000007753	CONFIRM	N5109-3A.DMI		103 109 MAR 2010 1CMT. Ptm-64~87, Ptm-128~217
N38	Sheet 5[Page: 11]	Part Note	5SN0000007014	CONFIRM	N5109-3B.DMI		2CMT. Ptm-11~56
N39	Sheet 5[Page: 11]	Part Note	5SN0000003270	CONFIRM	N/A		
N40	Sheet 5[Page: 11]	Part Note	5SN0000003370	CONFIRM ST=2.8"			
N41	Sheet 5[Page: 11]	Part Note	5SN0000005631	CONFIRM			
N42	Sheet 5[Page: 11]	Part Note	5PR0000003538	CONFIRM			
N43	Sheet 5[Page: 11]	Part Note	5SN0000001074	CONFIRM			
N44	Sheet 5[Page: 11]	Part Note	5PR0000002642	CONFIRM			
N45	Sheet 5[Page: 11]	Part Note	5PR0000002643	CONFIRM			
N46	Sheet 5[Page: 11]	Part Note	5PR0000002644	CONFIRM			

General Profile Tolerance .0200에
대한 검사 결과 값 필요

Designed Tooling은
안닌것 같은데???

Note 내용이 Pilot Hole Location 공차로
결과를 수치로 기입해야 함

1. Manufacturing Number (MBD Number and Revision) 412Z5109-903(412Z5109-3)				2. Part Name TOP BEAM 9 STA 254.50		3. Part Serial Number K0038	4. FAI Report Number QPI3021
Characteristic Accountability				Inspection / Test Results			
5. Char No	6. Reference Location	7. Characteristic Designator	8. Requirement	9. Results	10. Designated Tooling	11. Non-Conformance Number	14. Notes
N47	Sheet 5[Page: 1]	Part Note	5PR0000003761	CONFIRM	N/A		
N48	Sheet 5[Page: 1]	Part Note	5PR0000002090	Ra 20 ~ 80	SURFACE ROUGHNESS GAGE		C/N: AF 0000 4477
N49	Sheet 5[Page: 1]	Part Note	5SN0000001538	CONFIRM	N/A		
N50	Sheet 5[Page: 1]	Part Note	5SN0000001644	CONFIRM MAX: 0.002"	↓		
N51	Sheet 5[Page: 1]	Part Note	5PR0000000334	CONFIRM			
N52	Sheet 5[Page: 1]	Part Note	F-17.39 (BAE 5632)	ACCEPT			KE 08 APR 2010
N53	Sheet 5[Page: 1]	Part Note	F-20.03	ACCEPT	DUAL SCOPE MP257-S		KE 12 APR 2010
N54	Sheet 5[Page: 1]	Part Note	FINISH SEQUENCE	Verified	N/A		15 APR 2010
N55	Sheet 5[Page: 1]	Part Note	5PR0000000968	해당 PL 내용이 Form 3에 기록되어 있다면 N/A 처리해야 함			
N56	Sheet 5[Page: 1]	Part Note	5PR0000001115	Verified	N/A		} KE 13 APR 2010
N57	Sheet 5[Page: 1]	Part Note	5SN0000008148	N/A	N/A		
N58	Sheet 5[Page: 1]	Part Note	Rework_Instruction_1	N/A	N/A		
N59	PL	PL	See attached PL sheet	See attached PL sheet			
N60	cop	PILOT HOLE	#40 x 1PLC	#40 x 1PLC	PER MOI TOOL	412Z5109-2-DT-01	REV "B"
N61	cop	PILOT HOLE	#30 x 96PLCS	#30 x 96PLCS	PER MOI TOOL	412Z5109-2-DT-01	REV "B"

기록 Field 위치가 틀림

Boeing Proprietary

PARTS LIST	COMPANY NAME	ENTERPRISE TYPE	ENTERPRISE NUMBER	NUMBER	VER	SHT
	THE BOEING COMPANY COMMERCIAL AIRPLANES SEATTLE, WA 98124	CAGE Code	81205	412Z5109-3	---	3
LIST TITLE	PART TYPE	PART CLASS	ATN	PROGRAM CODE	DATE	
NWW TOP BEAM 9 STA 254.50	Detail	Engineering			2009-04-29T11:23:21	
EXPORT SENSITIVITY				MI NUMBER	STATE	
- 9E991 -				C9200-002-N0	Approved	

DEFINITION IS NOMINAL. THE DEFINITION IS BASIC IF THE TOLERANCE IS DEFINED BY THE GD&T CONTROL FRAME.

URL

PART NOTES

5SN0000007968

FOR FEATURES NOT SPECIFICALLY DIMENSIONED AND/OR TOLERANCED ON PRODUCT DEFINITION DATASETS: LINEAR VALUES WILL BE INTERROGATED TO TWO DECIMAL PLACES AND HAVE A TOLERANCE OF +/- .03, EXCEPT THICKNESS WILL BE INTERROGATED TO THREE DECIMAL PLACES AND HAVE A TOLERANCE OF +/- .010. ANGLES WILL BE INTERROGATED TO ONE DECIMAL PLACE AND HAVE A TOLERANCE OF +/- 2.0 DEGREE. NOTE THAT CHAINING VALUES IS NOT ALLOWED.

URL

PART NOTES

5SN0000007753

UNLESS OTHERWISE NOTED WITHIN THE 3D MBD CATIA DATASET, THE LOCATION OF ALL PART FEATURES ARE SUBJECT TO A SURFACE PROFILE TOLERANCE OF .0200 WITH RESPECT TO THE PRIMARY DATUM, SECONDARY DATUM , AND TERTIARY DATUM.

URL

PART NOTES

5SN0000007014

UNLESS OTHERWISE SPECIFIED, PILOT HOLE LOCATION TOLERANCE SHALL BE +/- .030

URL

PART NOTES

5SN0000003270

STOCK SIZE DOES NOT INCLUDE MANUFACTURING OR TOOLING EXCESS.

URL

PART NOTES

5SN0000003370

AS EXTRUDED THICKNESS SHALL NOT EXCEED 4.00 INCHES.

Boeing Proprietary