	and the second of the second o	OAS
5C50A938	STUDENT REPORT SAFE SAFE SAFE	)
SCSOR	The state of the s	-3050
DE	ETAILS  Name  SOLOGO  PARTICIONAL ARRIVACIONAL ARRIVACION	3827
38R1	Name sold and street sold and	o.
	E NAKONA	J. SOA
50	Roll Number 35 36 20 36 36 36 36 36 36 36 36 36 36 36 36 36	. <del>P</del>
8R13C50	0.0000000000000000000000000000000000000	
	CHOCOLATE JAR  CHOCATE JAR  CH	049 3°
Tit	de Son Al Son	י י
Tit		2050
,	CHOCOLATE JAR	3BR23
N Stand	CHOCOLATE JAR  CHOCOLATE JAR  CSALA ABRANCED ABR	ART SON
, KO 3 V	You are given an integer array of size N, representing jars of chocolates. Three students A, B, and C respectively, will pick	SCSONO 3
	chocolates one by one from each chocolate jar, till the jar is empty, and then repeat the same with the rest of the jars. Your task	300
8223050	is to fine and return an integer value representing the total number of chocolates that student A will have, after all the chocolates have been picked from all the jars.	
,8R1	Note: Once a jar is done A will start taking the chocolates from the new jar.	AS SERVI
<u>.&lt;</u>	Input Format:	D
3C50A9 35	input1: An integer value N representing the number of jars.	S
300	input2: An integer array representing the quantity of chocolates in each jar.	36130
J.	Output Format:	
A 3BRU?	Return an integer value representing the total number of chocolates that student A will have, after all the chocolates are picked.	505049
-0	Example:	5
BR13C50	Input:	2
8,	3	A 3BRI
ૂર્જ	10 20 30	)
3C50A935	Output:	C.E.
5	21	Self Const
3BR2?	Explanation:	,
30	Jar 1: 10 chocolates -> A-4, B-3,C-3	700)
	Jar 2: 20 chocolates -> A-7, B-7, C-6	S. C. S. C.
	Jar 3: 30 chocolates -> A-10, B-10,C-10	,
	so A gets a total of 4+7+10=21 chocolates.	Bally.
;	Source Code:	A REAL PROPERTY OF THE PARTY OF

```
def total_chocolates_for_A(chocolates):
        total_chocolates_A = 0
        # Iterate through each jar
        for jar in chocolates:
           # Full cycles where A gets 1 chocolate per cycle
           total_chocolates_A += jar // 3
           \mbox{\tt\#} If there are leftover chocolates and A gets 1 more
           if jar % 3 >= 1:
                total_chocolates_A += 1
        return total_chocolates_A
   jar=int(input())
   chocolates=list(map(int,input(). split ()))
   print(total_chocolates_for_A(chocolates))
RESULT
  5 / 5 Test Cases Passed | 100 %
```