

MOVE-X Project Manual

Comprehensive code-level documentation with line-by-line source listing

Project root: /Users/apple/Move-X-Xpress/move-x

Scope

- UI routing and page composition (React + Vite)
- Components and styling behavior (CSS)
- Admin, rider, and tracking feature flows
- Backend-facing frontend service usage patterns
- Full line-numbered source appendix for included files

Design and UX Interpretation

The application is organized around three user journeys: public tracking, rider operations, and admin operations. UI states prioritize practical feedback: loading, authenticated/unauthenticated guards, operation results, and retry paths.

Tracking is implemented via periodic refresh instead of websocket push, balancing simplicity and reliability.

File: README.md

Purpose: Source listing with line-level reference for deep review

```
0001: # MOVE X XPRESS
0002:
0003: MOVE X XPRESS is a full-stack dispatch and shipment tracking application for a Lagos-focused delivery business. It includes a public tracking experience, an admin dashboard for managing orders and riders, and a rider page for live location sharing.
0004:
0005: ## What It Does
0006:
0007: - Public shipment tracking by tracking ID
0008: - Admin order creation, update, delete, and review
0009: - Admin rider profile creation and rider monitoring
0010: - Rider login and live location sharing
0011: - Tracking page map view with rider details when available
0012: - JWT-based admin authentication with refresh tokens
0013:
0014: ## Tech Stack
0015:
0016: ### Frontend
0017:
0018: - React
0019: - Vite
0020: - React Router
0021: - ESLint
0022: - Lucide React
0023:
0024: ### Backend
0025:
0026: - Node.js
0027: - Express
0028: - Mongoose
0029: - MongoDB Atlas
0030: - Zod
0031: - JSON Web Token (`jsonwebtoken`)
0032:
0033: ## Project Structure
0034:
0035: ```text
0036: .
0037: ├── backend/
0038: │   ├── config/
0039: │   ├── controllers/
0040: │   ├── middleware/
0041: │   ├── models/
0042: │   ├── routes/
0043: │   ├── validators/
0044: │   └── server.js
0045: ├── public/
0046: ├── src/
0047: │   ├── Admin/
0048: │   │   ├── components/
0049: │   │   ├── hooks/
0050: │   │   ├── services/
0051: │   │   └── utils/
0052: │   ├── assets/
0053: │   ├── components/
0054: │   ├── data/
0055: │   ├── App.jsx
0056: │   ├── RiderPage.jsx
0057: │   └── TrackingPage.jsx
0058: ├── package.json
0059: └── README.md
0060: ```
0061:
0062: ## Main Routes
0063:
0064: ### Public Frontend Routes
0065:
0066: - `/` - landing page
0067: - `/tracking/:id` - public tracking page
0068: - `/rider` - rider login and live location sharing page
0069: - `/admin` - admin customer/order dashboard
0070: - `/admin/customers` - admin customer/order dashboard
0071: - `/admin/riders` - admin rider management dashboard
0072:
0073: ### Backend API Routes
0074:
0075: - `/api/orders` - order listing and management
0076: - `/api/riders` - rider management and rider session endpoints
0077: - `/api/admin/auth` - admin login, refresh, logout, and profile endpoints
0078:
0079: ## Environment Variables
```

```
0080:
0081: See `backend/.env.example` for a template. Create a `backend/.env` file in the backend folder:
0082:
0083: ```env
0084: PORT=3001
0085: MONGODB_URI=mongodb+srv://<user>:<password>@cluster.mongodb.net/<dbname>
0086: ADMIN_EMAIL=admin@movex.local
0087: ADMIN_PASSWORD=your-secure-password
0088: ADMIN_ACCESS_JWT_SECRET=generate-a-secure-random-hex-string
0089: RIDER_JWT_SECRET=generate-a-separate-secure-random-hex-string
0090: FRONTEND_URL=http://localhost:5173,http://localhost:5174
0091: ```
0092:
0093: For production, set `FRONTEND_URL` to your actual domain(s) – the backend uses this to enforce CORS.
0094:
0095: Create a frontend `.env` file in the project root if needed:
0096:
0097: ```env
0098: VITE_API_BASE_URL=http://localhost:3001
0099: ```
0100:
0101: Notes:
0102:
0103: - Do not commit `.env` files to version control (already in `.gitignore`).
0104: - Generate JWT secrets: `node -e "console.log(require('crypto').randomBytes(32).toString('hex'))"`
0105: - CORS is locked down to `FRONTEND_URL` origins only; requests from other origins will be rejected.
0106: - Admin auth uses JWT bearer tokens issued by `/api/admin/auth/login`.
0107: - Rider auth is now JWT-based (no longer stored plaintext in the database).
0108:
0109: ## Getting Started
0110:
0111: ### 1. Install frontend dependencies
0112:
0113: ```bash
0114: npm install
0115: ```
0116:
0117: ### 2. Install backend dependencies
0118:
0119: ```bash
0120: npm --prefix backend install
0121: ```
0122:
0123: ### 3. Start the backend
0124:
0125: ```bash
0126: npm --prefix backend run dev
0127: ```
0128:
0129: ### 4. Start the frontend
0130:
0131: ```bash
0132: npm run dev
0133: ```
0134:
0135: ### 5. Build the frontend
0136:
0137: ```bash
0138: npm run build
0139: ```
0140:
0141: ## Available Scripts
0142:
0143: ### Frontend
0144:
0145: - `npm run dev` - start the Vite development server
0146: - `npm run build` - create a production frontend build
0147: - `npm run preview` - preview the frontend production build
0148: - `npm run lint` - run ESLint
0149:
0150: ### Backend
0151:
0152: - `npm --prefix backend run dev` - start the backend with nodemon (auto-restarts on file changes, development only)
0153: - `npm --prefix backend start` - start the backend with `node` (production mode, no file watching)
0154:
0155: ## Auth Overview
0156:
0157: ### Admin Auth
0158:
0159: - Admin signs in with email and password
0160: - Backend returns a short-lived access token and a refresh token
0161: - Refresh tokens are stored server-side
0162: - Protected admin routes require `Authorization: Bearer <token>`
```

```

0163:
0164: ### Rider Auth
0165:
0166: - Rider logs in with the rider profile created by admin
0167: - Backend issues a signed JWT token (short-lived, no database storage)
0168: - Rider client stores the token and includes it in requests as `Authorization: Bearer <token>`
0169: - Backend verifies the token signature and fetches the rider from the database by ID
0170: - Rider page is intended for location sharing, not order assignment
0171:
0172: ## Current Behavior Notes
0173:
0174: - Tracking IDs must follow the `MX000000` format
0175: - Tracking responses show rider details only when the order is explicitly linked to a rider
0176: - Delivered orders preserve rider snapshot data for admin history popups
0177: - The admin orders table supports clickable tracking IDs that open a detailed popup
0178:
0179: ## Recommended Local Workflow
0180:
0181: 1. Start the backend first.
0182: 2. Start the frontend.
0183: 3. Sign in to the admin page.
0184: 4. Create riders and orders from the admin dashboard.
0185: 5. Use the rider page to share live location.
0186: 6. Use the tracking page to verify public shipment status.
0187:
0188: ## Deployment Notes
0189:
0190: - Ensure `FRONTEND_URL`, `ADMIN_ACCESS_JWT_SECRET`, and `RIDER_JWT_SECRET` are set in production.
0191: - CORS is enforced server-side; requests from origins outside `FRONTEND_URL` will fail.
0192: - Use `npm start` (not `npm run dev`) to start the backend in production.
0193: - MongoDB connection must use a hosted database (e.g. MongoDB Atlas) in production.
0194:
0195: ## Known Gaps
0196:
0197: - Backend automated tests are not set up yet.
0198: - Some legacy order data may not include newer rider snapshot fields until updated.
0199: - Old delivered orders that previously lost rider info will not auto-recover historical rider details.

```

File: backend/config/db.js

Purpose: Source listing with line-level reference for deep review

```

0001: const mongoose = require('mongoose')
0002:
0003: async function connectDB(retries = 5, delay = 5000) {
0004:   for (let attempt = 1; attempt <= retries; attempt++) {
0005:     try {
0006:       await mongoose.connect(process.env.MONGODB_URI)
0007:       console.log('MongoDB connected')
0008:       return
0009:     } catch (error) {
0010:       console.error(`MongoDB connection attempt ${attempt}/${retries} failed: ${error.message}`)
0011:       if (attempt < retries) {
0012:         console.log(`Retrying in ${delay / 1000}s...`)
0013:         await new Promise((resolve) => setTimeout(resolve, delay))
0014:       }
0015:     }
0016:   }
0017:   console.error('MongoDB connection failed after all retries. Server will continue without DB.')
0018: }
0019:
0020: module.exports = connectDB

```

File: backend/controllers/adminAuthControllers.js

Purpose: Source listing with line-level reference for deep review

```

0001: const crypto = require('crypto')
0002: const jwt = require('jsonwebtoken')
0003: const AdminRefreshToken = require('../models/AdminRefreshToken')
0004:
0005: const ACCESS_TOKEN_EXPIRES_IN = '15m'
0006: const REFRESH_TOKEN_TTL_DAYS = 7
0007:
0008: function getAdminCredentials() {
0009:   return {
0010:     email: (process.env.ADMIN_EMAIL || 'admin@movex.local').trim().toLowerCase(),
0011:     password: process.env.ADMIN_PASSWORD || '',
0012:   }
0013: }
0014:
0015: function hashToken(token) {
0016:   return crypto.createHash('sha256').update(token).digest('hex')
0017: }
0018:
0019: function createRefreshToken() {

```

```

0020:   return crypto.randomBytes(48).toString('hex')
0021: }
0022:
0023: function getRefreshExpiryDate() {
0024:   const expiresAt = new Date()
0025:   expiresAt.setDate(expiresAt.getDate() + REFRESH_TOKEN_TTL_DAYS)
0026:   return expiresAt
0027: }
0028:
0029: function signAccessToken(admin) {
0030:   const jwtSecret = process.env.ADMIN_ACCESS_JWT_SECRET
0031:
0032:   if (!jwtSecret) {
0033:     throw new Error('ADMIN_ACCESS_JWT_SECRET is required')
0034:   }
0035:
0036:   return jwt.sign(
0037:     {
0038:       role: 'admin',
0039:       email: admin.email,
0040:     },
0041:     jwtSecret,
0042:     {
0043:       subject: admin.id,
0044:       expiresIn: ACCESS_TOKEN_EXPIRES_IN,
0045:     }
0046:   )
0047: }
0048:
0049: async function issueSessionTokens(admin) {
0050:   const refreshToken = createRefreshToken()
0051:   const tokenHash = hashToken(refreshToken)
0052:
0053:   await AdminRefreshToken.create({
0054:     tokenHash,
0055:     adminId: admin.id,
0056:     adminEmail: admin.email,
0057:     role: 'admin',
0058:     expiresAt: getRefreshExpiryDate(),
0059:   })
0060:
0061:   const accessToken = signAccessToken(admin)
0062:
0063:   return {
0064:     accessToken,
0065:     refreshToken,
0066:   }
0067: }
0068:
0069: function getAdminIdentity() {
0070:   const credentials = getAdminCredentials()
0071:
0072:   return {
0073:     id: 'default-admin',
0074:     email: credentials.email,
0075:     role: 'admin',
0076:   }
0077: }
0078:
0079: async function loginAdmin(req, res) {
0080:   try {
0081:     const { email, password } = req.validatedBody
0082:     const normalizedEmail = email.trim().toLowerCase()
0083:     const credentials = getAdminCredentials()
0084:
0085:     if (!credentials.password) {
0086:       return res.status(500).json({ message: 'Admin credentials are not configured on the server.' })
0087:     }
0088:
0089:     if (normalizedEmail !== credentials.email || password !== credentials.password) {
0090:       return res.status(401).json({ message: 'Invalid admin email or password.' })
0091:     }
0092:
0093:     const admin = getAdminIdentity()
0094:
0095:     const { accessToken, refreshToken } = await issueSessionTokens(admin)
0096:
0097:     return res.json({
0098:       accessToken,
0099:       refreshToken,
0100:       admin,
0101:     })
0102:   } catch (_error) {
0103:     return res.status(500).json({ message: 'Server error' })

```

```

0104:   }
0105: }
0106:
0107: async function refreshAdminSession(req, res) {
0108:   try {
0109:     const { refreshToken } = req.validatedBody
0110:     const tokenHash = hashToken(refreshToken)
0111:
0112:     const existing = await AdminRefreshToken.findOne({ tokenHash })
0113:
0114:     if (!existing || existing.revokedAt || existing.expiresAt <= new Date()) {
0115:       return res.status(401).json({ message: 'Invalid or expired refresh token.' })
0116:     }
0117:
0118:     existing.revokedAt = new Date()
0119:     await existing.save()
0120:
0121:     const admin = {
0122:       id: existing.adminId,
0123:       email: existing.adminEmail,
0124:       role: existing.role,
0125:     }
0126:
0127:     const tokens = await issueSessionTokens(admin)
0128:
0129:     return res.json({
0130:       ...tokens,
0131:       admin,
0132:     })
0133:   } catch (_error) {
0134:     return res.status(500).json({ message: 'Server error' })
0135:   }
0136: }
0137:
0138: async function logoutAdmin(req, res) {
0139:   try {
0140:     const { refreshToken } = req.validatedBody
0141:     const tokenHash = hashToken(refreshToken)
0142:
0143:     const existing = await AdminRefreshToken.findOne({ tokenHash })
0144:     if (existing && !existing.revokedAt) {
0145:       existing.revokedAt = new Date()
0146:       await existing.save()
0147:     }
0148:
0149:     return res.json({ message: 'Logged out successfully.' })
0150:   } catch (_error) {
0151:     return res.status(500).json({ message: 'Server error' })
0152:   }
0153: }
0154:
0155: function getAdminProfile(req, res) {
0156:   return res.json({
0157:     id: req.admin.id,
0158:     email: req.admin.email,
0159:     role: req.admin.role,
0160:   })
0161: }
0162:
0163: module.exports = {
0164:   loginAdmin,
0165:   refreshAdminSession,
0166:   logoutAdmin,
0167:   getAdminProfile,
0168: }

```

File: backend/controllers/orderControllers.js

Purpose: Source listing with line-level reference for deep review

```

0001: const Order = require('../models/Orders')
0002: const Rider = require('../models/Rider')
0003:
0004: const DELIVERY_STATUSES = [
0005:   'pending',
0006:   'assigned',
0007:   'rider has picked up your item',
0008:   'your rider is on his way',
0009:   'delivered',
0010: ]
0011:
0012: // Default shipment timeline used when a request does not provide explicit steps.
0013: const timelineTemplate = [
0014:   {
0015:     status: 'pending',

```

```

0016:     date: '2024-07-10',
0017:     time: '10:30 AM',
0018:     location: 'Online Store',
0019:     description: 'Your order has been created and is waiting for rider assignment.',
0020: },
0021: {
0022:     status: 'assigned',
0023:     date: '2024-07-11',
0024:     time: '2:15 PM',
0025:     location: 'Warehouse A',
0026:     description: 'A rider has been assigned to your order for pickup.',
0027: },
0028: {
0029:     status: 'rider has picked up your item',
0030:     date: '2024-07-12',
0031:     time: '8:45 AM',
0032:     location: 'Distribution Center',
0033:     description: 'Your rider has picked up the package and is on his way.',
0034: },
0035: {
0036:     status: 'your rider is on his way',
0037:     date: '2024-07-14',
0038:     time: '11:20 AM',
0039:     location: 'Local Hub',
0040:     description: 'Your rider is heading to the delivery address.',
0041: },
0042: {
0043:     status: 'delivered',
0044:     date: '2024-07-15',
0045:     time: 'Expected',
0046:     location: 'Your Address',
0047:     description: 'The order has been delivered successfully.',
0048: },
0049: ]
0050:
0051: const statusProgress = {
0052:     pending: 0,
0053:     assigned: 1,
0054:     'rider has picked up your item': 2,
0055:     'your rider is on his way': 3,
0056:     delivered: 4,
0057: }
0058:
0059: const timelineTemplateByStatus = new Map(
0060:     timelineTemplate.map((step) => [normalizeDeliveryStatus(step.status), step])
0061: )
0062:
0063: function normalizeDeliveryStatus(status) {
0064:     const normalized = String(status || '').trim().toLowerCase()
0065:
0066:     if (!normalized) {
0067:         return 'pending'
0068:     }
0069:
0070:     const legacyStatusMap = {
0071:         pending: 'pending',
0072:         'rider assigned': 'assigned',
0073:         assigned: 'assigned',
0074:         'in transit': 'rider has picked up your item',
0075:         'out for delivery': 'your rider is on his way',
0076:         delivered: 'delivered',
0077:     }
0078:
0079:     return legacyStatusMap[normalized] || normalized
0080: }
0081:
0082: function formatStepDateTimeParts(value) {
0083:     if (!value) {
0084:         return null
0085:     }
0086:
0087:     const parsed = new Date(value)
0088:     if (Number.isNaN(parsed.getTime())) {
0089:         return null
0090:     }
0091:
0092:     return {
0093:         date: parsed.toISOString().split('T')[0],
0094:         time: parsed.toLocaleTimeString([], { hour: '2-digit', minute: '2-digit' }),
0095:     }
0096: }
0097:
0098: function isTemplateTimestamp(stepStatus, date, time) {
0099:     const templateStep = timelineTemplateByStatus.get(normalizeDeliveryStatus(stepStatus))

```

```

0100:   if (!templateStep) {
0101:       return false
0102:   }
0103:
0104:   return templateStep.date === date && templateStep.time === time
0105: }
0106:
0107: function getTrackingId(orderObj) {
0108:   return orderObj.trackingId || orderObj.id
0109: }
0110:
0111: function getSender(orderObj) {
0112:   return {
0113:     name: orderObj.sender?.name || orderObj.customerName || 'Unknown sender',
0114:     phone: orderObj.sender?.phone || orderObj.phoneNumber || 'Not provided',
0115:     address: orderObj.sender?.address || 'Address not provided',
0116:   }
0117: }
0118:
0119: function getReceiver(orderObj) {
0120:   return {
0121:     name: orderObj.receiver?.name || 'Unknown receiver',
0122:     phone: orderObj.receiver?.phone || 'Not provided',
0123:     address: orderObj.receiver?.address || 'Address not provided',
0124:     location: {
0125:       lat: orderObj.receiver?.location?.lat ?? null,
0126:       lng: orderObj.receiver?.location?.lng ?? null,
0127:     },
0128:   }
0129: }
0130:
0131: function getPackageDetails(orderObj) {
0132:   return {
0133:     description: orderObj.package?.description || orderObj.item || 'Package description not provided',
0134:   }
0135: }
0136:
0137: function getRider(orderObj, steps) {
0138:   return {
0139:     riderId: orderObj.rider?.riderId || '',
0140:     name: orderObj.rider?.name || orderObj.riderName || 'Unassigned',
0141:     phone: orderObj.rider?.phone || '',
0142:     currentLocation: orderObj.rider?.currentLocation || orderObj.currentLocation || (steps[0] ? steps[0].l
ocation : ''),
0143:     estimatedDelivery: orderObj.rider?.estimatedDelivery || orderObj.estimatedDelivery || '',
0144:     location: {
0145:       lat: orderObj.rider?.location?.lat ?? null,
0146:       lng: orderObj.rider?.location?.lng ?? null,
0147:       accuracy: orderObj.rider?.location?.accuracy ?? null,
0148:       heading: orderObj.rider?.location?.heading ?? null,
0149:       speed: orderObj.rider?.location?.speed ?? null,
0150:       updatedAt: orderObj.rider?.location?.updatedAt ?? null,
0151:     },
0152:     deliveredSnapshot: {
0153:       name: orderObj.rider?.deliveredSnapshot?.name || '',
0154:       phone: orderObj.rider?.deliveredSnapshot?.phone || '',
0155:       currentLocation: orderObj.rider?.deliveredSnapshot?.currentLocation || '',
0156:       location: {
0157:         lat: orderObj.rider?.deliveredSnapshot?.location?.lat ?? null,
0158:         lng: orderObj.rider?.deliveredSnapshot?.location?.lng ?? null,
0159:         updatedAt: orderObj.rider?.deliveredSnapshot?.location?.updatedAt ?? null,
0160:       },
0161:       deliveredAt: orderObj.rider?.deliveredSnapshot?.deliveredAt ?? null,
0162:     },
0163:   }
0164: }
0165:
0166: function createDeliveredSnapshot(orderObj, deliveredAt) {
0167:   return {
0168:     name: orderObj?.rider?.name || '',
0169:     phone: orderObj?.rider?.phone || '',
0170:     currentLocation: orderObj?.rider?.currentLocation || '',
0171:     location: {
0172:       lat: orderObj?.rider?.location?.lat ?? null,
0173:       lng: orderObj?.rider?.location?.lng ?? null,
0174:       updatedAt: orderObj?.rider?.location?.updatedAt ?? null,
0175:     },
0176:     deliveredAt,
0177:   }
0178: }
0179:
0180: async function findRegisteredRider(riderInput) {
0181:   if (!riderInput) {
0182:     return null

```



```

0183:   }
0184:
0185:   if (riderInput.riderId) {
0186:     const riderById = await Rider.findById(riderInput.riderId)
0187:     if (riderById) {
0188:       return riderById
0189:     }
0190:   }
0191:
0192:   if (riderInput.phone) {
0193:     const riderByPhone = await Rider.findOne({ phone: riderInput.phone.trim() })
0194:     if (riderByPhone) {
0195:       return riderByPhone
0196:     }
0197:   }
0198:
0199:   if (riderInput.name) {
0200:     const riderByName = await Rider.findOne({ name: riderInput.name.trim() })
0201:     if (riderByName) {
0202:       return riderByName
0203:     }
0204:   }
0205:
0206:   return null
0207: }
0208:
0209: async function buildRiderFromInput(riderInput) {
0210:   if (!riderInput) {
0211:     return {
0212:       riderId: '',
0213:       name: '',
0214:       phone: '',
0215:       currentLocation: '',
0216:       estimatedDelivery: '',
0217:     }
0218:   }
0219:
0220:   const registeredRider = await findRegisteredRider(riderInput)
0221:   if (!registeredRider) {
0222:     return {
0223:       riderId: riderInput.riderId || '',
0224:       name: riderInput.name || '',
0225:       phone: riderInput.phone || '',
0226:       currentLocation: riderInput.currentLocation || '',
0227:       estimatedDelivery: riderInput.estimatedDelivery || '',
0228:     }
0229:   }
0230:
0231:   return {
0232:     riderId: String(registeredRider._id),
0233:     name: registeredRider.name,
0234:     phone: registeredRider.phone,
0235:     currentLocation: registeredRider.lastLocation?.placeName || riderInput.currentLocation || '',
0236:     estimatedDelivery: riderInput.estimatedDelivery || '',
0237:     location: {
0238:       lat: registeredRider.lastLocation?.lat ?? null,
0239:       lng: registeredRider.lastLocation?.lng ?? null,
0240:       accuracy: registeredRider.lastLocation?.accuracy ?? null,
0241:       heading: registeredRider.lastLocation?.heading ?? null,
0242:       speed: registeredRider.lastLocation?.speed ?? null,
0243:       updatedAt: registeredRider.lastLocation?.updatedAt ?? null,
0244:     },
0245:   }
0246: }
0247:
0248: function calculateDistanceKm(lat1, lng1, lat2, lng2) {
0249:   const toRadians = (value) => (value * Math.PI) / 180
0250:   const earthRadiusKm = 6371
0251:   const dLat = toRadians(lat2 - lat1)
0252:   const dLng = toRadians(lng2 - lng1)
0253:   const a =
0254:     Math.sin(dLat / 2) * Math.sin(dLat / 2) +
0255:     Math.cos(toRadians(lat1)) * Math.cos(toRadians(lat2)) * Math.sin(dLng / 2) * Math.sin(dLng / 2)
0256:
0257:   return earthRadiusKm * 2 * Math.atan2(Math.sqrt(a), Math.sqrt(1 - a))
0258: }
0259:
0260: async function resolveLocationName(lat, lng) {
0261:   const fallback = `${lat.toFixed(6)}, ${lng.toFixed(6)}`
0262:   const controller = new AbortController()
0263:   const timeout = setTimeout(() => controller.abort(), 3000)
0264:
0265:   try {
0266:     const url = `https://nominatim.openstreetmap.org/reverse?format=jsonv2&lat=${encodeURIComponent(lat)}&lon=${encodeURIComponent(lng)}`

```

```

0267:
0268:     const response = await fetch(url, {
0269:       headers: {
0270:         'User-Agent': 'move-x/1.0 (delivery-tracking)',
0271:       },
0272:       signal: controller.signal,
0273:     })
0274:
0275:     if (!response.ok) {
0276:       return fallback
0277:     }
0278:
0279:     const data = await response.json().catch(() => null)
0280:     const name = data?.name || data?.display_name
0281:
0282:     if (!name || typeof name !== 'string') {
0283:       return fallback
0284:     }
0285:
0286:     return name
0287:   } catch (_error) {
0288:     return fallback
0289:   } finally {
0290:     clearTimeout(timeout)
0291:   }
0292: }
0293:
0294: function calculateEstimatedDeliveryFromLocation(orderObj, locationTimestamp = new Date()) {
0295:   const riderLat = orderObj?.rider?.location?.lat
0296:   const riderLng = orderObj?.rider?.location?.lng
0297:   const receiverLat = orderObj?.receiver?.location?.lat
0298:   const receiverLng = orderObj?.receiver?.location?.lng
0299:
0300:   if (![riderLat, riderLng, receiverLat, receiverLng].every((value) => Number.isFinite(value))) {
0301:     return orderObj?.rider?.estimatedDelivery || ''
0302:   }
0303:
0304:   const distanceKm = calculateDistanceKm(riderLat, riderLng, receiverLat, receiverLng)
0305:   const reportedSpeedMps = Number(orderObj?.rider?.location?.speed)
0306:   const speedMps = Number.isFinite(reportedSpeedMps) && reportedSpeedMps > 0 ? reportedSpeedMps : 6.94
0307:   const etaMinutes = Math.max(1, Math.ceil((distanceKm * 1000) / speedMps / 60))
0308:   const etaDate = new Date(locationTimestamp.getTime() + etaMinutes * 60 * 1000)
0309:
0310:   return `${etaDate.toLocaleTimeString([], { hour: '2-digit', minute: '2-digit' })} (${etaMinutes} min)`
0311: }
0312:
0313: async function findOrderByTrackingRef(orderId) {
0314:   return Order.findOne({
0315:     $or: [
0316:       { trackingId: orderId },
0317:       { id: orderId },
0318:     ],
0319:   })
0320: }
0321:
0322: function isLegacyOrder(orderObj) {
0323:   return !orderObj.trackingId || !orderObj.sender || !orderObj.receiver || !orderObj.package
0324: }
0325:
0326: async function migrateLegacyOrder(order) {
0327:   const orderObj = order.toObject ? order.toObject() : order
0328:
0329:   if (!isLegacyOrder(orderObj)) {
0330:     return order
0331:   }
0332:
0333:   const deliveryStatus = normalizeDeliveryStatus(orderObj.delivery?.status || orderObj.status)
0334:   const sender = getSender(orderObj)
0335:   const receiver = getReceiver(orderObj)
0336:   const packageDetails = getPackageDetails(orderObj)
0337:   const rider = getRider(orderObj, [])
0338:
0339:   order.set('trackingId', getTrackingId(orderObj))
0340:   order.set('sender', sender)
0341:   order.set('receiver', receiver)
0342:   order.set('package', packageDetails)
0343:   order.set('delivery', { status: deliveryStatus })
0344:   order.set('rider', rider)
0345:
0346:   if (!order.deliveredAt && deliveryStatus === 'delivered') {
0347:     order.deliveredAt = order.updatedAt || new Date()
0348:   }
0349:
0350:   if (!Array.isArray(order.steps) || order.steps.length === 0) {

```

```

0351:     order.steps = buildSteps(deliveryStatus, [], {
0352:       ...orderObj,
0353:       sender,
0354:       receiver,
0355:       package: packageDetails,
0356:       delivery: { status: deliveryStatus },
0357:       rider,
0358:       trackingId: getTrackingId(orderObj),
0359:     })
0360:   }
0361:
0362:   await order.save()
0363:   return order
0364: }
0365:
0366: // Build a frontend-ready timeline from the current shipment status.
0367: function buildSteps(status, existingSteps = [], orderObj = {}) {
0368:   const normalizedStatus = normalizeDeliveryStatus(status)
0369:   const progressIndex = statusProgress[normalizedStatus] ?? 0
0370:   const sender = getSender(orderObj)
0371:   const receiver = getReceiver(orderObj)
0372:   const rider = getRider(orderObj, [])
0373:   const existingStepsByStatus = new Map(
0374:     (Array.isArray(existingSteps) ? existingSteps : []).map((step) => [normalizeDeliveryStatus(step.status
0375:   ), step])
0376:   )
0377:   const createdAtParts = formatStepDateTimeParts(orderObj.createdAt)
0378:   const timelineUpdateParts = formatStepDateTimeParts(orderObj._timelineTimestamp || orderObj.updatedAt) |
0379:   | formatStepDateTimeParts(new Date())
0380:   const timelineLocations = [
0381:     sender.address || 'Order Origin',
0382:     sender.address || 'Pickup Location',
0383:     rider.currentLocation || 'On Route',
0384:     receiver.address || 'Delivery Route',
0385:     receiver.address || 'Delivery Address',
0386:   ]
0387:
0388:   return timelineTemplate.map((step, index) => {
0389:     const stepStatus = normalizeDeliveryStatus(step.status)
0390:     const existingStep = existingStepsByStatus.get(stepStatus)
0391:     const completed = index <= progressIndex
0392:
0393:     let date = ''
0394:     let time = ''
0395:
0396:     if (completed) {
0397:       // Reuse a stored timestamp only if this step had already been completed before.
0398:       if (
0399:         existingStep?.completed &&
0400:         existingStep?.date &&
0401:         existingStep?.time &&
0402:         !isTemplateTimestamp(stepStatus, existingStep.date, existingStep.time)
0403:       ) {
0404:         date = existingStep.date
0405:         time = existingStep.time
0406:       } else if (stepStatus === 'pending' && createdAtParts) {
0407:         date = createdAtParts.date
0408:         time = createdAtParts.time
0409:       } else if (timelineUpdateParts) {
0410:         date = timelineUpdateParts.date
0411:         time = timelineUpdateParts.time
0412:       }
0413:     }
0414:
0415:     return {
0416:       ...step,
0417:       location: timelineLocations[index] || step.location,
0418:       date,
0419:       time,
0420:       completed,
0421:     }
0422:   })
0423: }
0424:
0425: // Keep API responses aligned with the tracking page data shape.
0426: function toOrderShape(order) {
0427:   const orderObj = order.toObject ? order.toObject() : order
0428:   const deliveryStatus = normalizeDeliveryStatus(orderObj.delivery?.status || orderObj.status)
0429:   const steps = buildSteps(deliveryStatus, orderObj.steps, orderObj)
0430:   const sender = getSender(orderObj)
0431:   const receiver = getReceiver(orderObj)
0432:   const packageDetails = getPackageDetails(orderObj)
0433:   const rider = getRider(orderObj, steps)
0434: }

```

```

0433:   return {
0434:     trackingId: getTrackingId(orderObj),
0435:     sender,
0436:     receiver,
0437:     package: packageDetails,
0438:     delivery: {
0439:       status: deliveryStatus,
0440:       deliveredMarkedAt: orderObj.delivery?.deliveredMarkedAt || null,
0441:       deliveredMarkedBy: {
0442:         id: orderObj.delivery?.deliveredMarkedBy?.id || '',
0443:         email: orderObj.delivery?.deliveredMarkedBy?.email || '',
0444:       },
0445:     },
0446:     rider,
0447:     createdAt: orderObj.createdAt,
0448:     updatedAt: orderObj.updatedAt,
0449:     deliveredAt: orderObj.deliveredAt || null,
0450:     steps,
0451:   }
0452: }
0453:
0454: function toPublicTrackingOrderShape(order) {
0455:   const orderShape = toOrderShape(order)
0456:   const isDelivered = normalizeDeliveryStatus(orderShape.delivery?.status) === 'delivered'
0457:
0458:   return {
0459:     trackingId: orderShape.trackingId,
0460:     sender: {
0461:       name: orderShape.sender?.name || '-',
0462:     },
0463:     receiver: {
0464:       name: orderShape.receiver?.name || '-',
0465:     },
0466:     package: {
0467:       description: orderShape.package?.description || '-',
0468:     },
0469:     delivery: {
0470:       status: orderShape.delivery?.status || 'pending',
0471:     },
0472:     rider: {
0473:       name: isDelivered ? '' : orderShape.rider?.name || 'Unassigned',
0474:       phone: isDelivered ? '' : orderShape.rider?.phone || '',
0475:       currentLocation: isDelivered ? '' : orderShape.rider?.currentLocation || '',
0476:       estimatedDelivery: isDelivered ? '' : orderShape.rider?.estimatedDelivery || '',
0477:       location: {
0478:         lat: isDelivered ? null : orderShape.rider?.location?.lat ?? null,
0479:         lng: isDelivered ? null : orderShape.rider?.location?.lng ?? null,
0480:         updatedAt: isDelivered ? null : orderShape.rider?.location?.updatedAt ?? null,
0481:       },
0482:     },
0483:     createdAt: orderShape.createdAt,
0484:     updatedAt: orderShape.updatedAt,
0485:     deliveredAt: orderShape.deliveredAt,
0486:     steps: orderShape.steps.map((step) => ({
0487:       status: step.status,
0488:       date: step.date,
0489:       time: step.time,
0490:       description: step.description,
0491:       completed: step.completed,
0492:     }))),
0493:   }
0494: }
0495:
0496: async function toTrackingOrderShape(order) {
0497:   const orderShape = toOrderShape(order)
0498:   const registeredRider = await findRegisteredRider(orderShape.rider)
0499:
0500:   if (!registeredRider) {
0501:     return orderShape
0502:   }
0503:
0504:   return {
0505:     ...orderShape,
0506:     rider: {
0507:       ...orderShape.rider,
0508:       riderId: String(registeredRider._id),
0509:       name: registeredRider.name,
0510:       phone: registeredRider.phone,
0511:       currentLocation: registeredRider.lastLocation?.placeName || orderShape.rider.currentLocation,
0512:       location: {
0513:         lat: registeredRider.lastLocation?.lat ?? null,
0514:         lng: registeredRider.lastLocation?.lng ?? null,
0515:         accuracy: registeredRider.lastLocation?.accuracy ?? null,
0516:         heading: registeredRider.lastLocation?.heading ?? null,

```

```

0517:         speed: registeredRider.lastLocation?.speed ?? null,
0518:         updatedAt: registeredRider.lastLocation?.updatedAt ?? null,
0519:     },
0520: },
0521: }
0522: }
0523:
0524: function getPeriodRange(period, referenceDate = new Date()) {
0525:     const base = new Date(referenceDate)
0526:     const start = new Date(base)
0527:     const end = new Date(base)
0528:
0529:     if (period === 'daily') {
0530:         start.setHours(0, 0, 0, 0)
0531:         end.setHours(23, 59, 59, 999)
0532:     } else if (period === 'weekly') {
0533:         const day = start.getDay()
0534:         const diffToMonday = day === 0 ? 6 : day - 1
0535:         start.setDate(start.getDate() - diffToMonday)
0536:         start.setHours(0, 0, 0, 0)
0537:
0538:         end.setTime(start.getTime())
0539:         end.setDate(start.getDate() + 6)
0540:         end.setHours(23, 59, 59, 999)
0541:     } else if (period === 'monthly') {
0542:         start.setDate(1)
0543:         start.setHours(0, 0, 0, 0)
0544:
0545:         end.setTime(start.getTime())
0546:         end.setMonth(start.getMonth() + 1, 0)
0547:         end.setHours(23, 59, 59, 999)
0548:     } else if (period === 'yearly') {
0549:         start.setMonth(0, 1)
0550:         start.setHours(0, 0, 0, 0)
0551:
0552:         end.setTime(start.getTime())
0553:         end.setMonth(11, 31)
0554:         end.setHours(23, 59, 59, 999)
0555:     }
0556:
0557:     return {
0558:         start,
0559:         end,
0560:     }
0561: }
0562:
0563: function parseReferenceDate(dateInput) {
0564:     if (!dateInput) {
0565:         return new Date()
0566:     }
0567:
0568:     const matched = /^(\d{4})-(\d{2})-(\d{2})$/.exec(dateInput)
0569:     if (!matched) {
0570:         return new Date(Number.NaN)
0571:     }
0572:
0573:     const year = Number(matched[1])
0574:     const month = Number(matched[2]) - 1
0575:     const day = Number(matched[3])
0576:
0577:     return new Date(year, month, day)
0578: }
0579:
0580: async function getOrderSummary(req, res) {
0581:     try {
0582:         const period = req.query.period || 'daily'
0583:         const allowedPeriods = ['daily', 'weekly', 'monthly', 'yearly']
0584:
0585:         if (!allowedPeriods.includes(period)) {
0586:             return res.status(400).json({ message: 'Invalid period. Use daily, weekly, monthly, or yearly.' })
0587:         }
0588:
0589:         const queryDate = parseReferenceDate(req.query.date)
0590:         if (Number.isNaN(queryDate.getTime())) {
0591:             return res.status(400).json({ message: 'Invalid date query parameter.' })
0592:         }
0593:
0594:         const { start, end } = getPeriodRange(period, queryDate)
0595:
0596:         const [totalOrdersInDatabase, ordersCreated, pendingDeliveries, ordersDelivered] = await Promise.all([
0597:             Order.countDocuments(),
0598:             Order.countDocuments({ createdAt: { $gte: start, $lte: end } }),
0599:             Order.countDocuments({
0600:                 createdAt: { $gte: start, $lte: end },

```

```

0601:     $and: [
0602:       {
0603:         $or: [
0604:           { 'delivery.status': { $exists: false } },
0605:           { 'delivery.status': { $ne: 'delivered' } },
0606:         ],
0607:       },
0608:       { status: { $ne: 'Delivered' } },
0609:     ],
0610:   }},
0611:   Order.countDocuments({
0612:     $or: [
0613:       { deliveredAt: { $gte: start, $lte: end } },
0614:       {
0615:         deliveredAt: null,
0616:         $or: [
0617:           { 'delivery.status': 'delivered' },
0618:           { status: 'Delivered' },
0619:         ],
0620:         updatedAt: { $gte: start, $lte: end },
0621:       },
0622:     ],
0623:   })),
0624: ])
0625:
0626:   res.json({
0627:     period,
0628:     start,
0629:     end,
0630:     totalOrdersInDatabase,
0631:     ordersCreated,
0632:     pendingDeliveries,
0633:     ordersDelivered,
0634:   })
0635: } catch (_error) {
0636:   res.status(500).json({ message: 'Server error' })
0637: }
0638: }
0639:
0640: async function getAllOrders(_req, res) {
0641:   try {
0642:     const orders = await Order.find().sort({ createdAt: -1 })
0643:     await Promise.all(orders.map((order) => migrateLegacyOrder(order)))
0644:     res.json(orders.map((order) => toOrderShape(order)))
0645:   } catch (_error) {
0646:     res.status(500).json({ message: 'Server error' })
0647:   }
0648: }
0649:
0650: async function getOrderById(req, res) {
0651:   try {
0652:     const orderId = req.params.id
0653:     const order = await findOrderByTrackingRef(orderId)
0654:
0655:     if (!order) {
0656:       return res.status(404).json({ message: 'Order not found' })
0657:     }
0658:
0659:     await migrateLegacyOrder(order)
0660:     res.json(await toTrackingOrderShape(order))
0661:   } catch (_error) {
0662:     res.status(500).json({ message: 'Server error' })
0663:   }
0664: }
0665:
0666: async function getPublicTrackingOrderById(req, res) {
0667:   try {
0668:     const orderId = req.params.id
0669:     const order = await findOrderByTrackingRef(orderId)
0670:
0671:     if (!order) {
0672:       return res.status(404).json({ message: 'Order not found' })
0673:     }
0674:
0675:     await migrateLegacyOrder(order)
0676:     const trackingOrder = await toTrackingOrderShape(order)
0677:     return res.json(toPublicTrackingOrderShape(trackingOrder))
0678:   } catch (_error) {
0679:     return res.status(500).json({ message: 'Server error' })
0680:   }
0681: }
0682:
0683: async function createOrder(req, res) {
0684:   try {

```

```

0685:     const { trackingId, sender, receiver, package: packageDetails, delivery, rider, steps } = req.validate
dBody
0686:     const normalizedStatus = normalizeDeliveryStatus(delivery?.status)
0687:     const riderData = await buildRiderFromInput(rider)
0688:
0689:     const existingOrder = await Order.findOne({
0690:       $or: [
0691:         { trackingId },
0692:         { id: trackingId },
0693:       ],
0694:     })
0695:     if (existingOrder) {
0696:       return res.status(400).json({ message: 'Order with this trackingId already exists' })
0697:     }
0698:
0699:     const deliveredMarkedAt = normalizedStatus === 'delivered' ? new Date() : null
0700:
0701:     const newOrder = await Order.create({
0702:       id: trackingId,
0703:       trackingId,
0704:       sender,
0705:       receiver,
0706:       package: packageDetails,
0707:       delivery: {
0708:         status: normalizedStatus,
0709:         deliveredMarkedAt,
0710:         deliveredMarkedBy: normalizedStatus === 'delivered'
0711:           ? {
0712:             id: req.admin?.id || '',
0713:             email: req.admin?.email || '',
0714:           }
0715:           : undefined,
0716:     },
0717:     rider: {
0718:       riderId: riderData.riderId,
0719:       name: riderData.name,
0720:       phone: riderData.phone,
0721:       currentLocation: riderData.currentLocation,
0722:       estimatedDelivery: riderData.estimatedDelivery,
0723:       location: riderData.location || undefined,
0724:     },
0725:     deliveredAt: deliveredMarkedAt,
0726:     steps: buildSteps(normalizedStatus, steps, {
0727:       sender,
0728:       receiver,
0729:       rider: riderData,
0730:       _timelineTimestamp: deliveredMarkedAt || undefined,
0731:     })),
0732:   })
0733:
0734:   if (normalizedStatus === 'delivered') {
0735:     newOrder.set('rider.deliveredSnapshot', createDeliveredSnapshot(newOrder.toObject ? newOrder.toObject() : newOrder, deliveredMarkedAt))
0736:     await newOrder.save()
0737:   }
0738:
0739:   res.status(201).json(toOrderShape(newOrder))
0740: } catch (_error) {
0741:   res.status(500).json({ message: 'Server error' })
0742: }
0743: }
0744:
0745: async function updateOrderStatus(req, res) {
0746:   try {
0747:     const orderId = req.params.id
0748:     const { delivery, rider, receiver } = req.validatedBody
0749:     const normalizedStatus = normalizeDeliveryStatus(delivery?.status)
0750:     const riderData = rider ? await buildRiderFromInput(rider) : null
0751:
0752:     const order = await findOrderByTrackingRef(orderId)
0753:
0754:     if (!order) {
0755:       return res.status(404).json({ message: 'Order not found' })
0756:     }
0757:
0758:     await migrateLegacyOrder(order)
0759:     const currentStatus = normalizeDeliveryStatus(order.delivery?.status)
0760:
0761:     if (currentStatus === 'delivered' && normalizedStatus === 'delivered') {
0762:       return res.json(toOrderShape(order))
0763:     }
0764:
0765:     order.set('delivery.status', normalizedStatus)
0766:

```

```

0767:     const isFirstDeliveredTransition = normalizedStatus === 'delivered' && !order.deliveredAt
0768:     const deliveredMarkedAt = isFirstDeliveredTransition ? new Date() : order.deliveredAt || null
0769:
0770:     order.deliveredAt = normalizedStatus === 'delivered' ? deliveredMarkedAt : null
0771:
0772:     if (riderData?.riderId !== undefined) {
0773:         order.set('rider.riderId', riderData.riderId)
0774:     }
0775:     if (riderData?.name !== undefined) {
0776:         order.set('rider.name', riderData.name)
0777:     }
0778:     if (riderData?.phone !== undefined) {
0779:         order.set('rider.phone', riderData.phone)
0780:     }
0781:     if (riderData?.currentLocation !== undefined) {
0782:         order.set('rider.currentLocation', riderData.currentLocation)
0783:     }
0784:     if (riderData?.estimatedDelivery !== undefined) {
0785:         order.set('rider.estimatedDelivery', riderData.estimatedDelivery)
0786:     }
0787:     if (riderData?.location) {
0788:         order.set('rider.location', riderData.location)
0789:     }
0790:
0791:     if (receiver?.location?.lat !== undefined && receiver?.location?.lng !== undefined) {
0792:         order.set('receiver.location', {
0793:             lat: receiver.location.lat,
0794:             lng: receiver.location.lng,
0795:         })
0796:     }
0797:
0798:     if (isFirstDeliveredTransition) {
0799:         order.set('delivery.deliveredMarkedAt', deliveredMarkedAt)
0800:         order.set('delivery.deliveredMarkedBy', {
0801:             id: req.admin?.id || '',
0802:             email: req.admin?.email || '',
0803:         })
0804:         order.set('rider.deliveredSnapshot', createDeliveredSnapshot(order.toObject ? order.toObject() : order, deliveredMarkedAt))
0805:     }
0806:
0807:     if (normalizedStatus !== 'delivered') {
0808:         order.set('delivery.deliveredMarkedAt', null)
0809:         order.set('delivery.deliveredMarkedBy', {
0810:             id: '',
0811:             email: '',
0812:         })
0813:     }
0814:
0815:     const existingSteps = Array.isArray(order.steps) ? order.steps.map((step) => ({
0816:         status: step.status,
0817:         date: step.date,
0818:         time: step.time,
0819:         location: step.location,
0820:         description: step.description,
0821:         completed: step.completed,
0822:     })) : []
0823:
0824:     order.steps = buildSteps(normalizedStatus, existingSteps, {
0825:         ...(order.toObject ? order.toObject() : order),
0826:         _timelineTimestamp: new Date(),
0827:     })
0828:
0829:     await order.save()
0830:
0831:     res.json(toOrderShape(order))
0832: } catch (_error) {
0833:     res.status(500).json({ message: 'Server error' })
0834: }
0835: }
0836:
0837: async function updateRiderLocation(req, res) {
0838:     try {
0839:         const orderId = req.params.id
0840:         const { lat, lng, accuracy, heading, speed, capturedAt } = req.validatedBody
0841:
0842:         const order = await findOrderByTrackingRef(orderId)
0843:
0844:         if (!order) {
0845:             return res.status(404).json({ message: 'Order not found' })
0846:         }
0847:
0848:         await migrateLegacyOrder(order)
0849:

```



```

0850:     if (normalizeDeliveryStatus(order.delivery?.status) === 'delivered') {
0851:         return res.status(409).json({ message: 'Location updates are locked for delivered orders.' })
0852:     }
0853:
0854:     const locationTimestamp = capturedAt ? new Date(capturedAt) : new Date()
0855:
0856:     order.set('rider.location', {
0857:         lat,
0858:         lng,
0859:         accuracy: accuracy ?? null,
0860:         heading: heading ?? null,
0861:         speed: speed ?? null,
0862:         updatedAt: locationTimestamp,
0863:     })
0864:
0865:     const locationName = await resolveLocationName(lat, lng)
0866:     order.set('rider.currentLocation', locationName)
0867:     order.set('rider.estimatedDelivery', calculateEstimatedDeliveryFromLocation(order.toObject ? order.toOb
bject() : order, locationTimestamp))
0868:
0869:     await order.save()
0870:
0871:     res.json(toOrderShape(order))
0872:   } catch (_error) {
0873:     res.status(500).json({ message: 'Server error' })
0874:   }
0875: }
0876:
0877: async function deleteOrder(req, res) {
0878:   try {
0879:     const orderId = req.params.id?.trim().toUpperCase()
0880:     const order = await findOrderByTrackingRef(orderId)
0881:
0882:     if (!order) {
0883:       return res.status(404).json({ message: 'Order not found' })
0884:     }
0885:
0886:     await Order.deleteOne({ _id: order._id })
0887:
0888:     res.json({ message: `Order ${orderId} deleted successfully.` })
0889:   } catch (_error) {
0890:     res.status(500).json({ message: 'Server error' })
0891:   }
0892: }
0893:
0894: async function assignOrder(req, res) {
0895:   const orderId = req.params.id?.trim().toUpperCase()
0896:   const { riderId } = req.body
0897:
0898:   if (!riderId || typeof riderId !== 'string') {
0899:     return res.status(400).json({ message: 'riderId is required.' })
0900:   }
0901:
0902:   try {
0903:     const rider = await Rider.findById(riderId)
0904:
0905:     if (!rider) {
0906:       return res.status(404).json({ message: 'Rider not found.' })
0907:     }
0908:
0909:     const order = await Order.findOne({ trackingId: orderId })
0910:
0911:     if (!order) {
0912:       return res.status(404).json({ message: 'Order not found.' })
0913:     }
0914:
0915:     order.rider.riderId = String(rider._id)
0916:     order.rider.name = rider.name
0917:     order.rider.phone = rider.phone
0918:     await order.save()
0919:
0920:     return res.json(toOrderShape(order))
0921:   } catch (_error) {
0922:     return res.status(500).json({ message: 'Server error' })
0923:   }
0924: }
0925:
0926: async function unassignOrder(req, res) {
0927:   const orderId = req.params.id?.trim().toUpperCase()
0928:
0929:   try {
0930:     const order = await Order.findOne({ trackingId: orderId })
0931:
0932:     if (!order) {

```

```

0933:     return res.status(404).json({ message: 'Order not found.' })
0934:   }
0935:
0936:   if (normalizeDeliveryStatus(order.delivery?.status) === 'delivered') {
0937:     return res.status(400).json({ message: 'Delivered orders keep rider details for history.' })
0938:   }
0939:
0940:   order.rider.riderId = ''
0941:   order.rider.name = ''
0942:   order.rider.phone = ''
0943:   await order.save()
0944:
0945:   return res.json(toOrderShape(order))
0946: } catch (_error) {
0947:   return res.status(500).json({ message: 'Server error' })
0948: }
0949: }
0950:
0951: module.exports = {
0952:   getAllOrders,
0953:   getOrderSummary,
0954:   getOrderById,
0955:   getPublicTrackingOrderById,
0956:   createOrder,
0957:   updateOrderStatus,
0958:   updateRiderLocation,
0959:   deleteOrder,
0960:   assignOrder,
0961:   unassignOrder,
0962: }

```

File: backend/controllers/riderControllers.js

Purpose: Source listing with line-level reference for deep review

```

0001: const jwt = require('jsonwebtoken')
0002: const Rider = require('../models/Rider')
0003: const Order = require('../models/Orders')
0004:
0005: function toPublicRiderShape(rider) {
0006:   const riderObj = rider.toObject ? rider.toObject() : rider
0007:
0008:   return {
0009:     id: String(riderObj._id),
0010:     name: riderObj.name,
0011:     phone: riderObj.phone,
0012:     isSharing: Boolean(riderObj.isSharing),
0013:     lastLocation: {
0014:       lat: riderObj.lastLocation?.lat ?? null,
0015:       lng: riderObj.lastLocation?.lng ?? null,
0016:       placeName: riderObj.lastLocation?.placeName || '',
0017:       accuracy: riderObj.lastLocation?.accuracy ?? null,
0018:       heading: riderObj.lastLocation?.heading ?? null,
0019:       speed: riderObj.lastLocation?.speed ?? null,
0020:       updatedAt: riderObj.lastLocation?.updatedAt ?? null,
0021:     },
0022:     createdAt: riderObj.createdAt,
0023:     updatedAt: riderObj.updatedAt,
0024:   }
0025: }
0026:
0027: function createRiderToken(riderId) {
0028:   return jwt.sign({ riderId: String(riderId) }, process.env.RIDER_JWT_SECRET)
0029: }
0030:
0031: async function ensureRiderAuthToken(rider) {
0032:   if (rider.authToken) {
0033:     return rider.authToken
0034:   }
0035:
0036:   rider.authToken = createRiderToken(rider._id)
0037:   await rider.save()
0038:   return rider.authToken
0039: }
0040:
0041: async function resolveLocationName(lat, lng) {
0042:   const fallback = `${lat.toFixed(6)}, ${lng.toFixed(6)}`
0043:   const controller = new AbortController()
0044:   const timeout = setTimeout(() => controller.abort(), 3000)
0045:
0046:   try {
0047:     const url = `https://nominatim.openstreetmap.org/reverse?format=jsonv2&lat=${encodeURIComponent(lat)}&lon=${encodeURIComponent(lng)}`
0048:
0049:     const response = await fetch(url, {

```

```

0050:     headers: {
0051:       'User-Agent': 'move-x/1.0 (rider-location)',
0052:     },
0053:     signal: controller.signal,
0054:   })
0055:
0056:   if (!response.ok) {
0057:     return fallback
0058:   }
0059:
0060:   const data = await response.json().catch(() => null)
0061:   const name = data?.name || data?.display_name
0062:
0063:   return typeof name === 'string' && name ? name : fallback
0064: } catch (_error) {
0065:   return fallback
0066: } finally {
0067:   clearTimeout(timeout)
0068: }
0069: }
0070:
0071: async function signupRider(req, res) {
0072:   try {
0073:     const normalizedPhone = req.validatedBody.phone.trim()
0074:     const normalizedName = req.validatedBody.name.trim()
0075:
0076:     let rider = await Rider.findOne({ phone: normalizedPhone })
0077:
0078:     if (rider) {
0079:       rider.name = normalizedName
0080:       await rider.save()
0081:     } else {
0082:       rider = new Rider({
0083:         name: normalizedName,
0084:         phone: normalizedPhone,
0085:       })
0086:       rider.authToken = createRiderToken(rider._id)
0087:       await rider.save()
0088:     }
0089:
0090:     const authToken = await ensureRiderAuthToken(rider)
0091:
0092:     return res.status(201).json({
0093:       rider: toPublicRiderShape(rider),
0094:       token: authToken,
0095:     })
0096:   } catch (_error) {
0097:     return res.status(500).json({ message: 'Server error' })
0098:   }
0099: }
0100:
0101: async function loginRider(req, res) {
0102:   try {
0103:     const normalizedPhone = req.validatedBody.phone.trim()
0104:     const normalizedName = req.validatedBody.name.trim().toLowerCase()
0105:
0106:     const rider = await Rider.findOne({ phone: normalizedPhone })
0107:
0108:     if (!rider || rider.name.trim().toLowerCase() !== normalizedName) {
0109:       return res.status(401).json({ message: 'Invalid rider name or phone.' })
0110:     }
0111:
0112:     const authToken = await ensureRiderAuthToken(rider)
0113:
0114:     return res.json({
0115:       rider: toPublicRiderShape(rider),
0116:       token: authToken,
0117:     })
0118:   } catch (_error) {
0119:     return res.status(500).json({ message: 'Server error' })
0120:   }
0121: }
0122:
0123: async function getRiders(_req, res) {
0124:   try {
0125:     const riders = await Rider.find().sort({ createdAt: -1 })
0126:     return res.json(riders.map((rider) => toPublicRiderShape(rider)))
0127:   } catch (_error) {
0128:     return res.status(500).json({ message: 'Server error' })
0129:   }
0130: }
0131:
0132: async function getAuthenticatedRider(req, res) {
0133:   return res.json(toPublicRiderShape(req.rider))

```

```

0134: }
0135:
0136: async function updateMyLocation(req, res) {
0137:   try {
0138:     const rider = req.rider
0139:     const { lat, lng, accuracy, heading, speed, capturedAt } = req.validatedBody
0140:     const locationTimestamp = capturedAt ? new Date(capturedAt) : new Date()
0141:     const placeName = await resolveLocationName(lat, lng)
0142:
0143:     rider.set('lastLocation', {
0144:       lat,
0145:       lng,
0146:       placeName,
0147:       accuracy: accuracy ?? null,
0148:       heading: heading ?? null,
0149:       speed: speed ?? null,
0150:       updatedAt: locationTimestamp,
0151:     })
0152:     rider.isSharing = true
0153:     await rider.save()
0154:
0155:     return res.json({
0156:       rider: toPublicRiderShape(rider),
0157:     })
0158:   } catch (_error) {
0159:     return res.status(500).json({ message: 'Server error' })
0160:   }
0161: }
0162:
0163: async function updateSharingState(req, res) {
0164:   try {
0165:     const rider = req.rider
0166:     rider.isSharing = req.validatedBody.isSharing
0167:     await rider.save()
0168:
0169:     return res.json(toPublicRiderShape(rider))
0170:   } catch (_error) {
0171:     return res.status(500).json({ message: 'Server error' })
0172:   }
0173: }
0174:
0175: async function deleteRiderProfile(req, res) {
0176:   try {
0177:     const riderId = req.params.id
0178:     const rider = await Rider.findById(riderId)
0179:
0180:     if (!rider) {
0181:       return res.status(404).json({ message: 'Rider not found.' })
0182:     }
0183:
0184:     await Order.updateMany(
0185:       {
0186:         $or: [
0187:           { 'rider.riderId': String(rider._id) },
0188:           { 'rider.phone': rider.phone },
0189:         ],
0190:         'delivery.status': { $ne: 'delivered' },
0191:       },
0192:       {
0193:         $set: {
0194:           'rider.riderId': '',
0195:           'rider.name': '',
0196:           'rider.phone': '',
0197:           'rider.currentLocation': '',
0198:           'rider.estimatedDelivery': '',
0199:           'rider.location.lat': null,
0200:           'rider.location.lng': null,
0201:           'rider.location.accuracy': null,
0202:           'rider.location.heading': null,
0203:           'rider.location.speed': null,
0204:           'rider.location.updatedAt': null,
0205:         },
0206:       }
0207:     )
0208:
0209:     await Rider.deleteOne({ _id: rider._id })
0210:
0211:     return res.json({ message: 'Rider profile deleted.' })
0212:   } catch (_error) {
0213:     return res.status(500).json({ message: 'Server error' })
0214:   }
0215: }
0216:
0217: module.exports = {

```

```

0218:   signupRider,
0219:   loginRider,
0220:   getRiders,
0221:   getAuthenticatedRider,
0222:   updateMyLocation,
0223:   updateSharingState,
0224:   deleteRiderProfile,
0225: }

```

File: backend/middleware/requireAdminAuth.js

Purpose: Source listing with line-level reference for deep review

```

0001: const jwt = require('jsonwebtoken')
0002:
0003: function requireAdminAuth(req, res, next) {
0004:   const jwtSecret = process.env.ADMIN_ACCESS_JWT_SECRET
0005:
0006:   if (!jwtSecret) {
0007:     return res.status(500).json({ message: 'Admin auth is not configured on the server.' })
0008:   }
0009:
0010:   const authHeader = req.headers.authorization || ''
0011:   const [scheme, token] = authHeader.split(' ')
0012:
0013:   if (scheme !== 'Bearer' || !token) {
0014:     return res.status(401).json({ message: 'Admin authentication required.' })
0015:   }
0016:
0017:   try {
0018:     const payload = jwt.verify(token, jwtSecret)
0019:
0020:     if (!payload || payload.role !== 'admin') {
0021:       return res.status(403).json({ message: 'Admin access required.' })
0022:     }
0023:
0024:     req.admin = {
0025:       id: payload.sub,
0026:       email: payload.email,
0027:       role: payload.role,
0028:     }
0029:
0030:     return next()
0031:   } catch (_error) {
0032:     return res.status(401).json({ message: 'Invalid or expired admin token.' })
0033:   }
0034: }
0035:
0036: module.exports = requireAdminAuth

```

File: backend/middleware/requireRiderAuth.js

Purpose: Source listing with line-level reference for deep review

```

0001: const jwt = require('jsonwebtoken')
0002: const Rider = require('../models/Rider')
0003:
0004: async function requireRiderAuth(req, res, next) {
0005:   try {
0006:     const header = req.headers.authorization || ''
0007:     const [scheme, token] = header.split(' ')
0008:
0009:     if (scheme !== 'Bearer' || !token) {
0010:       return res.status(401).json({ message: 'Authentication required.' })
0011:     }
0012:
0013:     let payload
0014:     try {
0015:       payload = jwt.verify(token, process.env.RIDER_JWT_SECRET)
0016:     } catch (_err) {
0017:       return res.status(401).json({ message: 'Invalid rider token.' })
0018:     }
0019:
0020:     const rider = await Rider.findById(payload.riderId)
0021:
0022:     if (!rider) {
0023:       return res.status(401).json({ message: 'Rider not found.' })
0024:     }
0025:
0026:     req.rider = rider
0027:     return next()
0028:   } catch (_error) {
0029:     return res.status(500).json({ message: 'Server error' })
0030:   }
0031: }
0032:

```

```
0033: module.exports = requireRiderAuth
```

File: backend/middleware/validateRequest.js

Purpose: Source listing with line-level reference for deep review

```
0001: function getValidationErrors(result) {
0002:   return result.error.issues.map((issue) => ({
0003:     field: issue.path.join('.') || 'body',
0004:     message: issue.message,
0005:   }))
0006: }
0007:
0008: function validateRequest(schema) {
0009:   return (req, res, next) => {
0010:     const parsedBody = schema.safeParse(req.body)
0011:
0012:     if (!parsedBody.success) {
0013:       return res.status(400).json({
0014:         message: 'Invalid request body',
0015:         errors: getValidationErrors(parsedBody),
0016:       })
0017:     }
0018:
0019:     req.validatedBody = parsedBody.data
0020:     return next()
0021:   }
0022: }
0023:
0024: module.exports = validateRequest
```

File: backend/models/AdminRefreshToken.js

Purpose: Source listing with line-level reference for deep review

```
0001: const mongoose = require('mongoose')
0002:
0003: const adminRefreshTokenSchema = new mongoose.Schema(
0004:   {
0005:     tokenHash: { type: String, required: true, unique: true },
0006:     adminId: { type: String, required: true },
0007:     adminEmail: { type: String, required: true },
0008:     role: { type: String, required: true, default: 'admin' },
0009:     expiresAt: { type: Date, required: true, index: { expires: 0 } },
0010:     revokedAt: { type: Date, default: null },
0011:   },
0012:   { timestamps: true }
0013: )
0014:
0015: module.exports = mongoose.model('AdminRefreshToken', adminRefreshTokenSchema)
```

File: backend/models/Orders.js

Purpose: Source listing with line-level reference for deep review

```
0001: const mongoose = require('mongoose')
0002:
0003: // Each order stores a full tracking timeline entry for the frontend.
0004: const stepSchema = new mongoose.Schema(
0005:   {
0006:     status: { type: String, required: true },
0007:     date: { type: String, default: '' },
0008:     time: { type: String, default: '' },
0009:     location: { type: String, required: true },
0010:     description: { type: String, required: true },
0011:     completed: { type: Boolean, default: false },
0012:   },
0013:   { _id: false }
0014: )
0015:
0016: const contactPartySchema = new mongoose.Schema(
0017:   {
0018:     name: { type: String, required: true },
0019:     phone: { type: String, required: true },
0020:     address: { type: String, required: true },
0021:     location: {
0022:       lat: { type: Number, default: null },
0023:       lng: { type: Number, default: null },
0024:     },
0025:   },
0026:   { _id: false }
0027: )
0028:
0029: const packageSchema = new mongoose.Schema(
0030:   {
0031:     description: { type: String, required: true },
```

```

0032:   },
0033:   { _id: false }
0034: )
0035:
0036: const deliverySchema = new mongoose.Schema(
0037:   {
0038:     status: { type: String, default: 'pending' },
0039:     deliveredMarkedAt: { type: Date, default: null },
0040:     deliveredMarkedBy: {
0041:       id: { type: String, default: '' },
0042:       email: { type: String, default: '' },
0043:     },
0044:   },
0045:   { _id: false }
0046: )
0047:
0048: const riderSchema = new mongoose.Schema(
0049:   {
0050:     riderId: { type: String, default: '' },
0051:     name: { type: String, default: '' },
0052:     phone: { type: String, default: '' },
0053:     currentLocation: { type: String, default: '' },
0054:     estimatedDelivery: { type: String, default: '' },
0055:     location: {
0056:       lat: { type: Number, default: null },
0057:       lng: { type: Number, default: null },
0058:       accuracy: { type: Number, default: null },
0059:       heading: { type: Number, default: null },
0060:       speed: { type: Number, default: null },
0061:       updatedAt: { type: Date, default: null },
0062:     },
0063:     deliveredSnapshot: {
0064:       name: { type: String, default: '' },
0065:       phone: { type: String, default: '' },
0066:       currentLocation: { type: String, default: '' },
0067:       location: {
0068:         lat: { type: Number, default: null },
0069:         lng: { type: Number, default: null },
0070:         updatedAt: { type: Date, default: null },
0071:       },
0072:       deliveredAt: { type: Date, default: null },
0073:     },
0074:   },
0075:   { _id: false }
0076: )
0077:
0078: const orderSchema = new mongoose.Schema(
0079:   {
0080:     id: { type: String, default: null },
0081:     trackingId: { type: String, required: true, unique: true },
0082:     sender: { type: contactPartySchema, required: true },
0083:     receiver: { type: contactPartySchema, required: true },
0084:     package: { type: packageSchema, required: true },
0085:     delivery: { type: deliverySchema, default: () => ({ status: 'pending' }) },
0086:     rider: { type: riderSchema, default: () => ({} ) },
0087:     deliveredAt: { type: Date, default: null },
0088:     steps: { type: [stepSchema], default: [] },
0089:   },
0090:   { timestamps: true }
0091: )
0092:
0093: module.exports = mongoose.model('Order', orderSchema)

```

File: backend/models/Rider.js

Purpose: Source listing with line-level reference for deep review

```

0001: const mongoose = require('mongoose')
0002:
0003: const riderSchema = new mongoose.Schema(
0004:   {
0005:     name: { type: String, required: true, trim: true },
0006:     phone: { type: String, required: true, trim: true, unique: true },
0007:     authToken: { type: String, trim: true },
0008:     isSharing: { type: Boolean, default: false },
0009:     lastLocation: {
0010:       lat: { type: Number, default: null },
0011:       lng: { type: Number, default: null },
0012:       placeName: { type: String, default: '' },
0013:       accuracy: { type: Number, default: null },
0014:       heading: { type: Number, default: null },
0015:       speed: { type: Number, default: null },
0016:       updatedAt: { type: Date, default: null },
0017:     },
0018:   },

```

```

0019:   { timestamps: true }
0020: )
0021:
0022: riderSchema.index({ authToken: 1 }, { unique: true, sparse: true })
0023:
0024: module.exports = mongoose.model('Rider', riderSchema)

```

File: backend/package-lock.json

Purpose: Source listing with line-level reference for deep review

```

0001: {
0002:   "name": "backend",
0003:   "version": "1.0.0",
0004:   "lockfileVersion": 3,
0005:   "requires": true,
0006:   "packages": {
0007:     "": {
0008:       "name": "backend",
0009:       "version": "1.0.0",
0010:       "license": "ISC",
0011:       "dependencies": {
0012:         "cors": "^2.8.6",
0013:         "dotenv": "^17.4.2",
0014:         "express": "^5.2.1",
0015:         "jsonwebtoken": "^9.0.3",
0016:         "mongoose": "^9.5.0",
0017:         "zod": "^4.3.6"
0018:       },
0019:       "devDependencies": {
0020:         "nodemon": "^3.1.14"
0021:       }
0022:     },
0023:     "node_modules/@mongodb-js/saslprep": {
0024:       "version": "1.4.8",
0025:       "resolved": "https://registry.npmjs.org/@mongodb-js/saslprep/-/saslprep-1.4.8.tgz",
0026:       "integrity": "sha512-kpjr2jy2w71w0oqAMi8oibBmiF9LxXwKEQs5gMkw4hVE48bsqINGLxnCSYW62ck/NHXJQpQEFA9WlJ1
sY0eqBg==",
0027:       "license": "MIT",
0028:       "dependencies": {
0029:         "sparse-bitfield": "^3.0.3"
0030:       }
0031:     },
0032:     "node_modules/@types/webidl-conversions": {
0033:       "version": "7.0.3",
0034:       "resolved": "https://registry.npmjs.org/@types/webidl-conversions/-/webidl-conversions-7.0.3.tgz",
0035:       "integrity": "sha512-CiJJvcRtIgzadHCYXw7dqEnMNRjhGZLYK05Mj90yktqV8uVT8fD2BF0B7S1uwBE3Kj2Z+4UyPmFw/Ix
gw/LA\A==",
0036:       "license": "MIT"
0037:     },
0038:     "node_modules/@types/whatwg-url": {
0039:       "version": "13.0.0",
0040:       "resolved": "https://registry.npmjs.org/@types/whatwg-url/-/whatwg-url-13.0.0.tgz",
0041:       "integrity": "sha512-N8WxpbE6Wgri7KUSvrMqCqrMlLKZ9uxkYWMt+mCSGwNc0Hsw9VQTW7ApqI4XNrx6/SaM2QQJCzMPDEX
E058s+Q==",
0042:       "license": "MIT",
0043:       "dependencies": {
0044:         "@types/webidl-conversions": "*"
0045:       }
0046:     },
0047:     "node_modules/accepts": {
0048:       "version": "2.0.0",
0049:       "resolved": "https://registry.npmjs.org/accepts/-/accepts-2.0.0.tgz",
0050:       "integrity": "sha512-5e7+POBp46W4u0ob5F5N6C0aR10B5Q31X11dH10Zz0U68B15e883ZV1Q30Z11oW1X0b008140W
ImjNKng==",
0051:       "license": "MIT",
0052:       "dependencies": {
0053:         "mime-types": "^3.0.0",
0054:         "negotiator": "^1.0.0"
0055:       },
0056:       "engines": {
0057:         "node": ">= 0.6"
0058:       }
0059:     },
0060:     "node_modules/anymatch": {
0061:       "version": "3.1.3",
0062:       "resolved": "https://registry.npmjs.org/anymatch/-/anymatch-3.1.3.tgz",
0063:       "integrity": "sha512-KMReFUr0B4t+D+OBkjR3KYqvocp2XaSz055UcB6mgQMd3KbcE+mWTyvVV7D/zsdEbNnV6acZUutkiHQ
XvTr1Rw==",
0064:       "dev": true,
0065:       "license": "ISC",
0066:       "dependencies": {
0067:         "normalize-path": "^3.0.0",
0068:         "picomatch": "^2.0.4"
0069:       },

```



```

0070:     "engines": {
0071:       "node": ">= 8"
0072:     },
0073:   },
0074:   "node_modules/balanced-match": {
0075:     "version": "4.0.4",
0076:     "resolved": "https://registry.npmjs.org/balanced-match/-/balanced-match-4.0.4.tgz",
0077:     "integrity": "sha512-BLrgEcRTwX2o6gGxG0CNyMvGSp35YofuYzw9h1IMTRmKqtAZZVU67bdb9Pr2vUHA8+j3i2tJfj06C6
+4myGTA==",
0078:     "dev": true,
0079:     "license": "MIT",
0080:     "engines": {
0081:       "node": "18 || 20 || >=22"
0082:     },
0083:   },
0084:   "node_modules/binary-extensions": {
0085:     "version": "2.3.0",
0086:     "resolved": "https://registry.npmjs.org/binary-extensions/-/binary-extensions-2.3.0.tgz",
0087:     "integrity": "sha512-Ceh+7ox5qe7LJuLHoY0feh3pHuUDHAcRueyL2VYghZwfpkNIy/+80cg0a3UuSoYzavmylwuLWQ0f3h1
0jjMMIw==",
0088:     "dev": true,
0089:     "license": "MIT",
0090:     "engines": {
0091:       "node": ">=8"
0092:     },
0093:     "funding": {
0094:       "url": "https://github.com/sponsors/sindresorhus"
0095:     },
0096:   },
0097:   "node_modules/body-parser": {
0098:     "version": "2.2.2",
0099:     "resolved": "https://registry.npmjs.org/body-parser/-/body-parser-2.2.2.tgz",
0100:     "integrity": "sha512-oP5VkATkLWncgvxi0vM0p/D3n2C3EReYVX+DNys5TjZFn/oQt2j+4sVJtSMr18pdRr8wjTcBl6LoV+F
UwzPmNA==",
0101:     "license": "MIT",
0102:     "dependencies": {
0103:       "bytes": "^3.1.2",
0104:       "content-type": "^1.0.5",
0105:       "debug": "^4.4.3",
0106:       "http-errors": "^2.0.0",
0107:       "iconv-lite": "^0.7.0",
0108:       "on-finished": "^2.4.1",
0109:       "qs": "^6.14.1",
0110:       "raw-body": "^3.0.1",
0111:       "type-is": "^2.0.1"
0112:     },
0113:     "engines": {
0114:       "node": ">=18"
0115:     },
0116:     "funding": {
0117:       "type": "opencollective",
0118:       "url": "https://opencollective.com/express"
0119:     },
0120:   },
0121:   "node_modules/brace-expansion": {
0122:     "version": "5.0.6",
0123:     "resolved": "https://registry.npmjs.org/brace-expansion/-/brace-expansion-5.0.6.tgz",
0124:     "integrity": "sha512-KUf0003LEFePJERJnleJ2qK9u0X3D8y92yOxq8zR0T795QV1W5E9ZUQhE6WJWuI6Xl7w3Z03wq3W
qbMQ94g==",
0125:     "dev": true,
0126:     "license": "MIT",
0127:     "dependencies": {
0128:       "balanced-match": "^4.0.2"
0129:     },
0130:     "engines": {
0131:       "node": "18 || 20 || >=22"
0132:     },
0133:   },
0134:   "node_modules/braces": {
0135:     "version": "3.0.3",
0136:     "resolved": "https://registry.npmjs.org/braces/-/braces-3.0.3.tgz",
0137:     "integrity": "sha512-yQbXg0/OSZVD2IsilLro+7Hf6Q18EJrKSEsdoMzKePKXct3gvD8oLc0QdIzGupr5Fj+EDe8g0/lxc1B
zfMpxvA==",
0138:     "dev": true,
0139:     "license": "MIT",
0140:     "dependencies": {
0141:       "fill-range": "^7.1.1"
0142:     },
0143:     "engines": {
0144:       "node": ">=8"
0145:     },
0146:   },
0147:   "node_modules/bson": {
0148:     "version": "7.2.0",

```

```

0149:         "resolved": "https://registry.npmjs.org/bson/-/bson-7.2.0.tgz",
0150:         "integrity": "sha512-YCEo7KjMlbNlyHh7zAZNDpIpQbd+w0EHJYezv0nMYTn4x31eIUM2yomNNubc1At63d0bUzKHwsBLJ9
QcZNSnQ==",
0151:         "license": "Apache-2.0",
0152:         "engines": {
0153:             "node": ">=20.19.0"
0154:         }
0155:     },
0156:     "node_modules/buffer-equal-constant-time": {
0157:         "version": "1.0.1",
0158:         "resolved": "https://registry.npmjs.org/buffer-equal-constant-time/-/buffer-equal-constant-time-1.0.
1.tgz",
0159:         "integrity": "sha512-zRPuiDwd/xk6ADqPMATG8vc9VPrkck7T070Ix0gnjmJAnHnTVXNQG3vfvwNuiZIKwu9KrKdA1iJKfsf
TVxE6NA==",
0160:         "license": "BSD-3-Clause"
0161:     },
0162:     "node_modules/bytes": {
0163:         "version": "3.1.2",
0164:         "resolved": "https://registry.npmjs.org/bytes/-/bytes-3.1.2.tgz",
0165:         "integrity": "sha512-1f770c69c0ae6915734b438A34080f438F0A9D5B5E081764B541c22F318C174F"
BdcYbEg==",
0166:         "license": "MIT",
0167:         "engines": {
0168:             "node": ">= 0.8"
0169:         }
0170:     },
0171:     "node_modules/call-bind-apply-helpers": {
0172:         "version": "1.0.2",
0173:         "resolved": "https://registry.npmjs.org/call-bind-apply-helpers/-/call-bind-apply-helpers-1.0.2.tgz"
/
0174:         "integrity": "sha512-Sp1ablJ0ivDkSzjcaJdxEunN5/XvksFJ2sMBFfq6x0ryhQV/2b/KwFe21cMpmHtPOSij8K99/wSfoEu
TObmumQ==",
0175:         "license": "MIT",
0176:         "dependencies": {
0177:             "es-errors": "^1.3.0",
0178:             "function-bind": "^1.1.2"
0179:         },
0180:         "engines": {
0181:             "node": ">= 0.4"
0182:         }
0183:     },
0184:     "node_modules/call-bound": {
0185:         "version": "1.0.4",
0186:         "resolved": "https://registry.npmjs.org/call-bound/-/call-bound-1.0.4.tgz",
0187:         "integrity": "sha512-+ys997U96po4Kx/ABpBCqhA9EuxJaQWdQg7295H4hBphv3IZg0boBKuWYpt4YXp6MZ5AmZQnU/tyMTl
RpaSejg==",
0188:         "license": "MIT",
0189:         "dependencies": {
0190:             "call-bind-apply-helpers": "^1.0.2",
0191:             "get-intrinsic": "^1.3.0"
0192:         },
0193:         "engines": {
0194:             "node": ">= 0.4"
0195:         },
0196:         "funding": {
0197:             "url": "https://github.com/sponsors/ljharb"
0198:         }
0199:     },
0200:     "node_modules/chokidar": {
0201:         "version": "3.6.0",
0202:         "resolved": "https://registry.npmjs.org/chokidar/-/chokidar-3.6.0.tgz",
0203:         "integrity": "sha512-pU9lVFqOo+vhK/px9m0gTE/WiI1uXwMqZJH3N3ZQ6s57jZ8B3xWtuV9u5pe7bL7U24H1rZrJH8t/c1F"
gDda2Pw==",
0204:         "dev": true,
0205:         "license": "MIT",
0206:         "dependencies": {
0207:             "anymatch": "~3.1.2",
0208:             "braces": "~3.0.2",
0209:             "glob-parent": "~5.1.2",
0210:             "is-binary-path": "~2.1.0",
0211:             "is-glob": "~4.0.1",
0212:             "normalize-path": "~3.0.0",
0213:             "readdirp": "~3.6.0"
0214:         },
0215:         "engines": {
0216:             "node": ">= 8.10.0"
0217:         },
0218:         "funding": {
0219:             "url": "https://paulmillr.com/funding/"
0220:         },
0221:         "optionalDependencies": {
0222:             "fsevents": "~2.3.2"
0223:         }
0224:     },

```

```

0225: "node_modules/content-disposition": {
0226:   "version": "1.1.0",
0227:   "resolved": "https://registry.npmjs.org/content-disposition/-/content-disposition-1.1.0.tgz",
0228:   "integrity": "sha512-5jRCH9Z/+DRP7rkvY83B+yGIGX960YdJmzngqmw2SBSxqCFPd0w2km3s5iawpGx8krnwSGmF0FW5Nhr
0Hfai3g==",
0229:   "license": "MIT",
0230:   "engines": {
0231:     "node": ">=18"
0232:   },
0233:   "funding": {
0234:     "type": "opencollective",
0235:     "url": "https://opencollective.com/express"
0236:   }
0237: },
0238: "node_modules/content-type": {
0239:   "version": "1.0.5",
0240:   "resolved": "https://registry.npmjs.org/content-type/-/content-type-1.0.5.tgz",
0241:   "integrity": "sha512-nTJqfcbFEipKdXcv4YDQWCFmcLZKm81ldF0pAopTvyrfGVbcR6P/VAAd5G7N+0tTr8QqiU0tFadD6FK
4NtJw0A==",
0242:   "license": "MIT",
0243:   "engines": {
0244:     "node": ">= 0.6"
0245:   }
0246: },
0247: "node_modules/cookie": {
0248:   "version": "0.7.2",
0249:   "resolved": "https://registry.npmjs.org/cookie/-/cookie-0.7.2.tgz",
0250:   "integrity": "sha512-yki5XnKuf750l50uGtllt6kKILY4nQ1eNIQatoXEBYZ5dWgnKqbnqmTrBE5B4N7lrMJKQ2ytWmiT02o
0v6Ew/w==",
0251:   "license": "MIT",
0252:   "engines": {
0253:     "node": ">= 0.6"
0254:   }
0255: },
0256: "node_modules/cookie-signature": {
0257:   "version": "1.2.2",
0258:   "resolved": "https://registry.npmjs.org/cookie-signature/-/cookie-signature-1.2.2.tgz",
0259:   "integrity": "sha512-D76uU73uISxrD1UXF4KE2TMxVvwhsnCgfAyTg9k8P6KGZjLXkr0Le4dJQKI3Bxi5wjEsZoFXJWElnWB
jPZMbgh==",
0260:   "license": "MIT",
0261:   "engines": {
0262:     "node": ">=6.6.0"
0263:   }
0264: },
0265: "node_modules/cors": {
0266:   "version": "2.8.6",
0267:   "resolved": "https://registry.npmjs.org/cors/-/cors-2.8.6.tgz",
0268:   "integrity": "sha512-tJtZBBHA6vjIAaF6EnIaq6laBBP9aq/Y3ouVjJefoHbRBChBAHYcMh/w8LDrk2PvIMMq8gmopa5D4V8
RmbrxGw==",
0269:   "license": "MIT",
0270:   "dependencies": {
0271:     "object-assign": "^4",
0272:     "vary": "^1"
0273:   },
0274:   "engines": {
0275:     "node": ">= 0.10"
0276:   },
0277:   "funding": {
0278:     "type": "opencollective",
0279:     "url": "https://opencollective.com/express"
0280:   }
0281: },
0282: "node_modules/debug": {
0283:   "version": "4.4.3",
0284:   "resolved": "https://registry.npmjs.org/debug/-/debug-4.4.3.tgz",
0285:   "integrity": "sha512-RGwwWnwQvkvfFavKvt22F6Lw+xYSdzARwm0ru6DhTVA3umU5hZc28V3k04stgYryrTlLpuvGI9GiiJlt
AjNbcqA==",
0286:   "license": "MIT",
0287:   "dependencies": {
0288:     "ms": "^2.1.3"
0289:   },
0290:   "engines": {
0291:     "node": ">=6.0"
0292:   },
0293:   "peerDependenciesMeta": {
0294:     "supports-color": {
0295:       "optional": true
0296:     }
0297:   }
0298: },
0299: "node_modules/depd": {
0300:   "version": "2.0.0",
0301:   "resolved": "https://registry.npmjs.org/depd/-/depd-2.0.0.tgz",
0302:   "integrity": "sha512-g7nH6P6dyDioJogAAGprGpCtVImJhpPk/roCzdb3fIh61/s/nPsfr6onyMwkCAR/0lC3yBC0lESvUoQ
EAssIrw==",

```

```
0303:     "license": "MIT",
0304:     "engines": {
0305:       "node": ">= 0.8"
0306:     },
0307:   },
0308:   "node_modules/dotenv": {
0309:     "version": "17.4.2",
0310:     "resolved": "https://registry.npmjs.org/dotenv/-/dotenv-17.4.2.tgz",
0311:     "integrity": "sha512-nI4U3TottKACAD9LLud4Cb7b2QztQMUEfHbvTh09bqXTxnSie8WnjPALV/WMcRJZ6UV/qHJ6L030qQ0
3LcdYZw==",
0312:     "license": "BSD-2-Clause",
0313:     "engines": {
0314:       "node": ">=12"
0315:     },
0316:     "funding": {
0317:       "url": "https://dotenvx.com"
0318:     }
0319:   },
0320:   "node_modules/dunder-proto": {
0321:     "version": "1.0.1",
0322:     "resolved": "https://registry.npmjs.org/dunder-proto/-/dunder-proto-1.0.1.tgz",
0323:     "integrity": "sha512-KIN/nDJBQRcXwOMLVhZE9iQHmG68qAVIBg9CqmUYjmQIhgij9U5MFvrqkUL5FbtyyzZu0e0t0zdeRe4
UY7ct+A==",
0324:     "license": "MIT",
0325:     "dependencies": {
0326:       "call-bind-apply-helpers": "^1.0.1",
0327:       "es-errors": "^1.3.0",
0328:       "gopd": "^1.2.0"
0329:     },
0330:     "engines": {
0331:       "node": ">= 0.4"
0332:     }
0333:   },
0334:   "node_modules/ecdsa-sig-formatter": {
0335:     "version": "1.0.11",
0336:     "resolved": "https://registry.npmjs.org/ecdsa-sig-formatter/-/ecdsa-sig-formatter-1.0.11.tgz",
0337:     "integrity": "sha512-nagl3RYrbNv6kQkeJIpt6NJZy8twLB/2vtz6yN9Z4vRKHn4/QZJIEbqohALSgwKdnksuY3k5Addp5lg
8sVoVcQ==",
0338:     "license": "Apache-2.0",
0339:     "dependencies": {
0340:       "safe-buffer": "^5.0.1"
0341:     }
0342:   },
0343:   "node_modules/ee-first": {
0344:     "version": "1.1.1",
0345:     "resolved": "https://registry.npmjs.org/ee-first/-/ee-first-1.1.1.tgz",
0346:     "integrity": "sha512-WMwm9LhRUo+WUaRN+vRuETqG89IgZphVSNkdFgeb6sS/E40rDIN7t48CAewSHXc6C8lefD8KKfr5vY6
1brQlow==",
0347:     "license": "MIT"
0348:   },
0349:   "node_modules/encodeurl": {
0350:     "version": "2.0.0",
0351:     "resolved": "https://registry.npmjs.org/encodeurl/-/encodeurl-2.0.0.tgz",
0352:     "integrity": "sha512-Q0n9HRi4m6JuGIV1eFlmvJB7ZE9xu93IrMyiMsGC0lrMJMwzRgx6WgQuyFQgZVb31vhGgXnfmPNNXmx
n0kRBrg==",
0353:     "license": "MIT",
0354:     "engines": {
0355:       "node": ">= 0.8"
0356:     }
0357:   },
0358:   "node_modules/es-define-property": {
0359:     "version": "1.0.1",
0360:     "resolved": "https://registry.npmjs.org/es-define-property/-/es-define-property-1.0.1.tgz",
0361:     "integrity": "sha512-e3nRfgfUz4rNGL232gUgX06QNYyez04KdjFrF+LTRO0XmrOgFKDg4BCdsjw8EnT69eqdYGmRpJwiPVY
NrCaw3g==",
0362:     "license": "MIT",
0363:     "engines": {
0364:       "node": ">= 0.4"
0365:     }
0366:   },
0367:   "node_modules/es-errors": {
0368:     "version": "1.3.0",
0369:     "resolved": "https://registry.npmjs.org/es-errors/-/es-errors-1.3.0.tgz",
0370:     "integrity": "sha512-Zf5H2Kxt2xjTvbJvP2ZWLIEICxA6j+hAmMzILpyy4xcBg1vKVn89Wy0GbS+kf5cwCVFFzdCFh2XSCFN
ULS6csw==",
0371:     "license": "MIT",
0372:     "engines": {
0373:       "node": ">= 0.4"
0374:     }
0375:   },
0376:   "node_modules/es-object-atoms": {
0377:     "version": "1.1.1",
0378:     "resolved": "https://registry.npmjs.org/es-object-atoms/-/es-object-atoms-1.1.1.tgz",
0379:     "integrity": "sha512-FGgH2h8zKNim9lj7dankFPcICIK9Cp5bm+c2gQSYePhpaG5+esrL0DihIorn+Pe6FGJzWhXQotPv73
jTaldXA==",
```

```

0380:     "license": "MIT",
0381:     "dependencies": {
0382:       "es-errors": "^1.3.0"
0383:     },
0384:     "engines": {
0385:       "node": ">= 0.4"
0386:     }
0387:   },
0388:   "node_modules/escape-html": {
0389:     "version": "1.0.3",
0390:     "resolved": "https://registry.npmjs.org/escape-html/-/escape-html-1.0.3.tgz",
0391:     "integrity": "sha512-NiSupZ40euGwr68lGieym/ksIZMJodUG0SCZ/FSnTxcrekbvqrgdUxLJ0MpIjaKZVjAJrWrGs/6Jy80
Muyj9ow==",
0392:     "license": "MIT"
0393:   },
0394:   "node_modules/etag": {
0395:     "version": "1.8.1",
0396:     "resolved": "https://registry.npmjs.org/etag/-/etag-1.8.1.tgz",
0397:     "integrity": "sha512-aIL5Fx7mawVa300a12BnEE4iNvo1qETxLrPI/o05L7z6go7fCw1J6EQmbK4FmJ2AS7kgVF/KEZWufBf
dClMcPg==",
0398:     "license": "MIT",
0399:     "engines": {
0400:       "node": ">= 0.6"
0401:     }
0402:   },
0403:   "node_modules/express": {
0404:     "version": "5.2.1",
0405:     "resolved": "https://registry.npmjs.org/express/-/express-5.2.1.tgz",
0406:     "integrity": "sha512-hIS4idWwai69NezIdRt2xFVofaF4j+6IN0pJlVOLD08zXGpUVEVzIYk12UUi2JzjEzWL3IOAxcTubgz
9Po0yXw==",
0407:     "license": "MIT",
0408:     "dependencies": {
0409:       "accepts": "^2.0.0",
0410:       "body-parser": "^2.2.1",
0411:       "content-disposition": "^1.0.0",
0412:       "content-type": "^1.0.5",
0413:       "cookie": "^0.7.1",
0414:       "cookie-signature": "^1.2.1",
0415:       "debug": "^4.4.0",
0416:       "depd": "^2.0.0",
0417:       "encodeurl": "^2.0.0",
0418:       "escape-html": "^1.0.3",
0419:       "etag": "^1.8.1",
0420:       "finalhandler": "^2.1.0",
0421:       "fresh": "^2.0.0",
0422:       "http-errors": "^2.0.0",
0423:       "merge-descriptors": "^2.0.0",
0424:       "mime-types": "^3.0.0",
0425:       "on-finished": "^2.4.1",
0426:       "once": "^1.4.0",
0427:       "parseurl": "^1.3.3",
0428:       "proxy-addr": "^2.0.7",
0429:       "qs": "^6.14.0",
0430:       "range-parser": "^1.2.1",
0431:       "router": "^2.2.0",
0432:       "send": "^1.1.0",
0433:       "serve-static": "^2.2.0",
0434:       "statuses": "^2.0.1",
0435:       "type-is": "^2.0.1",
0436:       "vary": "^1.1.2"
0437:     },
0438:     "engines": {
0439:       "node": ">= 18"
0440:     },
0441:     "funding": {
0442:       "type": "opencollective",
0443:       "url": "https://opencollective.com/express"
0444:     }
0445:   },
0446:   "node_modules/fill-range": {
0447:     "version": "7.1.1",
0448:     "resolved": "https://registry.npmjs.org/fill-range/-/fill-range-7.1.1.tgz",
0449:     "integrity": "sha512-YsgEAPYVh1Stnig0V8EhVznYydXzUHWyLynJz9p2gLWqBfrZcwiW7L8wM/T2r5kGjS1aRizEM1q3WtLWzKc
+hBW0yg==",
0450:     "dev": true,
0451:     "license": "MIT",
0452:     "dependencies": {
0453:       "to-regexp-range": "^5.0.1"
0454:     },
0455:     "engines": {
0456:       "node": ">=8"
0457:     }
0458:   },
0459:   "node_modules/finalhandler": {

```

```

0460:     "version": "2.1.1",
0461:     "resolved": "https://registry.npmjs.org/finalhandler/-/finalhandler-2.1.1.tgz",
0462:     "integrity": "sha512-S8KoZgRZN+a5rNwqTxLZzePjT/4cnn0ROV70LedRHZ0p8u9fRID0hJUzQpkKLzro8LfmC8sx23bY6tV
Nxv8pQA==",
0463:     "license": "MIT",
0464:     "dependencies": {
0465:       "debug": "^4.4.0",
0466:       "encodeurl": "^2.0.0",
0467:       "escape-html": "^1.0.3",
0468:       "on-finished": "^2.4.1",
0469:       "parseurl": "^1.3.3",
0470:       "statuses": "^2.0.1"
0471:     },
0472:     "engines": {
0473:       "node": ">= 18.0.0"
0474:     },
0475:     "funding": {
0476:       "type": "opencollective",
0477:       "url": "https://opencollective.com/express"
0478:     }
0479:   },
0480:   "node_modules/forwarded": {
0481:     "version": "0.2.0",
0482:     "resolved": "https://registry.npmjs.org/forwarded/-/forwarded-0.2.0.tgz",
0483:     "integrity": "sha512-buRG0fpBtRHSTCOASe6hd258tEubFoRLb4ZNA6NxMVHNw2g0cwHo9wyablzMzOA5z9xA9L1KNjk/Nt6
MT9aYow==",
0484:     "license": "MIT",
0485:     "engines": {
0486:       "node": ">= 0.6"
0487:     }
0488:   },
0489:   "node_modules/fresh": {
0490:     "version": "2.0.0",
0491:     "resolved": "https://registry.npmjs.org/fresh/-/fresh-2.0.0.tgz",
0492:     "integrity": "sha512-Rx/wycZ60H0aqLKAi6cHRKKI7zxWbJ31MhntmtwMoaTeF7XFH9hhBp8vITaMidfljRQ6eYwCkkaTK+y
kVJHP2A==",
0493:     "license": "MIT",
0494:     "engines": {
0495:       "node": ">= 0.8"
0496:     }
0497:   },
0498:   "node_modules/fsevents": {
0499:     "version": "2.3.3",
0500:     "resolved": "https://registry.npmjs.org/fsevents/-/fsevents-2.3.3.tgz",
0501:     "integrity": "sha512-5xoDfX+fL7faATnagmWPpbFtwh/R77WmMMqqHGS65C3vvB0YHrgF+B1YmZ3441tMj5n63k021XNoJw
zlhffQw==",
0502:     "dev": true,
0503:     "hasInstallScript": true,
0504:     "license": "MIT",
0505:     "optional": true,
0506:     "os": [
0507:       "darwin"
0508:     ],
0509:     "engines": {
0510:       "node": "^8.16.0 || ^10.6.0 || >=11.0.0"
0511:     }
0512:   },
0513:   "node_modules/function-bind": {
0514:     "version": "1.1.2",
0515:     "resolved": "https://registry.npmjs.org/function-bind/-/function-bind-1.1.2.tgz",
0516:     "integrity": "sha512-7X9x09qU627XM1ZSg6Q761j08oIb0f796lS84FbYw6pZaZ20wA4G7F0kP1sU4wYSG6UOY10Zp8g82n
JMfG2SA==",
0517:     "license": "MIT",
0518:     "funding": {
0519:       "url": "https://github.com/sponsors/ljharb"
0520:     }
0521:   },
0522:   "node_modules/get-intrinsic": {
0523:     "version": "1.3.0",
0524:     "resolved": "https://registry.npmjs.org/get-intrinsic/-/get-intrinsic-1.3.0.tgz",
0525:     "integrity": "sha512-9fV6YrQdYpXtFqYkDhH08T9k3aWpD4Yp8H43z8qWtYp2tHl8I48tTj58KXUHQH3H4sLk0X7GfUg5m
fjb98CQ==",
0526:     "license": "MIT",
0527:     "dependencies": {
0528:       "call-bind-apply-helpers": "^1.0.2",
0529:       "es-define-property": "^1.0.1",
0530:       "es-errors": "^1.3.0",
0531:       "es-object-atoms": "^1.1.1",
0532:       "function-bind": "^1.1.2",
0533:       "get-proto": "^1.0.1",
0534:       "gopd": "^1.2.0",
0535:       "has-symbols": "^1.1.0",
0536:       "hasown": "^2.0.2",
0537:       "math-intrinsics": "^1.1.0"

```

```

0538:     },
0539:     "engines": {
0540:       "node": ">= 0.4"
0541:     },
0542:     "funding": {
0543:       "url": "https://github.com/sponsors/ljharb"
0544:     }
0545:   },
0546:   "node_modules/get-proto": {
0547:     "version": "1.0.1",
0548:     "resolved": "https://registry.npmjs.org/get-proto/-/get-proto-1.0.1.tgz",
0549:     "integrity": "sha512-sTsfbJoxBp89JvIKiefqw7U2CCebSc74kiY6awiGogKtoSGbgjYE/G/+l9sF3MWFpNc9Ico0C40DfKH
fxFmp0g==",
0550:     "license": "MIT",
0551:     "dependencies": {
0552:       "dunder-proto": "^1.0.1",
0553:       "es-object-atoms": "^1.0.0"
0554:     },
0555:     "engines": {
0556:       "node": ">= 0.4"
0557:     }
0558:   },
0559:   "node_modules/glob-parent": {
0560:     "version": "5.1.2",
0561:     "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-5.1.2.tgz",
0562:     "integrity": "sha512-A0IgSQcepijYwP3ARnGx+5VnTu2HBYdzbGP45eLw1vr3zB3vZLeyed1sC9hnbc0c9/SrMyM5RPQrkGz
4aS9Zow==",
0563:     "dev": true,
0564:     "license": "ISC",
0565:     "dependencies": {
0566:       "is-glob": "^4.0.1"
0567:     },
0568:     "engines": {
0569:       "node": ">= 6"
0570:     }
0571:   },
0572:   "node_modules/gopd": {
0573:     "version": "1.2.0",
0574:     "resolved": "https://registry.npmjs.org/gopd/-/gopd-1.2.0.tgz",
0575:     "integrity": "sha512-ZUKRh6/kUFoAiTATYPZJ3hw9wNxx+BIB0ijnlg9PnrJsCcSjs1wyD6vJpaYtgznDrKYRSqf3006Rf
a93xsRg==",
0576:     "license": "MIT",
0577:     "engines": {
0578:       "node": ">= 0.4"
0579:     },
0580:     "funding": {
0581:       "url": "https://github.com/sponsors/ljharb"
0582:     }
0583:   },
0584:   "node_modules/has-flag": {
0585:     "version": "3.0.0",
0586:     "resolved": "https://registry.npmjs.org/has-flag/-/has-flag-3.0.0.tgz",
0587:     "integrity": "sha512-ksQ3Q1WYFk2Gd5u+eLIk5Lw4GTP1s1vR1YmZwz2OYtjV3S6oV1Bz0z39Altb24PqG7LHxvYj3Vn6u
98HPEYw==",
0588:     "dev": true,
0589:     "license": "MIT",
0590:     "engines": {
0591:       "node": ">=4"
0592:     }
0593:   },
0594:   "node_modules/has-symbols": {
0595:     "version": "1.1.0",
0596:     "resolved": "https://registry.npmjs.org/has-symbols/-/has-symbols-1.1.0.tgz",
0597:     "integrity": "sha512-1cDNdwJ2Jaohmb3sg40mKaMBwuC48sYni5HUw2DvsC8LjGTLK9h+eb1X6Ryu0He4hT0ULCW68iomhju
oKUqlPQ==",
0598:     "license": "MIT",
0599:     "engines": {
0600:       "node": ">= 0.4"
0601:     },
0602:     "funding": {
0603:       "url": "https://github.com/sponsors/ljharb"
0604:     }
0605:   },
0606:   "node_modules/hasown": {
0607:     "version": "2.0.3",
0608:     "resolved": "https://registry.npmjs.org/hasown/-/hasown-2.0.3.tgz",
0609:     "integrity": "sha512-4n78Iw9lk3s5ALWuB1Hd6pL3l9j2VH72f9Kb72d1vR17xyP3QSw/9Es4BirYf0141YxSvkv/sc3b28u
pghSvSg==",
0610:     "license": "MIT",
0611:     "dependencies": {
0612:       "function-bind": "^1.1.2"
0613:     },
0614:     "engines": {
0615:       "node": ">= 0.4"

```

```

0616:     }
0617:   },
0618:   "node_modules/http-errors": {
0619:     "version": "2.0.1",
0620:     "resolved": "https://registry.npmjs.org/http-errors/-/http-errors-2.0.1.tgz",
0621:     "integrity": "sha512-4FbRdAX+bsDmo4AUfUS0WniPz8NgFt+r8ThgNWmlrjQjt1Q7ZR9+ztLce2859x4KSXrwIsaeTqDoKQm
tP8pLmQ==",
0622:     "license": "MIT",
0623:     "dependencies": {
0624:       "depd": "~2.0.0",
0625:       "inherits": "~2.0.4",
0626:       "setprototypeof": "~1.2.0",
0627:       "statuses": "~2.0.2",
0628:       "toidentifier": "~1.0.1"
0629:     },
0630:     "engines": {
0631:       "node": ">= 0.8"
0632:     },
0633:     "funding": {
0634:       "type": "opencollective",
0635:       "url": "https://opencollective.com/express"
0636:     }
0637:   },
0638:   "node_modules/iconv-lite": {
0639:     "version": "0.7.2",
0640:     "resolved": "https://registry.npmjs.org/iconv-lite/-/iconv-lite-0.7.2.tgz",
0641:     "integrity": "sha512-im9DJEDQ55s9fL4EYz0Av0yMqmMBSZp6G0VvFyTMPKwxiSBHUj9NW/qQlmXUwXrRM7AvqSLTCfvqRb0
cM8yYQw==",
0642:     "license": "MIT",
0643:     "dependencies": {
0644:       "safer-buffer": ">= 2.1.2 < 3.0.0"
0645:     },
0646:     "engines": {
0647:       "node": ">=0.10.0"
0648:     },
0649:     "funding": {
0650:       "type": "opencollective",
0651:       "url": "https://opencollective.com/express"
0652:     }
0653:   },
0654:   "node_modules/ignore-by-default": {
0655:     "version": "1.0.1",
0656:     "resolved": "https://registry.npmjs.org/ignore-by-default/-/ignore-by-default-1.0.1.tgz",
0657:     "integrity": "sha512-Ius2VycGNk7T90CpPjqcIkS5ooHUYzIQK+CLzfMFMNFEF9VSE73Fq+906u/CWu92x4gzZMW0wFFYckP
ObzdEbA==",
0658:     "dev": true,
0659:     "license": "ISC"
0660:   },
0661:   "node_modules/inherits": {
0662:     "version": "2.0.4",
0663:     "resolved": "https://registry.npmjs.org/inherits/-/inherits-2.0.4.tgz",
0664:     "integrity": "sha512-k/vGaX4/Yla3WzyMCvTQOXYeIHvqOKtngBduzTHpzpQZzAskKMhZ2K+EnBiSM9zGSoIFeMpXKxa4dYe
ZIQqewQ==",
0665:     "license": "ISC"
0666:   },
0667:   "node_modules/ipaddr.js": {
0668:     "version": "1.9.1",
0669:     "resolved": "https://registry.npmjs.org/ipaddr.js/-/ipaddr.js-1.9.1.tgz",
0670:     "integrity": "sha512-0KI/607xoxStOH7GjN1FfSbLou0+btTicjsQSWqlh/hZyK8KpmMf7uYwPW3R+akZ6R/w18ZLXSHBYX
iYUP03g==",
0671:     "license": "MIT",
0672:     "engines": {
0673:       "node": ">= 0.10"
0674:     }
0675:   },
0676:   "node_modules/is-binary-path": {
0677:     "version": "2.1.0",
0678:     "resolved": "https://registry.npmjs.org/is-binary-path/-/is-binary-path-2.1.0.tgz",
0679:     "integrity": "sha512-ZMERYes6pDydyuGidse70SHxtbI7WVeUEozgR/g7rd0xUimYNlVZRE/K2MgZTjWy725IfelLeVcEM97
mmtRGXw==",
0680:     "dev": true,
0681:     "license": "MIT",
0682:     "dependencies": {
0683:       "binary-extensions": "^2.0.0"
0684:     },
0685:     "engines": {
0686:       "node": ">=8"
0687:     }
0688:   },
0689:   "node_modules/is-extglob": {
0690:     "version": "2.1.1",
0691:     "resolved": "https://registry.npmjs.org/is-extglob/-/is-extglob-2.1.1.tgz",
0692:     "integrity": "sha512-SbKbANKN603Vi4jEZv49LeVJMn4yGwsbZwzorEoyEiutsN3nJYdb036zfH6GJ6QEDp0ZIFkDtnq5JRxm
vl3jsoQ==",

```



```

0693:     "dev": true,
0694:     "license": "MIT",
0695:     "engines": {
0696:       "node": ">=0.10.0"
0697:     }
0698:   },
0699:   "node_modules/is-glob": {
0700:     "version": "4.0.3",
0701:     "resolved": "https://registry.npmjs.org/is-glob/-/is-glob-4.0.3.tgz",
0702:     "integrity": "sha512-xelSayHH36ZgE7ZWhli7pw34hNbNl80jv5KvMkJD4hBdD3th8Tfk9vYasLM+mXW0ZhFkgZfxhLSnrwR
r4elSSg==",
0703:     "dev": true,
0704:     "license": "MIT",
0705:     "dependencies": {
0706:       "is-extglob": "^2.1.1"
0707:     },
0708:     "engines": {
0709:       "node": ">=0.10.0"
0710:     }
0711:   },
0712:   "node_modules/is-number": {
0713:     "version": "7.0.0",
0714:     "resolved": "https://registry.npmjs.org/is-number/-/is-number-7.0.0.tgz",
0715:     "integrity": "sha512-41Cifkg6e8TylSpdtTpeLVMqvSBEVzTttHvERD741+pnZ8ANv0004MRL43QKPDlk9cGvNp6NZWZUBlb
GXYxxng==",
0716:     "dev": true,
0717:     "license": "MIT",
0718:     "engines": {
0719:       "node": ">=0.12.0"
0720:     }
0721:   },
0722:   "node_modules/is-promise": {
0723:     "version": "4.0.0",
0724:     "resolved": "https://registry.npmjs.org/is-promise/-/is-promise-4.0.0.tgz",
0725:     "integrity": "sha512-41Cifkg6e8TylSpdtTpeLVMqvSBEVzTttHvERD741+pnZ8ANv0004MRL43QKPDlk9cGvNp6NZWZUBlb
wlyH3AQ==",
0726:     "license": "MIT"
0727:   },
0728:   "node_modules/jsonwebtoken": {
0729:     "version": "9.0.3",
0730:     "resolved": "https://registry.npmjs.org/jsonwebtoken/-/jsonwebtoken-9.0.3.tgz",
0731:     "integrity": "sha512-48q3yMhXzjGdQVbeNzX9VP8MIQ09K0ntUOXkocaz26L/E2iAR9fM7x7IkYPN26Fh2lIQkWpYATXjY1Vw6
GCUj40g==",
0732:     "license": "MIT",
0733:     "dependencies": {
0734:       "jws": "^4.0.1",
0735:       "lodash.includes": "^4.3.0",
0736:       "lodash.isboolean": "^3.0.3",
0737:       "lodash.isinteger": "^4.0.4",
0738:       "lodash.isnumber": "^3.0.3",
0739:       "lodash.isplainobject": "^4.0.6",
0740:       "lodash.isstring": "^4.0.1",
0741:       "lodash.once": "^4.0.0",
0742:       "ms": "^2.1.1",
0743:       "semver": "^7.5.4"
0744:     },
0745:     "engines": {
0746:       "node": ">=12",
0747:       "npm": ">=6"
0748:     }
0749:   },
0750:   "node_modules/jwa": {
0751:     "version": "2.0.1",
0752:     "resolved": "https://registry.npmjs.org/jwa/-/jwa-2.0.1.tgz",
0753:     "integrity": "sha512-jvP2Sb0YrKp8lUMYKmTlGKMvUwMkZkzhZV6W4M8u+N9E3sK1eBIMVzFZjIwLkzYd7kHhPjTlW6Tgvc
hwqCXDg==",
0754:     "license": "MIT",
0755:     "dependencies": {
0756:       "buffer-equal-constant-time": "^1.0.1",
0757:       "ecdsa-sig-formatter": "1.0.11",
0758:       "safe-buffer": "^5.0.1"
0759:     }
0760:   },
0761:   "node_modules/jws": {
0762:     "version": "4.0.1",
0763:     "resolved": "https://registry.npmjs.org/jws/-/jws-4.0.1.tgz",
0764:     "integrity": "sha512-jvP2Sb0YrKp8lUMYKmTlGKMvUwMkZkzhZV6W4M8u+N9E3sK1eBIMVzFZjIwLkzYd7kHhPjTlW6Tgvc
AdyRduA==",
0765:     "license": "MIT",
0766:     "dependencies": {
0767:       "jwa": "^2.0.1",
0768:       "safe-buffer": "^5.0.1"
0769:     }
0770:   },

```

```
0771:     "node_modules/kareem": {
0772:       "version": "3.3.0",
0773:       "resolved": "https://registry.npmjs.org/kareem/-/kareem-3.3.0.tgz",
0774:       "integrity": "sha512-kpSuLD3/7RenBnjnJD0HXCKC8dTd1Jze0iJhN0necWwci6cC+qX+VuwPnMVgb+a4+KNJSfgqahpnfWaeDXCimw==",
0775:       "license": "Apache-2.0",
0776:       "engines": {
0777:         "node": ">=18.0.0"
0778:       }
0779:     },
0780:     "node_modules/lodash.includes": {
0781:       "version": "4.3.0",
0782:       "resolved": "https://registry.npmjs.org/lodash.includes/-/lodash.includes-4.3.0.tgz",
0783:       "integrity": "sha512-w3x6mdkRTGtlJISovVD/lbqjTlPPUDTMnlXZFnVwi9NKJ6tiAk6LVdlhZMm17VZisqhKcgzp05Wz91Pct5b0w==",
0784:       "license": "MIT"
0785:     },
0786:     "node_modules/lodash.isboolean": {
0787:       "version": "3.0.3",
0788:       "resolved": "https://registry.npmjs.org/lodash.isboolean/-/lodash.isboolean-3.0.3.tgz",
0789:       "integrity": "sha512-Bz5mupy2SVbPHURB98VAcw+aH4vRV5IPNHILUCsOzRmsTmsQ17jIuqopAentWoehktxGd9e/hbIXq980/1QJg==",
0790:       "license": "MIT"
0791:     },
0792:     "node_modules/lodash.isinteger": {
0793:       "version": "4.0.4",
0794:       "resolved": "https://registry.npmjs.org/lodash.isinteger/-/lodash.isinteger-4.0.4.tgz",
0795:       "integrity": "sha512-DBwtEWNCaHQ9/imiNeEA5ys1JoRtRfY3d7V9wkqtbycnAmTvRRmbHKDV4a0EYc678/dia0jrte4tjYwVBaZUA==",
0796:       "license": "MIT"
0797:     },
0798:     "node_modules/lodash.isnumber": {
0799:       "version": "3.0.3",
0800:       "resolved": "https://registry.npmjs.org/lodash.isnumber/-/lodash.isnumber-3.0.3.tgz",
0801:       "integrity": "sha512-QYqzpfwO3/Cwf3XP+Z+tkQsfaLL/EnULXWVkiK5FUPc4sBdTehEqZONuyRt2P67PXAK+NXmTBcc97zw9t1FQrw==",
0802:       "license": "MIT"
0803:     },
0804:     "node_modules/lodash.isplainobject": {
0805:       "version": "4.0.6",
0806:       "resolved": "https://registry.npmjs.org/lodash.isplainobject/-/lodash.isplainobject-4.0.6.tgz",
0807:       "integrity": "sha512-oSXzawypCMHKPC3NvBEaPHf0KsA5mvPrOPgQWdsbg8n7orZ290M0BmC/jgRZ4vcJ6DTA hjrsSYgdsW/F+MFOBA==",
0808:       "license": "MIT"
0809:     },
0810:     "node_modules/lodash.isstring": {
0811:       "version": "4.0.1",
0812:       "resolved": "https://registry.npmjs.org/lodash.isstring/-/lodash.isstring-4.0.1.tgz",
0813:       "integrity": "sha512-0wJxfxH1wgO3GrbuP+dTTk7op+6L41QCxbGINEmD+ny/G/eCqGzxyCsh7159S+mgDDcoarnBw6PC1PS5+wUGgw==",
0814:       "license": "MIT"
0815:     },
0816:     "node_modules/lodash.once": {
0817:       "version": "4.1.1",
0818:       "resolved": "https://registry.npmjs.org/lodash.once/-/lodash.once-4.1.1.tgz",
0819:       "integrity": "sha512-Sb487aT0Cr9dQVL8pIxOzVhaf0jZN9UU54hiN8PU3uAiSV7lx1yYNpbNmex2PK6dSJoNTSJUUswT651yww3Mg==",
0820:       "license": "MIT"
0821:     },
0822:     "node_modules/math-intrinsics": {
0823:       "version": "1.1.0",
0824:       "resolved": "https://registry.npmjs.org/math-intrinsics/-/math-intrinsics-1.1.0.tgz",
0825:       "integrity": "sha512-IXtbwEk5HTPyEwyKX6hGkYXxm9nbj64B+ilVJnC/R6B0pH5G4V3b0pVbL7DBJ4tkhBAppbQUl6F6Xl9LHu1g==",
0826:       "license": "MIT",
0827:       "engines": {
0828:         "node": ">= 0.4"
0829:       }
0830:     },
0831:     "node_modules/media-typer": {
0832:       "version": "1.1.0",
0833:       "resolved": "https://registry.npmjs.org/media-typer/-/media-typer-1.1.0.tgz",
0834:       "integrity": "sha512-aisnrDP4GNe06UckFfnV5bfMNPBUw4jsLGaWwWfnH3v02GnBuXX2MCVn5RbrWo0j3pczUilYblq7fQ7Nw2t5XKw==",
0835:       "license": "MIT",
0836:       "engines": {
0837:         "node": ">= 0.8"
0838:       }
0839:     },
0840:     "node_modules/memory-pager": {
0841:       "version": "1.5.0",
0842:       "resolved": "https://registry.npmjs.org/memory-pager/-/memory-pager-1.5.0.tgz",
0843:       "integrity": "sha512-ZS4Bp4r/Zoeq6+NLJpP+0Zzm0pR8whtGPF1XExKJBAcZGmNSi3It140iNCStjQjM6NU1okjQGSxgEZN8eBYKg==",
```

```
0844:     "license": "MIT",
0845:   },
0846:   "node_modules/merge-descriptors": {
0847:     "version": "2.0.0",
0848:     "resolved": "https://registry.npmjs.org/merge-descriptors/-/merge-descriptors-2.0.0.tgz",
0849:     "integrity": "sha512-Snk314V5ayFLhp3fKUREub6WtjBfPdCPY1Ln8/8munuLuiYhsABgBVwsozAG+MWMbVEvdcpci9R7ww
22l9Q3g==",
0850:     "license": "MIT",
0851:     "engines": {
0852:       "node": ">=18"
0853:     },
0854:     "funding": {
0855:       "url": "https://github.com/sponsors/sindresorhus"
0856:     }
0857:   },
0858:   "node_modules/mime-db": {
0859:     "version": "1.54.0",
0860:     "resolved": "https://registry.npmjs.org/mime-db/-/mime-db-1.54.0.tgz",
0861:     "integrity": "sha512-aU5EJuIN2wDemCcAp2vFBfp/m4EAhwJnUNSSw0ixs7/kXbd6Pg64EmwJkNdFhB8awt1sh2CTxRLxo/i
AGV3oPQ==",
0862:     "license": "MIT",
0863:     "engines": {
0864:       "node": ">= 0.6"
0865:     }
0866:   },
0867:   "node_modules/mime-types": {
0868:     "version": "3.0.2",
0869:     "resolved": "https://registry.npmjs.org/mime-types/-/mime-types-3.0.2.tgz",
0870:     "integrity": "sha512-Lbgzdk0h4juoQ9fCKXW4by0UJqj+n0OrI9MJ1sSj4niI8aI2eo1qmvQEie4VD1glS250n15LswsYtCu
giSt$5A==",
0871:     "license": "MIT",
0872:     "dependencies": {
0873:       "mime-db": "^1.54.0"
0874:     },
0875:     "engines": {
0876:       "node": ">=18"
0877:     },
0878:     "funding": {
0879:       "type": "opencollective",
0880:       "url": "https://opencollective.com/express"
0881:     }
0882:   },
0883:   "node_modules/minimatch": {
0884:     "version": "10.2.5",
0885:     "resolved": "https://registry.npmjs.org/minimatch/-/minimatch-10.2.5.tgz",
0886:     "integrity": "sha512-MULkVLfkGYDFYejP07Q0urDLLQpcjk7Fw+7jXS2R2czRQzR56yHRVeU5NDJEoviH+hETZKSki5c+T2
3GjFUMg==",
0887:     "dev": true,
0888:     "license": "BlueOak-1.0.0",
0889:     "dependencies": {
0890:       "brace-expansion": "^5.0.5"
0891:     },
0892:     "engines": {
0893:       "node": "18 || 20 || >=22"
0894:     },
0895:     "funding": {
0896:       "url": "https://github.com/sponsors/isaacs"
0897:     }
0898:   },
0899:   "node_modules/mongodb": {
0900:     "version": "7.1.1",
0901:     "resolved": "https://registry.npmjs.org/mongodb/-/mongodb-7.1.1.tgz",
0902:     "integrity": "sha512-067DXiMjcPyQ16bGjWQoTUEE9UoRViTtKFcoX7z08I+iDZv/emH1g8XEfi03qiDfXAheT5ozll1VffD
TKhiW/w==",
0903:     "license": "Apache-2.0",
0904:     "dependencies": {
0905:       "@mongodb-js/saslprep": "^1.3.0",
0906:       "bson": "^7.1.1",
0907:       "mongodb-connection-string-url": "^7.0.0"
0908:     },
0909:     "engines": {
0910:       "node": ">=20.19.0"
0911:     },
0912:     "peerDependencies": {
0913:       "@aws-sdk/credential-providers": "^3.806.0",
0914:       "@mongodb-js/zstd": "^7.0.0",
0915:       "gcp-metadata": "^7.0.1",
0916:       "kerberos": "^7.0.0",
0917:       "mongodb-client-encryption": ">=7.0.0 <7.1.0",
0918:       "snappy": "^7.3.2",
0919:       "socks": "^2.8.6"
0920:     },
0921:     "peerDependenciesMeta": {
0922:       "@aws-sdk/credential-providers": {
```

```

0923:         "optional": true
0924:     },
0925:     "@mongodb-js/zstd": {
0926:         "optional": true
0927:     },
0928:     "gcp-metadata": {
0929:         "optional": true
0930:     },
0931:     "kerberos": {
0932:         "optional": true
0933:     },
0934:     "mongodb-client-encryption": {
0935:         "optional": true
0936:     },
0937:     "snappy": {
0938:         "optional": true
0939:     },
0940:     "socks": {
0941:         "optional": true
0942:     }
0943: },
0944: },
0945: "node_modules/mongodb-connection-string-url": {
0946:   "version": "7.0.1",
0947:   "resolved": "https://registry.npmjs.org/mongodb-connection-string-url/-/mongodb-connection-string-url-7.0.1.tgz",
0948:   "integrity": "sha512-h0AZ9A7IDVvwHyMxmdMXKy+9oNlF0zFoahHiX3vQ8e3KFcSP3VmsmfvtRSuLPxmyv2vJIDxqty8smTg
0949: ie/SNRQ==",
0950:   "license": "Apache-2.0",
0951:   "dependencies": {
0952:     "@types/whatwg-url": "^13.0.0",
0953:     "whatwg-url": "^14.1.0"
0954:   },
0955:   "engines": {
0956:     "node": ">=20.19.0"
0957:   },
0958: },
0959: "node_modules/mongoose": {
0960:   "version": "9.5.0",
0961:   "resolved": "https://registry.npmjs.org/mongoose/-/mongoose-9.5.0.tgz",
0962:   "integrity": "sha512-B4b1GFkFL1s0G24URuMvx0qTlx+gRVLmf07WcSz8NcmW/XHEJ3G69capdyW1iRsGKiycp1tkwKHnxHb
0963: nwjwMPw==",
0964:   "license": "MIT",
0965:   "dependencies": {
0966:     "kareem": "3.3.0",
0967:     "mongodb": "~7.1",
0968:     "mpath": "0.9.0",
0969:     "mquery": "6.0.0",
0970:     "ms": "2.1.3",
0971:     "sift": "17.1.3"
0972:   },
0973:   "engines": {
0974:     "node": ">=20.19.0"
0975:   },
0976:   "funding": {
0977:     "type": "opencollective",
0978:     "url": "https://opencollective.com/mongoose"
0979:   },
0980: },
0981: "node_modules/mpath": {
0982:   "version": "0.9.0",
0983:   "resolved": "https://registry.npmjs.org/mpath/-/mpath-0.9.0.tgz",
0984:   "integrity": "sha512-ikJRQT8hw5DEoFVxHG1Gn9T/xcjtdnOKIU1JTmGjZZlg9LST2mBLmcX3/ICibgJydT2G0c15RnNy5m
0985: HmzfSew==",
0986:   "license": "MIT",
0987:   "engines": {
0988:     "node": ">=4.0.0"
0989:   },
0990: },
0991: "node_modules/mquery": {
0992:   "version": "6.0.0",
0993:   "resolved": "https://registry.npmjs.org/mquery/-/mquery-6.0.0.tgz",
0994:   "integrity": "sha512-b2KQnsmgtkscfeDgkYMcWgn9vZI9YoXh802VDEwE6qc50zxBFQ00o8R0kawbPAsXCy1/Z1yp0MagqsZ
0995: StPWJjw==",
0996:   "license": "MIT",
0997:   "engines": {
0998:     "node": ">=20.19.0"
0999:   },
1000: },
1001: "node_modules/ms": {
1002:   "version": "2.1.3",
1003:   "resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
1004:   "integrity": "sha512-6FlzubTLZG3J2a/NVCAleEhJzq5oxghHyaCU9yYXvcLsvoVaHJq/s5xXi6/XXP6tz7R9xA0tHnSO/tXt
1005: F3WRTlA==",

```

```

1001:     "license": "MIT"
1002:   },
1003:   "node_modules/negotiator": {
1004:     "version": "1.0.0",
1005:     "resolved": "https://registry.npmjs.org/negotiator/-/negotiator-1.0.0.tgz",
1006:     "integrity": "sha512-80fs/AUQh8MaEcrlq5x0X0CQ9ypTF5dl78mjLMnfOK08fzpgTHQRQPBxcPlEtIw0yRpws+Zo/3r+5WR
by7u3Gg==",
1007:     "license": "MIT",
1008:     "engines": {
1009:       "node": ">= 0.6"
1010:     }
1011:   },
1012:   "node_modules/nodemon": {
1013:     "version": "3.1.14",
1014:     "resolved": "https://registry.npmjs.org/nodemon/-/nodemon-3.1.14.tgz",
1015:     "integrity": "sha512-jakjZi93UtB3jHMWsxL68FXSAosbLfY0In5gtKq3niLSkrWznrVBzXFNOEMJUfc9+Ke7SHWoAZsiMkN
P3vq6Jw==",
1016:     "dev": true,
1017:     "license": "MIT",
1018:     "dependencies": {
1019:       "chokidar": "^3.5.2",
1020:       "debug": "^4",
1021:       "ignore-by-default": "^1.0.1",
1022:       "minimatch": "^10.2.1",
1023:       "pstree.remy": "^1.1.8",
1024:       "semver": "^7.5.3",
1025:       "simple-update-notifier": "^2.0.0",
1026:       "supports-color": "^5.5.0",
1027:       "touch": "^3.1.0",
1028:       "undefsafe": "^2.0.5"
1029:     },
1030:     "bin": {
1031:       "nodemon": "bin/nodemon.js"
1032:     },
1033:     "engines": {
1034:       "node": ">=10"
1035:     },
1036:     "funding": {
1037:       "type": "opencollective",
1038:       "url": "https://opencollective.com/nodemon"
1039:     }
1040:   },
1041:   "node_modules/normalize-path": {
1042:     "version": "3.0.0",
1043:     "resolved": "https://registry.npmjs.org/normalize-path/-/normalize-path-3.0.0.tgz",
1044:     "integrity": "sha512-6eZs5Ls3WtCisHWP9S2GUY8dqkpGi4BVSz3GaqiE6ezub0512ESztXUWUB6C6IKbQkY2Pnb/md4WYoj
CRwcwLA==",
1045:     "dev": true,
1046:     "license": "MIT",
1047:     "engines": {
1048:       "node": ">=0.10.0"
1049:     }
1050:   },
1051:   "node_modules/object-assign": {
1052:     "version": "4.1.1",
1053:     "resolved": "https://registry.npmjs.org/object-assign/-/object-assign-4.1.1.tgz",
1054:     "integrity": "sha512-7Ic914238UWUe1Cv8K5aD012bUd7rW18U/kPe4FRxcryEE0NBtT+0J9c071Dh63y257i422UpdA7clZys
hj+BcUg==",
1055:     "license": "MIT",
1056:     "engines": {
1057:       "node": ">=0.10.0"
1058:     }
1059:   },
1060:   "node_modules/object-inspect": {
1061:     "version": "1.13.4",
1062:     "resolved": "https://registry.npmjs.org/object-inspect/-/object-inspect-1.13.4.tgz",
1063:     "integrity": "sha512-W67iFtLLthxH6EHToiXgAdIyAVkJsS82EO1vhbo99hqnDkgkt+/IhsjMXJkIFM/r1+h6nArIsiK/DtJwBkI+kBY
V2Epbew==",
1064:     "license": "MIT",
1065:     "engines": {
1066:       "node": ">= 0.4"
1067:     },
1068:     "funding": {
1069:       "url": "https://github.com/sponsors/ljharb"
1070:     }
1071:   },
1072:   "node_modules/on-finished": {
1073:     "version": "2.4.1",
1074:     "resolved": "https://registry.npmjs.org/on-finished/-/on-finished-2.4.1.tgz",
1075:     "integrity": "sha512-OVSSJ7t+UZh9wkF2cbeUgWbJ+GQ9gcybr8LvvQrUGy/uAU0OvLzdxjArQMG9sXwBXKPnZ0JrO8L1P8/DMZcQ
8Ch5+kg==",
1076:     "license": "MIT",
1077:     "dependencies": {
1078:       "ee-first": "1.1.1"

```

```

1079:     },
1080:     "engines": {
1081:       "node": ">= 0.8"
1082:     }
1083:   },
1084:   "node_modules/once": {
1085:     "version": "1.4.0",
1086:     "resolved": "https://registry.npmjs.org/once/-/once-1.4.0.tgz",
1087:     "integrity": "sha512-lNaJgI+2Q5URQBkccEKHTQ0PaXdUxnZZELQTY0MFUAuaEqe1E+Nyvgdz/aIyNi6Z9Mz05dv1H8n58/
GELp3+w==",
1088:     "license": "ISC",
1089:     "dependencies": {
1090:       "wrappy": "1"
1091:     }
1092:   },
1093:   "node_modules/parseurl": {
1094:     "version": "1.3.3",
1095:     "resolved": "https://registry.npmjs.org/parseurl/-/parseurl-1.3.3.tgz",
1096:     "integrity": "sha512-CiyeOxFT/JZyN5m0z9PfXw4SCBJ6Sygz1Dpl0wqjlhDEGGBP1GnsUVEL0p63hoG1fcj3fHynXi9NY04
nWOL+qQ==",
1097:     "license": "MIT",
1098:     "engines": {
1099:       "node": ">= 0.8"
1100:     }
1101:   },
1102:   "node_modules/path-to-regexp": {
1103:     "version": "8.4.2",
1104:     "resolved": "https://registry.npmjs.org/path-to-regexp/-/path-to-regexp-8.4.2.tgz",
1105:     "integrity": "sha512-qRcuIdP69Npm4qbACK+aDogI5CBDMi1jKe0ry5rSQJz8JVLsc7jv8XpiJJGRLl0l3N+R5ihGYcrPLTn
o6pAdBA==",
1106:     "license": "MIT",
1107:     "funding": {
1108:       "type": "opencollective",
1109:       "url": "https://opencollective.com/express"
1110:     }
1111:   },
1112:   "node_modules/picomatch": {
1113:     "version": "2.3.2",
1114:     "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-2.3.2.tgz",
1115:     "integrity": "sha512-v77+03eOyW0H68I3U3YF330NzL08zF36oK7vzXPs82K0a2hrHuznJhTlQp0R0k0/KCJUfZXuB47h/YBldhah2H3hdUGX
n8ie0oA==",
1116:     "dev": true,
1117:     "license": "MIT",
1118:     "engines": {
1119:       "node": ">=8.6"
1120:     },
1121:     "funding": {
1122:       "url": "https://github.com/sponsors/jonschlinkert"
1123:     }
1124:   },
1125:   "node_modules/proxy-addr": {
1126:     "version": "2.0.7",
1127:     "resolved": "https://registry.npmjs.org/proxy-addr/-/proxy-addr-2.0.7.tgz",
1128:     "integrity": "sha512-LLQsMLSUDUPT44jdrU/037qlnifitDP+ZwrmmZcoSKyLKvtZxpyV0n2/bD/N4tBAAZ/gJEdZU7KMrao
K1+XYAg==",
1129:     "license": "MIT",
1130:     "dependencies": {
1131:       "forwarded": "0.2.0",
1132:       "ipaddr.js": "1.9.1"
1133:     },
1134:     "engines": {
1135:       "node": ">= 0.10"
1136:     }
1137:   },
1138:   "node_modules/pstree.remy": {
1139:     "version": "1.1.8",
1140:     "resolved": "https://registry.npmjs.org/pstree.remy/-/pstree.remy-1.1.8.tgz",
1141:     "integrity": "sha512-77DZwxQmxKnu3aR542U+X8FypNzbFJ+C5XQDk3uWjWxn6151aIMGthWYRXtT1E5oJvg+ljaa20Ji+v
fvCQ08w==",
1142:     "dev": true,
1143:     "license": "MIT"
1144:   },
1145:   "node_modules/punycode": {
1146:     "version": "2.3.1",
1147:     "resolved": "https://registry.npmjs.org/punycode/-/punycode-2.3.1.tgz",
1148:     "integrity": "sha512-VYdnBZVMY/2B8i/n9pDqTHGrA52V1n/q9QxMAW3JvW65pd/kUzY4kHqVMx/Kh34L/0tNRs6UD0Kt5wFVg==",
1149:     "license": "MIT",
1150:     "engines": {
1151:       "node": ">=6"
1152:     }
1153:   },
1154:   "node_modules/qs": {
1155:     "version": "6.15.1",

```

```

1156:     "resolved": "https://registry.npmjs.org/qs/-/qs-6.15.1.tgz",
1157:     "integrity": "sha512-6YHEfRL9mfgcAvqL/XhwTvf5jKc0iiuPT2FiJxHkiX1z4j7WL8J/jRHYLlu0Rvc1XxB5rV20KoeK00g
VJamspg==",
1158:     "license": "BSD-3-Clause",
1159:     "dependencies": {
1160:       "side-channel": "^1.1.0"
1161:     },
1162:     "engines": {
1163:       "node": ">=0.6"
1164:     },
1165:     "funding": {
1166:       "url": "https://github.com/sponsors/ljharb"
1167:     }
1168:   },
1169:   "node_modules/range-parser": {
1170:     "version": "1.2.1",
1171:     "resolved": "https://registry.npmjs.org/range-parser/-/range-parser-1.2.1.tgz",
1172:     "integrity": "sha512-Hrgsx+orqoygnmhFbKaHE6c296J+HTAQXoxEF6gNupR0mmGJRoyzfG3ccAveqCBwr/2yxQ5BVd/GTl
5agOwSg==",
1173:     "license": "MIT",
1174:     "engines": {
1175:       "node": ">= 0.6"
1176:     }
1177:   },
1178:   "node_modules/raw-body": {
1179:     "version": "3.0.2",
1180:     "resolved": "https://registry.npmjs.org/raw-body/-/raw-body-3.0.2.tgz",
1181:     "integrity": "sha512-K5zQJLlxWkf7Z5xJdV0/B0WTNq6vxG70zJE4N0kBs4LovmEYWJzQGxC9bS9RAKu3bgM40lrd5zoLJ
12MQ5BA==",
1182:     "license": "MIT",
1183:     "dependencies": {
1184:       "bytes": "~3.1.2",
1185:       "http-errors": "~2.0.1",
1186:       "iconv-lite": "~0.7.0",
1187:       "unpipe": "~1.0.0"
1188:     },
1189:     "engines": {
1190:       "node": ">= 0.10"
1191:     }
1192:   },
1193:   "node_modules/readdirp": {
1194:     "version": "3.6.0",
1195:     "resolved": "https://registry.npmjs.org/readdirp/-/readdirp-3.6.0.tgz",
1196:     "integrity": "sha512-h0S089on8RduqdbhvQ5Z37A0ESjsqz6qnRcFFsMU3495FuTdqSm+7bhJ29JvIOsBDEEnan5DPu9t3To
9VRLmZA==",
1197:     "dev": true,
1198:     "license": "MIT",
1199:     "dependencies": {
1200:       "picomatch": "^2.2.1"
1201:     },
1202:     "engines": {
1203:       "node": ">=8.10.0"
1204:     }
1205:   },
1206:   "node_modules/router": {
1207:     "version": "2.2.0",
1208:     "resolved": "https://registry.npmjs.org/router/-/router-2.2.0.tgz",
1209:     "integrity": "sha512-nLTrUkM2Uyil7rLhpu/Zl45FwNgkZGaCpZbIHajDYgwLJC0zLSk+cIPAnsEqV9556jILJnKbdQC1nV
Pz+gAYQ==",
1210:     "license": "MIT",
1211:     "dependencies": {
1212:       "debug": "^4.4.0",
1213:       "depd": "^2.0.0",
1214:       "is-promise": "^4.0.0",
1215:       "parseurl": "^1.3.3",
1216:       "path-to-regexp": "^8.0.0"
1217:     },
1218:     "engines": {
1219:       "node": ">= 18"
1220:     }
1221:   },
1222:   "node_modules/safe-buffer": {
1223:     "version": "5.2.1",
1224:     "resolved": "https://registry.npmjs.org/safe-buffer/-/safe-buffer-5.2.1.tgz",
1225:     "integrity": "sha512-h0wZ1vR64Uq7X5Lhrv58qTQK1EaHnGvmG4PhkZQbI7PR4v3JX6wUuXWNYnqMVZ4bI7wL0D9Z1I7a00
uYvmCXQ==",
1226:     "funding": [
1227:       {
1228:         "type": "github",
1229:         "url": "https://github.com/sponsors/feross"
1230:       },
1231:       {
1232:         "type": "patreon",
1233:         "url": "https://www.patreon.com/feross"

```

```

1234:     },
1235:     {
1236:       "type": "consulting",
1237:       "url": "https://feross.org/support"
1238:     }
1239:   ],
1240:   "license": "MIT"
1241: },
1242: "node_modules/safer-buffer": {
1243:   "version": "2.1.2",
1244:   "resolved": "https://registry.npmjs.org/safer-buffer/-/safer-buffer-2.1.2.tgz",
1245:   "integrity": "sha512-YZo3K82SD7Riyi0E1EQPojLz7kpepnSQI9IyPbHHg1XXXevb5dJI7tpyN2ADxGcQbHG7vcyRHk0cbwq
cQriUtg==",
1246:   "license": "MIT"
1247: },
1248: "node_modules/semver": {
1249:   "version": "7.7.4",
1250:   "resolved": "https://registry.npmjs.org/semver/-/semver-7.7.4.tgz",
1251:   "integrity": "sha512-vFKC2IEtQnVhpT78h1Yp8wzrf8CM+MzKMHGJZfBtzhZNyCrfNxsHk6E5TxIkKMsgNS7mdX3AGB7x2Q
M2di4lA==",
1252:   "license": "ISC",
1253:   "bin": {
1254:     "semver": "bin/semver.js"
1255:   },
1256:   "engines": {
1257:     "node": ">=10"
1258:   }
1259: },
1260: "node_modules/send": {
1261:   "version": "1.2.1",
1262:   "resolved": "https://registry.npmjs.org/send/-/send-1.2.1.tgz",
1263:   "integrity": "sha512-1gnZf7DFcoIcajTjTwjwuDjzuz4PPcY2StKPlsGAQ1+YH20IRVrBaXSwmdjowtJ6u8Rc01PoYOGHXfP
1mYcZNQ==",
1264:   "license": "MIT",
1265:   "dependencies": {
1266:     "debug": "^4.4.3",
1267:     "encodeurl": "^2.0.0",
1268:     "escape-html": "^1.0.3",
1269:     "etag": "^1.8.1",
1270:     "fresh": "^2.0.0",
1271:     "http-errors": "^2.0.1",
1272:     "mime-types": "^3.0.2",
1273:     "ms": "^2.1.3",
1274:     "on-finished": "^2.4.1",
1275:     "range-parser": "^1.2.1",
1276:     "statuses": "^2.0.2"
1277:   },
1278:   "engines": {
1279:     "node": ">= 18"
1280:   },
1281:   "funding": {
1282:     "type": "opencollective",
1283:     "url": "https://opencollective.com/express"
1284:   }
1285: },
1286: "node_modules/serve-static": {
1287:   "version": "2.2.1",
1288:   "resolved": "https://registry.npmjs.org/serve-static/-/serve-static-2.2.1.tgz",
1289:   "integrity": "sha512-1XU1f1K8yJGgpT+eU8W5Z81aLp/423i0aDl0nWbxSxqWkRQmV878N4h7z9S4S8Z6LQ1Q118WzWwWwWw
aaQJhTw==",
1290:   "license": "MIT",
1291:   "dependencies": {
1292:     "encodeurl": "^2.0.0",
1293:     "escape-html": "^1.0.3",
1294:     "parseurl": "^1.3.3",
1295:     "send": "^1.2.0"
1296:   },
1297:   "engines": {
1298:     "node": ">= 18"
1299:   },
1300:   "funding": {
1301:     "type": "opencollective",
1302:     "url": "https://opencollective.com/express"
1303:   }
1304: },
1305: "node_modules/setprototypeof": {
1306:   "version": "1.2.0",
1307:   "resolved": "https://registry.npmjs.org/setprototypeof/-/setprototypeof-1.2.0.tgz",
1308:   "integrity": "sha512-E5LDX7Wrp85Kil5bhZv46j8j0eboKq5JMmYM3gVGdGH8xFpPWxUMsNr l0DCr koxMEeNi/XZIwuRvY4X
NwYMJPw==",
1309:   "license": "ISC"
1310: },
1311: "node_modules/side-channel": {
1312:   "version": "1.1.0",

```



```

1313:     "resolved": "https://registry.npmjs.org/side-channel/-/side-channel-1.1.0.tgz",
1314:     "integrity": "sha512-ZX99e6tRweoUXqR+VBrs1hda51Nh5MTQwou5tnUDgbtyM0dBgmhEDtWGP/xbKn6hqfPRHujUNWz5fy/
wbbhnpw==",
1315:     "license": "MIT",
1316:     "dependencies": {
1317:       "es-errors": "^1.3.0",
1318:       "object-inspect": "^1.13.3",
1319:       "side-channel-list": "^1.0.0",
1320:       "side-channel-map": "^1.0.1",
1321:       "side-channel-weakmap": "^1.0.2"
1322:     },
1323:     "engines": {
1324:       "node": ">= 0.4"
1325:     },
1326:     "funding": {
1327:       "url": "https://github.com/sponsors/ljharb"
1328:     }
1329:   },
1330:   "node_modules/side-channel-list": {
1331:     "version": "1.0.1",
1332:     "resolved": "https://registry.npmjs.org/side-channel-list/-/side-channel-list-1.0.1.tgz",
1333:     "integrity": "sha512-mjn/0bi/oUURjc5Xl7Iawi/OJJJumuoJFqJfDdyO46+hBwsfaVM65TBHq2eoZBhzl9Echx0ijpkRC8
SVBQU0w==",
1334:     "license": "MIT",
1335:     "dependencies": {
1336:       "es-errors": "^1.3.0",
1337:       "object-inspect": "^1.13.4"
1338:     },
1339:     "engines": {
1340:       "node": ">= 0.4"
1341:     },
1342:     "funding": {
1343:       "url": "https://github.com/sponsors/ljharb"
1344:     }
1345:   },
1346:   "node_modules/side-channel-map": {
1347:     "version": "1.0.1",
1348:     "resolved": "https://registry.npmjs.org/side-channel-map/-/side-channel-map-1.0.1.tgz",
1349:     "integrity": "sha512-VCjCNfgmSby3tTdo02nbjtM/ewra6jPHmpThenkTYh8pG9ucZ/1P8So4u4FGBek/Bjp0VsDCMoLA/iu
BKIFXRA==",
1350:     "license": "MIT",
1351:     "dependencies": {
1352:       "call-bound": "^1.0.2",
1353:       "es-errors": "^1.3.0",
1354:       "get-intrinsic": "^1.2.5",
1355:       "object-inspect": "^1.13.3"
1356:     },
1357:     "engines": {
1358:       "node": ">= 0.4"
1359:     },
1360:     "funding": {
1361:       "url": "https://github.com/sponsors/ljharb"
1362:     }
1363:   },
1364:   "node_modules/side-channel-weakmap": {
1365:     "version": "1.0.2",
1366:     "resolved": "https://registry.npmjs.org/side-channel-weakmap/-/side-channel-weakmap-1.0.2.tgz",
1367:     "integrity": "sha512-WPS/HvHQTYnHisLo9McqBH0Jk2FkH0/tlpvldyrnem4aeQp4hai3gythswg6p01oSoTl58rcpiFAjF2
br2Ak2A==",
1368:     "license": "MIT",
1369:     "dependencies": {
1370:       "call-bound": "^1.0.2",
1371:       "es-errors": "^1.3.0",
1372:       "get-intrinsic": "^1.2.5",
1373:       "object-inspect": "^1.13.3",
1374:       "side-channel-map": "^1.0.1"
1375:     },
1376:     "engines": {
1377:       "node": ">= 0.4"
1378:     },
1379:     "funding": {
1380:       "url": "https://github.com/sponsors/ljharb"
1381:     }
1382:   },
1383:   "node_modules/sift": {
1384:     "version": "17.1.3",
1385:     "resolved": "https://registry.npmjs.org/sift/-/sift-17.1.3.tgz",
1386:     "integrity": "sha512-RlTlJZ1TZEwEh9i79zTUyT3tD2e4LWq9GKgYD8U6QK9n5RP9YzafpV8cGx564Fol2eQp4lgHQl5Vzmmg==
3CIIvCQ==",
1387:     "license": "MIT"
1388:   },
1389:   "node_modules/simple-update-notifier": {
1390:     "version": "2.0.0",
1391:     "resolved": "https://registry.npmjs.org/simple-update-notifier/-/simple-update-notifier-2.0.0.tgz",

```

```

1392:      "integrity": "sha512-a2B9Y0KlNXl9u/vsw6sTIu9vGEpfKu2wRV6l1H3XEas/0gUIzGzBoP/IouTcUQbm9JWZLH3C0xyn03T
YlFax6w==",
1393:      "dev": true,
1394:      "license": "MIT",
1395:      "dependencies": {
1396:        "semver": "^7.5.3"
1397:      },
1398:      "engines": {
1399:        "node": ">=10"
1400:      }
1401:    },
1402:    "node_modules/sparse-bitfield": {
1403:      "version": "3.0.3",
1404:      "resolved": "https://registry.npmjs.org/sparse-bitfield/-/sparse-bitfield-3.0.3.tgz",
1405:      "integrity": "sha512-kvzhi7vqKtFkh0PZU+2D2Pillw2ymqJKuJUcyPMd9Y75Nv4nPb6GJZXNhsgdQab2Bm1Dct1YnfQCguE
vHr7VsQ==",
1406:      "license": "MIT",
1407:      "dependencies": {
1408:        "memory-pager": "^1.0.2"
1409:      }
1410:    },
1411:    "node_modules/statuses": {
1412:      "version": "2.0.2",
1413:      "resolved": "https://registry.npmjs.org/statuses/-/statuses-2.0.2.tgz",
1414:      "integrity": "sha512-DvEy5V3DB7uknRo+4iOGT5fP1s1R8wQohVdknigZPMpMstaKJQWhwiYBACJE3UL2pTnAtihhBYnRhZ
QHGBiRw==",
1415:      "license": "MIT",
1416:      "engines": {
1417:        "node": ">= 0.8"
1418:      }
1419:    },
1420:    "node_modules/supports-color": {
1421:      "version": "5.5.0",
1422:      "resolved": "https://registry.npmjs.org/supports-color/-/supports-color-5.5.0.tgz",
1423:      "integrity": "sha512-QjVjwdXIt408MiiAqCX4oUKsgU2EqAGzs2PpkM4aQYbjm+ZEWECw4SfFNT4uMNZma0ey4f5lgLrkB0
ax0QMow==",
1424:      "dev": true,
1425:      "license": "MIT",
1426:      "dependencies": {
1427:        "has-flag": "^3.0.0"
1428:      },
1429:      "engines": {
1430:        "node": ">=4"
1431:      }
1432:    },
1433:    "node_modules/to-regex-range": {
1434:      "version": "5.0.1",
1435:      "resolved": "https://registry.npmjs.org/to-regex-range/-/to-regex-range-5.0.1.tgz",
1436:      "integrity": "sha512-65P7iz6X5yEr1cwgcgQxbIw7Uk3g0Y5dIdtZ4rDveLqhrdJP+Li/Hx6tyK0NEb+2GcyneCMJiGqrAD
CSNk8sQ==",
1437:      "dev": true,
1438:      "license": "MIT",
1439:      "dependencies": {
1440:        "is-number": "^7.0.0"
1441:      },
1442:      "engines": {
1443:        "node": ">=8.0"
1444:      }
1445:    },
1446:    "node_modules/toidentifier": {
1447:      "version": "1.0.1",
1448:      "resolved": "https://registry.npmjs.org/toidentifier/-/toidentifier-1.0.1.tgz",
1449:      "integrity": "sha512-o5sSPKEkg/DIqNmH43V0/uerLrpzVedkUh8tGNvaeXpfpuwjKenlSox/20/BTlZutEe+JG7s5YhEz60
8PlAHRA==",
1450:      "license": "MIT",
1451:      "engines": {
1452:        "node": ">=0.6"
1453:      }
1454:    },
1455:    "node_modules/touch": {
1456:      "version": "3.1.1",
1457:      "resolved": "https://registry.npmjs.org/touch/-/touch-3.1.1.tgz",
1458:      "integrity": "sha512-7c7f9wyt5o1s4iB03H9HXY6+k/z75mgA87QktI8p/Rm9Xh3U4WUpr2s23dtkO54Y4aC6ay99rtz3X2Rn9v
eo5o9GA==",
1459:      "dev": true,
1460:      "license": "ISC",
1461:      "bin": {
1462:        "nodetouch": "bin/nodetouch.js"
1463:      }
1464:    },
1465:    "node_modules/tr46": {
1466:      "version": "5.1.1",
1467:      "resolved": "https://registry.npmjs.org/tr46/-/tr46-5.1.1.tgz",
1468:      "integrity": "sha512-hdF5ZgjTqgAntKkklyw0R03MG2x/bSzTtkxmIRw/sTNV8YXsCJ1tfLAX23lhxhHJlEf3CRCOCGGWw3v
I3GaSPw==",

```

```

1469:     "license": "MIT",
1470:     "dependencies": {
1471:       "punycode": "^2.3.1"
1472:     },
1473:     "engines": {
1474:       "node": ">=18"
1475:     }
1476:   },
1477:   "node_modules/type-is": {
1478:     "version": "2.0.1",
1479:     "resolved": "https://registry.npmjs.org/type-is/-/type-is-2.0.1.tgz",
1480:     "integrity": "sha512-0Zs6gsjF4vMp32qrCbiVSkRFmXtG/AZhY3t0iAMrMBiAZyV9oAltX08hsrHbMXF9x6L3grlFuww2oAz
7cav+Gw==",
1481:     "license": "MIT",
1482:     "dependencies": {
1483:       "content-type": "^1.0.5",
1484:       "media-typer": "^1.1.0",
1485:       "mime-types": "^3.0.0"
1486:     },
1487:     "engines": {
1488:       "node": ">= 0.6"
1489:     }
1490:   },
1491:   "node_modules/undefsafe": {
1492:     "version": "2.0.5",
1493:     "resolved": "https://registry.npmjs.org/undefsafe/-/undefsafe-2.0.5.tgz",
1494:     "integrity": "sha512-Wx0ONcrsSBM8TSPRQn5EmsjVrsV4A8X12J4ArBiiayv3DyyG3ZlIg6yysuuSYdZsVz3TKcTg2fd//Ujd
4CHViiA==",
1495:     "dev": true,
1496:     "license": "MIT"
1497:   },
1498:   "node_modules/unpipe": {
1499:     "version": "1.0.0",
1500:     "resolved": "https://registry.npmjs.org/unpipe/-/unpipe-1.0.0.tgz",
1501:     "integrity": "sha512-pjy2bYhSsufwWlKwPc+l3cN7+wuJlK6uz0YdJE0lQDb16jo/YlPi4mb8agUKVC8BF7V8NuzeyPNqRks
A3hztKQ==",
1502:     "license": "MIT",
1503:     "engines": {
1504:       "node": ">= 0.8"
1505:     }
1506:   },
1507:   "node_modules/vary": {
1508:     "version": "1.1.2",
1509:     "resolved": "https://registry.npmjs.org/vary/-/vary-1.1.2.tgz",
1510:     "integrity": "sha512-BNGbWlFd0eUPabkhXUvM0j8uuVREyTh5ovRa/dyow/BqAbZJyC+5fU+IzQ0zmAKzYqYRAISoRhdQr3e
IZ/PXqg==",
1511:     "license": "MIT",
1512:     "engines": {
1513:       "node": ">= 0.8"
1514:     }
1515:   },
1516:   "node_modules/webidl-conversions": {
1517:     "version": "7.0.0",
1518:     "resolved": "https://registry.npmjs.org/webidl-conversions/-/webidl-conversions-7.0.0.tgz",
1519:     "integrity": "sha512-VwddBukDzu71offAQR975unBIGqfKZpM+8ZX6ySk8nYhVoo5CYaZyt3YBvYtRt0+aoGlqXpg/B87NG
VZ/fu6g==",
1520:     "license": "BSD-2-Clause",
1521:     "engines": {
1522:       "node": ">=12"
1523:     }
1524:   },
1525:   "node_modules/whatwg-url": {
1526:     "version": "14.2.0",
1527:     "resolved": "https://registry.npmjs.org/whatwg-url/-/whatwg-url-14.2.0.tgz",
1528:     "integrity": "sha512-De72GdQZzNTUBBChsXueQUnPKDkg/5A5zp7pFDuQAJ5UFoENpiACU0wlCvzpAGnTkj++ihpKwKyYewn
/XNUbKw==",
1529:     "license": "MIT",
1530:     "dependencies": {
1531:       "tr46": "^5.1.0",
1532:       "webidl-conversions": "^7.0.0"
1533:     },
1534:     "engines": {
1535:       "node": ">=18"
1536:     }
1537:   },
1538:   "node_modules/wrappy": {
1539:     "version": "1.0.2",
1540:     "resolved": "https://registry.npmjs.org/wrappy/-/wrappy-1.0.2.tgz",
1541:     "integrity": "sha512-4bVv4zMKv2H5cW06hXXbA5625KXp5t9aSrQZ3h8033jvUW1U90XJ4T3CtM7U8e1UKR/RA6yS50jy/2Q
CvezPcQ==",
1542:     "license": "ISC"
1543:   },
1544:   "node_modules/zod": {
1545:     "version": "4.3.6",

```

```

1546:         "resolved": "https://registry.npmjs.org/zod/-/zod-4.3.6.tgz",
1547:         "integrity": "sha512-rftlrkH20cjDwkGlnUtZZkvaPHCsDATp4pGpu0OMDaTddDXF91wuVDJJoWpSKX/3YPQ5fHuF3STjcY
yKr+Qhg==",
1548:         "license": "MIT",
1549:         "funding": {
1550:           "url": "https://github.com/sponsors/colinhacks"
1551:         }
1552:       }
1553:     }
1554:   }

```

File: backend/package.json

Purpose: Source listing with line-level reference for deep review

```

0001: {
0002:   "name": "backend",
0003:   "version": "1.0.0",
0004:   "description": "",
0005:   "main": "index.js",
0006:   "scripts": {
0007:     "dev": "nodemon server.js",
0008:     "start": "node server.js",
0009:     "test": "echo \"Error: no test specified\" && exit 1"
0010:   },
0011:   "keywords": [],
0012:   "author": "",
0013:   "license": "ISC",
0014:   "type": "commonjs",
0015:   "dependencies": {
0016:     "cors": "^2.8.6",
0017:     "dotenv": "^17.4.2",
0018:     "express": "^5.2.1",
0019:     "jsonwebtoken": "^9.0.3",
0020:     "mongoose": "^9.5.0",
0021:     "zod": "^4.3.6"
0022:   },
0023:   "devDependencies": {
0024:     "nodemon": "^3.1.14"
0025:   }
0026: }

```

File: backend/routes/adminAuthRoutes.js

Purpose: Source listing with line-level reference for deep review

```

0001: const express = require('express')
0002: const validateRequest = require('../middleware/validateRequest')
0003: const requireAdminAuth = require('../middleware/requireAdminAuth')
0004: const {
0005:   adminLoginSchema,
0006:   refreshTokenSchema,
0007: } = require('../validators/adminAuthSchemas')
0008: const {
0009:   loginAdmin,
0010:   refreshAdminSession,
0011:   logoutAdmin,
0012:   getAdminProfile,
0013: } = require('../controllers/adminAuthControllers')
0014:
0015: const router = express.Router()
0016:
0017: router.post('/login', validateRequest(adminLoginSchema), loginAdmin)
0018: router.post('/refresh', validateRequest(refreshTokenSchema), refreshAdminSession)
0019: router.post('/logout', validateRequest(refreshTokenSchema), logoutAdmin)
0020: router.get('/me', requireAdminAuth, getAdminProfile)
0021:
0022: module.exports = router

```

File: backend/routes/orderRoutes.js

Purpose: Source listing with line-level reference for deep review

```

0001: const express = require('express')
0002: const validateRequest = require('../middleware/validateRequest')
0003: const requireAdminAuth = require('../middleware/requireAdminAuth')
0004: const requireRiderAuth = require('../middleware/requireRiderAuth')
0005: const { createOrderSchema, updateOrderSchema, riderLocationSchema } = require('../validators/orderSchemas')
0006: const { getAllOrders, getOrderSummary, getOrderById, createOrder, updateOrderStatus, updateRiderLocation,
deleteOrder, assignOrder, unassignOrder } = require('../controllers/orderControllers')
0007:
0008: const router = express.Router()
0009:
0010: router.get('/', requireAdminAuth, getAllOrders)
0011: router.get('/summary', requireAdminAuth, getOrderSummary)

```

```

0012: router.get('/:id', requireAdminAuth, getOrderById)
0013: router.post('/', requireAdminAuth, validateRequest(createOrderSchema), createOrder)
0014: router.put('/:id', requireAdminAuth, validateRequest(updateOrderSchema), updateOrderStatus)
0015: router.patch('/:id/rider-location', requireRiderAuth, validateRequest(riderLocationSchema), updateRiderLocation)
0016: router.patch('/:id/assign', requireAdminAuth, assignOrder)
0017: router.patch('/:id/unassign', requireAdminAuth, unassignOrder)
0018: router.delete('/:id', requireAdminAuth, deleteOrder)
0019:
0020: module.exports = router

```

File: backend/routes/riderRoutes.js

Purpose: Source listing with line-level reference for deep review

```

0001: const express = require('express')
0002: const validateRequest = require('../middleware/validateRequest')
0003: const requireRiderAuth = require('../middleware/requireRiderAuth')
0004: const requireAdminAuth = require('../middleware/requireAdminAuth')
0005: const {
0006:   riderIdentitySchema,
0007:   riderLocationSchema,
0008:   sharingStateSchema,
0009: } = require('../validators/riderSchemas')
0010: const {
0011:   signupRider,
0012:   loginRider,
0013:   getRiders,
0014:   getAuthenticatedRider,
0015:   updateMyLocation,
0016:   updateSharingState,
0017:   deleteRiderProfile,
0018: } = require('../controllers/riderControllers')
0019:
0020: const router = express.Router()
0021:
0022: router.get('/', requireAdminAuth, getRiders)
0023: router.post('/signup', requireAdminAuth, validateRequest(riderIdentitySchema), signupRider)
0024: router.delete('/:id', requireAdminAuth, deleteRiderProfile)
0025: router.post('/login', validateRequest(riderIdentitySchema), loginRider)
0026: router.get('/me', requireRiderAuth, getAuthenticatedRider)
0027: router.patch('/me/location', requireRiderAuth, validateRequest(riderLocationSchema), updateMyLocation)
0028: router.patch('/me/sharing', requireRiderAuth, validateRequest(sharingStateSchema), updateSharingState)
0029:
0030: module.exports = router

```

File: backend/routes/trackingRoutes.js

Purpose: Source listing with line-level reference for deep review

```

0001: const express = require('express')
0002: const { getPublicTrackingOrderById } = require('../controllers/orderControllers')
0003:
0004: const router = express.Router()
0005:
0006: router.get('/:id', getPublicTrackingOrderById)
0007:
0008: module.exports = router

```

File: backend/server.js

Purpose: Source listing with line-level reference for deep review

```

0001: require('dotenv').config()
0002: const express = require('express')
0003: const cors = require('cors')
0004: const orderRoutes = require('./routes/orderRoutes')
0005: const trackingRoutes = require('./routes/trackingRoutes')
0006: const riderRoutes = require('./routes/riderRoutes')
0007: const adminAuthRoutes = require('./routes/adminAuthRoutes')
0008: const connectDB = require('./config/db')
0009:
0010: const app = express()
0011:
0012: const allowedOrigins = process.env.FRONTEND_URL
0013:   ? process.env.FRONTEND_URL.split(',').map(o => o.trim())
0014:   : ['http://localhost:5173', 'http://localhost:5174']
0015:
0016: function isAllowedOrigin(origin) {
0017:   const isLocalDevOrigin = /^https?:\/\/(localhost|127\.\0\.\0\.\1)(:\d+)?$/i.test(origin)
0018:   return allowedOrigins.includes(origin) || origin.endsWith('.vercel.app') || isLocalDevOrigin
0019: }
0020:
0021: const corsOptions = {
0022:   origin: (origin, callback) => {
0023:     // Allow requests with no origin (e.g. mobile apps, curl, server-to-server)

```

```

0024:     if (!origin) return callback(null, true)
0025:     if (isAllowedOrigin(origin)) return callback(null, true)
0026:     callback(new Error(`CORS: origin ${origin} not allowed`))
0027:   },
0028:   credentials: true,
0029: }
0030:
0031: app.use(cors(corsOptions))
0032: app.use(express.json())
0033: const PORT = process.env.PORT || 3001
0034:
0035: app.get('/', (_req, res) => {
0036:   res.send('Backend server is running')
0037: })
0038:
0039: app.use('/api/orders', orderRoutes)
0040: app.use('/api/tracking', trackingRoutes)
0041: app.use('/api/riders', riderRoutes)
0042: app.use('/api/admin/auth', adminAuthRoutes)
0043:
0044: app.listen(PORT, () => {
0045:   console.log(`Server is running on http://localhost:${PORT}`)
0046:   connectDB()
0047: })

```

File: backend/validators/adminAuthSchemas.js

Purpose: Source listing with line-level reference for deep review

```

0001: const { z } = require('zod')
0002:
0003: const adminLoginSchema = z.object({
0004:   email: z.string().trim().email('A valid admin email is required.'),
0005:   password: z.string().min(1, 'password is required'),
0006: })
0007:
0008: const refreshTokenSchema = z.object({
0009:   refreshToken: z.string().trim().min(1, 'refreshToken is required'),
0010: })
0011:
0012: module.exports = {
0013:   adminLoginSchema,
0014:   refreshTokenSchema,
0015: }

```

File: backend/validators/orderSchemas.js

Purpose: Source listing with line-level reference for deep review

```

0001: const { z } = require('zod')
0002:
0003: const validStatuses = [
0004:   'pending',
0005:   'assigned',
0006:   'rider has picked up your item',
0007:   'your rider is on his way',
0008:   'delivered',
0009: ]
0010:
0011: const coordinateSchema = z.object({
0012:   lat: z.number().min(-90).max(90),
0013:   lng: z.number().min(-180).max(180),
0014: })
0015:
0016: const contactPartySchema = z.object({
0017:   name: z.string().trim().min(1, 'name is required'),
0018:   phone: z.string().trim().min(1, 'phone is required'),
0019:   address: z.string().trim().min(1, 'address is required'),
0020:   location: coordinateSchema.optional(),
0021: })
0022:
0023: const riderSchema = z.object({
0024:   riderId: z.string().trim().optional(),
0025:   name: z.string().trim().optional(),
0026:   phone: z.string().trim().optional(),
0027:   currentLocation: z.string().trim().optional(),
0028:   estimatedDelivery: z.string().trim().optional(),
0029: })
0030:
0031: const stepInputSchema = z.object({
0032:   status: z.string().min(1),
0033:   date: z.string().min(1),
0034:   time: z.string().min(1),
0035:   location: z.string().min(1),
0036:   description: z.string().min(1),
0037:   completed: z.boolean().optional(),

```

```

0038: })
0039:
0040: const createOrderSchema = z.object({
0041:   trackingId: z.string().trim().regex(/^MX\d{5}$/, 'trackingId must be in the format MX00000 (MX followed
by 5 digits)'),
0042:   sender: contactPartySchema,
0043:   receiver: contactPartySchema,
0044:   package: z.object({
0045:     description: z.string().trim().min(1, 'package description is required'),
0046:   }),
0047:   delivery: z.object({
0048:     status: z.enum(validStatuses).optional(),
0049:   }).optional(),
0050:   rider: riderSchema.optional(),
0051:   steps: z.array(stepInputSchema).optional(),
0052: })
0053:
0054: const updateOrderSchema = z.object({
0055:   delivery: z.object({
0056:     status: z.enum(validStatuses),
0057:   }),
0058:   receiver: z.object({
0059:     location: coordinateSchema,
0060:   }).optional(),
0061:   rider: riderSchema.optional(),
0062: })
0063:
0064: const riderLocationSchema = z.object({
0065:   lat: z.number().min(-90).max(90),
0066:   lng: z.number().min(-180).max(180),
0067:   accuracy: z.number().nonnegative().optional(),
0068:   heading: z.number().min(0).max(360).optional(),
0069:   speed: z.number().optional(),
0070:   capturedAt: z.string().datetime().optional(),
0071: })
0072:
0073: module.exports = {
0074:   createOrderSchema,
0075:   updateOrderSchema,
0076:   riderLocationSchema,
0077: }

```

File: backend/validators/riderSchemas.js

Purpose: Source listing with line-level reference for deep review

```

0001: const { z } = require('zod')
0002:
0003: const riderIdentitySchema = z.object({
0004:   name: z.string().trim().min(2, 'name is required'),
0005:   phone: z.string().trim().min(5, 'phone is required'),
0006: })
0007:
0008: const riderLocationSchema = z.object({
0009:   lat: z.number().min(-90).max(90),
0010:   lng: z.number().min(-180).max(180),
0011:   accuracy: z.number().nonnegative().optional(),
0012:   heading: z.number().min(0).max(360).optional(),
0013:   speed: z.number().optional(),
0014:   capturedAt: z.string().datetime().optional(),
0015: })
0016:
0017: const sharingStateSchema = z.object({
0018:   isSharing: z.boolean(),
0019: })
0020:
0021: module.exports = {
0022:   riderIdentitySchema,
0023:   riderLocationSchema,
0024:   sharingStateSchema,
0025: }

```

File: eslint.config.js

Purpose: Source listing with line-level reference for deep review

```

0001: import js from '@eslint/js'
0002: import globals from 'globals'
0003: import reactHooks from 'eslint-plugin-react-hooks'
0004: import reactRefresh from 'eslint-plugin-react-refresh'
0005: import { defineConfig, globalIgnores } from 'eslint/config'
0006:
0007: export default defineConfig([
0008:   globalIgnores(['dist']),
0009:   {
0010:     files: ['src/**/*.js,jsx'],

```

```

0011:     extends: [
0012:       js.configs.recommended,
0013:       reactHooks.configs.flat.recommended,
0014:       reactRefresh.configs.vite,
0015:     ],
0016:     languageOptions: {
0017:       ecmaVersion: 2020,
0018:       globals: globals.browser,
0019:       parserOptions: {
0020:         ecmaVersion: 'latest',
0021:         ecmaFeatures: { jsx: true },
0022:         sourceType: 'module',
0023:       },
0024:     },
0025:     rules: {
0026:       'no-unused-vars': ['error', {
0027:         varsIgnorePattern: '^_[A-Z_]',
0028:         argsIgnorePattern: '^_',
0029:         caughtErrorsIgnorePattern: '^_',
0030:       }],
0031:     },
0032:   },
0033:   {
0034:     files: ['backend/**/*.js'],
0035:     extends: [js.configs.recommended],
0036:     languageOptions: {
0037:       ecmaVersion: 2020,
0038:       sourceType: 'commonjs',
0039:       globals: globals.node,
0040:     },
0041:     rules: {
0042:       'no-unused-vars': ['error', {
0043:         varsIgnorePattern: '^_[A-Z_]',
0044:         argsIgnorePattern: '^_',
0045:         caughtErrorsIgnorePattern: '^_',
0046:       }],
0047:     },
0048:   },
0049: ])

```

File: index.html

Purpose: Source listing with line-level reference for deep review

```

0001: <!doctype html>
0002: <html lang="en">
0003:   <head>
0004:     <meta charset="UTF-8" />
0005:     <meta name="viewport" content="width=device-width, initial-scale=1.0" />
0006:     <meta http-equiv="X-UA-Compatible" content="IE=edge" />
0007:     <meta name="format-detection" content="telephone=no, address=no, email=no" />
0008:
0009:     <!-- Primary meta -->
0010:     <title>Move-X Xpress | Faithfulness in every delivery.</title>
0011:     <meta
0012:       name="description"
0013:       content="Track your Move-X Xpress shipment in real time and manage reliable same-day delivery across
Lagos."
0014:     />
0015:     <meta
0016:       name="robots"
0017:       content="index, follow, max-image-preview:large, max-snippet:-1, max-video-preview:-1"
0018:     />
0019:     <meta name="theme-color" content="#0a0a0a" />
0020:     <meta name="application-name" content="Move-X Xpress" />
0021:
0022:     <!-- Open Graph -->
0023:     <meta property="og:type" content="website" />
0024:     <meta property="og:title" content="Move-X Xpress | Faithfulness in every delivery." />
0025:     <meta
0026:       property="og:description"
0027:       content="Track shipments in real time and deliver across Lagos with Move-X Xpress."
0028:     />
0029:     <meta property="og:site_name" content="Move-X Xpress" />
0030:     <meta property="og:locale" content="en_NG" />
0031:     <meta property="og:image" content="/favicon.svg" />
0032:
0033:     <!-- Twitter -->
0034:     <meta name="twitter:card" content="summary" />
0035:     <meta name="twitter:title" content="Move-X Xpress | Faithfulness in every delivery." />
0036:     <meta
0037:       name="twitter:description"
0038:       content="Track shipments in real time and deliver across Lagos with Move-X Xpress."
0039:     />
0040:     <meta name="twitter:image" content="/favicon.svg" />

```



```

0041:
0042:     <!-- Favicon -->
0043:     <link rel="icon" type="image/svg+xml" href="/favicon.svg" />
0044: </head>
0045: <body>
0046:     <div id="root"></div>
0047:     <noscript>Move-X Xpress requires JavaScript to load shipment tracking and delivery management.</noscri
pt>
0048:     <script type="module" src="/src/main.jsx"></script>
0049: </body>
0050: </html>

```

File: package-lock.json

Purpose: Source listing with line-level reference for deep review

```

0001: {
0002:   "name": "move-x",
0003:   "version": "0.0.0",
0004:   "lockfileVersion": 3,
0005:   "requires": true,
0006:   "packages": {
0007:     "": {
0008:       "name": "move-x",
0009:       "version": "0.0.0",
0010:       "dependencies": {
0011:         "lucide-react": "^1.8.0",
0012:         "react": "^19.2.4",
0013:         "react-dom": "^19.2.4",
0014:         "react-router-dom": "^7.14.0"
0015:       },
0016:       "devDependencies": {
0017:         "@eslint/js": "^9.39.4",
0018:         "@types/react": "^19.2.14",
0019:         "@types/react-dom": "^19.2.3",
0020:         "@vitejs/plugin-react": "^6.0.1",
0021:         "eslint": "^9.39.4",
0022:         "eslint-plugin-react-hooks": "^7.0.1",
0023:         "eslint-plugin-react-refresh": "^0.5.2",
0024:         "globals": "^17.4.0",
0025:         "vite": "^8.0.4"
0026:       }
0027:     },
0028:     "node_modules/@babel/code-frame": {
0029:       "version": "7.29.0",
0030:       "resolved": "https://registry.npmjs.org/@babel/code-frame/-/code-frame-7.29.0.tgz",
0031:       "integrity": "sha512-qg0wbcw==",
0032:       "dev": true,
0033:       "license": "MIT",
0034:       "dependencies": {
0035:         "@babel/helper-validator-identifier": "^7.28.5",
0036:         "js-tokens": "^4.0.0",
0037:         "picocolors": "^1.1.1"
0038:       },
0039:       "engines": {
0040:         "node": ">=6.9.0"
0041:       }
0042:     },
0043:     "node_modules/@babel/compat-data": {
0044:       "version": "7.29.0",
0045:       "resolved": "https://registry.npmjs.org/@babel/compat-data/-/compat-data-7.29.0.tgz",
0046:       "integrity": "sha512-T1NCJqT/j9+cn8fvkt7jtwbLBfLC/1y1c7NtCeXFRgzGTsafI68MRv8yzkYSapBnFA6L3U2VSc02ciD
zoAJhJg==",
0047:       "dev": true,
0048:       "license": "MIT",
0049:       "engines": {
0050:         "node": ">=6.9.0"
0051:       }
0052:     },
0053:     "node_modules/@babel/core": {
0054:       "version": "7.29.0",
0055:       "resolved": "https://registry.npmjs.org/@babel/core/-/core-7.29.0.tgz",
0056:       "integrity": "sha512-CG0f0JqWjg2qW/Mb6zNsDm+u5vFQ8DxXfbM09z69p5Z6+mE1ikP2jUXw+j42Pf1XTYED2Rni5f95npY
euwMDQA==",
0057:       "dev": true,
0058:       "license": "MIT",
0059:       "dependencies": {
0060:         "@babel/code-frame": "^7.29.0",
0061:         "@babel/generator": "^7.29.0",
0062:         "@babel/helper-compilation-targets": "^7.28.6",
0063:         "@babel/helper-module-transforms": "^7.28.6",
0064:         "@babel/helpers": "^7.28.6",
0065:         "@babel/parser": "^7.29.0",
0066:         "@babel/template": "^7.28.6",

```

```

0067:         "@babel/traverse": "^7.29.0",
0068:         "@babel/types": "^7.29.0",
0069:         "@jridgewell/remapping": "^2.3.5",
0070:         "convert-source-map": "^2.0.0",
0071:         "debug": "^4.1.0",
0072:         "gensync": "^1.0.0-beta.2",
0073:         "json5": "^2.2.3",
0074:         "semver": "^6.3.1"
0075:     },
0076:     "engines": {
0077:         "node": ">=6.9.0"
0078:     },
0079:     "funding": {
0080:         "type": "opencollective",
0081:         "url": "https://opencollective.com/babel"
0082:     }
0083: },
0084: "node_modules/@babel/generator": {
0085:     "version": "7.29.1",
0086:     "resolved": "https://registry.npmjs.org/@babel/generator/-/generator-7.29.1.tgz",
0087:     "integrity": "sha512-qsaF+9Qcm2Qv8SRIMMscAvG403lJ0F1GuMo5HR/Bp02LopNgnZBC/EkbevHFeGs4ls/oPz9v+Bsmzbnk
be+0dUw==",
0088:     "dev": true,
0089:     "license": "MIT",
0090:     "dependencies": {
0091:         "@babel/parser": "^7.29.0",
0092:         "@babel/types": "^7.29.0",
0093:         "@jridgewell/gen-mapping": "^0.3.12",
0094:         "@jridgewell/trace-mapping": "^0.3.28",
0095:         "jsesc": "^3.0.2"
0096:     },
0097:     "engines": {
0098:         "node": ">=6.9.0"
0099:     }
0100: },
0101: "node_modules/@babel/helper-compilation-targets": {
0102:     "version": "7.28.6",
0103:     "resolved": "https://registry.npmjs.org/@babel/helper-compilation-targets/-/helper-compilation-targets-7.28.6.tgz",
0104:     "integrity": "sha512-JYtLS3hq115fcx5GaSNL7SCTJ2MNMjrKHXg4FSp0A/grxK8KwyZ5bubHsCq8FXCkua6xhuaaBit+3b7
+VZRfCA==",
0105:     "dev": true,
0106:     "license": "MIT",
0107:     "dependencies": {
0108:         "@babel/compat-data": "^7.28.6",
0109:         "@babel/helper-validator-option": "^7.27.1",
0110:         "browserslist": "^4.24.0",
0111:         "lru-cache": "^5.1.1",
0112:         "semver": "^6.3.1"
0113:     },
0114:     "engines": {
0115:         "node": ">=6.9.0"
0116:     }
0117: },
0118: "node_modules/@babel/helper-globals": {
0119:     "version": "7.28.0",
0120:     "resolved": "https://registry.npmjs.org/@babel/helper-globals/-/helper-globals-7.28.0.tgz",
0121:     "integrity": "sha512-W6cISkxFa1jXsDEdYA8HeevQT/FULhxzR99pxphltZcVaugps53THCeiWA8SguxxpSp3gKPiuyfSWo
pkLQ4hw==",
0122:     "dev": true,
0123:     "license": "MIT",
0124:     "engines": {
0125:         "node": ">=6.9.0"
0126:     }
0127: },
0128: "node_modules/@babel/helper-module-imports": {
0129:     "version": "7.28.6",
0130:     "resolved": "https://registry.npmjs.org/@babel/helper-module-imports/-/helper-module-imports-7.28.6.
tgz",
0131:     "integrity": "sha512-l5XkZK7r7wa9LucGw9LwZyyCuscb4x37JWTPz7swwFE/0FMQAGpiWUZn8u9DzkSBWEck25jmvubfpw2
dnAMdbw==",
0132:     "dev": true,
0133:     "license": "MIT",
0134:     "dependencies": {
0135:         "@babel/traverse": "^7.28.6",
0136:         "@babel/types": "^7.28.6"
0137:     },
0138:     "engines": {
0139:         "node": ">=6.9.0"
0140:     }
0141: },
0142: "node_modules/@babel/helper-module-transforms": {
0143:     "version": "7.28.6",
0144:     "resolved": "https://registry.npmjs.org/@babel/helper-module-transforms/-/helper-module-transforms-7
.28.6.tgz",

```

```

0145:      "integrity": "sha512-67oXFAYr2cDLDVGLXTEABjdBJZ6drElUSI7WKp70NrpyISso3plG9SAGEF6y7zbha/w0zUByWWTJvED
VNIUGcA==",
0146:      "dev": true,
0147:      "license": "MIT",
0148:      "dependencies": {
0149:        "@babel/helper-module-imports": "^7.28.6",
0150:        "@babel/helper-validator-identifier": "^7.28.5",
0151:        "@babel/traverse": "^7.28.6"
0152:      },
0153:      "engines": {
0154:        "node": ">=6.9.0"
0155:      },
0156:      "peerDependencies": {
0157:        "@babel/core": "^7.0.0"
0158:      }
0159:    },
0160:    "node_modules/@babel/helper-string-parser": {
0161:      "version": "7.27.1",
0162:      "resolved": "https://registry.npmjs.org/@babel/helper-string-parser/-/helper-string-parser-7.27.1.tg
z",
0163:      "integrity": "sha512-qMlSxKbpRlAridDExk92nSobyDdpPijUq2DW6oDnUqd0iOGxmQjyqhMIihI9+zv4LPyZdRje2cavWPb
CbWm3eA==",
0164:      "dev": true,
0165:      "license": "MIT",
0166:      "engines": {
0167:        "node": ">=6.9.0"
0168:      }
0169:    },
0170:    "node_modules/@babel/helper-validator-identifier": {
0171:      "version": "7.28.5",
0172:      "resolved": "https://registry.npmjs.org/@babel/helper-validator-identifier/-/helper-validator-identi
fier-7.28.5.tgz",
0173:      "integrity": "sha512-qSs4ifwzKJSV39ucNjsvc6WVHs6b7S03s0h20cHF9UHFVPqWWALUSNUVzhSBiItjrZoLHx7nIarVjqK
VusUZ1Q==",
0174:      "dev": true,
0175:      "license": "MIT",
0176:      "engines": {
0177:        "node": ">=6.9.0"
0178:      }
0179:    },
0180:    "node_modules/@babel/helper-validator-option": {
0181:      "version": "7.27.1",
0182:      "resolved": "https://registry.npmjs.org/@babel/helper-validator-option/-/helper-validator-option-7.2
7.1.tgz",
0183:      "integrity": "sha512-YvjJow9FxbhFFKDSuFnVCe2WxXk1zwc22fFePVNEawJEu8IrZVlda6N0uHwzZrUM1il7NC9Mlp4MaJY
bYd9JSg==",
0184:      "dev": true,
0185:      "license": "MIT",
0186:      "engines": {
0187:        "node": ">=6.9.0"
0188:      }
0189:    },
0190:    "node_modules/@babel/helpers": {
0191:      "version": "7.29.2",
0192:      "resolved": "https://registry.npmjs.org/@babel/helpers/-/helpers-7.29.2.tgz",
0193:      "integrity": "sha512-HoGuUs4sCZNezVEKdVCwqmZN8GoHirLucLaYVNBK2J0DadGtdcqr3BCbvH8+XUo4NGjNl3V0tSjEKN
zqfFgKw==",
0194:      "dev": true,
0195:      "license": "MIT",
0196:      "dependencies": {
0197:        "@babel/template": "^7.28.6",
0198:        "@babel/types": "^7.29.0"
0199:      },
0200:      "engines": {
0201:        "node": ">=6.9.0"
0202:      }
0203:    },
0204:    "node_modules/@babel/parser": {
0205:      "version": "7.29.2",
0206:      "resolved": "https://registry.npmjs.org/@babel/parser/-/parser-7.29.2.tgz",
0207:      "integrity": "sha512-4GgRzy/+fsBa72/RZVJmGKPMZu9Byn8o4MoLpmNe1m8ZfYnz5emHLQz3U4gLud6ZwL0RZICgiLD7Uq7
ySFuDLA==",
0208:      "dev": true,
0209:      "license": "MIT",
0210:      "dependencies": {
0211:        "@babel/types": "^7.29.0"
0212:      },
0213:      "bin": {
0214:        "parser": "bin/babel-parser.js"
0215:      },
0216:      "engines": {
0217:        "node": ">=6.0.0"
0218:      }
0219:    },

```

```

0220:     "node_modules/@babel/template": {
0221:       "version": "7.28.6",
0222:       "resolved": "https://registry.npmjs.org/@babel/template/-/template-7.28.6.tgz",
0223:       "integrity": "sha512-YA6Ma2KsCdGb+WC6UpBVfJGXL58MDA6oyONbjyF/+5sBgxY/dwkhLogbMT2GXxyU84/IhRw/2D10s1B
/giz+BQ==",
0224:       "dev": true,
0225:       "license": "MIT",
0226:       "dependencies": {
0227:         "@babel/code-frame": "^7.28.6",
0228:         "@babel/parser": "^7.28.6",
0229:         "@babel/types": "^7.28.6"
0230:       },
0231:       "engines": {
0232:         "node": ">=6.9.0"
0233:       }
0234:     },
0235:     "node_modules/@babel/traverse": {
0236:       "version": "7.29.0",
0237:       "resolved": "https://registry.npmjs.org/@babel/traverse/-/traverse-7.29.0.tgz",
0238:       "integrity": "sha512-4HPiQr0X7+waHfyXPZpWfWL/J7dcN1mx9gL6WdQVMbPnF3+ZhSMs8tCxN7oHddJE9fhNE7+lxdnlye
mKfJRuA==",
0239:       "dev": true,
0240:       "license": "MIT",
0241:       "dependencies": {
0242:         "@babel/code-frame": "^7.29.0",
0243:         "@babel/generator": "^7.29.0",
0244:         "@babel/helper-globals": "^7.28.0",
0245:         "@babel/parser": "^7.29.0",
0246:         "@babel/template": "^7.28.6",
0247:         "@babel/types": "^7.29.0",
0248:         "debug": "^4.3.1"
0249:       },
0250:       "engines": {
0251:         "node": ">=6.9.0"
0252:       }
0253:     },
0254:     "node_modules/@babel/types": {
0255:       "version": "7.29.0",
0256:       "resolved": "https://registry.npmjs.org/@babel/types/-/types-7.29.0.tgz",
0257:       "integrity": "sha512-LwdZHpScM4Qz8Xw2iKSzS+cfglZzJGvoFQICy7W7v4caru4EaAmyUu06BGrbyQ2mYV11W0U8j5mBhd1
4dd3B0A==",
0258:       "dev": true,
0259:       "license": "MIT",
0260:       "dependencies": {
0261:         "@babel/helper-string-parser": "^7.27.1",
0262:         "@babel/helper-validator-identifier": "^7.28.5"
0263:       },
0264:       "engines": {
0265:         "node": ">=6.9.0"
0266:       }
0267:     },
0268:     "node_modules/@emnapi/core": {
0269:       "version": "1.9.1",
0270:       "resolved": "https://registry.npmjs.org/@emnapi/core/-/core-1.9.1.tgz",
0271:       "integrity": "sha512-mukuNALVsoix/w1BJwFzwXBN/dHeejQtuVzcDsF0EsdpcumXb/E9j8w11h5S54tT1xhifGfbbSm/ICr
ObRb3KA==",
0272:       "dev": true,
0273:       "license": "MIT",
0274:       "optional": true,
0275:       "dependencies": {
0276:         "@emnapi/wasi-threads": "1.2.0",
0277:         "tslib": "^2.4.0"
0278:       }
0279:     },
0280:     "node_modules/@emnapi/runtime": {
0281:       "version": "1.9.1",
0282:       "resolved": "https://registry.npmjs.org/@emnapi/runtime/-/runtime-1.9.1.tgz",
0283:       "integrity": "sha512-VYi5+ZVLhpgK4hQ0TAjiQiZ6ol0oe4mBx7mVv7IfLsiEp00WoVsp/+f9Vc1h0hE0Ttk0RVrI1Gvzyre
qpgWtkA==",
0284:       "dev": true,
0285:       "license": "MIT",
0286:       "optional": true,
0287:       "dependencies": {
0288:         "tslib": "^2.4.0"
0289:       }
0290:     },
0291:     "node_modules/@emnapi/wasi-threads": {
0292:       "version": "1.2.0",
0293:       "resolved": "https://registry.npmjs.org/@emnapi/wasi-threads/-/wasi-threads-1.2.0.tgz",
0294:       "integrity": "sha512-N10dEJNSsUx41Z6pZsXU8FjPjBEPlgH24sfkmITrBED1/U2Esum9F3lflRmJkKHjmi557zQn7kR9R+
XWxU5Rg==",
0295:       "dev": true,
0296:       "license": "MIT",
0297:       "optional": true,

```

```

0298:     "dependencies": {
0299:       "tslib": "^2.4.0"
0300:     },
0301:   },
0302:   "node_modules/@eslint-community/eslint-utils": {
0303:     "version": "4.9.1",
0304:     "resolved": "https://registry.npmjs.org/@eslint-community/eslint-utils/-/eslint-utils-4.9.1.tgz",
0305:     "integrity": "sha512-phrYmNiYppR7znFEdqgFWHXR6NckZEK7hwWDH2Ujit/2/U0r6XvkDl0SYnoM51Hq7FhCGdLDT6zxCCO
Y1hexsQ==",
0306:     "dev": true,
0307:     "license": "MIT",
0308:     "dependencies": {
0309:       "eslint-visitor-keys": "^3.4.3"
0310:     },
0311:     "engines": {
0312:       "node": "^12.22.0 || ^14.17.0 || >=16.0.0"
0313:     },
0314:     "funding": {
0315:       "url": "https://opencollective.com/eslint"
0316:     },
0317:     "peerDependencies": {
0318:       "eslint": "^6.0.0 || ^7.0.0 || >=8.0.0"
0319:     }
0320:   },
0321:   "node_modules/@eslint-community/eslint-utils/node_modules/eslint-visitor-keys": {
0322:     "version": "3.4.3",
0323:     "resolved": "https://registry.npmjs.org/eslint-visitor-keys/-/eslint-visitor-keys-3.4.3.tgz",
0324:     "integrity": "sha512-wpc+LXeiyiisxPLEkUzU6svyS1frI03Mgxj1fdy7Pm8Ygzguax2N3Fa/D/ag1Wqb0prdI+uY6wMuL8/
a2G+iaG==",
0325:     "dev": true,
0326:     "license": "Apache-2.0",
0327:     "engines": {
0328:       "node": "^12.22.0 || ^14.17.0 || >=16.0.0"
0329:     },
0330:     "funding": {
0331:       "url": "https://opencollective.com/eslint"
0332:     }
0333:   },
0334:   "node_modules/@eslint-community/regexpp": {
0335:     "version": "4.12.2",
0336:     "resolved": "https://registry.npmjs.org/@eslint-community/regexpp/-/regexpp-4.12.2.tgz",
0337:     "integrity": "sha512-EriStLt50C9/7SxkRSCAhfSxxoSUGBm330H+IkwbdpgOqsSsUg7y3uh+IICI/Qg4BBWr3U2i39RpmYc
bxMq4ew==",
0338:     "dev": true,
0339:     "license": "MIT",
0340:     "engines": {
0341:       "node": "^12.0.0 || ^14.0.0 || >=16.0.0"
0342:     }
0343:   },
0344:   "node_modules/@eslint/config-array": {
0345:     "version": "0.21.2",
0346:     "resolved": "https://registry.npmjs.org/@eslint/config-array/-/config-array-0.21.2.tgz",
0347:     "integrity": "sha512-nJl2KGTlrf9GjLimIru+V/mzgSK0ABCDQRvxw5BjURL7WfH5uowmizbH7QB6MmMBd8cIC9uceWnez
L1VZWw==",
0348:     "dev": true,
0349:     "license": "Apache-2.0",
0350:     "dependencies": {
0351:       "@eslint/object-schema": "^2.1.7",
0352:       "debug": "^4.3.1",
0353:       "minimatch": "^3.1.5"
0354:     },
0355:     "engines": {
0356:       "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
0357:     }
0358:   },
0359:   "node_modules/@eslint/config-helpers": {
0360:     "version": "0.4.2",
0361:     "resolved": "https://registry.npmjs.org/@eslint/config-helpers/-/config-helpers-0.4.2.tgz",
0362:     "integrity": "sha512-gBrxN88g0If3R7ja5K9slwNayVcZgK6S0U0Rm2uBzTeIEfeVaIh0pCtTox3P6R7o2jLFwLFTLnC7kU/
RGcYEgw==",
0363:     "dev": true,
0364:     "license": "Apache-2.0",
0365:     "dependencies": {
0366:       "@eslint/core": "^0.17.0"
0367:     },
0368:     "engines": {
0369:       "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
0370:     }
0371:   },
0372:   "node_modules/@eslint/core": {
0373:     "version": "0.17.0",
0374:     "resolved": "https://registry.npmjs.org/@eslint/core/-/core-0.17.0.tgz",
0375:     "integrity": "sha512-yL/sLrptmDaFEiUj1osRP4TI2MDz1AddJL+jZ7KSqvBuliN4xqYY54IfdN8qD8Toa6g1iloph1fxQNk
j0xrrpQ==",

```

```

0376:     "dev": true,
0377:     "license": "Apache-2.0",
0378:     "dependencies": {
0379:       "@types/json-schema": "^7.0.15"
0380:     },
0381:     "engines": {
0382:       "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
0383:     }
0384:   },
0385:   "node_modules/@eslint/eslintrc": {
0386:     "version": "3.3.5",
0387:     "resolved": "https://registry.npmjs.org/@eslint/eslintrc/-/eslintrc-3.3.5.tgz",
0388:     "integrity": "sha512-4IlJx0X0qftVsN5E+/vGuJTRIFtwLbNsVUe7T06zYPDR106nFwwhIKEsRl6dZchmYBITazxKoUY0
jdtjLRg==",
0389:     "dev": true,
0390:     "license": "MIT",
0391:     "dependencies": {
0392:       "ajv": "^6.14.0",
0393:       "debug": "^4.3.2",
0394:       "espree": "^10.0.1",
0395:       "globals": "^14.0.0",
0396:       "ignore": "^5.2.0",
0397:       "import-fresh": "^3.2.1",
0398:       "js-yaml": "^4.1.1",
0399:       "minimatch": "^3.1.5",
0400:       "strip-json-comments": "^3.1.1"
0401:     },
0402:     "engines": {
0403:       "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
0404:     },
0405:     "funding": {
0406:       "url": "https://opencollective.com/eslint"
0407:     }
0408:   },
0409:   "node_modules/@eslint/eslintrc/node_modules/globals": {
0410:     "version": "14.0.0",
0411:     "resolved": "https://registry.npmjs.org/globals/-/globals-14.0.0.tgz",
0412:     "integrity": "sha512-oahGvuMGqLPw/ivIYBjvSrWAFwLBeku5tpPE2f0PLi+WHffIWbuh2tCjhyQhTBPMf5E9jDEH4F0mTYg
YwbKwtQ==",
0413:     "dev": true,
0414:     "license": "MIT",
0415:     "engines": {
0416:       "node": ">=18"
0417:     },
0418:     "funding": {
0419:       "url": "https://github.com/sponsors/sindresorhus"
0420:     }
0421:   },
0422:   "node_modules/@eslint/js": {
0423:     "version": "9.39.4",
0424:     "resolved": "https://registry.npmjs.org/@eslint/js/-/js-9.39.4.tgz",
0425:     "integrity": "sha512-nE7DEIchvtiFTwBw4LfBu59PG+kCofhjsKaCWxTpt4lfRjRMqG6uMBzKXuEcyXh0HoUp9riAm7/aWY
GhXZ9cw==",
0426:     "dev": true,
0427:     "license": "MIT",
0428:     "engines": {
0429:       "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
0430:     },
0431:     "funding": {
0432:       "url": "https://eslint.org/donate"
0433:     }
0434:   },
0435:   "node_modules/@eslint/object-schema": {
0436:     "version": "2.1.7",
0437:     "resolved": "https://registry.npmjs.org/@eslint/object-schema/-/object-schema-2.1.7.tgz",
0438:     "integrity": "sha512-VtA0aymwVfZcmZbp6E2mympDIHvyjXs/12LqWYjVw6qjrFF+VK+fyG33kChz3nnK+SU5/NeH0qrTEHS
8sX030A==",
0439:     "dev": true,
0440:     "license": "Apache-2.0",
0441:     "engines": {
0442:       "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
0443:     }
0444:   },
0445:   "node_modules/@eslint/plugin-kit": {
0446:     "version": "0.4.1",
0447:     "resolved": "https://registry.npmjs.org/@eslint/plugin-kit/-/plugin-kit-0.4.1.tgz",
0448:     "integrity": "sha512-43/qtrDUokr7LJqoF2c3+RInu/t4zfrpYdoSDFYyhg52rwLV6TnOvdG4fXm7IkSB3wErkcmJS9iEhjV
t0SEjjA==",
0449:     "dev": true,
0450:     "license": "Apache-2.0",
0451:     "dependencies": {
0452:       "@eslint/core": "^0.17.0",
0453:       "levn": "^0.4.1"
0454:     },

```

```

0455:     "engines": {
0456:       "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
0457:     },
0458:   },
0459:   "node_modules/@humanfs/core": {
0460:     "version": "0.19.1",
0461:     "resolved": "https://registry.npmjs.org/@humanfs/core/-/core-0.19.1.tgz",
0462:     "integrity": "sha512-5DyQ4+1JEUZejeK1JGICcideyfUbGixgS9jNgex5nqkw+cY7WZhxBigmieN5Qnw9ZosSNVC9KQKyb+G
UaGyKUA==",
0463:     "dev": true,
0464:     "license": "Apache-2.0",
0465:     "engines": {
0466:       "node": ">=18.18.0"
0467:     },
0468:   },
0469:   "node_modules/@humanfs/node": {
0470:     "version": "0.16.7",
0471:     "resolved": "https://registry.npmjs.org/@humanfs/node/-/node-0.16.7.tgz",
0472:     "integrity": "sha512-/zUx+y0sIrG4Y43Eh2peDeKcXlRt/gET6aHfaKpuq267qXdYDFViVHfMaLyygZ0nL0kGwxFigsBy8QF
uTLUXEQ==",
0473:     "dev": true,
0474:     "license": "Apache-2.0",
0475:     "dependencies": {
0476:       "@humanfs/core": "^0.19.1",
0477:       "@humanwhocodes/retry": "^0.4.0"
0478:     },
0479:     "engines": {
0480:       "node": ">=18.18.0"
0481:     },
0482:   },
0483:   "node_modules/@humanwhocodes/module-importer": {
0484:     "version": "1.0.1",
0485:     "resolved": "https://registry.npmjs.org/@humanwhocodes/module-importer/-/module-importer-1.0.1.tgz",
0486:     "integrity": "sha512-bxveV4V8v5Yb4ncFTT3rPSgZB0pCkjfK0y4oVVVJwIuDVBRMDxrPyXRL988i5ap9m9bnyEEjWfm5WkB
mtffLfA==",
0487:     "dev": true,
0488:     "license": "Apache-2.0",
0489:     "engines": {
0490:       "node": ">=12.22"
0491:     },
0492:     "funding": {
0493:       "type": "github",
0494:       "url": "https://github.com/sponsors/nzakas"
0495:     },
0496:   },
0497:   "node_modules/@humanwhocodes/retry": {
0498:     "version": "0.4.3",
0499:     "resolved": "https://registry.npmjs.org/@humanwhocodes/retry/-/retry-0.4.3.tgz",
0500:     "integrity": "sha512-bv0Tgo9K4hfPCek+aMA81RppFKv2ySDQeMoSZuvTASywnTnVJCArCZE2FwQpvIatKu7VMRLWLR1Eaz
vVhDyhQ==",
0501:     "dev": true,
0502:     "license": "Apache-2.0",
0503:     "engines": {
0504:       "node": ">=18.18"
0505:     },
0506:     "funding": {
0507:       "type": "github",
0508:       "url": "https://github.com/sponsors/nzakas"
0509:     },
0510:   },
0511:   "node_modules/@jridgewell/gen-mapping": {
0512:     "version": "0.3.13",
0513:     "resolved": "https://registry.npmjs.org/@jridgewell/gen-mapping/-/gen-mapping-0.3.13.tgz",
0514:     "integrity": "sha512-2kkt/7niJ6MgEPxF0bYdQ6etZaA+fQvDcLKckhy1yIQ0zaokjBBjSj63/aLVjYE3qhRt5dvM+uUyfCg
6UKCBbA==",
0515:     "dev": true,
0516:     "license": "MIT",
0517:     "dependencies": {
0518:       "@jridgewell/sourcemap-codec": "^1.5.0",
0519:       "@jridgewell/trace-mapping": "^0.3.24"
0520:     },
0521:   },
0522:   "node_modules/@jridgewell/remapping": {
0523:     "version": "2.3.5",
0524:     "resolved": "https://registry.npmjs.org/@jridgewell/remapping/-/remapping-2.3.5.tgz",
0525:     "integrity": "sha512-LI9u/+laYG4Ds1TDKSJW2YPrIlcVY0wi2fUC6xB43lueCjgxV4lffOCZCtYFiH6TNOX+tQKXx97T4IK
HbhyHEQ==",
0526:     "dev": true,
0527:     "license": "MIT",
0528:     "dependencies": {
0529:       "@jridgewell/gen-mapping": "^0.3.5",
0530:       "@jridgewell/trace-mapping": "^0.3.24"
0531:     },
0532:   },

```

```

0533:     "node_modules/@jridgewell/resolve-uri": {
0534:         "version": "3.1.2",
0535:         "resolved": "https://registry.npmjs.org/@jridgewell/resolve-uri/-/resolve-uri-3.1.2.tgz",
0536:         "integrity": "sha512-bRISgCIjP20/tbWSPWMEi54QVPRZExkuD9lJL+UIxUKtwVJA8wW1Trb1jMs1RFXo1CBTNZ/5hpC9Qvm
KwdopKw==",
0537:         "dev": true,
0538:         "license": "MIT",
0539:         "engines": {
0540:             "node": ">=6.0.0"
0541:         }
0542:     },
0543:     "node_modules/@jridgewell/sourcemap-codec": {
0544:         "version": "1.5.5",
0545:         "resolved": "https://registry.npmjs.org/@jridgewell/sourcemap-codec/-/sourcemap-codec-1.5.5.tgz",
0546:         "integrity": "sha512-cYQ9310grqxueWbl+WuIUaiUaDcj7W0Q5fVhEljNVgRf0Uhy9fy2zTvfoqWsnbhb8Sl70VScFbICvJ
nLKB00g==",
0547:         "dev": true,
0548:         "license": "MIT"
0549:     },
0550:     "node_modules/@jridgewell/trace-mapping": {
0551:         "version": "0.3.31",
0552:         "resolved": "https://registry.npmjs.org/@jridgewell/trace-mapping/-/trace-mapping-0.3.31.tgz",
0553:         "integrity": "sha512-zzNR+SdQSDJzc8joaep8Q0CQR8NuYx2dIIytl1QeBEZHJ9uW6hebsrYgbz8hJwUQao3TWCmtfV8Nu
1twOLAww==",
0554:         "dev": true,
0555:         "license": "MIT",
0556:         "dependencies": {
0557:             "@jridgewell/resolve-uri": "^3.1.0",
0558:             "@jridgewell/sourcemap-codec": "^1.4.14"
0559:         }
0560:     },
0561:     "node_modules/@napi-rs/wasm-runtime": {
0562:         "version": "1.1.2",
0563:         "resolved": "https://registry.npmjs.org/@napi-rs/wasm-runtime/-/wasm-runtime-1.1.2.tgz",
0564:         "integrity": "sha512-sNXv5oLJ7ob93xkZ1XnxIsYhGYXfaG9f65/ZgyAu3qt7b3Nadc0EhLvX28hv31PgX8SZJRYrAIPQi1
QmFpLVw==",
0565:         "dev": true,
0566:         "license": "MIT",
0567:         "optional": true,
0568:         "dependencies": {
0569:             "@tybys/wasm-util": "^0.10.1"
0570:         },
0571:         "funding": {
0572:             "type": "github",
0573:             "url": "https://github.com/sponsors/Brooooooklyn"
0574:         },
0575:         "peerDependencies": {
0576:             "@emnapi/core": "^1.7.1",
0577:             "@emnapi/runtime": "^1.7.1"
0578:         }
0579:     },
0580:     "node_modules/@oxc-project/types": {
0581:         "version": "0.123.0",
0582:         "resolved": "https://registry.npmjs.org/@oxc-project/types/-/types-0.123.0.tgz",
0583:         "integrity": "sha512-YtECP/y8Mj1lSHiUWGSRzy/C6teUKLS87dEfuVKT09LgQbUsBW1rNg+MiJ4buGu3yuADV60gbIvo9/H
plA56Ew==",
0584:         "dev": true,
0585:         "license": "MIT",
0586:         "funding": {
0587:             "url": "https://github.com/sponsors/Boshen"
0588:         }
0589:     },
0590:     "node_modules/@rolldown/binding-android-arm64": {
0591:         "version": "1.0.0-rc.13",
0592:         "resolved": "https://registry.npmjs.org/@rolldown/binding-android-arm64/-/binding-android-arm64-1.0.
0-rc.13.tgz",
0593:         "integrity": "sha512-5ZiieckKH2DXAVJTNN13gNMUcCDg4Jy8ZjbXESpNqa248wg0VeYRX0iqXXD5Jz4bI9BFHgKsI2qmyJyn
stbmr+g==",
0594:         "cpu": [
0595:             "arm64"
0596:         ],
0597:         "dev": true,
0598:         "license": "MIT",
0599:         "optional": true,
0600:         "os": [
0601:             "android"
0602:         ],
0603:         "engines": {
0604:             "node": ">=20.19.0 || >=22.12.0"
0605:         }
0606:     },
0607:     "node_modules/@rolldown/binding-darwin-arm64": {
0608:         "version": "1.0.0-rc.13",
0609:         "resolved": "https://registry.npmjs.org/@rolldown/binding-darwin-arm64/-/binding-darwin-arm64-1.0.0-
rc.13.tgz",

```



```

0610:      "integrity": "sha512-tz/v/8G77seu8zAB3A5sK3UFo0l06zcshEzhU062sAEtrEuW/H1CcyoupOrD+NbQJytYgA4CppXPzLr
mp4JZKA==" ,
0611:      "cpu": [
0612:        "arm64"
0613:      ],
0614:      "dev": true,
0615:      "license": "MIT",
0616:      "optional": true,
0617:      "os": [
0618:        "darwin"
0619:      ],
0620:      "engines": {
0621:        "node": "^20.19.0 || >=22.12.0"
0622:      }
0623:    },
0624:    "node_modules/@rolldown/binding-darwin-x64": {
0625:      "version": "1.0.0-rc.13",
0626:      "resolved": "https://registry.npmjs.org/@rolldown/binding-darwin-x64/-/binding-darwin-x64-1.0.0-rc.1
3.tgz",
0627:      "integrity": "sha512-8Dakphq0z8JrMYWTJmWA+vDJxut6LijZ8Xcdc4fL0lAhU7PNVwo2MawBF9iXjJAPo5rC/IxEFZDhJ3G
C7NHvug==" ,
0628:      "cpu": [
0629:        "x64"
0630:      ],
0631:      "dev": true,
0632:      "license": "MIT",
0633:      "optional": true,
0634:      "os": [
0635:        "darwin"
0636:      ],
0637:      "engines": {
0638:        "node": "^20.19.0 || >=22.12.0"
0639:      }
0640:    },
0641:    "node_modules/@rolldown/binding-freebsd-x64": {
0642:      "version": "1.0.0-rc.13",
0643:      "resolved": "https://registry.npmjs.org/@rolldown/binding-freebsd-x64/-/binding-freebsd-x64-1.0.0-rc
.13.tgz",
0644:      "integrity": "sha512-4wBQFfjDuXYN/SVI8inBF3Aa+isq40rc6VMFbk5jcpolUBTe5cYnMsHZ51nFwsx3PVyyNN3vgoESki0
Hmr/4BA==" ,
0645:      "cpu": [
0646:        "x64"
0647:      ],
0648:      "dev": true,
0649:      "license": "MIT",
0650:      "optional": true,
0651:      "os": [
0652:        "freebsd"
0653:      ],
0654:      "engines": {
0655:        "node": "^20.19.0 || >=22.12.0"
0656:      }
0657:    },
0658:    "node_modules/@rolldown/binding-linux-arm-gnueabihf": {
0659:      "version": "1.0.0-rc.13",
0660:      "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-arm-gnueabihf/-/binding-linux-arm-gn
ueabihf-1.0.0-rc.13.tgz",
0661:      "integrity": "sha512-JW/e4yPIXLms+jmbwwy5LA/LxVwZUWLN8xug+V200wzaVi5TEGIWqlh8o91gWYfXw609euI980CCem
mWGuPrw==" ,
0662:      "cpu": [
0663:        "arm"
0664:      ],
0665:      "dev": true,
0666:      "license": "MIT",
0667:      "optional": true,
0668:      "os": [
0669:        "linux"
0670:      ],
0671:      "engines": {
0672:        "node": "^20.19.0 || >=22.12.0"
0673:      }
0674:    },
0675:    "node_modules/@rolldown/binding-linux-arm64-gnu": {
0676:      "version": "1.0.0-rc.13",
0677:      "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-arm64-gnu/-/binding-linux-arm64-gnu-
1.0.0-rc.13.tgz",
0678:      "integrity": "sha512-ZfKwPxIUymDnavepCaM6KG/uGydJ4l2nBmMxg60Ci4CbeefpqjPwpfaZM7PTThOkh2dssqBAcwLc6rAy
r0uTdXg==" ,
0679:      "cpu": [
0680:        "arm64"
0681:      ],
0682:      "dev": true,
0683:      "license": "MIT",
0684:      "optional": true,

```

```

0685:     "os": [
0686:         "linux"
0687:     ],
0688:     "engines": {
0689:         "node": "^20.19.0 || >=22.12.0"
0690:     }
0691: },
0692:     "node_modules/@rolldown/binding-linux-arm64-musl": {
0693:         "version": "1.0.0-rc.13",
0694:         "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-arm64-musl/-/binding-linux-arm64-musl-1.0.0-rc.13.tgz",
0695:         "integrity": "sha512-bmRg306Z0gq9yodKKWCipnlH051sEfdVwt+6m5UDffAQMUUQ0xjnQqqAUm+Gu7ofAAly9DqiQDtKu2nPDEABA==",
0696:         "cpu": [
0697:             "arm64"
0698:         ],
0699:         "dev": true,
0700:         "license": "MIT",
0701:         "optional": true,
0702:         "os": [
0703:             "linux"
0704:         ],
0705:         "engines": {
0706:             "node": "^20.19.0 || >=22.12.0"
0707:         }
0708:     },
0709:     "node_modules/@rolldown/binding-linux-ppc64-gnu": {
0710:         "version": "1.0.0-rc.13",
0711:         "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-ppc64-gnu/-/binding-linux-ppc64-gnu-1.0.0-rc.13.tgz",
0712:         "integrity": "sha512-8Wtnbw4k7pMYN9B/m0EASQ8H0iq7AZ31Ig4M9BKn2So4xRaFEhtCSa4ZJaout0Wq50zpgR4N5+L/opnlaCx8wQ==",
0713:         "cpu": [
0714:             "ppc64"
0715:         ],
0716:         "dev": true,
0717:         "license": "MIT",
0718:         "optional": true,
0719:         "os": [
0720:             "linux"
0721:         ],
0722:         "engines": {
0723:             "node": "^20.19.0 || >=22.12.0"
0724:         }
0725:     },
0726:     "node_modules/@rolldown/binding-linux-s390x-gnu": {
0727:         "version": "1.0.0-rc.13",
0728:         "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-s390x-gnu/-/binding-linux-s390x-gnu-1.0.0-rc.13.tgz",
0729:         "integrity": "sha512-D/0Nlo8mQuxSMohNJUF2lDXWRsFDsHldfRRgD9bRgktj+EndGPj4DOV37LqDKPYS+osdyhZEH7fTakTAECw7qg==",
0730:         "cpu": [
0731:             "s390x"
0732:         ],
0733:         "dev": true,
0734:         "license": "MIT",
0735:         "optional": true,
0736:         "os": [
0737:             "linux"
0738:         ],
0739:         "engines": {
0740:             "node": "^20.19.0 || >=22.12.0"
0741:         }
0742:     },
0743:     "node_modules/@rolldown/binding-linux-x64-gnu": {
0744:         "version": "1.0.0-rc.13",
0745:         "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-x64-gnu/-/binding-linux-x64-gnu-1.0.0-rc.13.tgz",
0746:         "integrity": "sha512-eRrPvat2YaVQcwwKi/JzOP6MKf1WRn0Cr+VaI3cTWz3ZolcP/654z90lVCJ4dAuMEpPdke0n+qyAqXDZdIC4rA==",
0747:         "cpu": [
0748:             "x64"
0749:         ],
0750:         "dev": true,
0751:         "license": "MIT",
0752:         "optional": true,
0753:         "os": [
0754:             "linux"
0755:         ],
0756:         "engines": {
0757:             "node": "^20.19.0 || >=22.12.0"
0758:         }
0759:     },
0760:     "node_modules/@rolldown/binding-linux-x64-musl": {

```

```

0761:     "version": "1.0.0-rc.13",
0762:     "resolved": "https://registry.npmjs.org/@rolldown/binding-linux-x64-musl/-/binding-linux-x64-musl-1.
0.0-rc.13.tgz",
0763:     "integrity": "sha512-Psd0NiFRp8hR8KgVjTWjZ9s7uA3uueWL0t74/cKHfM4dR5zXYv4AjB8BvA+QDToqxAFg4ZkcVEqu5F
7inoz5w==",
0764:     "cpu": [
0765:         "x64"
0766:     ],
0767:     "dev": true,
0768:     "license": "MIT",
0769:     "optional": true,
0770:     "os": [
0771:         "linux"
0772:     ],
0773:     "engines": {
0774:         "node": "^20.19.0 || >=22.12.0"
0775:     }
0776: },
0777: "node_modules/@rolldown/binding-openharmony-arm64": {
0778:     "version": "1.0.0-rc.13",
0779:     "resolved": "https://registry.npmjs.org/@rolldown/binding-openharmony-arm64/-/binding-openharmony-ar
m64-1.0.0-rc.13.tgz",
0780:     "integrity": "sha512-hCNXgC5dI3TVOLrPT++PKFNZ+1EtS0mLQwfXXXSUD+rG1B65gZDwN/IDuxLpQP4x8RYYHqGomLUXzp
08aVI2w==",
0781:     "cpu": [
0782:         "arm64"
0783:     ],
0784:     "dev": true,
0785:     "license": "MIT",
0786:     "optional": true,
0787:     "os": [
0788:         "openharmony"
0789:     ],
0790:     "engines": {
0791:         "node": "^20.19.0 || >=22.12.0"
0792:     }
0793: },
0794: "node_modules/@rolldown/binding-wasm32-wasi": {
0795:     "version": "1.0.0-rc.13",
0796:     "resolved": "https://registry.npmjs.org/@rolldown/binding-wasm32-wasi/-/binding-wasm32-wasi-1.0.0-rc
.13.tgz",
0797:     "integrity": "sha512-viLS5C5et8NFtLWw9Sw3M/w4vvnVkbWk07wSNh3C+7G1+uCkGpr6PcjNDSFcNtmXY/4trjPBQufcOL+
P3swy/g==",
0798:     "cpu": [
0799:         "wasm32"
0800:     ],
0801:     "dev": true,
0802:     "license": "MIT",
0803:     "optional": true,
0804:     "dependencies": {
0805:         "@emnapi/core": "1.9.1",
0806:         "@emnapi/runtime": "1.9.1",
0807:         "@napi-rs/wasm-runtime": "^1.1.2"
0808:     },
0809:     "engines": {
0810:         "node": ">=14.0.0"
0811:     }
0812: },
0813: "node_modules/@rolldown/binding-win32-arm64-msvc": {
0814:     "version": "1.0.0-rc.13",
0815:     "resolved": "https://registry.npmjs.org/@rolldown/binding-win32-arm64-msvc/-/binding-win32-arm64-msv
c-1.0.0-rc.13.tgz",
0816:     "integrity": "sha512-Fqa3Tlt1xL4wzmAYxGNFV36Hb+VfPc9PYU+E25DAnswXv30DDu/yyWjQDbXMo5AGWkQVjLgQExuVu8I
/UaZhPQ==",
0817:     "cpu": [
0818:         "arm64"
0819:     ],
0820:     "dev": true,
0821:     "license": "MIT",
0822:     "optional": true,
0823:     "os": [
0824:         "win32"
0825:     ],
0826:     "engines": {
0827:         "node": "^20.19.0 || >=22.12.0"
0828:     }
0829: },
0830: "node_modules/@rolldown/binding-win32-x64-msvc": {
0831:     "version": "1.0.0-rc.13",
0832:     "resolved": "https://registry.npmjs.org/@rolldown/binding-win32-x64-msvc/-/binding-win32-x64-msvc-1.
0.0-rc.13.tgz",
0833:     "integrity": "sha512-/pLI5kPkGEi44TDlnbio3St/5gUFeN51YwNAk/Gnv6mEQB0ahRBh52qVfVBpmrnu01n2yysvBML9Ynu
7K4kGAQ==",
0834:     "cpu": [

```

```

0835:         "x64"
0836:     ],
0837:     "dev": true,
0838:     "license": "MIT",
0839:     "optional": true,
0840:     "os": [
0841:         "win32"
0842:     ],
0843:     "engines": {
0844:         "node": "^20.19.0 || >=22.12.0"
0845:     }
0846: },
0847: "node_modules/@rolldown/pluginutils": {
0848:     "version": "1.0.0-rc.7",
0849:     "resolved": "https://registry.npmjs.org/@rolldown/pluginutils/-/pluginutils-1.0.0-rc.7.tgz",
0850:     "integrity": "sha512-qujRfC8sFVInYSPMLQByRh7zhwkGFS4+tyMQ83srV1qrxL4g8E2tyxVVyxd0+8QeBM1mIk9KbWxkeg
Rr76XzA==",
0851:     "dev": true,
0852:     "license": "MIT"
0853: },
0854: "node_modules/@tybys/wasm-util": {
0855:     "version": "0.10.1",
0856:     "resolved": "https://registry.npmjs.org/@tybys/wasm-util/-/wasm-util-0.10.1.tgz",
0857:     "integrity": "sha512-9tTaPJLSiejZX+Bmog4uSubteqTvFrVrURwkmHixBo0G4seD0zUxp98E1DzUBJxLQ3NPwXrGKDiVjw
x/DpPsg==",
0858:     "dev": true,
0859:     "license": "MIT",
0860:     "optional": true,
0861:     "dependencies": {
0862:         "tslib": "^2.4.0"
0863:     }
0864: },
0865: "node_modules/@types/estree": {
0866:     "version": "1.0.8",
0867:     "resolved": "https://registry.npmjs.org/@types/estree/-/estree-1.0.8.tgz",
0868:     "integrity": "sha512-dWHzHa2WqEXI/01E90jrocMTKJl2mSrEolh1Iomrv6U+JuNwaHXsXx9bLu5gG7BUWFIn0skIQJQ/L1r
Iex4X6w==",
0869:     "dev": true,
0870:     "license": "MIT"
0871: },
0872: "node_modules/@types/json-schema": {
0873:     "version": "7.0.15",
0874:     "resolved": "https://registry.npmjs.org/@types/json-schema/-/json-schema-7.0.15.tgz",
0875:     "integrity": "sha512-5+fp8P8MFNC+AyZCDxrB2pkZFPgZqQWUzpSeuuVLvm8VMcorNYavBqoFcXK8bQz4Qsbn4oUEEm4wDL
fcysGHA==",
0876:     "dev": true,
0877:     "license": "MIT"
0878: },
0879: "node_modules/@types/react": {
0880:     "version": "19.2.14",
0881:     "resolved": "https://registry.npmjs.org/@types/react/-/react-19.2.14.tgz",
0882:     "integrity": "sha512-1lcTH/UniCkMdtexkoCN0bI7pMcJDvmQFPvuPvmEaYA/NSfFTAgdUSLAoVjaRJM7+6PvcM+q1zY0wS4
wTYMF9w==",
0883:     "dev": true,
0884:     "license": "MIT",
0885:     "dependencies": {
0886:         "csstype": "^3.2.2"
0887:     }
0888: },
0889: "node_modules/@types/react-dom": {
0890:     "version": "19.2.3",
0891:     "resolved": "https://registry.npmjs.org/@types/react-dom/-/react-dom-19.2.3.tgz",
0892:     "integrity": "sha512-jp2L/eY6fn+KgVVQA0qYItbF0VY/Yape5Mz2F0aykS08gx31bYCZyvSeYxCHKvzHG5eZjc+zYaS5BrB
Wya2+kQ==",
0893:     "dev": true,
0894:     "license": "MIT",
0895:     "peerDependencies": {
0896:         "@types/react": "^19.2.0"
0897:     }
0898: },
0899: "node_modules/@vitejs/plugin-react": {
0900:     "version": "6.0.1",
0901:     "resolved": "https://registry.npmjs.org/@vitejs/plugin-react/-/plugin-react-6.0.1.tgz",
0902:     "integrity": "sha512-l9X/E3cDb+xY3SwzLG1M0Gt2usfEHGMNIaegaUGFsLkb3RCn/k8/TOXBcab+0ndDI4TBtkT8/9BwwW
8Vi9KUQ==",
0903:     "dev": true,
0904:     "license": "MIT",
0905:     "dependencies": {
0906:         "@rolldown/pluginutils": "1.0.0-rc.7"
0907:     },
0908:     "engines": {
0909:         "node": "^20.19.0 || >=22.12.0"
0910:     },
0911:     "peerDependencies": {

```

```

0912:     "@rolldown/plugin-babel": "^0.1.7 || ^0.2.0",
0913:     "babel-plugin-react-compiler": "^1.0.0",
0914:     "vite": "^8.0.0"
0915:   },
0916:   "peerDependenciesMeta": {
0917:     "@rolldown/plugin-babel": {
0918:       "optional": true
0919:     },
0920:     "babel-plugin-react-compiler": {
0921:       "optional": true
0922:     }
0923:   }
0924: },
0925: "node_modules/acorn": {
0926:   "version": "8.16.0",
0927:   "resolved": "https://registry.npmjs.org/acorn/-/acorn-8.16.0.tgz",
0928:   "integrity": "sha512-UUVjE9Mtt0sBQIDKw1skb9nAwQuR5wuGD3+82K6JgJlm/Y+KI920nSMNGZCYdDsVtRHSak0pcV5Dno5
+4jh9Sw==",
0929:   "dev": true,
0930:   "license": "MIT",
0931:   "bin": {
0932:     "acorn": "bin/acorn"
0933:   },
0934:   "engines": {
0935:     "node": ">=0.4.0"
0936:   }
0937: },
0938: "node_modules/acorn-jsx": {
0939:   "version": "5.3.2",
0940:   "resolved": "https://registry.npmjs.org/acorn-jsx/-/acorn-jsx-5.3.2.tgz",
0941:   "integrity": "sha512-rq9s+JNhf0IChjtDXxllJ7g41oZk5SLxtp0LHwyA5cejwn7vKmKp4pPri6YEePv2PU65sAsegbXtIin
mDFDXgQ==",
0942:   "dev": true,
0943:   "license": "MIT",
0944:   "peerDependencies": {
0945:     "acorn": "^6.0.0 || ^7.0.0 || ^8.0.0"
0946:   }
0947: },
0948: "node_modules/ajv": {
0949:   "version": "6.14.0",
0950:   "resolved": "https://registry.npmjs.org/ajv/-/ajv-6.14.0.tgz",
0951:   "integrity": "sha512-WJF032611Gt1H9G3N8LqKl2jJH0w4+2O1q61YUq7FqWp49rYJKq43Rb8+qR7Q31j3+QW4v3v3V3
vSePKFw==",
0952:   "dev": true,
0953:   "license": "MIT",
0954:   "dependencies": {
0955:     "fast-deep-equal": "^3.1.1",
0956:     "fast-json-stable-stringify": "^2.0.0",
0957:     "json-schema-traverse": "^0.4.1",
0958:     "uri-js": "^4.2.2"
0959:   },
0960:   "funding": {
0961:     "type": "github",
0962:     "url": "https://github.com/sponsors/epoberezkin"
0963:   }
0964: },
0965: "node_modules/ansi-styles": {
0966:   "version": "4.3.0",
0967:   "resolved": "https://registry.npmjs.org/ansi-styles/-/ansi-styles-4.3.0.tgz",
0968:   "integrity": "sha512-zbB9rCJAT1rbjiVDb2hqKFHNYLxgtk8NURxZ3IZwD3F6NtxbXZQCnnSi1Lkx+IDohdPlFp222wVALIh
eZJQSEg==",
0969:   "dev": true,
0970:   "license": "MIT",
0971:   "dependencies": {
0972:     "color-convert": "^2.0.1"
0973:   },
0974:   "engines": {
0975:     "node": ">=8"
0976:   },
0977:   "funding": {
0978:     "url": "https://github.com/chalk/ansi-styles?sponsor=1"
0979:   }
0980: },
0981: "node_modules/argparse": {
0982:   "version": "2.0.1",
0983:   "resolved": "https://registry.npmjs.org/argparse/-/argparse-2.0.1.tgz",
0984:   "integrity": "sha512-8+UgI9ADfUZFegz0W043keABgRO2b9JF4mGegXmcigUc7rlBho2i8mZLkFgVtIH0wFgqleA8vKRLqruc7
DvurK3Q==",
0985:   "dev": true,
0986:   "license": "Python-2.0"
0987: },
0988: "node_modules/balanced-match": {
0989:   "version": "1.0.2",
0990:   "resolved": "https://registry.npmjs.org/balanced-match/-/balanced-match-1.0.2.tgz",

```

```

0991:      "integrity": "sha512-3oSeU00TMV67hN1AmbXsK4yaqU7tjiHlxbxRDZ0pH0KW9+CeX4bRAaX0Anxt0tx2MrpRpWwQaPwIlISE
JhYU5Pw==",
0992:      "dev": true,
0993:      "license": "MIT"
0994:    },
0995:    "node_modules/baseline-browser-mapping": {
0996:      "version": "2.10.16",
0997:      "resolved": "https://registry.npmjs.org/baseline-browser-mapping/-/baseline-browser-mapping-2.10.16.
tgz",
0998:      "integrity": "sha512-Lyf3ak28zpsD1yQMiiHD4RvVb6UdMoo8xzG2XzFIFR9luPz0pcBlAsT/qfB1XWS1bxWT+Ute4WmQgsp
297FY0A==",
0999:      "dev": true,
1000:      "license": "Apache-2.0",
1001:      "bin": {
1002:        "baseline-browser-mapping": "dist/cli.cjs"
1003:      },
1004:      "engines": {
1005:        "node": ">=6.0.0"
1006:      }
1007:    },
1008:    "node_modules/brace-expansion": {
1009:      "version": "1.1.13",
1010:      "resolved": "https://registry.npmjs.org/brace-expansion/-/brace-expansion-1.1.13.tgz",
1011:      "integrity": "sha512-9ZlGZay1slcL6529Nz0rk18V0o5rU/YYV5Pn8t9qg0wpUMENH02601pWTvmT5Z5E7ais5PzRPy/hx5UgHw
HDQiG/w==",
1012:      "dev": true,
1013:      "license": "MIT",
1014:      "dependencies": {
1015:        "balanced-match": "^1.0.0",
1016:        "concat-map": "0.0.1"
1017:      }
1018:    },
1019:    "node_modules/browserslist": {
1020:      "version": "4.28.2",
1021:      "resolved": "https://registry.npmjs.org/browserslist/-/browserslist-4.28.2.tgz",
1022:      "integrity": "sha512-48xSriZYYg+8qXna9kwqjIVzuQxi+KYWp2+5nCYNKPTTr0LvD89Jqk20r5ogxz0NUMfIjhh2liUX/Ly
X9B4oIg==",
1023:      "dev": true,
1024:      "funding": [
1025:        {
1026:          "type": "opencollective",
1027:          "url": "https://opencollective.com/browserslist"
1028:        },
1029:        {
1030:          "type": "tidelift",
1031:          "url": "https://tidelift.com/funding/github/npm/browserslist"
1032:        },
1033:        {
1034:          "type": "github",
1035:          "url": "https://github.com/sponsors/ai"
1036:        }
1037:      ],
1038:      "license": "MIT",
1039:      "dependencies": {
1040:        "baseline-browser-mapping": "^2.10.12",
1041:        "caniuse-lite": "^1.0.30001782",
1042:        "electron-to-chromium": "^1.5.328",
1043:        "node-releases": "^2.0.36",
1044:        "update-browserslist-db": "^1.2.3"
1045:      },
1046:      "bin": {
1047:        "browserslist": "cli.js"
1048:      },
1049:      "engines": {
1050:        "node": "^6 || ^7 || ^8 || ^9 || ^10 || ^11 || ^12 || >=13.7"
1051:      }
1052:    },
1053:    "node_modules/callsites": {
1054:      "version": "3.1.0",
1055:      "resolved": "https://registry.npmjs.org/callsites/-/callsites-3.1.0.tgz",
1056:      "integrity": "sha512-pZ/xH1taeSMxS9NkDnCl9bEcnkLUyUHmsPG3WYqn7U17OjNr+wUH51rm9IC58T4PvCP2UR79Jc9U6UQIWw
uE7ssaQ==",
1057:      "dev": true,
1058:      "license": "MIT",
1059:      "engines": {
1060:        "node": ">=6"
1061:      }
1062:    },
1063:    "node_modules/caniuse-lite": {
1064:      "version": "1.0.30001786",
1065:      "resolved": "https://registry.npmjs.org/caniuse-lite/-/caniuse-lite-1.0.30001786.tgz",
1066:      "integrity": "sha512-4oxTZEvqmLLrERwx076yFKM7acZo310U+v4kqexI2TL1DkkUEMT8U1jrxxcnVdxR3qkVf5awGRX+4Z6
aPHVKrA==",
1067:      "dev": true,

```

```

1068:     "funding": [
1069:       {
1070:         "type": "opencollective",
1071:         "url": "https://opencollective.com/browserslist"
1072:       },
1073:       {
1074:         "type": "tidelift",
1075:         "url": "https://tidelift.com/funding/github/npm/caniuse-lite"
1076:       },
1077:       {
1078:         "type": "github",
1079:         "url": "https://github.com/sponsors/ai"
1080:       }
1081:     ],
1082:     "license": "CC-BY-4.0"
1083:   },
1084:   "node_modules/chalk": {
1085:     "version": "4.1.2",
1086:     "resolved": "https://registry.npmjs.org/chalk/-/chalk-4.1.2.tgz",
1087:     "integrity": "sha512-oKnBHfYRIXpUuez8iBMMyEa4nbj4I0Qyuhc/wy9kY7/WVPCwI09VA668Pu8Rk07+0G76SLR0eyw9CpQ
061i4mA==",
1088:     "dev": true,
1089:     "license": "MIT",
1090:     "dependencies": {
1091:       "ansi-styles": "^4.1.0",
1092:       "supports-color": "^7.1.0"
1093:     },
1094:     "engines": {
1095:       "node": ">=10"
1096:     },
1097:     "funding": {
1098:       "url": "https://github.com/chalk/chalk?sponsor=1"
1099:     }
1100:   },
1101:   "node_modules/color-convert": {
1102:     "version": "2.0.1",
1103:     "resolved": "https://registry.npmjs.org/color-convert/-/color-convert-2.0.1.tgz",
1104:     "integrity": "sha512-rREPCsj7iu/xb5oKYcsFHSppFNnsj/520VTRKb4zP5onXwVF3zVmmToNcOfGC+CRDPfK/U584fMg38Z
HcAElkQ==",
1105:     "dev": true,
1106:     "license": "MIT",
1107:     "dependencies": {
1108:       "color-name": "~1.1.4"
1109:     },
1110:     "engines": {
1111:       "node": ">=7.0.0"
1112:     }
1113:   },
1114:   "node_modules/color-name": {
1115:     "version": "1.1.4",
1116:     "resolved": "https://registry.npmjs.org/color-name/-/color-name-1.1.4.tgz",
1117:     "integrity": "sha512-d0y+3AuW3a2wNbZHIuMZpTcgjGuLU/uBL/ubcZF9OXbDo8ff408yVp5Bf0efS8uEoY5q4Fx7dY90gQ
GXgAsQA==",
1118:     "dev": true,
1119:     "license": "MIT"
1120:   },
1121:   "node_modules/concat-map": {
1122:     "version": "0.0.1",
1123:     "resolved": "https://registry.npmjs.org/concat-map/-/concat-map-0.0.1.tgz",
1124:     "integrity": "sha512-/Srv4dswyQNBfohgPz9o6Yb3Gz3SrUDqBH5rTuhGR7ahtlbYKnVxw2bCFMRLjaA7EXHaXZ8wsHdodFv
bkhKmqg==",
1125:     "dev": true,
1126:     "license": "MIT"
1127:   },
1128:   "node_modules/convert-source-map": {
1129:     "version": "2.0.0",
1130:     "resolved": "https://registry.npmjs.org/convert-source-map/-/convert-source-map-2.0.0.tgz",
1131:     "integrity": "sha512-Kvp459HrV2FEJ1CA5i1Ku+MY3kasH19TFykTz2xWmMeq6bk2NU3XXvfJ+Q61m0xktWwt+1HSYf3JZsT
ms3aRJg==",
1132:     "dev": true,
1133:     "license": "MIT"
1134:   },
1135:   "node_modules/cookie": {
1136:     "version": "1.1.1",
1137:     "resolved": "https://registry.npmjs.org/cookie/-/cookie-1.1.1.tgz",
1138:     "integrity": "sha512-qi8qS13W0R8U31W601Y93qT2D328UWW03N957X9583M0u2u30bdy0j93IqF5ot8j14fW38ZyEz88
dcqSidQ==",
1139:     "license": "MIT",
1140:     "engines": {
1141:       "node": ">=18"
1142:     },
1143:     "funding": {
1144:       "type": "opencollective",
1145:       "url": "https://opencollective.com/express"

```

```

1146:     }
1147:   },
1148:   "node_modules/cross-spawn": {
1149:     "version": "7.0.6",
1150:     "resolved": "https://registry.npmjs.org/cross-spawn/-/cross-spawn-7.0.6.tgz",
1151:     "integrity": "sha512-uV2Q0WP2nWzsy2aMp8aRibhi9dlzF5Hgh5SHaB90iTGEdTiJJyx0uy51QXdywbTAHNua4XJzUKca30
zkUd3vA==",
1152:     "dev": true,
1153:     "license": "MIT",
1154:     "dependencies": {
1155:       "path-key": "^3.1.0",
1156:       "shebang-command": "^2.0.0",
1157:       "which": "^2.0.1"
1158:     },
1159:     "engines": {
1160:       "node": ">= 8"
1161:     }
1162:   },
1163:   "node_modules/csstype": {
1164:     "version": "3.2.3",
1165:     "resolved": "https://registry.npmjs.org/csstype/-/csstype-3.2.3.tgz",
1166:     "integrity": "sha512-z1HGKcYy2xA8AGQfwrn0PAY+PB7X/GSj3UVJw9qKyn43xWa+gl5nXmU4qqLMRzWVLC8KusUX8T/0kC
i0YpAIQ==",
1167:     "dev": true,
1168:     "license": "MIT"
1169:   },
1170:   "node_modules/debug": {
1171:     "version": "4.4.3",
1172:     "resolved": "https://registry.npmjs.org/debug/-/debug-4.4.3.tgz",
1173:     "integrity": "sha512-RGwwWnwQvKvFavKvT22FGLw+XYSdzARwm0ru6DhTVA3umU5hZc28V3k04stgYrYrTlLpuvGI9GiiJlt
AjNbcqA==",
1174:     "dev": true,
1175:     "license": "MIT",
1176:     "dependencies": {
1177:       "ms": "^2.1.3"
1178:     },
1179:     "engines": {
1180:       "node": ">=6.0"
1181:     },
1182:     "peerDependenciesMeta": {
1183:       "supports-color": {
1184:         "optional": true
1185:       }
1186:     }
1187:   },
1188:   "node_modules/deep-is": {
1189:     "version": "0.1.4",
1190:     "resolved": "https://registry.npmjs.org/deep-is/-/deep-is-0.1.4.tgz",
1191:     "integrity": "sha512-oIPzksmTg4/MriiaYG0+okXDT7ztN/w3Eptv/+gSIdMdkSJo0u4CfYnFJPY+4SKMuCqGw2wxnA+URMg
3t8a/bQ==",
1192:     "dev": true,
1193:     "license": "MIT"
1194:   },
1195:   "node_modules/detect-libc": {
1196:     "version": "2.1.2",
1197:     "resolved": "https://registry.npmjs.org/detect-libc/-/detect-libc-2.1.2.tgz",
1198:     "integrity": "sha512-Bttw8Bk4288X8F+QeRtddH9NR9Uavla6S35aN7XW60NfM1Q/rbEqn07mC48O7Y3dJ8k8/1S6QdUoYOxq4
mzihBtQ==",
1199:     "dev": true,
1200:     "license": "Apache-2.0",
1201:     "engines": {
1202:       "node": ">=8"
1203:     }
1204:   },
1205:   "node_modules/electron-to-chromium": {
1206:     "version": "1.5.332",
1207:     "resolved": "https://registry.npmjs.org/electron-to-chromium/-/electron-to-chromium-1.5.332.tgz",
1208:     "integrity": "sha512-700tytmh/rINMLwaFTbcMVVYX03AUm029X0LcyfYk0B557RlPkdpTpnH9+htMlfu5dKwOmT0+Zs2Aw+
lnn6TeQ==",
1209:     "dev": true,
1210:     "license": "ISC"
1211:   },
1212:   "node_modules/escalade": {
1213:     "version": "3.2.0",
1214:     "resolved": "https://registry.npmjs.org/escalade/-/escalade-3.2.0.tgz",
1215:     "integrity": "sha512-WjTjUwN4P8nDkrmFmjk0I8s395P6vKCLt53diutB5tZilzHooO92uHqg0Cn9YF76yYvQ9kO2u65JEF8d9MS
+bje/jA==",
1216:     "dev": true,
1217:     "license": "MIT",
1218:     "engines": {
1219:       "node": ">=6"
1220:     }
1221:   },
1222:   "node_modules/escape-string-regexp": {

```



```

1223:     "version": "4.0.0",
1224:     "resolved": "https://registry.npmjs.org/escape-string-regexp/-/escape-string-regexp-4.0.0.tgz",
1225:     "integrity": "sha512-TtpcN3XA3G8sWRzJavajRs0uVxAYakdb1jm2YkPz4G6egUFAyA3n5vtEIZefPk5WaUXbKuS5f
KkJWdgA==",
1226:     "dev": true,
1227:     "license": "MIT",
1228:     "engines": {
1229:       "node": ">=10"
1230:     },
1231:     "funding": {
1232:       "url": "https://github.com/sponsors/sindresorhus"
1233:     }
1234:   },
1235:   "node_modules/eslint": {
1236:     "version": "9.39.4",
1237:     "resolved": "https://registry.npmjs.org/eslint/-/eslint-9.39.4.tgz",
1238:     "integrity": "sha512-XoMjdBOwe/esVgEvLmNsD3IRHkm7fbKIUGvrleloJXUZgDHig2IPWnniv+GwjyJXzuNqVjlr5+4yVUZ
jycJwfQ==",
1239:     "dev": true,
1240:     "license": "MIT",
1241:     "dependencies": {
1242:       "@eslint-community/eslint-utils": "^4.8.0",
1243:       "@eslint-community/regexpp": "^4.12.1",
1244:       "@eslint/config-array": "^0.21.2",
1245:       "@eslint/config-helpers": "^0.4.2",
1246:       "@eslint/core": "^0.17.0",
1247:       "@eslint/eslintrc": "^3.3.5",
1248:       "@eslint/js": "9.39.4",
1249:       "@eslint/plugin-kit": "^0.4.1",
1250:       "@humanfs/node": "^0.16.6",
1251:       "@humanwhocodes/module-importer": "^1.0.1",
1252:       "@humanwhocodes/retry": "^0.4.2",
1253:       "@types/estree": "^1.0.6",
1254:       "ajv": "^6.14.0",
1255:       "chalk": "^4.0.0",
1256:       "cross-spawn": "^7.0.6",
1257:       "debug": "^4.3.2",
1258:       "escape-string-regexp": "^4.0.0",
1259:       "eslint-scope": "^8.4.0",
1260:       "eslint-visitor-keys": "^4.2.1",
1261:       "espree": "^10.4.0",
1262:       "esquery": "^1.5.0",
1263:       "esutils": "^2.0.2",
1264:       "fast-deep-equal": "^3.1.3",
1265:       "file-entry-cache": "^8.0.0",
1266:       "find-up": "^5.0.0",
1267:       "glob-parent": "^6.0.2",
1268:       "ignore": "^5.2.0",
1269:       "imurmurhash": "^0.1.4",
1270:       "is-glob": "^4.0.0",
1271:       "json-stable-stringify-without-jsonify": "^1.0.1",
1272:       "lodash.merge": "^4.6.2",
1273:       "minimatch": "^3.1.5",
1274:       "natural-compare": "^1.4.0",
1275:       "optionator": "^0.9.3"
1276:     },
1277:     "bin": {
1278:       "eslint": "bin/eslint.js"
1279:     },
1280:     "engines": {
1281:       "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
1282:     },
1283:     "funding": {
1284:       "url": "https://eslint.org/donate"
1285:     },
1286:     "peerDependencies": {
1287:       "jiti": "*"
1288:     },
1289:     "peerDependenciesMeta": {
1290:       "jiti": {
1291:         "optional": true
1292:       }
1293:     },
1294:   },
1295:   "node_modules/eslint-plugin-react-hooks": {
1296:     "version": "7.0.1",
1297:     "resolved": "https://registry.npmjs.org/eslint-plugin-react-hooks/-/eslint-plugin-react-hooks-7.0.1.
tgz",
1298:     "integrity": "sha512-00d0m04evanZEPoSW+59Mezf8Qt0InfgGIBJnpC0h3NH/WjUAR7BIKUfysC6todmtiZ/A0oUVS8Gce0
WhBrHsA==",
1299:     "dev": true,
1300:     "license": "MIT",
1301:     "dependencies": {
1302:       "@babel/core": "^7.24.4",

```

```

1303:     "@babel/parser": "^7.24.4",
1304:     "hermes-parser": "^0.25.1",
1305:     "zod": "^3.25.0 || ^4.0.0",
1306:     "zod-validation-error": "^3.5.0 || ^4.0.0"
1307:   },
1308:   "engines": {
1309:     "node": ">=18"
1310:   },
1311:   "peerDependencies": {
1312:     "eslint": "^3.0.0 || ^4.0.0 || ^5.0.0 || ^6.0.0 || ^7.0.0 || ^8.0.0-0 || ^9.0.0"
1313:   }
1314: },
1315: "node_modules/eslint-plugin-react-refresh": {
1316:   "version": "0.5.2",
1317:   "resolved": "https://registry.npmjs.org/eslint-plugin-react-refresh/-/eslint-plugin-react-refresh-0.5.2.tgz",
1318:   "integrity": "sha512-hmgTH57GfzoTFjVN0yBwTggnsVUF2tcqi7RJZHqi9lIezSs4eFyAMkA68YD4r5kNw1mxyY4dmkyoFD
b3FIqrA==",
1319:   "dev": true,
1320:   "license": "MIT",
1321:   "peerDependencies": {
1322:     "eslint": "^9 || ^10"
1323:   }
1324: },
1325: "node_modules/eslint-scope": {
1326:   "version": "8.4.0",
1327:   "resolved": "https://registry.npmjs.org/eslint-scope/-/eslint-scope-8.4.0.tgz",
1328:   "integrity": "sha512-sNXOfKcN74rt8RICKMvJS7XKV/Xk9kA7DyJr8mJik3S7Cwgy3qlkkmyS2uQB3jiJg6VNdZd/pdBJu0n
vG2NlTg==",
1329:   "dev": true,
1330:   "license": "BSD-2-Clause",
1331:   "dependencies": {
1332:     "esrecurse": "^4.3.0",
1333:     "estraverse": "^5.2.0"
1334:   },
1335:   "engines": {
1336:     "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
1337:   },
1338:   "funding": {
1339:     "url": "https://opencollective.com/eslint"
1340:   }
1341: },
1342: "node_modules/eslint-visitor-keys": {
1343:   "version": "4.2.1",
1344:   "resolved": "https://registry.npmjs.org/eslint-visitor-keys/-/eslint-visitor-keys-4.2.1.tgz",
1345:   "integrity": "sha512-UhdK5sfqcee/9H/rCOJikYZ67o0a2Tw2hGRPOG2Y1R2dg7brRe1uG0yaNQDHu+T0/uQPF/5eCapvYSm
HUjt7JQ==",
1346:   "dev": true,
1347:   "license": "Apache-2.0",
1348:   "engines": {
1349:     "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
1350:   },
1351:   "funding": {
1352:     "url": "https://opencollective.com/eslint"
1353:   }
1354: },
1355: "node_modules/esprez": {
1356:   "version": "10.4.0",
1357:   "resolved": "https://registry.npmjs.org/esprez/-/esprez-10.4.0.tgz",
1358:   "integrity": "sha512-j6PAQ2uUr79PZhBjP5C5fhl8e39FmRn0jsD5lGnWrFU8i2G776tBK7+nP8KuQUTTyAZUwfQqXAgRVH5
MbH9CYQ==",
1359:   "dev": true,
1360:   "license": "BSD-2-Clause",
1361:   "dependencies": {
1362:     "acorn": "^8.15.0",
1363:     "acorn-jsx": "^5.3.2",
1364:     "eslint-visitor-keys": "^4.2.1"
1365:   },
1366:   "engines": {
1367:     "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
1368:   },
1369:   "funding": {
1370:     "url": "https://opencollective.com/eslint"
1371:   }
1372: },
1373: "node_modules/esquery": {
1374:   "version": "1.7.0",
1375:   "resolved": "https://registry.npmjs.org/esquery/-/esquery-1.7.0.tgz",
1376:   "integrity": "sha512-66x6Gg9lWg79IwXkpZ6+bEM9kIe8yS8eZp56ePf8OJ2XQ8Ct5644jUE146nIreHfH16Sxv0wX81lJi0Yg==",
1377:   "dev": true,
1378:   "license": "BSD-3-Clause",
1379:   "dependencies": {
1380:     "estraverse": "^5.1.0"

```

```

1381:     },
1382:     "engines": {
1383:       "node": ">=0.10"
1384:     }
1385:   },
1386:   "node_modules/esrecurse": {
1387:     "version": "4.3.0",
1388:     "resolved": "https://registry.npmjs.org/esrecurse/-/esrecurse-4.3.0.tgz",
1389:     "integrity": "sha512-KmfKL3b6G+RXvP8N1vr3Tq1kL/ocFgn2NYXEtqP8/L3pKapUA4G8cFVaoF3SU323CD4XypR/ffioHmkt
ti6/Tag==",
1390:     "dev": true,
1391:     "license": "BSD-2-Clause",
1392:     "dependencies": {
1393:       "estraverse": "^5.2.0"
1394:     },
1395:     "engines": {
1396:       "node": ">=4.0"
1397:     }
1398:   },
1399:   "node_modules/estraverse": {
1400:     "version": "5.3.0",
1401:     "resolved": "https://registry.npmjs.org/estraverse/-/estraverse-5.3.0.tgz",
1402:     "integrity": "sha512-MMdARuVEQziNTeJD8DgMqmhwR11BRQ/cBP+pLtYdSTnf3MIO8fFeiINEbX36ZdNlfU/7A9f3gUw49B3
oQsvwBA==",
1403:     "dev": true,
1404:     "license": "BSD-2-Clause",
1405:     "engines": {
1406:       "node": ">=4.0"
1407:     }
1408:   },
1409:   "node_modules/esutils": {
1410:     "version": "2.0.3",
1411:     "resolved": "https://registry.npmjs.org/esutils/-/esutils-2.0.3.tgz",
1412:     "integrity": "sha512-kVscqXk40Cp68S20dkgEKVi6/8ij300KBWTJq32P/dYewTSwK41WyTxa1N1eRmA5Z9UU/LX9D7FWSmV
9SAYx6g==",
1413:     "dev": true,
1414:     "license": "BSD-2-Clause",
1415:     "engines": {
1416:       "node": ">=0.10.0"
1417:     }
1418:   },
1419:   "node_modules/fast-deep-equal": {
1420:     "version": "3.1.3",
1421:     "resolved": "https://registry.npmjs.org/fast-deep-equal/-/fast-deep-equal-3.1.3.tgz",
1422:     "integrity": "sha512-3q93m2+xWKVilaj9iuVjqwbi4d8u7F0w5Tb75qZG/B/cz1Q9ZIzDqZwBn6PMczTtD8IzfkK5093r/Ca1
3ATR84Q==",
1423:     "dev": true,
1424:     "license": "MIT"
1425:   },
1426:   "node_modules/fast-json-stable-stringify": {
1427:     "version": "2.1.0",
1428:     "resolved": "https://registry.npmjs.org/fast-json-stable-stringify/-/fast-json-stable-stringify-2.1.
0.tgz",
1429:     "integrity": "sha512-lhd/wF+Lk98ZdTv9VGFpJ4t5m8xGPGKdr1LDmcen7G7ZPFI/5CBk1JozkXJtSPmB8C57ImM6Q4
V8xvwHw==",
1430:     "dev": true,
1431:     "license": "MIT"
1432:   },
1433:   "node_modules/fast-levenshtein": {
1434:     "version": "2.0.6",
1435:     "resolved": "https://registry.npmjs.org/fast-levenshtein/-/fast-levenshtein-2.0.6.tgz",
1436:     "integrity": "sha512-DCXu6Ihfqcks7TZKY3Hxp3y6qphY5SJZmrWMDrKcERSOXWQdMhU9Ig/PYrzyw/ul9j0Iyh0N4M0tbC5
hodg8dw==",
1437:     "dev": true,
1438:     "license": "MIT"
1439:   },
1440:   "node_modules/fdir": {
1441:     "version": "6.5.0",
1442:     "resolved": "https://registry.npmjs.org/fdir/-/fdir-6.5.0.tgz",
1443:     "integrity": "sha512-3I735b5BYyU3YU5Uy0T5J9xwHNd50kIdD9qWU0K3L/RBBqWU043CQJmHb3j3Hh0UwDQ1lPw000
KLJAnXg==",
1444:     "dev": true,
1445:     "license": "MIT",
1446:     "engines": {
1447:       "node": ">=12.0.0"
1448:     },
1449:     "peerDependencies": {
1450:       "picomatch": "^3 || ^4"
1451:     },
1452:     "peerDependenciesMeta": {
1453:       "picomatch": {
1454:         "optional": true
1455:       }
1456:     }

```

```

1457:     },
1458:     "node_modules/file-entry-cache": {
1459:       "version": "8.0.0",
1460:       "resolved": "https://registry.npmjs.org/file-entry-cache/-/file-entry-cache-8.0.0.tgz",
1461:       "integrity": "sha512-XTUwCvisa5oacNGRP9SfntYBNAMi+RPwBFmbLZEF7N7swHYQS6/Zfk7SRwx4D5j3CH211YNRco1DEM
NVfZCnQ==",
1462:       "dev": true,
1463:       "license": "MIT",
1464:       "dependencies": {
1465:         "flat-cache": "^4.0.0"
1466:       },
1467:       "engines": {
1468:         "node": ">=16.0.0"
1469:       }
1470:     },
1471:     "node_modules/find-up": {
1472:       "version": "5.0.0",
1473:       "resolved": "https://registry.npmjs.org/find-up/-/find-up-5.0.0.tgz",
1474:       "integrity": "sha512-12A8j8GVNn0r8EBCGzHfQjMYh8S8cuFqG0CsVz23a6pWdyG1UelR9q4r46R0Kw48JwRy5o3zRi4H0e384Q==",
1475:       "dev": true,
1476:       "license": "MIT",
1477:       "dependencies": {
1478:         "locate-path": "^6.0.0",
1479:         "path-exists": "^4.0.0"
1480:       },
1481:       "engines": {
1482:         "node": ">=10"
1483:       },
1484:       "funding": {
1485:         "url": "https://github.com/sponsors/sindresorhus"
1486:       }
1487:     },
1488:     "node_modules/flat-cache": {
1489:       "version": "4.0.1",
1490:       "resolved": "https://registry.npmjs.org/flat-cache/-/flat-cache-4.0.1.tgz",
1491:       "integrity": "sha512-77/xxJ3L9ZD+3W2MpSbN1J39Lz3AecK5VZp3aDf9Q83Gm7JXqVq51ZvPnX09T8t7X8s3aj00wNzKlQ==",
1492:       "dev": true,
1493:       "license": "MIT",
1494:       "dependencies": {
1495:         "flatted": "^3.2.9",
1496:         "keyv": "^4.5.4"
1497:       },
1498:       "engines": {
1499:         "node": ">=16"
1500:       }
1501:     },
1502:     "node_modules/flatted": {
1503:       "version": "3.4.2",
1504:       "resolved": "https://registry.npmjs.org/flatted/-/flatted-3.4.2.tgz",
1505:       "integrity": "sha512-7L0L7wILaFdmn5G7Qvwm1EcFf09m0Yge1P291qWcw5uU8W3Y2/1b1n0sZsY1X8LH8UjRq3Ttb18
iY0qkxA==",
1506:       "dev": true,
1507:       "license": "ISC"
1508:     },
1509:     "node_modules/fsevents": {
1510:       "version": "2.3.3",
1511:       "resolved": "https://registry.npmjs.org/fsevents/-/fsevents-2.3.3.tgz",
1512:       "integrity": "sha512-5xwafA0P83wGxwM03HNP0vh6t6R6xL5yVb5D9LgB/3HwBcH3z2UQNCVZQYl3pZ2ZQ6A2G2D2UbQ==",
1513:       "dev": true,
1514:       "hasInstallScript": true,
1515:       "license": "MIT",
1516:       "optional": true,
1517:       "os": [
1518:         "darwin"
1519:       ],
1520:       "engines": {
1521:         "node": "^8.16.0 || ^10.6.0 || >=11.0.0"
1522:       }
1523:     },
1524:     "node_modules/gensync": {
1525:       "version": "1.0.0-beta.2",
1526:       "resolved": "https://registry.npmjs.org/gensync/-/gensync-1.0.0-beta.2.tgz",
1527:       "integrity": "sha512-3hN7NaskYvMDLQY55gnW3NQ+mesEAepTqLg+VEbj7zzqEMBVNhzcGYeqFo/Tlyz6eQiFcp1HcsCZO+
nGgS8zg==",
1528:       "dev": true,
1529:       "license": "MIT",
1530:       "engines": {
1531:         "node": ">=6.9.0"
1532:       }
1533:     },
1534:     "node_modules/glob-parent": {

```

```

1535:   "version": "6.0.2",
1536:   "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-6.0.2.tgz",
1537:   "integrity": "sha512-XxwI8E0hVQgwp6iDL+3b0r86f4d6AX6zSU55HfB4ydcEuXLxc5FcYe0u+nnGftS4TEju/11rt4KJPTM
gbfmv4A==",
1538:   "dev": true,
1539:   "license": "ISC",
1540:   "dependencies": {
1541:     "is-glob": "^4.0.3"
1542:   },
1543:   "engines": {
1544:     "node": ">=10.13.0"
1545:   }
1546: },
1547: "node_modules/globals": {
1548:   "version": "17.4.0",
1549:   "resolved": "https://registry.npmjs.org/globals/-/globals-17.4.0.tgz",
1550:   "integrity": "sha512-3wv3r0wD5s1wv00g+Ox0TH7E5sIjVU3+YrYpdXpD4UwvQA1LeVSiLUMpF8o4jPdaZb1VtLW/71934gjQ==",
1551:   "dev": true,
1552:   "license": "MIT",
1553:   "engines": {
1554:     "node": ">=18"
1555:   },
1556:   "funding": {
1557:     "url": "https://github.com/sponsors/sindresorhus"
1558:   }
1559: },
1560: "node_modules/has-flag": {
1561:   "version": "4.0.0",
1562:   "resolved": "https://registry.npmjs.org/has-flag/-/has-flag-4.0.0.tgz",
1563:   "integrity": "sha512-EykJt/Q1KjQctppgIAgFSt00tKVuZUjhgMr17kqTumMl6Afsv3EI5leU7qZUzoXDFTAHTDC4N0oG/Zxu
3EvLMPQ==",
1564:   "dev": true,
1565:   "license": "MIT",
1566:   "engines": {
1567:     "node": ">=8"
1568:   }
1569: },
1570: "node_modules/hermes-estree": {
1571:   "version": "0.25.1",
1572:   "resolved": "https://registry.npmjs.org/hermes-estree/-/hermes-estree-0.25.1.tgz",
1573:   "integrity": "sha512-0wUoCcLp+5Ev5pDW20riHC2MJCbWLuRx+gAqMT0kGKJJiBCLjtrvy4PWUGn6MIVefecRpzoOZ/UV6i
GdOr+Cw==",
1574:   "dev": true,
1575:   "license": "MIT"
1576: },
1577: "node_modules/hermes-parser": {
1578:   "version": "0.25.1",
1579:   "resolved": "https://registry.npmjs.org/hermes-parser/-/hermes-parser-0.25.1.tgz",
1580:   "integrity": "sha512-6pEjquH3rqai6cYAXYPcz9MS4rY6R4ngRgrgFDshRptUzIc3lw0MCIJIGDj9++mfyS0uPTHB4nrSW99
BCVOPIA==",
1581:   "dev": true,
1582:   "license": "MIT",
1583:   "dependencies": {
1584:     "hermes-estree": "0.25.1"
1585:   }
1586: },
1587: "node_modules/ignore": {
1588:   "version": "5.3.2",
1589:   "resolved": "https://registry.npmjs.org/ignore/-/ignore-5.3.2.tgz",
1590:   "integrity": "sha512-3d4i04L7T94g8b3N07qI618l62784d7B74Eub9huNMoHR+U7T7pbH7MBNJTtJNb7E2UWgr6PlRUlW5WfC==",
1591:   "dev": true,
1592:   "license": "MIT",
1593:   "engines": {
1594:     "node": ">= 4"
1595:   }
1596: },
1597: "node_modules/import-fresh": {
1598:   "version": "3.3.1",
1599:   "resolved": "https://registry.npmjs.org/import-fresh/-/import-fresh-3.3.1.tgz",
1600:   "integrity": "sha512-TR3KfrTZTYPb6jUjfx6MF9WcWrHL9su5T0bK4ZKYgBdwKPF0FoSoQIdEuTuR82pmtxH2spWG9h6etwF
r1pLBqQ==",
1601:   "dev": true,
1602:   "license": "MIT",
1603:   "dependencies": {
1604:     "parent-module": "^1.0.0",
1605:     "resolve-from": "^4.0.0"
1606:   },
1607:   "engines": {
1608:     "node": ">=6"
1609:   }
1610: },
1611:   "funding": {
1612:     "url": "https://github.com/sponsors/sindresorhus"

```

```

1612:     }
1613:   },
1614:   "node_modules/imurmurhash": {
1615:     "version": "0.1.4",
1616:     "resolved": "https://registry.npmjs.org/imurmurhash/-/imurmurhash-0.1.4.tgz",
1617:     "integrity": "sha512-JmXMZ6wuvDmLiHEm19ykzq06lwFbof0GG4IkGaENdCRDdMVnny7s5HsIgHCbaq0w2MyPhDqkhTUGS
2LU2PHA==",
1618:     "dev": true,
1619:     "license": "MIT",
1620:     "engines": {
1621:       "node": ">=0.8.19"
1622:     }
1623:   },
1624:   "node_modules/is-extglob": {
1625:     "version": "2.1.1",
1626:     "resolved": "https://registry.npmjs.org/is-extglob/-/is-extglob-2.1.1.tgz",
1627:     "integrity": "sha512-SbKbANKN603Vi4jEZv49LeVJMn4yGwsbzZworEoyEiutsN3nJYdb036zfHgJ6QEDpOZIFkDtnq5JRxm
vl3jsoQ==",
1628:     "dev": true,
1629:     "license": "MIT",
1630:     "engines": {
1631:       "node": ">=0.10.0"
1632:     }
1633:   },
1634:   "node_modules/is-glob": {
1635:     "version": "4.0.3",
1636:     "resolved": "https://registry.npmjs.org/is-glob/-/is-glob-4.0.3.tgz",
1637:     "integrity": "sha512-xelSayHH36ZgE7ZWhli7pw34hNbNl80jv5KVmkJD4hBdD3th8Tfk9vYasLM+mXW0ZhFkgZfxhLSnrwR
r4elSSg==",
1638:     "dev": true,
1639:     "license": "MIT",
1640:     "dependencies": {
1641:       "is-extglob": "^2.1.1"
1642:     },
1643:     "engines": {
1644:       "node": ">=0.10.0"
1645:     }
1646:   },
1647:   "node_modules/isexe": {
1648:     "version": "2.0.0",
1649:     "resolved": "https://registry.npmjs.org/isexe/-/isexe-2.0.0.tgz",
1650:     "integrity": "sha512-RHxMLp9lnKHGHRng9QFhRCMBYAcVpn69smSGcq3f36xjgVWThj4qqLbTLlq7Ssj8B+fIQ1EuCEGI2l
KsyQeIw==",
1651:     "dev": true,
1652:     "license": "ISC"
1653:   },
1654:   "node_modules/js-tokens": {
1655:     "version": "4.0.0",
1656:     "resolved": "https://registry.npmjs.org/js-tokens/-/js-tokens-4.0.0.tgz",
1657:     "integrity": "sha512-RdJUflcE3cUzKiMqQgsCu06FPu9UdIJO0beYbPhHN4k6apgJtifcoCtT9bcx0pYBtpD2kCM6Sbzg4Ca
usw/PKQ==",
1658:     "dev": true,
1659:     "license": "MIT"
1660:   },
1661:   "node_modules/js-yaml": {
1662:     "version": "4.1.1",
1663:     "resolved": "https://registry.npmjs.org/js-yaml/-/js-yaml-4.1.1.tgz",
1664:     "integrity": "sha512-qQKT4zqxXl8lLwBtHMWwaTcGgF0Zvi0Jet30y/xmGk2gZH677CJM9EvtfdSkGwcATZhj/55JZ0rmy3m
yCT5lsA==",
1665:     "dev": true,
1666:     "license": "MIT",
1667:     "dependencies": {
1668:       "argparse": "^2.0.1"
1669:     },
1670:     "bin": {
1671:       "js-yaml": "bin/js-yaml.js"
1672:     }
1673:   },
1674:   "node_modules/jstsc": {
1675:     "version": "3.1.0",
1676:     "resolved": "https://registry.npmjs.org/jstsc/-/jstsc-3.1.0.tgz",
1677:     "integrity": "sha512-/sM3d02F0zXjKqHJuo0Q173wf2K0o8t4I8vHy6lF9poUp7bKT0/NHE8fPX23PwfhnkyqnC2xRx0nVw
5XuGIaA==",
1678:     "dev": true,
1679:     "license": "MIT",
1680:     "bin": {
1681:       "jstsc": "bin/jstsc"
1682:     },
1683:     "engines": {
1684:       "node": ">=6"
1685:     }
1686:   },
1687:   "node_modules/json-buffer": {
1688:     "version": "3.0.1",

```

```

1689:     "resolved": "https://registry.npmjs.org/json-buffer/-/json-buffer-3.0.1.tgz",
1690:     "integrity": "sha512-4bV5BfR2mqfQTJm+V5tPPdf+ZpuhiIvTuAB5g8kcrX0ZpTT/QwwVRWBywX1ozr6lEuPdbHxwaJlM9G6
mI2sfSQ==",
1691:     "dev": true,
1692:     "license": "MIT"
1693:   },
1694:   "node_modules/json-schema-traverse": {
1695:     "version": "0.4.1",
1696:     "resolved": "https://registry.npmjs.org/json-schema-traverse/-/json-schema-traverse-0.4.1.tgz",
1697:     "integrity": "sha512-xbbCH5dCYU5T8LcEhhuh7HJ88HXuW3qsI3Y0zOZFKfZEHcpWiHU/Jxzk629Brsab/mMiHQti9wMP+84
5RPe3Vg==",
1698:     "dev": true,
1699:     "license": "MIT"
1700:   },
1701:   "node_modules/json-stable-stringify-without-jsonify": {
1702:     "version": "1.0.1",
1703:     "resolved": "https://registry.npmjs.org/json-stable-stringify-without-jsonify/-/json-stable-stringif
y-without-jsonify-1.0.1.tgz",
1704:     "integrity": "sha512-Bdboy+l7tA30GW6FjyFHWkP5LuByj1Tk33Ljyq0axyzdk9//JSi2u3fP1Qsmd1KNwq6VOKYGLAu87Ci
sVir6Pw==",
1705:     "dev": true,
1706:     "license": "MIT"
1707:   },
1708:   "node_modules/json5": {
1709:     "version": "2.2.3",
1710:     "resolved": "https://registry.npmjs.org/json5/-/json5-2.2.3.tgz",
1711:     "integrity": "sha512-XmOWe7eyHYH14cLdVPoyg+G0H3rYX++KpzrylJwSW98t3Nk+U8X0l8FWK0gtzdb8lXGf6zYwDUzEHM
Wfxasyg==",
1712:     "dev": true,
1713:     "license": "MIT",
1714:     "bin": {
1715:       "json5": "lib/cli.js"
1716:     },
1717:     "engines": {
1718:       "node": ">=6"
1719:     }
1720:   },
1721:   "node_modules/keyv": {
1722:     "version": "4.5.4",
1723:     "resolved": "https://registry.npmjs.org/keyv/-/keyv-4.5.4.tgz",
1724:     "integrity": "sha512-oxVHKHR/EJf2CNXnWxRLW6mg7JyCCUCG0DtEgML2ctUo1PNTin1PUil+/4r5MpVgC/fn1kjsx7mjS
ujKqIpw==",
1725:     "dev": true,
1726:     "license": "MIT",
1727:     "dependencies": {
1728:       "json-buffer": "3.0.1"
1729:     }
1730:   },
1731:   "node_modules/levn": {
1732:     "version": "0.4.1",
1733:     "resolved": "https://registry.npmjs.org/levn/-/levn-0.4.1.tgz",
1734:     "integrity": "sha512-+bT2uH4E5LGE7h/n3evcS/sQlJXCpIp6ym80WJ5eV6+67Dsql/LaaT7qJBAt2rzfoa/5QBG6hxDix1d
Mt2kQKQ==",
1735:     "dev": true,
1736:     "license": "MIT",
1737:     "dependencies": {
1738:       "prelude-ls": "^1.2.1",
1739:       "type-check": "~0.4.0"
1740:     },
1741:     "engines": {
1742:       "node": ">= 0.8.0"
1743:     }
1744:   },
1745:   "node_modules/lightningcss": {
1746:     "version": "1.32.0",
1747:     "resolved": "https://registry.npmjs.org/lightningcss/-/lightningcss-1.32.0.tgz",
1748:     "integrity": "sha512-NXYBzinNrbLfraPGyrbPoD19C1h9lFI/1mzgwYvXUTE414Gz/X1FD2XBZSZM7rRTrMA8JL30tAaGifr
IKhQ5yQ==",
1749:     "dev": true,
1750:     "license": "MPL-2.0",
1751:     "dependencies": {
1752:       "detect-libc": "^2.0.3"
1753:     },
1754:     "engines": {
1755:       "node": ">= 12.0.0"
1756:     },
1757:     "funding": {
1758:       "type": "opencollective",
1759:       "url": "https://opencollective.com/parcel"
1760:     },
1761:     "optionalDependencies": {
1762:       "lightningcss-android-arm64": "1.32.0",
1763:       "lightningcss-darwin-arm64": "1.32.0",
1764:       "lightningcss-darwin-x64": "1.32.0",

```

```

1765:         "lightningcss-freebsd-x64": "1.32.0",
1766:         "lightningcss-linux-arm-gnueabi": "1.32.0",
1767:         "lightningcss-linux-arm64-gnu": "1.32.0",
1768:         "lightningcss-linux-arm64-musl": "1.32.0",
1769:         "lightningcss-linux-x64-gnu": "1.32.0",
1770:         "lightningcss-linux-x64-musl": "1.32.0",
1771:         "lightningcss-win32-arm64-msvc": "1.32.0",
1772:         "lightningcss-win32-x64-msvc": "1.32.0"
1773:     },
1774: },
1775: "node_modules/lightningcss-android-arm64": {
1776:   "version": "1.32.0",
1777:   "resolved": "https://registry.npmjs.org/lightningcss-android-arm64/-/lightningcss-android-arm64-1.32.0.tgz",
1778:   "integrity": "sha512-YK7/ClTt4kAK0vo6w3X+Pnm0D2cf2vPHbh0XdoNti1Ga0a1P4TBZhWjATvjNwLEBCnKvjJc2jQgHXH0NEwLAG==",
1779:   "cpu": [
1780:     "arm64"
1781:   ],
1782:   "dev": true,
1783:   "license": "MPL-2.0",
1784:   "optional": true,
1785:   "os": [
1786:     "android"
1787:   ],
1788:   "engines": {
1789:     "node": ">= 12.0.0"
1790:   },
1791:   "funding": {
1792:     "type": "opencollective",
1793:     "url": "https://opencollective.com/parcel"
1794:   }
1795: },
1796: "node_modules/lightningcss-darwin-arm64": {
1797:   "version": "1.32.0",
1798:   "resolved": "https://registry.npmjs.org/lightningcss-darwin-arm64/-/lightningcss-darwin-arm64-1.32.0.tgz",
1799:   "integrity": "sha512-RzeG9Ju5bag2Bv1/lwlvJvBE3q6TtXskdZLLCyfg5pt+HLz9BqLIC07LZM7VHNTTn/5PRhHFBSjk5lc4cmscPQ==",
1800:   "cpu": [
1801:     "arm64"
1802:   ],
1803:   "dev": true,
1804:   "license": "MPL-2.0",
1805:   "optional": true,
1806:   "os": [
1807:     "darwin"
1808:   ],
1809:   "engines": {
1810:     "node": ">= 12.0.0"
1811:   },
1812:   "funding": {
1813:     "type": "opencollective",
1814:     "url": "https://opencollective.com/parcel"
1815:   }
1816: },
1817: "node_modules/lightningcss-darwin-x64": {
1818:   "version": "1.32.0",
1819:   "resolved": "https://registry.npmjs.org/lightningcss-darwin-x64/-/lightningcss-darwin-x64-1.32.0.tgz",
1820:   "integrity": "sha512-U+QsBp2m/s2wqpUYT/6wnlagdZbtZdndSmut/NJqlCcMLTwp5muCrID+K5UJ6jqD2BFshejCYXniPDbNh73V8w==",
1821:   "cpu": [
1822:     "x64"
1823:   ],
1824:   "dev": true,
1825:   "license": "MPL-2.0",
1826:   "optional": true,
1827:   "os": [
1828:     "darwin"
1829:   ],
1830:   "engines": {
1831:     "node": ">= 12.0.0"
1832:   },
1833:   "funding": {
1834:     "type": "opencollective",
1835:     "url": "https://opencollective.com/parcel"
1836:   }
1837: },
1838: "node_modules/lightningcss-freebsd-x64": {
1839:   "version": "1.32.0",
1840:   "resolved": "https://registry.npmjs.org/lightningcss-freebsd-x64/-/lightningcss-freebsd-x64-1.32.0.tgz",
1841:   "integrity": "sha512-JCTigedEksZk3tHTTthnMdVfGf61Fky8Ji2E4YjUTEQX14xiy/LTzXnu1vwiZe3bYe0q+SpsSH/CTeDXK6WHig==",

```



```

1842:     "cpu": [
1843:         "x64"
1844:     ],
1845:     "dev": true,
1846:     "license": "MPL-2.0",
1847:     "optional": true,
1848:     "os": [
1849:         "freebsd"
1850:     ],
1851:     "engines": {
1852:         "node": ">= 12.0.0"
1853:     },
1854:     "funding": {
1855:         "type": "opencollective",
1856:         "url": "https://opencollective.com/parcel"
1857:     }
1858: },
1859: "node_modules/lightningcss-linux-arm-gnueabihf": {
1860:     "version": "1.32.0",
1861:     "resolved": "https://registry.npmjs.org/lightningcss-linux-arm-gnueabihf/-/lightningcss-linux-arm-gnueabihf-1.32.0.tgz",
1862:     "integrity": "sha512-x6rnnpRa2GL0zQ0kt6rts3YDPzduLpWvwAF6EMhXFVZXD4tPrBkEFqzGowzCsIWsPjqSK+tyNEODUBXeeVHskw==",
1863:     "cpu": [
1864:         "arm"
1865:     ],
1866:     "dev": true,
1867:     "license": "MPL-2.0",
1868:     "optional": true,
1869:     "os": [
1870:         "linux"
1871:     ],
1872:     "engines": {
1873:         "node": ">= 12.0.0"
1874:     },
1875:     "funding": {
1876:         "type": "opencollective",
1877:         "url": "https://opencollective.com/parcel"
1878:     }
1879: },
1880: "node_modules/lightningcss-linux-arm64-gnu": {
1881:     "version": "1.32.0",
1882:     "resolved": "https://registry.npmjs.org/lightningcss-linux-arm64-gnu/-/lightningcss-linux-arm64-gnu-1.32.0.tgz",
1883:     "integrity": "sha512-0nnMyoyOLRJXfbM0ilaSRcLH3Jw5z9HDNGfT/gwCPgaDjnx0i8w7vBzFLFR1f6CMLKF8gVbebmKUN3fa/kQjpQ==",
1884:     "cpu": [
1885:         "arm64"
1886:     ],
1887:     "dev": true,
1888:     "license": "MPL-2.0",
1889:     "optional": true,
1890:     "os": [
1891:         "linux"
1892:     ],
1893:     "engines": {
1894:         "node": ">= 12.0.0"
1895:     },
1896:     "funding": {
1897:         "type": "opencollective",
1898:         "url": "https://opencollective.com/parcel"
1899:     }
1900: },
1901: "node_modules/lightningcss-linux-arm64-musl": {
1902:     "version": "1.32.0",
1903:     "resolved": "https://registry.npmjs.org/lightningcss-linux-arm64-musl/-/lightningcss-linux-arm64-musl-1.32.0.tgz",
1904:     "integrity": "sha512-UpQkoenr4UJEzgVIYpI80lDFvRmPVg6oqboNHfoH4CQIfNA+H0rZ7Mo7KZP02dC6LjghPQJeBsvXhJod/wnIBg==",
1905:     "cpu": [
1906:         "arm64"
1907:     ],
1908:     "dev": true,
1909:     "license": "MPL-2.0",
1910:     "optional": true,
1911:     "os": [
1912:         "linux"
1913:     ],
1914:     "engines": {
1915:         "node": ">= 12.0.0"
1916:     },
1917:     "funding": {
1918:         "type": "opencollective",
1919:         "url": "https://opencollective.com/parcel"

```

```

1920:     }
1921:   },
1922:   "node_modules/lightningcss-linux-x64-gnu": {
1923:     "version": "1.32.0",
1924:     "resolved": "https://registry.npmjs.org/lightningcss-linux-x64-gnu/-/lightningcss-linux-x64-gnu-1.32
1925:     .0.tgz",
1926:     "integrity": "sha512-V7Qr52IhZmdKPVr+Vtw8o+WLSQJYCTd8loIfpDaMRWGUZfBOYEJeyJIKqGIDMZPwPx24pUMfwSxxI8p
1927: hr/Mb0A==",
1928:     "cpu": [
1929:       "x64"
1930:     ],
1931:     "dev": true,
1932:     "license": "MPL-2.0",
1933:     "optional": true,
1934:     "os": [
1935:       "linux"
1936:     ],
1937:     "engines": {
1938:       "node": ">= 12.0.0"
1939:     },
1940:     "funding": {
1941:       "type": "opencollective",
1942:       "url": "https://opencollective.com/parcel"
1943:     }
1944:   },
1945:   "node_modules/lightningcss-linux-x64-musl": {
1946:     "version": "1.32.0",
1947:     "resolved": "https://registry.npmjs.org/lightningcss-linux-x64-musl/-/lightningcss-linux-x64-musl-1.
1948: 32.0.tgz",
1949:     "integrity": "sha512-bYcLp+Vb0awsixG/80uCrezCYHNg1/l3mt0gzHnWV9XP1W5sKa5/TCdGwAR/zBM2PeF/HbsQv/j2URN
1950: OiVuxWg==",
1951:     "cpu": [
1952:       "x64"
1953:     ],
1954:     "dev": true,
1955:     "license": "MPL-2.0",
1956:     "optional": true,
1957:     "os": [
1958:       "linux"
1959:     ],
1960:     "engines": {
1961:       "node": ">= 12.0.0"
1962:     },
1963:     "funding": {
1964:       "type": "opencollective",
1965:       "url": "https://opencollective.com/parcel"
1966:     }
1967:   },
1968:   "node_modules/lightningcss-win32-arm64-msvc": {
1969:     "version": "1.32.0",
1970:     "resolved": "https://registry.npmjs.org/lightningcss-win32-arm64-msvc/-/lightningcss-win32-arm64-msv
1971: c-1.32.0.tgz",
1972:     "integrity": "sha512-8SbC8BR40pS6baCM8sbtYDSwEVQd4JlFT0laD3gWGHfThTcABnNDBda6eTZeQbofaLIJhFx0qKzgHJm
1973: cPTnGdw==",
1974:     "cpu": [
1975:       "arm64"
1976:     ],
1977:     "dev": true,
1978:     "license": "MPL-2.0",
1979:     "optional": true,
1980:     "os": [
1981:       "win32"
1982:     ],
1983:     "engines": {
1984:       "node": ">= 12.0.0"
1985:     },
1986:     "funding": {
1987:       "type": "opencollective",
1988:       "url": "https://opencollective.com/parcel"
1989:     }
1990:   },
1991:   "node_modules/lightningcss-win32-x64-msvc": {
1992:     "version": "1.32.0",
1993:     "resolved": "https://registry.npmjs.org/lightningcss-win32-x64-msvc/-/lightningcss-win32-x64-msvc-1.
1994: 32.0.tgz",
1995:     "integrity": "sha512-Amq9B/SoZYdD11kFrojnoqPLxYhQ4Wo5XiL8EVJrVsB8ARoC1PwW6VGtT0WKcEmjy8aC+louJnjs7U1
1996: 8x3b06Q==",
1997:     "cpu": [
1998:       "x64"
1999:     ],
2000:     "dev": true,
2001:     "license": "MPL-2.0",
2002:     "optional": true,
2003:     "os": [

```

```
1996:     "win32"
1997:   },
1998:   "engines": {
1999:     "node": ">= 12.0.0"
2000:   },
2001:   "funding": {
2002:     "type": "opencollective",
2003:     "url": "https://opencollective.com/parcel"
2004:   }
2005: },
2006: "node_modules/locate-path": {
2007:   "version": "6.0.0",
2008:   "resolved": "https://registry.npmjs.org/locate-path/-/locate-path-6.0.0.tgz",
2009:   "integrity": "sha512-iPZK6eYjbxRu3uB4/WZ3EsEIMJFMqAoopl3R+zuq0UjcAm/M06KCweDgPFP3eLTztoKP3KtnVHxTn2N
HBSDVUw==",
2010:   "dev": true,
2011:   "license": "MIT",
2012:   "dependencies": {
2013:     "p-locate": "^5.0.0"
2014:   },
2015:   "engines": {
2016:     "node": ">=10"
2017:   },
2018:   "funding": {
2019:     "url": "https://github.com/sponsors/sindresorhus"
2020:   }
2021: },
2022: "node_modules/lodash.merge": {
2023:   "version": "4.6.2",
2024:   "resolved": "https://registry.npmjs.org/lodash.merge/-/lodash.merge-4.6.2.tgz",
2025:   "integrity": "sha512-0KpjqXRvYrYCsX1swR/XTK0va6VQkQM6MNo7PqW77ByjAhoARA8EfrP1N4+K1Kj8YS0ZUCtRT/YUuh
yYDujiQ==",
2026:   "dev": true,
2027:   "license": "MIT"
2028: },
2029: "node_modules/lru-cache": {
2030:   "version": "5.1.1",
2031:   "resolved": "https://registry.npmjs.org/lru-cache/-/lru-cache-5.1.1.tgz",
2032:   "integrity": "sha512-KpNARQA3Iww+jTAoutUVVbrh+Jlrr1Fv0e56GGzAF0XN7dk/FviaDW8LHmK52Dlch4WP2n6gI8vN1ae
sBFgo9w==",
2033:   "dev": true,
2034:   "license": "ISC",
2035:   "dependencies": {
2036:     "yallist": "^3.0.2"
2037:   }
2038: },
2039: "node_modules/lucide-react": {
2040:   "version": "1.8.0",
2041:   "resolved": "https://registry.npmjs.org/lucide-react/-/lucide-react-1.8.0.tgz",
2042:   "integrity": "sha512-wuvlsjngSk7TnTBJ1hsCy3ql9V9V0dcPk3PKcSmM34vJB8K66molxz7m7zbYfGICwsanQwmJ13JlYs
4Zp7Arw==",
2043:   "license": "ISC",
2044:   "peerDependencies": {
2045:     "react": "^16.5.1 || ^17.0.0 || ^18.0.0 || ^19.0.0"
2046:   }
2047: },
2048: "node_modules/minimatch": {
2049:   "version": "3.1.5",
2050:   "resolved": "https://registry.npmjs.org/minimatch/-/minimatch-3.1.5.tgz",
2051:   "integrity": "sha512-VgjlWUWntn6mtnKQIw2tV0DzP6zFGrCbHXiYnUL5DzqkHHQ5uFH2DNW5Xbp8+jVzaeNt94
ssEEl4w==",
2052:   "dev": true,
2053:   "license": "ISC",
2054:   "dependencies": {
2055:     "brace-expansion": "^1.1.7"
2056:   },
2057:   "engines": {
2058:     "node": "*"
2059:   }
2060: },
2061: "node_modules/ms": {
2062:   "version": "2.1.3",
2063:   "resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
2064:   "integrity": "sha512-6FLzubTLG3J2a/NVCAleEhjzq5oxgHyaCU9yYXvcLsvoVaHJq/s5xXI6/XXP6tz7R9xA0tHnSO/tXt
F3WRTlA==",
2065:   "dev": true,
2066:   "license": "MIT"
2067: },
2068: "node_modules/nanoid": {
2069:   "version": "3.3.11",
2070:   "resolved": "https://registry.npmjs.org/nanoid/-/nanoid-3.3.11.tgz",
2071:   "integrity": "sha512-N8SpFPUUn1bK+PMYw8qSwdl9U+wwNWl4QKx0YDY9JAro3WMX7p20eVRF9v+347pnakNevPmiHhNmZ2
HbFA76w==",
2072:   "dev": true,
```

```

2073:     "funding": [
2074:       {
2075:         "type": "github",
2076:         "url": "https://github.com/sponsors/ai"
2077:       }
2078:     ],
2079:     "license": "MIT",
2080:     "bin": {
2081:       "nanoid": "bin/nanoid.cjs"
2082:     },
2083:     "engines": {
2084:       "node": "^10 || ^12 || ^13.7 || ^14 || >=15.0.1"
2085:     }
2086:   },
2087:   "node_modules/natural-compare": {
2088:     "version": "1.4.0",
2089:     "resolved": "https://registry.npmjs.org/natural-compare/-/natural-compare-1.4.0.tgz",
2090:     "integrity": "sha512-OWND8ei3VtNC9h7V60qff3SVobHr996CTwgxubgyQYEpg290h9J0buyECNNJexkFm5s0ajh5G116RYA
1c8ZMSw==",
2091:     "dev": true,
2092:     "license": "MIT"
2093:   },
2094:   "node_modules/node-releases": {
2095:     "version": "2.0.37",
2096:     "resolved": "https://registry.npmjs.org/node-releases/-/node-releases-2.0.37.tgz",
2097:     "integrity": "sha512-1h5gKZCF+p0/O3Iqt5Jp7wc9rH3eJJ0+nh/CIOiRwjRxde/hAHyLPXYN4V3CqKAbiZPSeJFSWHmJsbk
icta0Eg==",
2098:     "dev": true,
2099:     "license": "MIT"
2100:   },
2101:   "node_modules/optionator": {
2102:     "version": "0.9.4",
2103:     "resolved": "https://registry.npmjs.org/optionator/-/optionator-0.9.4.tgz",
2104:     "integrity": "sha512-6IpQ7mKUXRCZnLI0bR0hz7LxasapSSIYNZJwXPGef0mTVqGKFIxj1DQcMoT22S3R0cLyY/rz0PwawZ9a
yWmad9g==",
2105:     "dev": true,
2106:     "license": "MIT",
2107:     "dependencies": {
2108:       "deep-is": "^0.1.3",
2109:       "fast-levenshtein": "^2.0.6",
2110:       "levn": "^0.4.1",
2111:       "prelude-ls": "^1.2.1",
2112:       "type-check": "^0.4.0",
2113:       "word-wrap": "^1.2.5"
2114:     },
2115:     "engines": {
2116:       "node": ">= 0.8.0"
2117:     }
2118:   },
2119:   "node_modules/p-limit": {
2120:     "version": "3.1.0",
2121:     "resolved": "https://registry.npmjs.org/p-limit/-/p-limit-3.1.0.tgz",
2122:     "integrity": "sha512-TYOanM3wGwNGsZN2cVTYPArw454xnXj5qmWF1bEoAc4+cU/ol7GVh7odevjp1FNHduHc3KZMcFduxU5
Xc6uJRQ==",
2123:     "dev": true,
2124:     "license": "MIT",
2125:     "dependencies": {
2126:       "yocto-queue": "^0.1.0"
2127:     },
2128:     "engines": {
2129:       "node": ">=10"
2130:     },
2131:     "funding": {
2132:       "url": "https://github.com/sponsors/sindresorhus"
2133:     }
2134:   },
2135:   "node_modules/p-locate": {
2136:     "version": "5.0.0",
2137:     "resolved": "https://registry.npmjs.org/p-locate/-/p-locate-5.0.0.tgz",
2138:     "integrity": "sha512-Lla727u5pN8g0N+T3G91MhW2Z8MVRBKfnGzxEYDZyHEWpVvf07fCW8hgHryNbn2WHYUM3kAg62dFOtLg
ymrG5PW==",
2139:     "dev": true,
2140:     "license": "MIT",
2141:     "dependencies": {
2142:       "p-limit": "^3.0.2"
2143:     },
2144:     "engines": {
2145:       "node": ">=10"
2146:     },
2147:     "funding": {
2148:       "url": "https://github.com/sponsors/sindresorhus"
2149:     }
2150:   },
2151:   "node_modules/parent-module": {

```

```

2152:     "version": "1.0.1",
2153:     "resolved": "https://registry.npmjs.org/parent-module/-/parent-module-1.0.1.tgz",
2154:     "integrity": "sha512-GQ2EWRpQV8/o+Aw8YqtfZZPfNRWZYkbidE9k5rpl/hC3vtHHBfGm2Ifi6qWV+coDGkrUKZAxE3Lot5k
csRlh+g==",
2155:     "dev": true,
2156:     "license": "MIT",
2157:     "dependencies": {
2158:       "callsites": "^3.0.0"
2159:     },
2160:     "engines": {
2161:       "node": ">=6"
2162:     }
2163:   },
2164:   "node_modules/path-exists": {
2165:     "version": "4.0.0",
2166:     "resolved": "https://registry.npmjs.org/path-exists/-/path-exists-4.0.0.tgz",
2167:     "integrity": "sha512-ak9Qy5Q7jYb2Wwcey5Fpvg2KoAc/ZIhLSL0SBmRmygPsGwkVvt0fZa0qrtMz+m6tJTAHfZQ8FnmB4MG
4LWy7/w==",
2168:     "dev": true,
2169:     "license": "MIT",
2170:     "engines": {
2171:       "node": ">=8"
2172:     }
2173:   },
2174:   "node_modules/path-key": {
2175:     "version": "3.1.1",
2176:     "resolved": "https://registry.npmjs.org/path-key/-/path-key-3.1.1.tgz",
2177:     "integrity": "sha512-ojmeN0qd+y0jszEtoY48r0Peq5dwmEkILCOu6Q5f41lfkswXuKtYrhgoTpLnyIcHm24Uhq+5Tqm2In
SwLhE6Q==",
2178:     "dev": true,
2179:     "license": "MIT",
2180:     "engines": {
2181:       "node": ">=8"
2182:     }
2183:   },
2184:   "node_modules/picocolors": {
2185:     "version": "1.1.1",
2186:     "resolved": "https://registry.npmjs.org/picocolors/-/picocolors-1.1.1.tgz",
2187:     "integrity": "sha512-xceH2snhtb5M9liqDsmEw56le376mTZkEX/jEb/RxNfyegNul7eNsLCXP9FDj/Lcu0X8KEYMceP2ntp
aHrDEVA==",
2188:     "dev": true,
2189:     "license": "ISC"
2190:   },
2191:   "node_modules/picomatch": {
2192:     "version": "4.0.4",
2193:     "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-4.0.4.tgz",
2194:     "integrity": "sha512-3D8Ij7A=",
2195:     "dev": true,
2196:     "license": "MIT",
2197:     "engines": {
2198:       "node": ">=12"
2199:     },
2200:     "funding": {
2201:       "url": "https://github.com/sponsors/jonschlinkert"
2202:     }
2203:   },
2204:   "node_modules/postcss": {
2205:     "version": "8.5.8",
2206:     "resolved": "https://registry.npmjs.org/postcss/-/postcss-8.5.8.tgz",
2207:     "integrity": "sha512-OW/rX80/jXnm82Ey1k44p0bPtDbLfuiWnrD8X7GJ7emImC0stunGbXUpp7HdBrFQX6rJzn3sPT397Wp
5aCwCHg==",
2208:     "dev": true,
2209:     "funding": [
2210:       {
2211:         "type": "opencollective",
2212:         "url": "https://opencollective.com/postcss/"
2213:       },
2214:       {
2215:         "type": "tidelift",
2216:         "url": "https://tidelift.com/funding/github/npm/postcss"
2217:       },
2218:       {
2219:         "type": "github",
2220:         "url": "https://github.com/sponsors/ai"
2221:       }
2222:     ],
2223:     "license": "MIT",
2224:     "dependencies": {
2225:       "nanoid": "^3.3.11",
2226:       "picocolors": "^1.1.1",
2227:       "source-map-js": "^1.2.1"
2228:     },
2229:     "engines": {

```

```

2230:         "node": "^10 || ^12 || >=14"
2231:     },
2232: },
2233: "node_modules/prelude-ls": {
2234:   "version": "1.2.1",
2235:   "resolved": "https://registry.npmjs.org/prelude-ls/-/prelude-ls-1.2.1.tgz",
2236:   "integrity": "sha512-vkcdPrRZo1QZLbn5RLGPpg/WmIQ65qowWhcGKf/b5epLkkrX0m9z8ppCat4m10qUsWpyNuYg03VRyr
YHSzX5g==",
2237:   "dev": true,
2238:   "license": "MIT",
2239:   "engines": {
2240:     "node": ">= 0.8.0"
2241:   }
2242: },
2243: "node_modules/punycode": {
2244:   "version": "2.3.1",
2245:   "resolved": "https://registry.npmjs.org/punycode/-/punycode-2.3.1.tgz",
2246:   "integrity": "sha512-vYt7UD1U9Wg6138shLtLOvdAu+8DsC/i1FtEVHcH+wydcSpNE20AfS0duf6MkRFahL5FY7X1oU7nKVZ
Ftfq8Fg==",
2247:   "dev": true,
2248:   "license": "MIT",
2249:   "engines": {
2250:     "node": ">=6"
2251:   }
2252: },
2253: "node_modules/react": {
2254:   "version": "19.2.4",
2255:   "resolved": "https://registry.npmjs.org/react/-/react-19.2.4.tgz",
2256:   "integrity": "sha512-9nfp2hYpCw0jAN+8TZFGhtWEgVWHXqESH8qT89AT/lwk1pLON22Lc8pEtnpsZz7VmawabSU0gCjnJ8
aC0euHQ==",
2257:   "license": "MIT",
2258:   "engines": {
2259:     "node": ">=0.10.0"
2260:   }
2261: },
2262: "node_modules/react-dom": {
2263:   "version": "19.2.4",
2264:   "resolved": "https://registry.npmjs.org/react-dom/-/react-dom-19.2.4.tgz",
2265:   "integrity": "sha512-AXJdLo8kgMbimY9502aKQqs2iWi9jMgKJhRBAXECE4IFxfcazB2LmzloIoibJI3C12Ily20+KFaLv+
71bUJeQ==",
2266:   "license": "MIT",
2267:   "dependencies": {
2268:     "scheduler": "^0.27.0"
2269:   },
2270:   "peerDependencies": {
2271:     "react": "^19.2.4"
2272:   }
2273: },
2274: "node_modules/react-router": {
2275:   "version": "7.14.0",
2276:   "resolved": "https://registry.npmjs.org/react-router/-/react-router-7.14.0.tgz",
2277:   "integrity": "sha512-m/xR9N4LQLmAS0Zhky2nkPA1N7gQ5TUVa5n8TgANuDTARbn1gt+zLPXEm7W0XDTrQ2AJSJKhoa6yx1
D8BcpxQ==",
2278:   "license": "MIT",
2279:   "dependencies": {
2280:     "cookie": "^1.0.1",
2281:     "set-cookie-parser": "^2.6.0"
2282:   },
2283:   "engines": {
2284:     "node": ">=20.0.0"
2285:   },
2286:   "peerDependencies": {
2287:     "react": ">=18",
2288:     "react-dom": ">=18"
2289:   },
2290:   "peerDependenciesMeta": {
2291:     "react-dom": {
2292:       "optional": true
2293:     }
2294:   }
2295: },
2296: "node_modules/react-router-dom": {
2297:   "version": "7.14.0",
2298:   "resolved": "https://registry.npmjs.org/react-router-dom/-/react-router-dom-7.14.0.tgz",
2299:   "integrity": "sha512-2G3ajSVSZMETmTjIkLRwlnVo8wICEpLihfD/0YMDxbWK2UyP5EGfnoIn9AIQGNF3G/FX0MRbHXdfCd+
rL1ZreQ==",
2300:   "license": "MIT",
2301:   "dependencies": {
2302:     "react-router": "7.14.0"
2303:   },
2304:   "engines": {
2305:     "node": ">=20.0.0"
2306:   },
2307:   "peerDependencies": {

```

```

2308:         "react": ">=18",
2309:         "react-dom": ">=18"
2310:     },
2311: },
2312: "node_modules/resolve-from": {
2313:     "version": "4.0.0",
2314:     "resolved": "https://registry.npmjs.org/resolve-from/-/resolve-from-4.0.0.tgz",
2315:     "integrity": "sha512-pb/MYmXstAkysRFx8pINi1tGFNQIFA3vkE3Gq4EuA1dF6gHp/+vgZqsCGJapvy8N3Q+4o7FwvquPJcn
Z7RYy4g==",
2316:     "dev": true,
2317:     "license": "MIT",
2318:     "engines": {
2319:         "node": ">=4"
2320:     }
2321: },
2322: "node_modules/rolldown": {
2323:     "version": "1.0.0-rc.13",
2324:     "resolved": "https://registry.npmjs.org/rolldown/-/rolldown-1.0.0-rc.13.tgz",
2325:     "integrity": "sha512-bvVj8YJmF0rq4pSFmH7laLa6pYrhghv3PRzrCdRAR23g66zOKVJ4wkVfTgohtPLWmthgg8/rkaqRHRp
UEh0Zbw==",
2326:     "dev": true,
2327:     "license": "MIT",
2328:     "dependencies": {
2329:         "@oxc-project/types": "=0.123.0",
2330:         "@rolldown/pluginutils": "1.0.0-rc.13"
2331:     },
2332:     "bin": {
2333:         "rolldown": "bin/cli.mjs"
2334:     },
2335:     "engines": {
2336:         "node": "^20.19.0 || >=22.12.0"
2337:     },
2338:     "optionalDependencies": {
2339:         "@rolldown/binding-android-arm64": "1.0.0-rc.13",
2340:         "@rolldown/binding-darwin-arm64": "1.0.0-rc.13",
2341:         "@rolldown/binding-darwin-x64": "1.0.0-rc.13",
2342:         "@rolldown/binding-freebsd-x64": "1.0.0-rc.13",
2343:         "@rolldown/binding-linux-arm-gnueabi-hf": "1.0.0-rc.13",
2344:         "@rolldown/binding-linux-arm64-gnu": "1.0.0-rc.13",
2345:         "@rolldown/binding-linux-arm64-musl": "1.0.0-rc.13",
2346:         "@rolldown/binding-linux-ppc64-gnu": "1.0.0-rc.13",
2347:         "@rolldown/binding-linux-s390x-gnu": "1.0.0-rc.13",
2348:         "@rolldown/binding-linux-x64-gnu": "1.0.0-rc.13",
2349:         "@rolldown/binding-linux-x64-musl": "1.0.0-rc.13",
2350:         "@rolldown/binding-openharmony-arm64": "1.0.0-rc.13",
2351:         "@rolldown/binding-wasm32-wasi": "1.0.0-rc.13",
2352:         "@rolldown/binding-win32-arm64-msvc": "1.0.0-rc.13",
2353:         "@rolldown/binding-win32-x64-msvc": "1.0.0-rc.13"
2354:     }
2355: },
2356: "node_modules/rolldown/node_modules/@rolldown/pluginutils": {
2357:     "version": "1.0.0-rc.13",
2358:     "resolved": "https://registry.npmjs.org/@rolldown/pluginutils/-/pluginutils-1.0.0-rc.13.tgz",
2359:     "integrity": "sha512-3ngTAV6F/Py35BsYbeeLeecvMhMKdSKm4Ao0ETVhAA+Qc8nrA2I0kF7oa93mE9qnIurng0SpMnQ0x2nQ
Y2FPviA==",
2360:     "dev": true,
2361:     "license": "MIT"
2362: },
2363: "node_modules/scheduler": {
2364:     "version": "0.27.0",
2365:     "resolved": "https://registry.npmjs.org/scheduler/-/scheduler-0.27.0.tgz",
2366:     "integrity": "sha512-4v5ti/Q==",
2367:     "license": "MIT"
2368: },
2369: "node_modules/semver": {
2370:     "version": "6.3.1",
2371:     "resolved": "https://registry.npmjs.org/semver/-/semver-6.3.1.tgz",
2372:     "integrity": "sha512-BR7VvDCVH0+q2xBEWSkxS6DJE1qRnb7DxzUrogb71CWoSficBxYsiAGd+Kl0mmq/MprG9yArRkyrQxT
06XjMZA==",
2373:     "dev": true,
2374:     "license": "ISC",
2375:     "bin": {
2376:         "semver": "bin/semver.js"
2377:     }
2378: },
2379: "node_modules/set-cookie-parser": {
2380:     "version": "2.7.2",
2381:     "resolved": "https://registry.npmjs.org/set-cookie-parser/-/set-cookie-parser-2.7.2.tgz",
2382:     "integrity": "sha512-oeM1lpU/UvhTxw+g3cIfxXHyJRc/uidd3yK1P242gzHds0udQBYzs3y8j4gCCW+ZJ7ad0yctld8RYO+
bdur1vw==",
2383:     "license": "MIT"
2384: },
2385: "node_modules/shebang-command": {

```

```

2386:     "version": "2.0.0",
2387:     "resolved": "https://registry.npmjs.org/shebang-command/-/shebang-command-2.0.0.tgz",
2388:     "integrity": "sha512-kHxr2zZpYtdmrN1qDjrrX/Z1rR1kG8Dx+gkpK1G4eXmvXswmcE1hTWBWyUzlrYw1/yZp6YuDY77Ytv
bN0dmDA==",
2389:     "dev": true,
2390:     "license": "MIT",
2391:     "dependencies": {
2392:       "shebang-regex": "^3.0.0"
2393:     },
2394:     "engines": {
2395:       "node": ">=8"
2396:     }
2397:   },
2398:   "node_modules/shebang-regex": {
2399:     "version": "3.0.0",
2400:     "resolved": "https://registry.npmjs.org/shebang-regex/-/shebang-regex-3.0.0.tgz",
2401:     "integrity": "sha512-7++dFhtc3353uBaQ8DDR4NuxBetBzC7ZQ0hmTQInHEd6bSrXdiEyzCvG07Z44UYdLShWUyXt5M/yhz
8ekcb1A==",
2402:     "dev": true,
2403:     "license": "MIT",
2404:     "engines": {
2405:       "node": ">=8"
2406:     }
2407:   },
2408:   "node_modules/source-map-js": {
2409:     "version": "1.2.1",
2410:     "resolved": "https://registry.npmjs.org/source-map-js/-/source-map-js-1.2.1.tgz",
2411:     "integrity": "sha512-UxwMKGhL0wVKb728IUtQPXxfYU+usdybtUrK/8uGE8CQMvrh0pwvzDBwj0QhSL7MQc7vIsISBG8VQ8+I
DQxpfQA==",
2412:     "dev": true,
2413:     "license": "BSD-3-Clause",
2414:     "engines": {
2415:       "node": ">=0.10.0"
2416:     }
2417:   },
2418:   "node_modules/strip-json-comments": {
2419:     "version": "3.1.1",
2420:     "resolved": "https://registry.npmjs.org/strip-json-comments/-/strip-json-comments-3.1.1.tgz",
2421:     "integrity": "sha512-6fPc+R4ihwqP6N/aIv2f1gMH8lOVtWQHoqC4yK6oSDVVocumAsfCqjkXnqiYMhmMwS/mEHLp7Vehlt3
ql6lEig==",
2422:     "dev": true,
2423:     "license": "MIT",
2424:     "engines": {
2425:       "node": ">=8"
2426:     },
2427:     "funding": {
2428:       "url": "https://github.com/sponsors/sindresorhus"
2429:     }
2430:   },
2431:   "node_modules/supports-color": {
2432:     "version": "7.2.0",
2433:     "resolved": "https://registry.npmjs.org/supports-color/-/supports-color-7.2.0.tgz",
2434:     "integrity": "sha512-qpCAvRl9stuOHveKsn7HncJRvv501qIackZQl0/+Lwxc9+0q2wLyv4Dfvt80/DPn2pq0BsJdDiogXGR
9+0vwRw==",
2435:     "dev": true,
2436:     "license": "MIT",
2437:     "dependencies": {
2438:       "has-flag": "^4.0.0"
2439:     },
2440:     "engines": {
2441:       "node": ">=8"
2442:     }
2443:   },
2444:   "node_modules/tinyglobby": {
2445:     "version": "0.2.15",
2446:     "resolved": "https://registry.npmjs.org/tinyglobby/-/tinyglobby-0.2.15.tgz",
2447:     "integrity": "sha512-j2Zq4NyQYG5XMST4cbs02Ak8iJUdxRM0XI5QyxXuZ0zKOINmwurp3smXu3y5wDcJrptwpSjgXHzIQxR
0omXljQ==",
2448:     "dev": true,
2449:     "license": "MIT",
2450:     "dependencies": {
2451:       "fdir": "^6.5.0",
2452:       "picomatch": "^4.0.3"
2453:     },
2454:     "engines": {
2455:       "node": ">=12.0.0"
2456:     },
2457:     "funding": {
2458:       "url": "https://github.com/sponsors/SuperchupuDev"
2459:     }
2460:   },
2461:   "node_modules/tslib": {
2462:     "version": "2.8.1",
2463:     "resolved": "https://registry.npmjs.org/tslib/-/tslib-2.8.1.tgz",

```



```

2464:         "integrity": "sha512-oJFu94HQB+KVduSUQL7wnpmqnmfLs0A/nAh6b6EH0wCEoK0/mPeXU6c3wKDV83Mk0uHPRHtSXKKU99I
BazS/2w==",
2465:         "dev": true,
2466:         "license": "0BSD",
2467:         "optional": true
2468:     },
2469:     "node_modules/type-check": {
2470:       "version": "0.4.0",
2471:       "resolved": "https://registry.npmjs.org/type-check/-/type-check-0.4.0.tgz",
2472:       "integrity": "sha512-XleUoc9uwGXqjWwXaUTZAmzMcFZ5858QA2vvx1Ur5xIcixXIP+8LnFDgRplU30us6teqdlSkFfu+ae4
K7900ew==",
2473:       "dev": true,
2474:       "license": "MIT",
2475:       "dependencies": {
2476:         "prelude-ls": "^1.2.1"
2477:       },
2478:       "engines": {
2479:         "node": ">= 0.8.0"
2480:       }
2481:     },
2482:     "node_modules/update-browserslist-db": {
2483:       "version": "1.2.3",
2484:       "resolved": "https://registry.npmjs.org/update-browserslist-db/-/update-browserslist-db-1.2.3.tgz",
2485:       "integrity": "sha512-Js0m9cx+qOgDxo0eMiFGueWztz+d4+M3rGlmKPT+T4IS/jP4ylw3Nwpu6cpTTP8R1MAC1KF4VbdLt3
ARf209w==",
2486:       "dev": true,
2487:       "funding": [
2488:         {
2489:           "type": "opencollective",
2490:           "url": "https://opencollective.com/browserslist"
2491:         },
2492:         {
2493:           "type": "tidelift",
2494:           "url": "https://tidelift.com/funding/github/npm/browserslist"
2495:         },
2496:         {
2497:           "type": "github",
2498:           "url": "https://github.com/sponsors/ai"
2499:         }
2500:       ],
2501:       "license": "MIT",
2502:       "dependencies": {
2503:         "escalade": "^3.2.0",
2504:         "picocolors": "^1.1.1"
2505:       },
2506:       "bin": {
2507:         "update-browserslist-db": "cli.js"
2508:       },
2509:       "peerDependencies": {
2510:         "browserslist": ">= 4.21.0"
2511:       }
2512:     },
2513:     "node_modules/uri-js": {
2514:       "version": "4.4.1",
2515:       "resolved": "https://registry.npmjs.org/uri-js/-/uri-js-4.4.1.tgz",
2516:       "integrity": "sha512-7rXuoRfEWRlpeHVq246qWn4q90RbnEO19g3HUiIJoYAgMDLH/RQs5CguxjWtU80hTSPQU86XJkvZXk5zI2jFg==",
2517:       "dev": true,
2518:       "license": "BSD-2-Clause",
2519:       "dependencies": {
2520:         "punycode": "^2.1.0"
2521:       }
2522:     },
2523:     "node_modules/vite": {
2524:       "version": "8.0.7",
2525:       "resolved": "https://registry.npmjs.org/vite/-/vite-8.0.7.tgz",
2526:       "integrity": "sha512-P1PbwED+2/udplnThz3btF4cf6AgPky7kk23RtHUKJIU5BIxwPprhRGm0AHS6FTI7UiGbTNrgNP6jSY
D6JaRnw==",
2527:       "dev": true,
2528:       "license": "MIT",
2529:       "dependencies": {
2530:         "lightningcss": "^1.32.0",
2531:         "picomatch": "^4.0.4",
2532:         "postcss": "^8.5.8",
2533:         "rollup": "1.0.0-rc.13",
2534:         "tinyglobby": "^0.2.15"
2535:       },
2536:       "bin": {
2537:         "vite": "bin/vite.js"
2538:       },
2539:       "engines": {
2540:         "node": ">=20.19.0 || >=22.12.0"
2541:       },
2542:       "funding": {

```

```

2543:     "url": "https://github.com/vitejs/vite?sponsor=1"
2544:   },
2545:   "optionalDependencies": {
2546:     "fsevents": "~2.3.3"
2547:   },
2548:   "peerDependencies": {
2549:     "@types/node": "^20.19.0 || >=22.12.0",
2550:     "@vitejs/devtools": "^0.1.0",
2551:     "esbuild": "^0.27.0 || ^0.28.0",
2552:     "jiti": ">=1.21.0",
2553:     "less": "^4.0.0",
2554:     "sass": "^1.70.0",
2555:     "sass-embedded": "^1.70.0",
2556:     "stylus": ">=0.54.8",
2557:     "sugarss": "^5.0.0",
2558:     "terser": "^5.16.0",
2559:     "tsx": "^4.8.1",
2560:     "yaml": "^2.4.2"
2561:   },
2562:   "peerDependenciesMeta": {
2563:     "@types/node": {
2564:       "optional": true
2565:     },
2566:     "@vitejs/devtools": {
2567:       "optional": true
2568:     },
2569:     "esbuild": {
2570:       "optional": true
2571:     },
2572:     "jiti": {
2573:       "optional": true
2574:     },
2575:     "less": {
2576:       "optional": true
2577:     },
2578:     "sass": {
2579:       "optional": true
2580:     },
2581:     "sass-embedded": {
2582:       "optional": true
2583:     },
2584:     "stylus": {
2585:       "optional": true
2586:     },
2587:     "sugarss": {
2588:       "optional": true
2589:     },
2590:     "terser": {
2591:       "optional": true
2592:     },
2593:     "tsx": {
2594:       "optional": true
2595:     },
2596:     "yaml": {
2597:       "optional": true
2598:     }
2599:   },
2600: },
2601: "node_modules/which": {
2602:   "version": "2.0.2",
2603:   "resolved": "https://registry.npmjs.org/which/-/which-2.0.2.tgz",
2604:   "integrity": "sha512-BLI3Tl1TW3Pvl70l3yq3Y64i+awpXqsgBYWkqMtnbXgrMD+yj7rhW0kuEDxzJaYXGjEW5ogapKNME
KNMjibA==",
2605:   "dev": true,
2606:   "license": "ISC",
2607:   "dependencies": {
2608:     "isexe": "^2.0.0"
2609:   },
2610:   "bin": {
2611:     "node-which": "bin/node-which"
2612:   },
2613:   "engines": {
2614:     "node": ">= 8"
2615:   }
2616: },
2617: "node_modules/word-wrap": {
2618:   "version": "1.2.5",
2619:   "resolved": "https://registry.npmjs.org/word-wrap/-/word-wrap-1.2.5.tgz",
2620:   "integrity": "sha512-BN22B5eaMMI9UMtjrGd5g5eCYPPcPDUY0FJXbYsaT5zYxjF0ckS53SQDE3pwkVowpHXVb3BrYcEN4Tw
a55B5cA==",
2621:   "dev": true,
2622:   "license": "MIT",
2623:   "engines": {
2624:     "node": ">=0.10.0"

```

```

2625:     }
2626:   },
2627:   "node_modules/yallist": {
2628:     "version": "3.1.1",
2629:     "resolved": "https://registry.npmjs.org/yallist/-/yallist-3.1.1.tgz",
2630:     "integrity": "sha512-a4UGQawPH59mOXUYnAG2ewncQS4i4F43Tv3JoAM+s2VDAmS9nSK8GpDMLrCHPkFT7h3K6T0oUNn2pb
7RoXx4g==",
2631:     "dev": true,
2632:     "license": "ISC"
2633:   },
2634:   "node_modules/yocto-queue": {
2635:     "version": "0.1.0",
2636:     "resolved": "https://registry.npmjs.org/yocto-queue/-/yocto-queue-0.1.0.tgz",
2637:     "integrity": "sha512-rVksvsncDJ/ohGc6xgPwyN8eHCxsiLM8mxuE/t/mOVqJewPu01miLpTHQiRgTKCLexL4MeAFVagts
7HmNZ2Q==",
2638:     "dev": true,
2639:     "license": "MIT",
2640:     "engines": {
2641:       "node": ">=10"
2642:     },
2643:     "funding": {
2644:       "url": "https://github.com/sponsors/sindresorhus"
2645:     }
2646:   },
2647:   "node_modules/zod": {
2648:     "version": "4.3.6",
2649:     "resolved": "https://registry.npmjs.org/zod/-/zod-4.3.6.tgz",
2650:     "integrity": "sha512-rftlrkH20cjDwkGlnUtZZkvaPHCsDATp4pGpu00MDaTddDXF91wuVDJoWoPskX/3YPQ5fHuF3STjcy
yKr+Qhg==",
2651:     "dev": true,
2652:     "license": "MIT",
2653:     "funding": {
2654:       "url": "https://github.com/sponsors/colinhacks"
2655:     }
2656:   },
2657:   "node_modules/zod-validation-error": {
2658:     "version": "4.0.2",
2659:     "resolved": "https://registry.npmjs.org/zod-validation-error/-/zod-validation-error-4.0.2.tgz",
2660:     "integrity": "sha512-Q6/nZLe6jxuU80qb/4uJ4t5v2VEZ44lzQjPDhYJNztRQ4wyWc6VF3D3Kb/fAuPetZQnhS3hnaJcf9Cs
WesghLQ==",
2661:     "dev": true,
2662:     "license": "MIT",
2663:     "engines": {
2664:       "node": ">=18.0.0"
2665:     },
2666:     "peerDependencies": {
2667:       "zod": "^3.25.0 || ^4.0.0"
2668:     }
2669:   }
2670: }
2671: }

```

File: package.json

Purpose: Source listing with line-level reference for deep review

```

0001: {
0002:   "name": "move-x",
0003:   "private": true,
0004:   "version": "0.0.0",
0005:   "type": "module",
0006:   "scripts": {
0007:     "dev": "vite",
0008:     "build": "vite build",
0009:     "lint": "eslint .",
0010:     "preview": "vite preview"
0011:   },
0012:   "dependencies": {
0013:     "lucide-react": "^1.8.0",
0014:     "react": "^19.2.4",
0015:     "react-dom": "^19.2.4",
0016:     "react-router-dom": "^7.14.0"
0017:   },
0018:   "devDependencies": {
0019:     "@eslint/js": "^9.39.4",
0020:     "@types/react": "^19.2.14",
0021:     "@types/react-dom": "^19.2.3",
0022:     "@vitejs/plugin-react": "^6.0.1",
0023:     "eslint": "^9.39.4",
0024:     "eslint-plugin-react-hooks": "^7.0.1",
0025:     "eslint-plugin-react-refresh": "^0.5.2",
0026:     "globals": "^17.4.0",
0027:     "vite": "^8.0.4"
0028:   }
0029: }

```

File: src/Admin/AdminPage.css

Purpose: Source listing with line-level reference for deep review

```
0001: .admin-page {
0002:   min-height: 100vh;
0003:   background: radial-gradient(circle at top right, rgba(0, 255, 65, 0.1), rgba(0, 0, 0, 0.94));
0004: }
0005:
0006: .admin-layout {
0007:   padding: 30px;
0008: }
0009:
0010: .admin-loader-wrap {
0011:   min-height: 52vh;
0012:   display: grid;
0013:   place-items: center;
0014:   align-content: center;
0015:   gap: 12px;
0016: }
0017:
0018: .admin-loader-wrap p {
0019:   color: #d7fddf;
0020:   margin: 0;
0021:   font-weight: 600;
0022:   letter-spacing: 0.02em;
0023: }
0024:
0025: .admin-loader-spinner {
0026:   width: 46px;
0027:   height: 46px;
0028:   border: 3px solid rgba(255, 255, 255, 0.2);
0029:   border-top-color: var(--color-primary);
0030:   border-radius: 50%;
0031:   animation: adminSpin 0.75s linear infinite;
0032: }
0033:
0034: .admin-title-row {
0035:   display: flex;
0036:   justify-content: space-between;
0037:   align-items: center;
0038:   margin-bottom: 20px;
0039: }
0040:
0041: .admin-title-actions {
0042:   display: flex;
0043:   gap: 10px;
0044:   align-items: center;
0045: }
0046:
0047: .admin-title-row h2 {
0048:   color: #fff;
0049:   margin: 0;
0050: }
0051:
0052: .admin-auth-pill {
0053:   display: inline-flex;
0054:   align-items: center;
0055:   border: 1px solid rgba(0, 255, 65, 0.5);
0056:   border-radius: 999px;
0057:   padding: 6px 12px;
0058:   color: #d7fddf;
0059:   font-size: 0.82rem;
0060:   background: rgba(0, 255, 65, 0.12);
0061: }
0062:
0063: .admin-auth-card {
0064:   max-width: 460px;
0065:   margin: 30px auto;
0066: }
0067:
0068: .admin-auth-note {
0069:   color: #d6e6da;
0070:   margin-top: 0;
0071:   margin-bottom: 14px;
0072:   font-size: 0.95rem;
0073: }
0074:
0075: .admin-section-tabs {
0076:   display: inline-flex;
0077:   gap: 8px;
0078:   margin-bottom: 16px;
0079:   padding: 6px;
0080:   border: 1px solid rgba(255, 255, 255, 0.14);
0081:   border-radius: 999px;
```

```
0082:   background: rgba(0, 0, 0, 0.25);
0083: }
0084:
0085: .admin-section-tab {
0086:   text-decoration: none;
0087:   color: #d7fddf;
0088:   border: 1px solid transparent;
0089:   border-radius: 999px;
0090:   padding: 6px 14px;
0091:   font-size: 0.9rem;
0092:   font-weight: 600;
0093: }
0094:
0095: .admin-section-tab.active {
0096:   background: rgba(0, 255, 65, 0.18);
0097:   border-color: var(--color-primary);
0098:   color: #fff;
0099: }
0100:
0101: .admin-back-btn {
0102:   border: 1px solid var(--color-primary);
0103:   background: transparent;
0104:   color: #fff;
0105:   border-radius: 999px;
0106:   padding: 8px 14px;
0107:   cursor: pointer;
0108: }
0109:
0110: .admin-open-btn,
0111: .admin-close-btn {
0112:   border: 1px solid var(--color-primary);
0113:   background: rgba(0, 255, 65, 0.16);
0114:   color: #fff;
0115:   border-radius: 999px;
0116:   padding: 8px 14px;
0117:   cursor: pointer;
0118: }
0119:
0120: .admin-grid {
0121:   display: grid;
0122:   grid-template-columns: repeat(auto-fit, minmax(280px, 1fr));
0123:   gap: 24px;
0124: }
0125:
0126: .admin-card {
0127:   background: rgba(255, 255, 255, 0.06);
0128:   border: 1px solid rgba(255, 255, 255, 0.1);
0129:   border-radius: 12px;
0130:   padding: 20px;
0131: }
0132:
0133: .admin-card h3 {
0134:   color: #fff;
0135:   margin-top: 0;
0136:   margin-bottom: 16px;
0137: }
0138:
0139: .admin-preview-card {
0140:   margin-bottom: 20px;
0141: }
0142:
0143: .admin-manager-card {
0144:   animation: fadeIn 0.2s ease;
0145: }
0146:
0147: .admin-modal-overlay {
0148:   position: fixed;
0149:   inset: 0;
0150:   background: rgba(0, 0, 0, 0.58);
0151:   backdrop-filter: blur(4px);
0152:   display: flex;
0153:   align-items: center;
0154:   justify-content: center;
0155:   padding: 20px;
0156:   z-index: 20;
0157: }
0158:
0159: .admin-modal {
0160:   width: min(680px, 100%);
0161:   max-height: 90vh;
0162:   overflow-y: auto;
0163:   margin: 0;
0164: }
0165:
```

```
0166: .admin-manager-header {
0167:   display: flex;
0168:   justify-content: space-between;
0169:   align-items: center;
0170:   margin-bottom: 14px;
0171: }
0172:
0173: .admin-form {
0174:   display: flex;
0175:   flex-direction: column;
0176:   gap: 10px;
0177: }
0178:
0179: .admin-form input,
0180: .admin-form select {
0181:   border: 1px solid rgba(255, 255, 255, 0.2);
0182:   background: rgba(255, 255, 255, 0.08);
0183:   color: #fff;
0184:   border-radius: 8px;
0185:   padding: 10px 12px;
0186: }
0187:
0188: .admin-form input::placeholder {
0189:   color: rgba(255, 255, 255, 0.65);
0190: }
0191:
0192: .admin-form button {
0193:   border: 1px solid var(--color-primary);
0194:   background: rgba(0, 255, 65, 0.16);
0195:   color: #fff;
0196:   border-radius: 8px;
0197:   padding: 10px 14px;
0198:   font-weight: 600;
0199:   cursor: pointer;
0200: }
0201:
0202: .admin-form button:disabled {
0203:   opacity: 0.6;
0204:   cursor: not-allowed;
0205: }
0206:
0207: .admin-result {
0208:   color: #d8ffd8;
0209:   margin-top: 12px;
0210:   font-size: 0.95rem;
0211: }
0212:
0213: .admin-rider-list {
0214:   margin-top: 18px;
0215:   display: grid;
0216:   gap: 10px;
0217: }
0218:
0219: .admin-rider-list h4 {
0220:   color: #fff;
0221:   margin: 0;
0222: }
0223:
0224: .admin-rider-item {
0225:   border: 1px solid rgba(255, 255, 255, 0.15);
0226:   border-radius: 10px;
0227:   padding: 10px 12px;
0228:   background: rgba(255, 255, 255, 0.04);
0229: }
0230:
0231: .admin-rider-item p {
0232:   margin: 4px 0;
0233:   color: #ddf6e1;
0234: }
0235:
0236: @keyframes adminSpin {
0237:   to {
0238:     transform: rotate(360deg);
0239:   }
0240: }
0241:
0242: @media (max-width: 900px) {
0243:   .admin-grid {
0244:     grid-template-columns: 1fr;
0245:   }
0246:
0247:   .admin-layout {
0248:     padding: 20px;
0249:   }
}
```

0250: }

File: src/Admin/AdminPage.jsx

Purpose: Source listing with line-level reference for deep review

```
0001: import { useEffect, useState } from 'react'
0002: import { useNavigate } from 'react-router-dom'
0003: import Header from '../components/Header'
0004: import AdminSectionTabs from '../components/AdminSectionTabs'
0005: import CreateOrderForm from '../components/CreateOrderForm'
0006: import UpdateOrderStatusForm from '../components/UpdateOrderStatusForm'
0007: import TrackOrderPreview from '../components/TrackOrderPreview'
0008: import useAdminOrdersDashboard from '../hooks/useAdminOrdersDashboard'
0009: import useOrderManagementForms from '../hooks/useOrderManagementForms'
0010: import { getAdminProfile, loginAdmin, logoutAdmin } from '../services/adminAuthService'
0011: import './AdminPage.css'
0012:
0013: function AdminPage() {
0014:   const navigate = useNavigate()
0015:   const [isManagerOpen, setIsManagerOpen] = useState(false)
0016:   const [managerMode, setManagerMode] = useState('create')
0017:   const [authForm, setAuthForm] = useState(() => {
0018:     const storedProfileRaw = localStorage.getItem('adminProfile')
0019:
0020:     if (!storedProfileRaw) {
0021:       return { email: '', password: '' }
0022:     }
0023:
0024:     try {
0025:       const storedProfile = JSON.parse(storedProfileRaw)
0026:
0027:       return {
0028:         email: storedProfile?.email || '',
0029:         password: '',
0030:       }
0031:     } catch (_error) {
0032:       return { email: '', password: '' }
0033:     }
0034:   })
0035:   const [authMessage, setAuthMessage] = useState('')
0036:   const [isAuthChecking, setIsAuthChecking] = useState(true)
0037:   const [isAuthenticating, setIsAuthenticating] = useState(false)
0038:   const [isAdminAuthenticated, setIsAdminAuthenticated] = useState(false)
0039:   const [adminProfile, setAdminProfile] = useState(null)
0040:
0041:   const {
0042:     previewId,
0043:     setPreviewId,
0044:     orders,
0045:     summaryPeriod,
0046:     summaryDate,
0047:     summary,
0048:     summaryRange,
0049:     activeOrderId,
0050:     isSummaryLoading,
0051:     storageMessage,
0052:     isStorageLoading,
0053:     isInitialLoading,
0054:     refreshDashboardData,
0055:     handleSummaryPeriodChange,
0056:     handleSummaryDateChange,
0057:     handlePreviewSubmit,
0058:     handleDeleteOrder,
0059:   } = useAdminOrdersDashboard()
0060:
0061:   const {
0062:     createForm,
0063:     updateForm,
0064:     createResult,
0065:     updateResult,
0066:     isCreating,
0067:     isUpdating,
0068:     handleCreateChange,
0069:     handleUpdateChange,
0070:     preloadUpdateForm,
0071:     handleCreateSubmit,
0072:     handleUpdateSubmit,
0073:     deliveryStatusOptions,
0074:     riders,
0075:     isRidersLoading,
0076:   } = useOrderManagementForms({
0077:     onMutationSuccess: refreshDashboardData,
0078:   })
0079: }
```

```

0080:   useEffect(() => {
0081:     let cancelled = false
0082:
0083:     async function restoreSession() {
0084:       const result = await getAdminProfile()
0085:
0086:       if (cancelled) {
0087:         return
0088:       }
0089:
0090:       if (!result.success) {
0091:         setIsAdminAuthenticated(false)
0092:         setAdminProfile(null)
0093:         setAuthMessage('Admin sign-in required.')
0094:         setIsAuthChecking(false)
0095:         return
0096:       }
0097:
0098:       setIsAdminAuthenticated(true)
0099:       setAdminProfile(result.data)
0100:       setAuthForm((current) => ({
0101:         ...current,
0102:         email: result.data.email,
0103:       }))
0104:       setAuthMessage('')
0105:       setIsAuthChecking(false)
0106:     }
0107:
0108:     restoreSession()
0109:
0110:     return () => {
0111:       cancelled = true
0112:     }
0113:   }, [])
0114:
0115:   async function handleAdminLogin(event) {
0116:     event.preventDefault()
0117:
0118:     if (!authForm.email.trim() || !authForm.password.trim()) {
0119:       setAuthMessage('Enter your admin email and password.')
0120:       return
0121:     }
0122:
0123:     setIsAuthenticating(true)
0124:     setAuthMessage('Signing in...')
0125:
0126:     const result = await loginAdmin({
0127:       email: authForm.email.trim(),
0128:       password: authForm.password,
0129:     })
0130:
0131:     if (!result.success) {
0132:       setAuthMessage(result.error)
0133:       setIsAuthenticating(false)
0134:       return
0135:     }
0136:
0137:     setIsAdminAuthenticated(true)
0138:     setAdminProfile(result.data)
0139:     setAuthForm((current) => ({
0140:       ...current,
0141:       password: '',
0142:     }))
0143:     setAuthMessage('')
0144:     setIsAuthenticating(false)
0145:   }
0146:
0147:   async function handleAdminLogout() {
0148:     await logoutAdmin()
0149:     setIsAdminAuthenticated(false)
0150:     setAdminProfile(null)
0151:     setAuthForm((current) => ({
0152:       ...current,
0153:       password: '',
0154:     }))
0155:     setAuthMessage('You have been signed out.')
0156:   }
0157:
0158:   function handleEditShortcut(order) {
0159:     setManagerMode('update')
0160:     setIsManagerOpen(true)
0161:     preloadUpdateForm(order)
0162:   }
0163:

```



```

0164:   return (
0165:     <div className='admin-page'>
0166:       <Header />
0167:       <div className='admin-layout'>
0168:         {isAuthChecking ? (
0169:           <section className='admin-loader-wrap' aria-live='polite' aria-busy='true'>
0170:             <div className='admin-loader-spinner' />
0171:             <p>Restoring admin session...</p>
0172:           </section>
0173:         ) : !isAdminAuthenticated ? (
0174:           <section className='admin-card admin-auth-card'>
0175:             <h3>Admin Sign In</h3>
0176:             <p className='admin-auth-note'>Use your admin credentials configured on the backend.</p>
0177:             <form className='admin-form' onSubmit={handleAdminLogin}>
0178:               <input
0179:                 type='email'
0180:                 name='email'
0181:                 placeholder='Admin email'
0182:                 value={authForm.email}
0183:                 onChange={(event) => setAuthForm((current) => ({ ...current, email: event.target.value }))}
0184:                 autoComplete='email'
0185:               />
0186:               <input
0187:                 type='password'
0188:                 name='password'
0189:                 placeholder='Password'
0190:                 value={authForm.password}
0191:                 onChange={(event) => setAuthForm((current) => ({ ...current, password: event.target.value
0192:                 autoComplete='current-password'
0193:               />
0194:               <button type='submit' disabled={isAuthenticating}>
0195:                 {isAuthenticating ? 'Please wait...' : 'Sign In'}
0196:               </button>
0197:             </form>
0198:             {authMessage ? <p className='admin-result'>{authMessage}</p> : null}
0199:           </section>
0200:         ) : isInitialLoading ? (
0201:           <section className='admin-loader-wrap' aria-live='polite' aria-busy='true'>
0202:             <div className='admin-loader-spinner' />
0203:             <p>Loading admin dashboard...</p>
0204:           </section>
0205:         ) : (
0206:           <>
0207:           <div className='admin-title-row'>
0208:             <h2>Admin Customer Page</h2>
0209:             <div className='admin-title-actions'>
0210:               <span className='admin-auth-pill'>Signed in as {adminProfile?.email || 'admin'}</span>
0211:               <button type='button' className='admin-back-btn' onClick={() => navigate('/')}>
0212:                 Back to Home
0213:               </button>
0214:               <button type='button' className='admin-back-btn' onClick={handleAdminLogout}>
0215:                 Logout
0216:               </button>
0217:               <button
0218:                 type='button'
0219:                 className='admin-open-btn'
0220:                 onClick={() => {
0221:                   setManagerMode('create')
0222:                   setIsManagerOpen(true)
0223:                 }}
0224:               >
0225:                 Create Order
0226:               </button>
0227:               <button
0228:                 type='button'
0229:                 className='admin-open-btn'
0230:                 onClick={() => {
0231:                   setManagerMode('update')
0232:                   setIsManagerOpen(true)
0233:                 }}
0234:               >
0235:                 Update Order Status
0236:               </button>
0237:             </div>
0238:           </div>
0239:
0240:           <AdminSectionTabs />
0241:
0242:           <TrackOrderPreview
0243:             previewId={previewId}
0244:             setPreviewId={setPreviewId}
0245:             onSubmit={handlePreviewSubmit}

```

```

0246:         isLoading={isLoading}
0247:         summaryPeriod={summaryPeriod}
0248:         summaryDate={summaryDate}
0249:         onSummaryPeriodChange={handleSummaryPeriodChange}
0250:         onSummaryDateChange={handleSummaryDateChange}
0251:         summary={summary}
0252:         summaryRange={summaryRange}
0253:         activeOrderId={activeOrderId}
0254:         isSummaryLoading={isSummaryLoading}
0255:         storageMessage={storageMessage}
0256:         orders={orders}
0257:         onEdit={handleEditShortcut}
0258:         onDelete={handleDeleteOrder}
0259:     />
0260:
0261:     {isManagerOpen && (
0262:       <div className='admin-modal-overlay' onClick={() => setIsManagerOpen(false)}>
0263:         <section className='admin-card admin-manager-card admin-modal' onClick={(event) => event.stopP
0264:         ropagation())>
0265:           <div className='admin-manager-header'>
0266:             <h3>{managerMode === 'create' ? 'Create Order' : 'Update Order Status'}</h3>
0267:             <button type='button' className='admin-close-btn' onClick={() => setIsManagerOpen(false)}>
0268:               Close
0269:             </button>
0270:           </div>
0271:           {managerMode === 'create' ? (
0272:             <CreateOrderForm
0273:               form={createForm}
0274:               onChange={handleCreateChange}
0275:               onSubmit={handleCreateSubmit}
0276:               isSubmitting={isCreating}
0277:               result={createResult}
0278:               statusOptions={deliveryStatusOptions}
0279:               riders={riders}
0280:               isRidersLoading={isRidersLoading}
0281:             />
0282:           ) : (
0283:             <UpdateOrderStatusForm
0284:               form={updateForm}
0285:               onChange={handleUpdateChange}
0286:               onSubmit={handleUpdateSubmit}
0287:               isSubmitting={isUpdating}
0288:               result={updateResult}
0289:               statusOptions={deliveryStatusOptions}
0290:             />
0291:           )}
0292:         </section>
0293:       </div>
0294:     )}
0295:   </div>
0296: </div>
0297: </div>
0298: )
0299: }
0300:
0301: export default AdminPage

```

File: src/Admin/AdminRidersPage.css

Purpose: Source listing with line-level reference for deep review

```

0001: .admin-rider-layout {
0002:   display: grid;
0003:   grid-template-columns: 360px 1fr;
0004:   gap: 16px;
0005: }
0006:
0007: .admin-rider-list__header {
0008:   display: flex;
0009:   justify-content: space-between;
0010:   align-items: center;
0011:   gap: 12px;
0012: }
0013:
0014: .admin-refresh-btn {
0015:   border: 1px solid var(--color-primary);
0016:   background: rgba(0, 255, 65, 0.16);
0017:   color: #fff;
0018:   border-radius: 999px;
0019:   padding: 6px 12px;
0020:   font-weight: 600;
0021:   cursor: pointer;
0022: }
0023:

```

```

0024: .admin-refresh-btn:disabled {
0025:   opacity: 0.6;
0026:   cursor: not-allowed;
0027: }
0028:
0029: .admin-rider-map-toolbar {
0030:   display: flex;
0031:   flex-direction: column;
0032:   gap: 8px;
0033:   margin-bottom: 12px;
0034: }
0035:
0036: .admin-rider-map-toolbar label {
0037:   color: #fff;
0038:   font-weight: 600;
0039: }
0040:
0041: .admin-rider-map-toolbar select {
0042:   border: 1px solid rgba(255, 255, 255, 0.2);
0043:   background: rgba(255, 255, 255, 0.08);
0044:   color: #fff;
0045:   border-radius: 8px;
0046:   padding: 10px 12px;
0047: }
0048:
0049: .admin-rider-meta {
0050:   margin-top: 10px;
0051: }
0052:
0053: .admin-rider-meta p {
0054:   margin: 4px 0;
0055:   color: #ddf6e1;
0056: }
0057:
0058: .admin-delete-rider-btn {
0059:   margin-top: 8px;
0060:   border: none;
0061:   border-radius: 6px;
0062:   padding: 6px 12px;
0063:   font-size: 0.8rem;
0064:   cursor: pointer;
0065:   font-weight: 600;
0066:   background: #e74c3c;
0067:   color: #fff;
0068: }
0069:
0070: .admin-delete-rider-btn:disabled {
0071:   opacity: 0.5;
0072:   cursor: not-allowed;
0073: }
0074:
0075: @media (max-width: 980px) {
0076:   .admin-rider-layout {
0077:     grid-template-columns: 1fr;
0078:   }
0079: }

```

File: src/Admin/AdminRidersPage.jsx

Purpose: Source listing with line-level reference for deep review

```

0001: import { useEffect, useState } from 'react'
0002: import { useNavigate } from 'react-router-dom'
0003: import Header from '../components/Header'
0004: import Map from '../components/Map'
0005: import AdminSectionTabs from '../components/AdminSectionTabs'
0006: import RiderManagementPanel from '../components/RiderManagementPanel'
0007: import {
0008:   createRiderProfile,
0009:   getRiders,
0010:   deleteRiderProfile,
0011: } from '../services/riderService'
0012: import { getAdminProfile, loginAdmin, logoutAdmin } from '../services/adminAuthService'
0013: import './AdminPage.css'
0014: import './AdminRidersPage.css'
0015:
0016: function AdminRidersPage() {
0017:   const navigate = useNavigate()
0018:
0019:   const [riders, setRiders] = useState([])
0020:   const [isLoading, setIsLoading] = useState(true)
0021:   const [riderForm, setRiderForm] = useState({ name: '', phone: '' })
0022:   const [resultMessage, setResultMessage] = useState('')
0023:   const [isSubmitting, setIsSubmitting] = useState(false)
0024:   const [isRefreshing, setIsRefreshing] = useState(false)

```

```

0025: const [selectedRiderId, setSelectedRiderId] = useState('')
0026: const [deletingRiderId, setDeletingRiderId] = useState(null)
0027: const [authForm, setAuthForm] = useState(() => {
0028:   const storedProfileRaw = localStorage.getItem('adminProfile')
0029:
0030:   if (!storedProfileRaw) {
0031:     return { email: '', password: '' }
0032:   }
0033:
0034:   try {
0035:     const storedProfile = JSON.parse(storedProfileRaw)
0036:
0037:     return {
0038:       email: storedProfile?.email || '',
0039:       password: '',
0040:     }
0041:   } catch (_error) {
0042:     return { email: '', password: '' }
0043:   }
0044: })
0045: const [authMessage, setAuthMessage] = useState('')
0046: const [isAuthChecking, setIsAuthChecking] = useState(true)
0047: const [isAuthenticating, setIsAuthenticating] = useState(false)
0048: const [isAdminAuthenticated, setIsAdminAuthenticated] = useState(false)
0049: const [adminProfile, setAdminProfile] = useState(null)
0050:
0051: async function loadRiders(showLoader = true) {
0052:   if (showLoader) {
0053:     setIsLoading(true)
0054:   }
0055:
0056:   const result = await getRiders()
0057:   if (result.success) {
0058:     setRiders(result.data)
0059:
0060:     setSelectedRiderId((currentSelectedId) => {
0061:       if (result.data.length === 0) {
0062:         return ''
0063:       }
0064:
0065:       const selectedStillExists = result.data.some((rider) => rider.id === currentSelectedId)
0066:       if (selectedStillExists) {
0067:         return currentSelectedId
0068:       }
0069:
0070:       return result.data[0].id
0071:     })
0072:   } else if (showLoader) {
0073:     setResultMessage(result.error)
0074:   }
0075:
0076:   if (showLoader) {
0077:     setIsLoading(false)
0078:   }
0079: }
0080:
0081: async function handleRefreshRiders() {
0082:   setIsRefreshing(true)
0083:   setResultMessage('Refreshing rider list...')
0084:
0085:   try {
0086:     await loadRiders(false)
0087:     setResultMessage('Rider list refreshed.')
0088:   } finally {
0089:     setIsRefreshing(false)
0090:   }
0091: }
0092:
0093: useEffect(() => {
0094:   let cancelled = false
0095:
0096:   async function restoreSession() {
0097:     const result = await getAdminProfile()
0098:
0099:     if (cancelled) {
0100:       return
0101:     }
0102:
0103:     if (!result.success) {
0104:       setIsAdminAuthenticated(false)
0105:       setAdminProfile(null)
0106:       setAuthMessage('Admin sign-in required.')
0107:       setIsAuthChecking(false)
0108:       return

```

```

0109:     }
0110:
0111:     setIsAdminAuthenticated(true)
0112:     setAdminProfile(result.data)
0113:     setAuthForm((current) => ({
0114:       ...current,
0115:       email: result.data.email,
0116:     })))
0117:     setAuthMessage('')
0118:     setIsAuthChecking(false)
0119:   }
0120:
0121:   restoreSession()
0122:
0123:   return () => {
0124:     cancelled = true
0125:   }
0126: }, [])
0127:
0128: useEffect(() => {
0129:   if (!isAdminAuthenticated) {
0130:     return
0131:   }
0132:
0133:   let cancelled = false
0134:
0135:   async function loadRidersForEffect(showLoader = true) {
0136:     if (showLoader) {
0137:       setIsLoading(true)
0138:     }
0139:
0140:     const result = await getRiders()
0141:
0142:     if (cancelled) {
0143:       return
0144:     }
0145:
0146:     if (result.success) {
0147:       setRiders(result.data)
0148:       setSelectedRiderId((currentSelectedId) => {
0149:         if (result.data.length === 0) {
0150:           return ''
0151:         }
0152:
0153:         const selectedStillExists = result.data.some((rider) => rider.id === currentSelectedId)
0154:         if (selectedStillExists) {
0155:           return currentSelectedId
0156:         }
0157:
0158:         return result.data[0].id
0159:       })
0160:     } else if (showLoader) {
0161:       setResultMessage(result.error)
0162:     }
0163:
0164:     if (showLoader) {
0165:       setIsLoading(false)
0166:     }
0167:   }
0168:
0169:   loadRidersForEffect()
0170:
0171:   const intervalId = setInterval(() => {
0172:     loadRidersForEffect(false)
0173:   }, 5000)
0174:
0175:   return () => {
0176:     cancelled = true
0177:     clearInterval(intervalId)
0178:   }
0179: }, [isAdminAuthenticated])
0180:
0181: async function handleAdminLogin(event) {
0182:   event.preventDefault()
0183:
0184:   if (!authForm.email.trim() || !authForm.password.trim()) {
0185:     setAuthMessage('Enter your admin email and password.')
0186:     return
0187:   }
0188:
0189:   setIsAuthenticating(true)
0190:   setAuthMessage('Signing in...')
0191:
0192:   const result = await loginAdmin({

```

```

0193:     email: authForm.email.trim(),
0194:     password: authForm.password,
0195:   })
0196:
0197:   if (!result.success) {
0198:     setAuthMessage(result.error)
0199:     setIsAuthenticating(false)
0200:     return
0201:   }
0202:
0203:   setIsAdminAuthenticated(true)
0204:   setAdminProfile(result.data)
0205:   setAuthForm((current) => ({
0206:     ...current,
0207:     password: '',
0208:   }))
0209:   setAuthMessage('')
0210:   setIsAuthenticating(false)
0211: }
0212:
0213: async function handleAdminLogout() {
0214:   await logoutAdmin()
0215:   setIsAdminAuthenticated(false)
0216:   setAdminProfile(null)
0217:   setAuthForm((current) => ({
0218:     ...current,
0219:     password: '',
0220:   }))
0221:   setAuthMessage('You have been signed out.')
0222: }
0223:
0224:
0225: function handleRiderInputChange(event) {
0226:   const { name, value } = event.target
0227:   setRiderForm((current) => ({
0228:     ...current,
0229:     [name]: value,
0230:   }))
0231: }
0232:
0233: async function handleRiderSubmit(event) {
0234:   event.preventDefault()
0235:   setResultMessage('')
0236:   setIsSubmitting(true)
0237:
0238:   const result = await createRiderProfile(riderForm)
0239:
0240:   if (!result.success) {
0241:     setResultMessage(result.error)
0242:     setIsSubmitting(false)
0243:     return
0244:   }
0245:
0246:   setResultMessage(`${result.data.name} is ready for rider login.`)
0247:   setRiderForm({ name: '', phone: '' })
0248:   await loadRiders(false)
0249:   setSelectedRiderId(result.data.id)
0250:   setIsSubmitting(false)
0251: }
0252:
0253: async function handleDeleteRider(riderId, riderName) {
0254:   const confirmed = window.confirm(`Delete rider profile for ${riderName}? This will unassign their active orders.`)
0255:   if (!confirmed) {
0256:     return
0257:   }
0258:
0259:   setDeletingRiderId(riderId)
0260:   const result = await deleteRiderProfile(riderId)
0261:
0262:   if (!result.success) {
0263:     setResultMessage(result.error)
0264:     setDeletingRiderId(null)
0265:     return
0266:   }
0267:
0268:   setResultMessage(`${riderName} profile deleted.`)
0269:   await loadRiders(false)
0270:   setDeletingRiderId(null)
0271: }
0272:
0273: const selectedRider = riders.find((rider) => rider.id === selectedRiderId) || null
0274:
0275: return (

```

```

0276: <div className='admin-page'>
0277:   <Header />
0278:   <div className='admin-layout'>
0279:     {isAuthChecking ? (
0280:       <section className='admin-loader-wrap' aria-live='polite' aria-busy='true'>
0281:         <div className='admin-loader-spinner' />
0282:         <p>Restoring admin session...</p>
0283:       </section>
0284:     ) : !isAdminAuthenticated ? (
0285:       <section className='admin-card admin-auth-card'>
0286:         <h3>Admin Sign In</h3>
0287:         <p className='admin-auth-note'>Use your admin credentials configured on the backend.</p>
0288:         <form className='admin-form' onSubmit={handleAdminLogin}>
0289:           <input
0290:             type='email'
0291:             name='email'
0292:             placeholder='Admin email'
0293:             value={authForm.email}
0294:             onChange={(event) => setAuthForm((current) => ({ ...current, email: event.target.value })))
0295:           />
0296:           <input
0297:             type='password'
0298:             name='password'
0299:             placeholder='Password'
0300:             value={authForm.password}
0301:             onChange={(event) => setAuthForm((current) => ({ ...current, password: event.target.value
0302:             })))
0303:             autoComplete='current-password'
0304:           />
0305:           <button type='submit' disabled={isAuthenticating}>
0306:             {isAuthenticating ? 'Please wait...' : 'Sign In'}
0307:           </button>
0308:         </form>
0309:         {authMessage ? <p className='admin-result'>{authMessage}</p> : null}
0310:       </section>
0311:     ) : (
0312:       <>
0313:       <div className='admin-title-row'>
0314:         <h2>Admin Rider Page</h2>
0315:         <div className='admin-title-actions'>
0316:           <span className='admin-auth-pill'>Signed in as {adminProfile?.email || 'admin'}</span>
0317:           {/* <button type='button' className='admin-back-btn' onClick={() => navigate('/admin')}>
0318:             Back to Customer Page
0319:           </button> */}
0320:           <button type='button' className='admin-back-btn' onClick={handleAdminLogout}>
0321:             Logout
0322:           </button>
0323:         </div>
0324:       </div>
0325:
0326:       <AdminSectionTabs />
0327:
0328:       <section className='admin-rider-layout'>
0329:         <section className='admin-card'>
0330:           <RiderManagementPanel
0331:             riders={riders}
0332:             isLoading={isLoading}
0333:             isRefreshing={isRefreshing}
0334:             form={riderForm}
0335:             onChange={handleRiderInputChange}
0336:             onSubmit={handleRiderSubmit}
0337:             onRefresh={handleRefreshRiders}
0338:             onDelete={handleDeleteRider}
0339:             deletingRiderId={deletingRiderId}
0340:             isSubmitting={isSubmitting}
0341:             result={resultMessage}
0342:           />
0343:         </section>
0344:
0345:         <section className='admin-card'>
0346:           <div className='admin-rider-map-toolbar'>
0347:             <label htmlFor='selectedRider'>Live Rider Map</label>
0348:             <select
0349:               id='selectedRider'
0350:               value={selectedRiderId}
0351:               onChange={(event) => setSelectedRiderId(event.target.value)}
0352:             >
0353:               {riders.length === 0 ? <option value=''>No riders available</option> : null}
0354:               {riders.map((rider) => (
0355:                 <option key={rider.id} value={rider.id}>
0356:                   {rider.name} ({rider.phone})
0357:                 </option>

```

```

0358:         )))
0359:       </select>
0360:     </div>
0361:
0362:     <Map
0363:       title={selectedRider ? `${selectedRider.name} live location` : 'Rider live location'}
0364:       locationLabel={selectedRider?.lastLocation?.placeName || 'Waiting for rider to share locatio
n...' }
0365:       latitude={selectedRider?.lastLocation?.lat}
0366:       longitude={selectedRider?.lastLocation?.lng}
0367:     />
0368:
0369:     <div className='admin-rider-meta'>
0370:       <p>Status: {selectedRider?.isSharing ? 'Sharing location' : 'Offline'}</p>
0371:       <p>
0372:         Last update: { ' ' }
0373:         {selectedRider?.lastLocation?.updatedAt
0374:           ? new Date(selectedRider.lastLocation.updatedAt).toLocaleString()
0375:           : 'No live location yet'}
0376:       </p>
0377:     </div>
0378:   </section>
0379: </section>
0380: </>
0381:   })
0382: </div>
0383: </div>
0384: )
0385: }
0386:
0387: export default AdminRidersPage

```

File: src/Admin/components/AdminSectionTabs.jsx

Purpose: Source listing with line-level reference for deep review

```

0001: import { NavLink } from 'react-router-dom'
0002:
0003: function AdminSectionTabs() {
0004:   return (
0005:     <nav className='admin-section-tabs' aria-label='Admin section navigation'>
0006:       <NavLink
0007:         to='/admin/customers'
0008:         className={({ isActive }) => `admin-section-tab ${isActive ? 'active' : ''}`}
0009:       >
0010:         Customer Page
0011:       </NavLink>
0012:       <NavLink
0013:         to='/admin/riders'
0014:         className={({ isActive }) => `admin-section-tab ${isActive ? 'active' : ''}`}
0015:       >
0016:         Rider Page
0017:       </NavLink>
0018:     </nav>
0019:   )
0020: }
0021:
0022: export default AdminSectionTabs

```

File: src/Admin/components/CreateOrderForm.jsx

Purpose: Source listing with line-level reference for deep review

```

0001: function CreateOrderForm({ form, onChange, onSubmit, isSubmitting, result, statusOptions, riders, isRiders
Loading }) {
0002:   return (
0003:     <div>
0004:       <form onSubmit={onSubmit} className='admin-form'>
0005:         <input name='trackingId' placeholder='Tracking ID (MX00001)' value={form.trackingId} onChange={onC
hange} required />
0006:         <input name='sender.name' placeholder='Sender name' value={form.sender.name} onChange={onChange} r
equired />
0007:         <input name='sender.phone' placeholder='Sender phone' value={form.sender.phone} onChange={onChange
} required />
0008:         <input name='sender.address' placeholder='Sender address' value={form.sender.address} onChange={onC
hange} required />
0009:         <input name='receiver.name' placeholder='Receiver name' value={form.receiver.name} onChange={onCha
nge} required />
0010:         <input name='receiver.phone' placeholder='Receiver phone' value={form.receiver.phone} onChange={onC
hange} required />
0011:         <input name='receiver.address' placeholder='Receiver address' value={form.receiver.address} onChan
ge={onChange} required />
0012:         <input name='receiver.location.lat' placeholder='Receiver latitude (optional)' value={form.receive
r.location.lat} onChange={onChange} />
0013:         <input name='receiver.location.lng' placeholder='Receiver longitude (optional)' value={form.receive
er.location.lng} onChange={onChange} />

```



```

0014:         <input name='package.description' placeholder='Package description' value={form.package.descriptio
n} onChange={onChange} required />
0015:         <select name='delivery.status' value={form.delivery.status} onChange={onChange}>
0016:             {statusOptions.map((status) => (
0017:                 <option key={status} value={status}>{status}</option>
0018:             ))}
0019:         </select>
0020:
0021:         <select name='rider.riderId' value={form.rider.riderId} onChange={onChange}>
0022:             <option value=''>Assign Rider (optional)</option>
0023:             {riders.map((rider) => (
0024:                 <option key={rider.id} value={rider.id}>
0025:                     {rider.name} ({rider.phone})
0026:                 </option>
0027:             ))}
0028:         </select>
0029:         <input name='rider.name' placeholder='Rider name' value={form.rider.name} onChange={onChange} read
Only={Boolean(form.rider.riderId)} />
0030:         <input name='rider.phone' placeholder='Rider phone' value={form.rider.phone} onChange={onChange} r
eadOnly={Boolean(form.rider.riderId)} />
0031:         <input name='rider.currentLocation' placeholder='Auto-filled rider location' value={form.rider.cur
rentLocation} onChange={onChange} readOnly />
0032:         {isRidersLoading ? <p className='admin-result'>Loading riders...</p> : null}
0033:         <button type='submit' disabled={isSubmitting}>{isSubmitting ? 'Creating...' : 'Create Order'}</but
ton>
0034:     </form>
0035:     {result && <p className='admin-result'>{result}</p>}
0036: </div>
0037: )
0038: }
0039:
0040: export default CreateOrderForm

```

File: src/Admin/components/OrderSummaryTable.css

Purpose: Source listing with line-level reference for deep review

```

0001: .admin-summary-table-wrap {
0002:     margin-top: 14px;
0003:     overflow-x: auto;
0004:     border: 1px solid rgba(255, 255, 255, 0.14);
0005:     border-radius: 10px;
0006: }
0007:
0008: .admin-summary-header {
0009:     display: flex;
0010:     justify-content: space-between;
0011:     align-items: center;
0012:     gap: 12px;
0013:     padding: 10px 12px;
0014:     border-bottom: 1px solid rgba(255, 255, 255, 0.08);
0015: }
0016:
0017: .admin-summary-header h4 {
0018:     color: #f1f1f1;
0019:     margin: 0;
0020: }
0021:
0022: .admin-summary-controls {
0023:     display: flex;
0024:     align-items: center;
0025:     gap: 10px;
0026:     flex-wrap: wrap;
0027:     justify-content: flex-end;
0028: }
0029:
0030: .admin-segmented-control {
0031:     display: inline-flex;
0032:     border: 1px solid rgba(255, 255, 255, 0.2);
0033:     border-radius: 10px;
0034:     overflow: hidden;
0035:     background: rgba(255, 255, 255, 0.06);
0036: }
0037:
0038: .admin-segment-btn {
0039:     border: none;
0040:     border-right: 1px solid rgba(255, 255, 255, 0.14);
0041:     background: transparent;
0042:     color: #e6e6e6;
0043:     padding: 8px 12px;
0044:     font-size: 0.85rem;
0045:     font-weight: 600;
0046:     cursor: pointer;
0047: }
0048:

```

```

0049: .admin-segment-btn:last-child {
0050:   border-right: none;
0051: }
0052:
0053: .admin-segment-btn.active {
0054:   background: rgba(0, 255, 65, 0.2);
0055:   color: #fff;
0056: }
0057:
0058: .admin-calendar-filter {
0059:   display: flex;
0060:   align-items: center;
0061:   gap: 8px;
0062: }
0063:
0064: .admin-calendar-pill {
0065:   border: 1px solid var(--color-primary);
0066:   border-radius: 999px;
0067:   padding: 6px 12px;
0068:   color: #fff;
0069:   background: rgba(0, 255, 65, 0.14);
0070:   font-size: 0.86rem;
0071:   font-weight: 600;
0072: }
0073:
0074: .admin-calendar-filter input[type='date'] {
0075:   border: 1px solid rgba(255, 255, 255, 0.2);
0076:   background: rgba(255, 255, 255, 0.08);
0077:   color: #fff;
0078:   border-radius: 8px;
0079:   padding: 7px 10px;
0080: }
0081:
0082: .admin-summary-range {
0083:   margin: 8px 12px 0;
0084:   color: #cae9d0;
0085:   font-size: 0.88rem;
0086: }
0087:
0088: .admin-summary-table {
0089:   width: 100%;
0090:   border-collapse: collapse;
0091:   min-width: 520px;
0092: }
0093:
0094: .admin-summary-table th,
0095: .admin-summary-table td {
0096:   text-align: left;
0097:   padding: 10px 12px;
0098:   border-bottom: 1px solid rgba(255, 255, 255, 0.08);
0099:   color: #f1f1f1;
0100:   font-size: 0.9rem;
0101: }
0102:
0103: .admin-summary-table th {
0104:   background: rgba(0, 255, 65, 0.08);
0105:   font-weight: 700;
0106: }

```

File: src/Admin/components/OrderSummaryTable.jsx

Purpose: Source listing with line-level reference for deep review

```

0001: import { formatAdminDate } from '../utils/formatDate'
0002: import './OrderSummaryTable.css'
0003:
0004: function OrderSummaryTable({
0005:   summaryPeriod,
0006:   summaryDate,
0007:   onSummaryPeriodChange,
0008:   onSummaryDateChange,
0009:   summary,
0010:   summaryRange,
0011:   isSummaryLoading,
0012: }) {
0013:   const periodOptions = [
0014:     { key: 'daily', label: 'Daily' },
0015:     { key: 'weekly', label: 'Weekly' },
0016:     { key: 'monthly', label: 'Monthly' },
0017:     { key: 'yearly', label: 'Yearly' },
0018:   ]
0019:
0020:   function getRangeLabel() {
0021:     const period = summaryRange?.period || summaryPeriod
0022:

```

```

0023:     if (!summaryRange?.start || !summaryRange?.end) {
0024:         return 'Range unavailable'
0025:     }
0026:
0027:     if (period === 'daily') {
0028:         return `Daily: ${formatAdminDate(summaryRange.start, { year: 'numeric', month: 'short', day: 'numeric' })}`
0029:     }
0030:
0031:     if (period === 'weekly') {
0032:         const from = formatAdminDate(summaryRange.start, { month: 'short', day: 'numeric' })
0033:         const to = formatAdminDate(summaryRange.end, { year: 'numeric', month: 'short', day: 'numeric' })
0034:         return `Weekly: ${from} - ${to}`
0035:     }
0036:
0037:     if (period === 'monthly') {
0038:         return `Monthly: ${formatAdminDate(summaryRange.start, { year: 'numeric', month: 'long' })}`
0039:     }
0040:
0041:     return `Yearly: ${formatAdminDate(summaryRange.start, { year: 'numeric' })}`
0042: }
0043:
0044: return (
0045:     <div className='admin-summary-table-wrap'>
0046:         <div className='admin-summary-header'>
0047:             <h4>Summary</h4>
0048:             <div className='admin-summary-controls'>
0049:                 <div className='admin-segmented-control' role='tablist' aria-label='Summary period'>
0050:                     {periodOptions.map((option) => (
0051:                         <button
0052:                             key={option.key}
0053:                             type='button'
0054:                             className={`admin-segment-btn ${summaryPeriod === option.key ? 'active' : ''}`}
0055:                             onClick={() => onSummaryPeriodChange(option.key)}
0056:                             aria-pressed={summaryPeriod === option.key}
0057:                         >
0058:                             {option.label}
0059:                         </button>
0060:                     ))}
0061:                 </div>
0062:                 <label className='admin-calendar-filter' htmlFor='summaryReferenceDate'>
0063:                     <span className='admin-calendar-pill'>Calendar</span>
0064:                     <input
0065:                         id='summaryReferenceDate'
0066:                         type='date'
0067:                         value={summaryDate}
0068:                         onChange={onSummaryDateChange}
0069:                         aria-label='Summary reference date'
0070:                     />
0071:                 </label>
0072:             </div>
0073:             </div>
0074:             <p className='admin-summary-range'>{isSummaryLoading ? 'Updating summary...' : getRangeLabel()}</p>
0075:             <table className='admin-summary-table'>
0076:                 <thead>
0077:                     <tr>
0078:                         <th>Total Orders In Database</th>
0079:                         <th>Orders Created</th>
0080:                         <th>Pending Deliveries</th>
0081:                         <th>Orders Delivered</th>
0082:                     </tr>
0083:                 </thead>
0084:                 <tbody>
0085:                     <tr>
0086:                         <td>{isSummaryLoading ? 'Loading...' : summary.totalOrdersInDatabase}</td>
0087:                         <td>{isSummaryLoading ? 'Loading...' : summary.ordersCreated}</td>
0088:                         <td>{isSummaryLoading ? 'Loading...' : summary.pendingDeliveries}</td>
0089:                         <td>{isSummaryLoading ? 'Loading...' : summary.ordersDelivered}</td>
0090:                     </tr>
0091:                 </tbody>
0092:             </table>
0093:         </div>
0094:     )
0095: }
0096:
0097: export default OrderSummaryTable

```

File: src/Admin/components/OrdersTable.css

Purpose: Source listing with line-level reference for deep review

```

0001: .admin-table-wrap {
0002:     margin-top: 14px;
0003:     overflow-x: auto;
0004:     border: 1px solid rgba(255, 255, 255, 0.14);

```

```
0005:   border-radius: 10px;
0006: }
0007:
0008: .admin-table {
0009:   width: 100%;
0010:   border-collapse: collapse;
0011:   min-width: 760px;
0012: }
0013:
0014: .admin-table th,
0015: .admin-table td {
0016:   text-align: left;
0017:   padding: 10px 12px;
0018:   border-bottom: 1px solid rgba(255, 255, 255, 0.08);
0019:   color: #f1f1f1;
0020:   font-size: 0.9rem;
0021: }
0022:
0023: .admin-table th {
0024:   background: rgba(0, 255, 65, 0.08);
0025:   font-weight: 700;
0026: }
0027:
0028: .admin-order-row-highlight td {
0029:   background: rgba(0, 255, 65, 0.14);
0030:   box-shadow: inset 0 0 0 1px rgba(0, 255, 65, 0.28);
0031: }
0032:
0033: .admin-table-empty {
0034:   text-align: center;
0035:   color: #c8c8c8;
0036: }
0037:
0038: .admin-tracking-link {
0039:   border: none;
0040:   background: transparent;
0041:   color: #7ef7ac;
0042:   cursor: pointer;
0043:   padding: 0;
0044:   font-weight: 700;
0045:   text-decoration: underline;
0046:   text-underline-offset: 2px;
0047: }
0048:
0049: .admin-tracking-link:hover {
0050:   color: #b3ffd0;
0051: }
0052:
0053: .admin-row-actions {
0054:   display: flex;
0055:   gap: 8px;
0056: }
0057:
0058: .admin-row-btn {
0059:   border: 1px solid var(--color-primary);
0060:   background: rgba(0, 255, 65, 0.12);
0061:   color: #fff;
0062:   border-radius: 6px;
0063:   padding: 5px 10px;
0064:   font-size: 0.82rem;
0065:   cursor: pointer;
0066: }
0067:
0068: .admin-row-btn.danger {
0069:   border-color: rgba(255, 94, 98, 0.8);
0070:   background: rgba(255, 94, 98, 0.15);
0071: }
0072:
0073: .admin-delete-modal-overlay {
0074:   position: fixed;
0075:   inset: 0;
0076:   display: flex;
0077:   align-items: center;
0078:   justify-content: center;
0079:   background: rgba(4, 10, 18, 0.7);
0080:   backdrop-filter: blur(2px);
0081:   z-index: 60;
0082:   padding: 16px;
0083: }
0084:
0085: .admin-delete-modal {
0086:   width: min(420px, 92vw);
0087:   background: linear-gradient(155deg, #0c1626 0%, #101f34 100%);
0088:   border: 1px solid rgba(255, 255, 255, 0.14);
```

```
0089:   border-radius: 12px;
0090:   padding: 20px;
0091:   box-shadow: 0 14px 40px rgba(0, 0, 0, 0.45);
0092: }
0093:
0094: .admin-delete-modal h4 {
0095:   margin: 0 0 8px;
0096:   color: #ffffff;
0097:   font-size: 1.05rem;
0098: }
0099:
0100: .admin-delete-modal p {
0101:   margin: 0;
0102:   color: #d8dde6;
0103:   font-size: 0.92rem;
0104:   line-height: 1.5;
0105: }
0106:
0107: .admin-delete-modal-actions {
0108:   margin-top: 18px;
0109:   display: flex;
0110:   justify-content: flex-end;
0111:   gap: 10px;
0112: }
0113:
0114: .admin-delete-btn {
0115:   border-radius: 8px;
0116:   border: 1px solid transparent;
0117:   padding: 8px 14px;
0118:   font-size: 0.88rem;
0119:   cursor: pointer;
0120:   font-weight: 600;
0121: }
0122:
0123: .admin-delete-btn.secondary {
0124:   background: rgba(255, 255, 255, 0.08);
0125:   border-color: rgba(255, 255, 255, 0.2);
0126:   color: #f1f5f9;
0127: }
0128:
0129: .admin-delete-btn.primary {
0130:   background: rgba(239, 68, 68, 0.9);
0131:   border-color: rgba(248, 113, 113, 0.95);
0132:   color: #ffffff;
0133: }
0134:
0135: .admin-delete-btn:hover {
0136:   filter: brightness(1.05);
0137: }
0138:
0139: .admin-order-modal {
0140:   width: min(760px, 96vw);
0141:   max-height: 90vh;
0142:   overflow-y: auto;
0143:   background: linear-gradient(155deg, #0c1626 0%, #101f34 100%);
0144:   border: 1px solid rgba(255, 255, 255, 0.14);
0145:   border-radius: 12px;
0146:   padding: 20px;
0147:   box-shadow: 0 14px 40px rgba(0, 0, 0, 0.45);
0148: }
0149:
0150: .admin-order-modal__header {
0151:   display: flex;
0152:   justify-content: space-between;
0153:   gap: 12px;
0154:   align-items: center;
0155:   margin-bottom: 14px;
0156: }
0157:
0158: .admin-order-modal__header h4 {
0159:   margin: 0;
0160:   color: #ffffff;
0161: }
0162:
0163: .admin-order-modal__grid {
0164:   display: grid;
0165:   grid-template-columns: repeat(2, minmax(0, 1fr));
0166:   gap: 8px 16px;
0167: }
0168:
0169: .admin-order-modal__grid p {
0170:   margin: 0;
0171:   color: #d8dde6;
0172:   font-size: 0.9rem;
```

```

0173:   line-height: 1.45;
0174: }
0175:
0176: .admin-order-modal__timeline {
0177:   margin-top: 16px;
0178:   border-top: 1px solid rgba(255, 255, 255, 0.12);
0179:   padding-top: 12px;
0180: }
0181:
0182: .admin-order-modal__timeline h5 {
0183:   margin: 0 0 8px;
0184:   color: #f8fafc;
0185:   font-size: 0.95rem;
0186: }
0187:
0188: .admin-order-modal__timeline ul {
0189:   margin: 0;
0190:   padding-left: 18px;
0191:   color: #d8dde6;
0192:   display: grid;
0193:   gap: 6px;
0194: }
0195:
0196: .admin-order-modal__timeline li {
0197:   font-size: 0.88rem;
0198:   line-height: 1.4;
0199: }
0200:
0201: @media (max-width: 820px) {
0202:   .admin-order-modal__grid {
0203:     grid-template-columns: 1fr;
0204:   }
0205: }

```

File: src/Admin/components/OrdersTable.jsx

Purpose: Source listing with line-level reference for deep review

```

0001: import { useEffect, useRef, useState } from 'react'
0002: import { formatAdminDateTime } from '../utils/formatDate'
0003: import './OrdersTable.css'
0004:
0005: function OrdersTable({ orders, activeOrderId, isLoading, onEdit, onDelete }) {
0006:   const rowRefs = useRef({})
0007:   const [pendingDeleteId, setPendingDeleteId] = useState('')
0008:   const [selectedOrder, setSelectedOrder] = useState(null)
0009:
0010:   function openDetailsModal(order) {
0011:     setSelectedOrder(order)
0012:   }
0013:
0014:   function closeDetailsModal() {
0015:     setSelectedOrder(null)
0016:   }
0017:
0018:   function openDeleteModal(trackingId) {
0019:     setPendingDeleteId(trackingId)
0020:   }
0021:
0022:   function closeDeleteModal() {
0023:     setPendingDeleteId('')
0024:   }
0025:
0026:   function confirmDelete() {
0027:     if (!pendingDeleteId) {
0028:       return
0029:     }
0030:
0031:     onDelete(pendingDeleteId)
0032:     closeDeleteModal()
0033:   }
0034:
0035:   const riderName =
0036:     selectedOrder?.rider?.name ||
0037:     selectedOrder?.rider?.deliveredSnapshot?.name ||
0038:     'Unassigned'
0039:   const riderPhone =
0040:     selectedOrder?.rider?.phone ||
0041:     selectedOrder?.rider?.deliveredSnapshot?.phone ||
0042:     '-'
0043:   const riderLocation =
0044:     selectedOrder?.rider?.currentLocation ||
0045:     selectedOrder?.rider?.deliveredSnapshot?.currentLocation ||
0046:     '-'
0047:

```

```

0048: const sortedOrders = [...orders].sort((leftOrder, rightOrder) => {
0049:   const leftDelivered = (leftOrder.delivery?.status || '').toLowerCase() === 'delivered'
0050:   const rightDelivered = (rightOrder.delivery?.status || '').toLowerCase() === 'delivered'
0051:
0052:   if (leftDelivered !== rightDelivered) {
0053:     return leftDelivered ? 1 : -1
0054:   }
0055:
0056:   const leftCreatedAt = leftOrder.createdAt ? new Date(leftOrder.createdAt).getTime() : 0
0057:   const rightCreatedAt = rightOrder.createdAt ? new Date(rightOrder.createdAt).getTime() : 0
0058:
0059:   return rightCreatedAt - leftCreatedAt
0060: })
0061:
0062: useEffect(() => {
0063:   if (!activeOrderId) {
0064:     return
0065:   }
0066:
0067:   const targetRow = rowRefs.current[activeOrderId]
0068:   if (!targetRow) {
0069:     return
0070:   }
0071:
0072:   targetRow.scrollIntoView({ behavior: 'smooth', block: 'center', inline: 'nearest' })
0073: }, [activeOrderId, sortedOrders])
0074:
0075: return (
0076:   <>
0077:     <div className='admin-table-wrap'>
0078:       <table className='admin-table'>
0079:         <thead>
0080:           <tr>
0081:             <th>S/N</th>
0082:             <th>Tracking ID</th>
0083:             <th>Date Created</th>
0084:             <th>Sender</th>
0085:             <th>Receiver</th>
0086:             <th>Package</th>
0087:             <th>Status</th>
0088:             <th>Updated</th>
0089:             <th>Actions</th>
0090:           </tr>
0091:         </thead>
0092:         <tbody>
0093:           {sortedOrders.length === 0 ? (
0094:             <tr>
0095:               <td colSpan='9' className='admin-table-empty'>
0096:                 {isLoading ? 'Loading orders...' : 'No orders found yet.'}
0097:               </td>
0098:             </tr>
0099:           ) : (
0100:             sortedOrders.map((order, index) => (
0101:               <tr
0102:                 key={order.trackingId}
0103:                 ref={(element) => {
0104:                   if (element) {
0105:                     rowRefs.current[order.trackingId] = element
0106:                   }
0107:                 }}
0108:                 className={activeOrderId === order.trackingId ? 'admin-order-row-highlight' : ''}
0109:               >
0110:                 <td>{index + 1}</td>
0111:                 <td>
0112:                   <button
0113:                     type='button'
0114:                     className='admin-tracking-link'
0115:                     onClick={() => openDetailsModal(order)}
0116:                   >
0117:                     {order.trackingId}
0118:                   </button>
0119:                 </td>
0120:                 <td>{formatAdminDateTime(order.createdAt)}</td>
0121:                 <td>{order.sender?.name || '-'}</td>
0122:                 <td>{order.receiver?.name || '-'}</td>
0123:                 <td>{order.package?.description || '-'}</td>
0124:                 <td>{order.delivery?.status || '-'}</td>
0125:                 <td>{formatAdminDateTime(order.updatedAt)}</td>
0126:                 <td>
0127:                   <div className='admin-row-actions'>
0128:                     <button type='button' className='admin-row-btn' onClick={() => onEdit(order)}>
0129:                       Edit
0130:                     </button>
0131:                     <button type='button' className='admin-row-btn danger' onClick={() => openDeleteModal(order.trackingId)}>

```

```

0132:         Delete
0133:     </button>
0134: </div>
0135: </td>
0136: </tr>
0137: ))
0138: }}
0139: </tbody>
0140: </table>
0141: </div>
0142:
0143: {pendingDeleteId && (
0144:   <div className='admin-delete-modal-overlay' onClick={closeDeleteModal}>
0145:     <section className='admin-delete-modal' onClick={(event) => event.stopPropagation()}>
0146:       <h4>Delete Order?</h4>
0147:       <p>
0148:         This action will permanently remove <strong>{pendingDeleteId}</strong>.
0149:       </p>
0150:       <div className='admin-delete-modal-actions'>
0151:         <button type='button' className='admin-delete-btn secondary' onClick={closeDeleteModal}>
0152:           Cancel
0153:         </button>
0154:         <button type='button' className='admin-delete-btn primary' onClick={confirmDelete}>
0155:           Yes, Delete
0156:         </button>
0157:       </div>
0158:     </section>
0159:   </div>
0160: )}
0161:
0162: {selectedOrder && (
0163:   <div className='admin-delete-modal-overlay' onClick={closeDetailsModal}>
0164:     <section className='admin-order-modal' onClick={(event) => event.stopPropagation()}>
0165:       <div className='admin-order-modal__header'>
0166:         <h4>Order Details: {selectedOrder.trackingId}</h4>
0167:         <button type='button' className='admin-delete-btn secondary' onClick={closeDetailsModal}>
0168:           Close
0169:         </button>
0170:       </div>
0171:
0172:       <div className='admin-order-modal__grid'>
0173:         <p><strong>Status:</strong> {selectedOrder.delivery?.status || '-'}</p>
0174:         <p><strong>Created:</strong> {formatAdminDateTime(selectedOrder.createdAt)}</p>
0175:         <p><strong>Updated:</strong> {formatAdminDateTime(selectedOrder.updatedAt)}</p>
0176:         <p><strong>Package:</strong> {selectedOrder.package?.description || '-'}</p>
0177:         <p><strong>Sender:</strong> {selectedOrder.sender?.name || '-'} ({selectedOrder.sender?.phon
0178: e || '-'})</p>
0179:         <p><strong>Sender Address:</strong> {selectedOrder.sender?.address || '-'}</p>
0180:         <p><strong>Receiver:</strong> {selectedOrder.receiver?.name || '-'} ({selectedOrder.receiver
0181: ?.phone || '-'})</p>
0182:         <p><strong>Receiver Address:</strong> {selectedOrder.receiver?.address || '-'}</p>
0183:         <p><strong>Rider:</strong> {riderName}</p>
0184:         <p><strong>Rider Phone:</strong> {riderPhone}</p>
0185:         <p><strong>Current Location:</strong> {riderLocation}</p>
0186:         <p><strong>ETA:</strong> {selectedOrder.rider?.estimatedDelivery || '-'}</p>
0187:       </div>
0188:
0189:       <div className='admin-order-modal__timeline'>
0190:         <h5>Progress Timeline</h5>
0191:         <ul>
0192:           {(selectedOrder.steps || []).map((step, index) => (
0193:             <li key={` ${step.status}-${index}`}>
0194:               <strong>{step.status}</strong>
0195:               { ' - ' }
0196:               {step.completed ? ` ${step.date || ''} ${step.time || ''}`.trim() || 'Completed' : 'Pen
0197: ding'}
0198:               {step.location ? ` | ${step.location}` : ''}
0199:             </li>
0200:           ))}
0201:         </ul>
0202:       </div>
0203:     </section>
0204:   </div>
0205: )}
0206: </>
0207: )
0208: }
0209:
0210: export default OrdersTable

```

File: src/Admin/components/RiderManagementPanel.jsx

Purpose: Source listing with line-level reference for deep review

```
0001: function RiderManagementPanel({
```



```

0002:   riders,
0003:   isLoading,
0004:   isRefreshing,
0005:   form,
0006:   onChange,
0007:   onSubmit,
0008:   onRefresh,
0009:   onDelete,
0010:   deletingRiderId,
0011:   isSubmitting,
0012:   result,
0013: }) {
0014:   return (
0015:     <div>
0016:       <form onSubmit={onSubmit} className='admin-form'>
0017:         <input name='name' placeholder='Rider name' value={form.name} onChange={onChange} required />
0018:         <input name='phone' placeholder='Rider phone number' value={form.phone} onChange={onChange} requir
0019: ed />
0020:         <button type='submit' disabled={isSubmitting}>{isSubmitting ? 'Saving...' : 'Create Rider'}</butto
n>
0021:       </form>
0022:       {result ? <p className='admin-result'>{result}</p> : null}
0023:
0024:       <div className='admin-rider-list'>
0025:         <div className='admin-rider-list__header'>
0026:           <h4>Registered Riders</h4>
0027:           <button type='button' className='admin-refresh-btn' onClick={onRefresh} disabled={isRefreshing}>
0028:             {isRefreshing ? 'Refreshing...' : 'Refresh'}
0029:           </button>
0030:         </div>
0031:         {isLoading ? <p className='admin-result'>Loading riders...</p> : null}
0032:         {!isLoading && riders.length === 0 ? <p className='admin-result'>No riders yet.</p> : null}
0033:         {riders.map((rider) => (
0034:           <article key={rider.id} className='admin-rider-item'>
0035:             <p><strong>{rider.name}</strong> ({rider.phone})</p>
0036:             <p>Status: {rider.isSharing ? 'Sharing live location' : 'Offline'}</p>
0037:             <p>Last location: {rider.lastLocation?.placeName || 'No location yet'}</p>
0038:             <button
0039:               type='button'
0040:               className='admin-delete-rider-btn'
0041:               disabled={deletingRiderId === rider.id}
0042:               onClick={() => onDelete(rider.id, rider.name)}
0043:             >
0044:               {deletingRiderId === rider.id ? 'Deleting...' : 'Delete Rider'}
0045:             </button>
0046:           </article>
0047:         ))}
0048:       </div>
0049:     </div>
0050:   )
0051: }
0052:
0053: export default RiderManagementPanel

```

File: src/Admin/components/SearchOrderForm.css

Purpose: Source listing with line-level reference for deep review

```

0001: .admin-form.admin-preview-form {
0002:   display: flex;
0003:   flex-direction: row;
0004:   flex-wrap: nowrap;
0005:   gap: 10px;
0006:   align-items: center;
0007: }
0008:
0009: .admin-form.admin-preview-form input {
0010:   flex: 1;
0011:   min-width: 180px;
0012: }
0013:
0014: .admin-form.admin-preview-form button {
0015:   white-space: nowrap;
0016: }

```

File: src/Admin/components/SearchOrderForm.jsx

Purpose: Source listing with line-level reference for deep review

```

0001: import './SearchOrderForm.css'
0002:
0003: function SearchOrderForm({ previewId, setPreviewId, onSubmit, isLoading }) {
0004:   return (
0005:     <form onSubmit={onSubmit} className='admin-form admin-preview-form'>
0006:       <input

```

```

0007:         name='previewId'
0008:         placeholder='Tracking ID (MX00001)'
0009:         value={previewId}
0010:         onChange={(event) => setPreviewId(event.target.value)}
0011:         required
0012:     />
0013:     <button type='submit' disabled={isLoading}>
0014:         {isLoading ? 'Searching...' : 'Search Order'}
0015:     </button>
0016: </form>
0017: )
0018: }
0019:
0020: export default SearchOrderForm

```

File: src/Admin/components/TrackOrderPreview.jsx

Purpose: Source listing with line-level reference for deep review

```

0001: import OrderSummaryTable from './OrderSummaryTable'
0002: import OrdersTable from './OrdersTable'
0003: import SearchOrderForm from './SearchOrderForm'
0004:
0005: function TrackOrderPreview({
0006:     previewId,
0007:     setPreviewId,
0008:     onSubmit,
0009:     isLoading,
0010:     summaryPeriod,
0011:     summaryDate,
0012:     onSummaryPeriodChange,
0013:     onSummaryDateChange,
0014:     summary,
0015:     summaryRange,
0016:     activeOrderId,
0017:     isSummaryLoading,
0018:     storageMessage,
0019:     orders,
0020:     onEdit,
0021:     onDelete,
0022: }) {
0023:     return (
0024:         <section className='admin-card admin-preview-card'>
0025:             <h3>Track Order Preview</h3>
0026:             <SearchOrderForm previewId={previewId} setPreviewId={setPreviewId} onSubmit={onSubmit} isLoading={is
Loading} />
0027:             {storageMessage && <p className='admin-result'>{storageMessage}</p>}
0028:             <OrderSummaryTable
0029:                 summaryPeriod={summaryPeriod}
0030:                 summaryDate={summaryDate}
0031:                 onSummaryPeriodChange={onSummaryPeriodChange}
0032:                 onSummaryDateChange={onSummaryDateChange}
0033:                 summary={summary}
0034:                 summaryRange={summaryRange}
0035:                 isSummaryLoading={isSummaryLoading}
0036:             />
0037:             <OrdersTable
0038:                 orders={orders}
0039:                 activeOrderId={activeOrderId}
0040:                 isLoading={isLoading}
0041:                 onEdit={onEdit}
0042:                 onDelete={onDelete}
0043:             />
0044:         </section>
0045:     )
0046: }
0047:
0048: export default TrackOrderPreview

```

File: src/Admin/components/UpdateOrderStatusForm.jsx

Purpose: Source listing with line-level reference for deep review

```

0001: function UpdateOrderStatusForm({ form, onChange, onSubmit, isSubmitting, result, statusOptions }) {
0002:     return (
0003:         <div>
0004:             <form onSubmit={onSubmit} className='admin-form'>
0005:                 <input name='trackingId' placeholder='Tracking ID (MX00001)' value={form.trackingId} onChange={onC
hange} required />
0006:                 <select name='delivery.status' value={form.delivery.status} onChange={onChange}>
0007:                     {statusOptions.map((status) => (
0008:                         <option key={status} value={status}>{status}</option>
0009:                     ))}
0010:                 </select>
0011:                 <input name='receiver.location.lat' placeholder='Receiver latitude (optional)' value={form.receive
r.location.lat} onChange={onChange} />

```

```

0012:         <input name='receiver.location.lng' placeholder='Receiver longitude (optional)' value={form.receive
er.location.lng} onChange={onChange} />
0013:         <input name='rider.name' placeholder='Rider name (optional)' value={form.rider.name} onChange={onC
hange} />
0014:         <input name='rider.phone' placeholder='Rider phone (optional)' value={form.rider.phone} onChange={
onChange} />
0015:         <button type='submit' disabled={isSubmitting}>{isSubmitting ? 'Updating...' : 'Update Status'}</bu
tton>
0016:     </form>
0017:     {result && <p className='admin-result'>{result}</p>}
0018: </div>
0019: )
0020: }
0021:
0022: export default UpdateOrderStatusForm

```

File: src/Admin/hooks/useAdminOrdersDashboard.js

Purpose: Source listing with line-level reference for deep review

```

0001: import { useEffect, useState } from 'react'
0002: import {
0003:   getAllOrders,
0004:   getOrderById,
0005:   getOrderSummary,
0006:   getTodayDateValue,
0007:   deleteOrder,
0008: } from '../services/orderService'
0009:
0010: const INITIAL_SUMMARY = {
0011:   totalOrdersInDatabase: 0,
0012:   ordersCreated: 0,
0013:   pendingDeliveries: 0,
0014:   ordersDelivered: 0,
0015: }
0016:
0017: const INITIAL_SUMMARY_RANGE = {
0018:   period: 'daily',
0019:   start: null,
0020:   end: null,
0021: }
0022:
0023: export default function useAdminOrdersDashboard() {
0024:   const todayDateValue = getTodayDateValue()
0025:
0026:   const [previewId, setPreviewId] = useState('')
0027:   const [orders, setOrders] = useState([])
0028:   const [summaryPeriod, setSummaryPeriod] = useState('daily')
0029:   const [summaryDate, setSummaryDate] = useState(todayDateValue)
0030:   const [summary, setSummary] = useState(INITIAL_SUMMARY)
0031:   const [summaryRange, setSummaryRange] = useState(INITIAL_SUMMARY_RANGE)
0032:   const [activeOrderId, setActiveOrderId] = useState('')
0033:   const [isSummaryLoading, setIsSummaryLoading] = useState(false)
0034:   const [storageMessage, setStorageMessage] = useState('')
0035:   const [isStorageLoading, setIsStorageLoading] = useState(false)
0036:   const [isInitialLoading, setIsInitialLoading] = useState(true)
0037:
0038:   useEffect(() => {
0039:     async function initializeDashboard() {
0040:       setIsInitialLoading(true)
0041:
0042:       const [ordersResult, summaryResult] = await Promise.all([
0043:         getAllOrders(),
0044:         getOrderSummary('daily', todayDateValue),
0045:       ])
0046:
0047:       if (ordersResult.success) {
0048:         setOrders(ordersResult.data)
0049:       } else {
0050:         setStorageMessage(ordersResult.error)
0051:       }
0052:
0053:       if (summaryResult.success) {
0054:         setSummary(summaryResult.summary)
0055:         setSummaryRange(summaryResult.range)
0056:       } else {
0057:         setStorageMessage(summaryResult.error)
0058:       }
0059:
0060:       setIsInitialLoading(false)
0061:     }
0062:
0063:     initializeDashboard()
0064:   }, [todayDateValue])
0065:

```

```

0066:  async function loadOrders() {
0067:      setStorageMessage('')
0068:      setIsStorageLoading(true)
0069:
0070:      const result = await getAllOrders()
0071:
0072:      if (result.success) {
0073:          setOrders(result.data)
0074:      } else {
0075:          setStorageMessage(result.error)
0076:      }
0077:
0078:      setIsStorageLoading(false)
0079:      return result
0080:  }
0081:
0082:  async function loadSummary(period = summaryPeriod, date = summaryDate) {
0083:      setIsSummaryLoading(true)
0084:
0085:      const result = await getOrderSummary(period, date)
0086:
0087:      if (result.success) {
0088:          setSummary(result.summary)
0089:          setSummaryRange(result.range)
0090:      } else {
0091:          setStorageMessage(result.error)
0092:      }
0093:
0094:      setIsSummaryLoading(false)
0095:      return result
0096:  }
0097:
0098:  async function refreshDashboardData() {
0099:      const [ordersResult, summaryResult] = await Promise.all([
0100:          getAllOrders(),
0101:          getOrderSummary(summaryPeriod, summaryDate),
0102:      ])
0103:
0104:      if (ordersResult.success) {
0105:          setOrders(ordersResult.data)
0106:      }
0107:
0108:      if (summaryResult.success) {
0109:          setSummary(summaryResult.summary)
0110:          setSummaryRange(summaryResult.range)
0111:      }
0112:
0113:      if (!ordersResult.success || !summaryResult.success) {
0114:          setStorageMessage(ordersResult.error || summaryResult.error || 'Failed to refresh dashboard data.')
0115:          return false
0116:      }
0117:
0118:      return true
0119:  }
0120:
0121:  async function handleSummaryPeriodChange(period) {
0122:      setSummaryPeriod(period)
0123:      await loadSummary(period, summaryDate)
0124:  }
0125:
0126:  async function handleSummaryDateChange(event) {
0127:      const date = event.target.value
0128:      setSummaryDate(date)
0129:      await loadSummary(summaryPeriod, date)
0130:  }
0131:
0132:  async function handlePreviewSubmit(event) {
0133:      event.preventDefault()
0134:      setStorageMessage('')
0135:
0136:      const normalizedId = previewId.trim().toUpperCase()
0137:      if (!normalizedId) {
0138:          return
0139:      }
0140:
0141:      const result = await getOrderById(previewId)
0142:
0143:      if (!result.success) {
0144:          setActiveOrderId('')
0145:          setStorageMessage(result.error)
0146:          return
0147:      }
0148:
0149:      const order = result.data

```

```

0150:
0151:     setOrders((current) => {
0152:         const existingOrder = current.find((item) => item.trackingId === order.trackingId)
0153:
0154:         if (!existingOrder) {
0155:             return [...current, order]
0156:         }
0157:
0158:         return current.map((item) => (item.trackingId === order.trackingId ? order : item))
0159:     })
0160:
0161:     setActiveOrderId(order.trackingId)
0162:     setStorageMessage(`Order ${order.trackingId} found. Scrolling to its row.`)
0163: }
0164:
0165: async function handleDeleteOrder(trackingId) {
0166:     setStorageMessage('')
0167:
0168:     const result = await deleteOrder(trackingId)
0169:
0170:     if (!result.success) {
0171:         setStorageMessage(result.error)
0172:         return
0173:     }
0174:
0175:     setOrders((current) => current.filter((order) => order.trackingId !== trackingId))
0176:     setActiveOrderId((current) => (current === trackingId ? '' : current))
0177:     setStorageMessage(result.message)
0178:     await loadSummary(summaryPeriod, summaryDate)
0179: }
0180:
0181: return {
0182:     previewId,
0183:     setPreviewId,
0184:     orders,
0185:     summaryPeriod,
0186:     summaryDate,
0187:     summary,
0188:     summaryRange,
0189:     activeOrderId,
0190:     isSummaryLoading,
0191:     storageMessage,
0192:     isStorageLoading,
0193:     isInitialLoading,
0194:     setStorageMessage,
0195:     loadOrders,
0196:     loadSummary,
0197:     refreshDashboardData,
0198:     handleSummaryPeriodChange,
0199:     handleSummaryDateChange,
0200:     handlePreviewSubmit,
0201:     handleDeleteOrder,
0202: }
0203: }

```

File: src/Admin/hooks/useOrderManagementForms.js

Purpose: Source listing with line-level reference for deep review

```

0001: import { useEffect, useState } from 'react'
0002: import { createOrder, updateOrderStatus } from '../services/orderService'
0003: import { getRiders } from '../services/riderService'
0004:
0005: const DELIVERY_STATUS_OPTIONS = [
0006:     'pending',
0007:     'assigned',
0008:     'rider has picked up your item',
0009:     'your rider is on his way',
0010:     'delivered',
0011: ]
0012:
0013: const INITIAL_CREATE_FORM = {
0014:     trackingId: '',
0015:     sender: {
0016:         name: '',
0017:         phone: '',
0018:         address: '',
0019:     },
0020:     receiver: {
0021:         name: '',
0022:         phone: '',
0023:         address: '',
0024:         location: {
0025:             lat: '',
0026:             lng: '',

```

```

0027:     },
0028:   },
0029:   package: {
0030:     description: '',
0031:   },
0032:   delivery: {
0033:     status: DELIVERY_STATUS_OPTIONS[0],
0034:   },
0035:   rider: {
0036:     riderId: '',
0037:     name: '',
0038:     phone: '',
0039:     currentLocation: '',
0040:   },
0041: }
0042:
0043: const INITIAL_UPDATE_FORM = {
0044:   trackingId: '',
0045:   delivery: {
0046:     status: DELIVERY_STATUS_OPTIONS[1],
0047:   },
0048:   receiver: {
0049:     location: {
0050:       lat: '',
0051:       lng: '',
0052:     },
0053:   },
0054:   rider: {
0055:     riderId: '',
0056:     name: '',
0057:     phone: '',
0058:   },
0059: }
0060:
0061: function updateNestedValue(current, path, value) {
0062:   const keys = path.split('.')
0063:   const next = { ...current }
0064:   let pointer = next
0065:
0066:   for (let index = 0; index < keys.length - 1; index += 1) {
0067:     const key = keys[index]
0068:     pointer[key] = { ...pointer[key] }
0069:     pointer = pointer[key]
0070:   }
0071:
0072:   pointer[keys[keys.length - 1]] = value
0073:   return next
0074: }
0075:
0076: export default function useOrderManagementForms({ onMutationSuccess }) {
0077:   const [createForm, setCreateForm] = useState(INITIAL_CREATE_FORM)
0078:   const [updateForm, setUpdateForm] = useState(INITIAL_UPDATE_FORM)
0079:   const [createResult, setCreateResult] = useState('')
0080:   const [updateResult, setUpdateResult] = useState('')
0081:   const [isCreating, setIsCreating] = useState(false)
0082:   const [isUpdating, setIsUpdating] = useState(false)
0083:   const [riders, setRiders] = useState([])
0084:   const [isRidersLoading, setIsRidersLoading] = useState(false)
0085:
0086:   async function loadRiders() {
0087:     setIsRidersLoading(true)
0088:     const result = await getRiders()
0089:
0090:     if (result.success) {
0091:       setRiders(result.data)
0092:     }
0093:
0094:     setIsRidersLoading(false)
0095:   }
0096:
0097:   useEffect(() => {
0098:     let cancelled = false
0099:
0100:     async function loadInitialRiders() {
0101:       setIsRidersLoading(true)
0102:       const result = await getRiders()
0103:
0104:       if (cancelled) {
0105:         return
0106:       }
0107:
0108:       if (result.success) {
0109:         setRiders(result.data)
0110:       }

```

```

0111:
0112:     setIsRidersLoading(false)
0113: }
0114:
0115:     loadInitialRiders()
0116:
0117:     return () => {
0118:         cancelled = true
0119:     }
0120: }, [])
0121:
0122: function handleCreateChange(event) {
0123:     const { name, value } = event.target
0124:
0125:     if (name === 'rider.riderId') {
0126:         const selectedRider = riders.find((rider) => rider.id === value)
0127:
0128:         if (!selectedRider) {
0129:             setCreateForm((current) => ({
0130:                 ...current,
0131:                 rider: {
0132:                     riderId: '',
0133:                     name: '',
0134:                     phone: '',
0135:                     currentLocation: '',
0136:                 },
0137:             )))
0138:             return
0139:         }
0140:
0141:         setCreateForm((current) => ({
0142:             ...current,
0143:             rider: {
0144:                 riderId: selectedRider.id,
0145:                 name: selectedRider.name,
0146:                 phone: selectedRider.phone,
0147:                 currentLocation: selectedRider.lastLocation?.placeName || '',
0148:             },
0149:         )))
0150:         return
0151:     }
0152:
0153:     setCreateForm((current) => updateNestedValue(current, name, value))
0154: }
0155:
0156: function handleUpdateChange(event) {
0157:     const { name, value } = event.target
0158:     setUpdateForm((current) => updateNestedValue(current, name, value))
0159: }
0160:
0161: function preloadUpdateForm(order) {
0162:     setUpdateForm({
0163:         trackingId: order.trackingId,
0164:         delivery: {
0165:             status: order.delivery?.status || DELIVERY_STATUS_OPTIONS[1],
0166:         },
0167:         receiver: {
0168:             location: {
0169:                 lat: order.receiver?.location?.lat ?? '',
0170:                 lng: order.receiver?.location?.lng ?? '',
0171:             },
0172:         },
0173:         rider: {
0174:             riderId: order.rider?.riderId || '',
0175:             name: order.rider?.name || '',
0176:             phone: order.rider?.phone || '',
0177:         },
0178:     })
0179: }
0180:
0181: async function handleCreateSubmit(event) {
0182:     event.preventDefault()
0183:     setCreateResult('')
0184:     setIsCreating(true)
0185:
0186:     const result = await createOrder(createForm)
0187:
0188:     if (!result.success) {
0189:         setCreateResult(result.error)
0190:         setIsCreating(false)
0191:         return
0192:     }
0193:
0194:     setCreateResult(`Order ${result.data.trackingId} created successfully.`)

```

```

0195:
0196:     if (onMutationSuccess) {
0197:         await onMutationSuccess()
0198:     }
0199:
0200:     await loadRiders()
0201:     setCreateForm(INITIAL_CREATE_FORM)
0202:     setIsCreating(false)
0203: }
0204:
0205: async function handleUpdateSubmit(event) {
0206:     event.preventDefault()
0207:     setUpdateResult('')
0208:     setIsUpdating(true)
0209:
0210:     const result = await updateOrderStatus(updateForm.trackingId, {
0211:         delivery: updateForm.delivery,
0212:         receiver: updateForm.receiver,
0213:         rider: updateForm.rider,
0214:     })
0215:
0216:     if (!result.success) {
0217:         setUpdateResult(result.error)
0218:         setIsUpdating(false)
0219:         return
0220:     }
0221:
0222:     setUpdateResult(`Order ${result.data.trackingId} updated to ${result.data.delivery.status}.`)
0223:
0224:     if (onMutationSuccess) {
0225:         await onMutationSuccess()
0226:     }
0227:
0228:     await loadRiders()
0229:     setIsUpdating(false)
0230: }
0231:
0232: return {
0233:     createForm,
0234:     updateForm,
0235:     createResult,
0236:     updateResult,
0237:     isCreating,
0238:     isUpdating,
0239:     handleCreateChange,
0240:     handleUpdateChange,
0241:     preloadUpdateForm,
0242:     handleCreateSubmit,
0243:     handleUpdateSubmit,
0244:     deliveryStatusOptions: DELIVERY_STATUS_OPTIONS,
0245:     riders,
0246:     isRidersLoading,
0247:     refreshRiders: loadRiders,
0248: }
0249: }

```

File: src/Admin/services/adminAuthService.js

Purpose: Source listing with line-level reference for deep review

```

0001: const rawApiBaseUrl = import.meta.env.VITE_API_BASE_URL || 'http://localhost:3001'
0002: const apiBaseUrl = rawApiBaseUrl.replace(/\/+$/, '')
0003:
0004: const ACCESS_TOKEN_KEY = 'adminAccessToken'
0005: const REFRESH_TOKEN_KEY = 'adminRefreshToken'
0006: const ADMIN_PROFILE_KEY = 'adminProfile'
0007:
0008: export function getAdminAccessToken() {
0009:     return localStorage.getItem(ACCESS_TOKEN_KEY) || ''
0010: }
0011:
0012: export function getAdminRefreshToken() {
0013:     return localStorage.getItem(REFRESH_TOKEN_KEY) || ''
0014: }
0015:
0016: export function getStoredAdminProfile() {
0017:     const raw = localStorage.getItem(ADMIN_PROFILE_KEY)
0018:     if (!raw) {
0019:         return null
0020:     }
0021:
0022:     try {
0023:         return JSON.parse(raw)
0024:     } catch (_error) {
0025:         return null

```



```

0026:   }
0027: }
0028:
0029: export function clearAdminSession() {
0030:   localStorage.removeItem(ACCESS_TOKEN_KEY)
0031:   localStorage.removeItem(REFRESH_TOKEN_KEY)
0032:   localStorage.removeItem(ADMIN_PROFILE_KEY)
0033: }
0034:
0035: function persistAdminSession({ accessToken, refreshToken, admin }) {
0036:   localStorage.setItem(ACCESS_TOKEN_KEY, accessToken)
0037:   localStorage.setItem(REFRESH_TOKEN_KEY, refreshToken)
0038:   localStorage.setItem(ADMIN_PROFILE_KEY, JSON.stringify(admin))
0039: }
0040:
0041: async function parseJsonSafe(response) {
0042:   return response.json().catch(() => ({}))
0043: }
0044:
0045: export async function loginAdmin(payload) {
0046:   try {
0047:     const response = await fetch(`${apiBaseUrl}/api/admin/auth/login`, {
0048:       method: 'POST',
0049:       headers: { 'Content-Type': 'application/json' },
0050:       body: JSON.stringify(payload),
0051:     })
0052:     const data = await parseJsonSafe(response)
0053:
0054:     if (!response.ok) {
0055:       return { success: false, error: data.message || 'Admin login failed.', data: null }
0056:     }
0057:
0058:     persistAdminSession(data)
0059:     return { success: true, error: null, data: data.admin }
0060:   } catch (_error) {
0061:     return { success: false, error: 'Network error while signing in.', data: null }
0062:   }
0063: }
0064:
0065: export async function refreshAdminSession() {
0066:   const refreshToken = getAdminRefreshToken()
0067:
0068:   if (!refreshToken) {
0069:     return { success: false, error: 'No refresh token available.', data: null }
0070:   }
0071:
0072:   try {
0073:     const response = await fetch(`${apiBaseUrl}/api/admin/auth/refresh`, {
0074:       method: 'POST',
0075:       headers: { 'Content-Type': 'application/json' },
0076:       body: JSON.stringify({ refreshToken }),
0077:     })
0078:     const data = await parseJsonSafe(response)
0079:
0080:     if (!response.ok) {
0081:       clearAdminSession()
0082:       return { success: false, error: data.message || 'Admin session expired.', data: null }
0083:     }
0084:
0085:     persistAdminSession(data)
0086:     return { success: true, error: null, data: data.admin }
0087:   } catch (_error) {
0088:     return { success: false, error: 'Network error while refreshing admin session.', data: null }
0089:   }
0090: }
0091:
0092: export async function logoutAdmin() {
0093:   const refreshToken = getAdminRefreshToken()
0094:
0095:   try {
0096:     if (refreshToken) {
0097:       await fetch(`${apiBaseUrl}/api/admin/auth/logout`, {
0098:         method: 'POST',
0099:         headers: { 'Content-Type': 'application/json' },
0100:         body: JSON.stringify({ refreshToken }),
0101:       })
0102:     }
0103:   } catch (_error) {
0104:     // Always clear local session even if logout request fails.
0105:   } finally {
0106:     clearAdminSession()
0107:   }
0108: }
0109:

```

```

0110: export async function getAdminProfile() {
0111:   try {
0112:     const response = await adminAuthFetch('/api/admin/auth/me', { method: 'GET' })
0113:     const data = await parseJsonSafe(response)
0114:
0115:     if (!response.ok) {
0116:       return { success: false, error: data.message || 'Admin authentication required.', data: null }
0117:     }
0118:
0119:     localStorage.setItem(ADMIN_PROFILE_KEY, JSON.stringify(data))
0120:     return { success: true, error: null, data }
0121:   } catch (_error) {
0122:     return { success: false, error: 'Network error while restoring admin session.', data: null }
0123:   }
0124: }
0125:
0126: export async function adminAuthFetch(path, options = {}, hasRetried = false) {
0127:   const accessToken = getAdminAccessToken()
0128:   const response = await fetch(`${apiBaseUrl}${path}`, {
0129:     ...options,
0130:     headers: {
0131:       ...(options.body ? { 'Content-Type': 'application/json' } : {}),
0132:       ...(accessToken ? { Authorization: `Bearer ${accessToken}` } : {}),
0133:       ...(options.headers || {}),
0134:     },
0135:   })
0136:
0137:   if (response.status === 401 && !hasRetried) {
0138:     const refreshResult = await refreshAdminSession()
0139:
0140:     if (refreshResult.success) {
0141:       return adminAuthFetch(path, options, true)
0142:     }
0143:   }
0144:
0145:   return response
0146: }

```

File: src/Admin/services/orderService.js

Purpose: Source listing with line-level reference for deep review

```

0001: /**
0002:  * Order Service
0003:  * Encapsulates all order-related API calls and business logic
0004:  */
0005:
0006: import { adminAuthFetch } from '../adminAuthService'
0007:
0008: /**
0009:  * Get today's date in YYYY-MM-DD format
0010:  */
0011: export function getTodayDateValue() {
0012:   const today = new Date()
0013:   const year = today.getFullYear()
0014:   const month = String(today.getMonth() + 1).padStart(2, '0')
0015:   const day = String(today.getDate()).padStart(2, '0')
0016:   return `${year}-${month}-${day}`
0017: }
0018:
0019: /**
0020:  * Fetch all orders from the backend
0021:  * @returns {Object} { success: boolean, data: Order[], error: string|null }
0022:  */
0023: export async function getAllOrders() {
0024:   try {
0025:     const response = await adminAuthFetch('/api/orders', { method: 'GET' })
0026:     const data = await response.json()
0027:
0028:     if (!response.ok) {
0029:       return {
0030:         success: false,
0031:         data: [],
0032:         error: data.message || 'Failed to load orders.',
0033:       }
0034:     }
0035:
0036:     return {
0037:       success: true,
0038:       data: data,
0039:       error: null,
0040:     }
0041:   } catch (_error) {
0042:     return {
0043:       success: false,

```

```

0044:         data: [],
0045:         error: 'Network error while loading orders.',
0046:     }
0047: }
0048: }
0049:
0050: /**
0051:  * Fetch order summary for a given period and date
0052:  * @param {string} period - 'daily', 'weekly', 'monthly', or 'yearly'
0053:  * @param {string} date - Reference date in YYYY-MM-DD format
0054:  * @returns {Object} { success: boolean, summary: {...}, range: {...}, error: string|null }
0055:  */
0056: export async function getOrderSummary(period = 'daily', date) {
0057:     try {
0058:         const response = await adminAuthFetch(`/api/orders/summary?period=${period}&date=${date}`, { method: '
0059:     GET' })
0060:         const data = await response.json()
0061:         if (!response.ok) {
0062:             return {
0063:                 success: false,
0064:                 summary: {
0065:                     totalOrdersInDatabase: 0,
0066:                     ordersCreated: 0,
0067:                     pendingDeliveries: 0,
0068:                     ordersDelivered: 0,
0069:                 },
0070:                 range: { period, start: null, end: null },
0071:                 error: data.message || 'Failed to load order summary.',
0072:             }
0073:         }
0074:         return {
0075:             success: true,
0076:             summary: {
0077:                 totalOrdersInDatabase: data.totalOrdersInDatabase || 0,
0078:                 ordersCreated: data.ordersCreated || 0,
0079:                 pendingDeliveries: data.pendingDeliveries || 0,
0080:                 ordersDelivered: data.ordersDelivered || 0,
0081:             },
0082:             range: {
0083:                 period: data.period || period,
0084:                 start: data.start || null,
0085:                 end: data.end || null,
0086:             },
0087:             error: null,
0088:         }
0089:     } catch (_error) {
0090:         return {
0091:             success: false,
0092:             summary: {
0093:                 totalOrdersInDatabase: 0,
0094:                 ordersCreated: 0,
0095:                 pendingDeliveries: 0,
0096:                 ordersDelivered: 0,
0097:             },
0098:             range: { period, start: null, end: null },
0099:             error: 'Network error while loading order summary.',
0100:         }
0101:     }
0102: }
0103: }
0104:
0105: /**
0106:  * Fetch a single order by ID
0107:  * @param {string} id - Order ID
0108:  * @returns {Object} { success: boolean, data: Order|null, error: string|null }
0109:  */
0110: export async function getOrderById(id) {
0111:     const normalizedId = id.trim().toUpperCase()
0112:     try {
0113:         const response = await adminAuthFetch(`/api/orders/${normalizedId}`, { method: 'GET' })
0114:         const data = await response.json()
0115:         if (!response.ok) {
0116:             return {
0117:                 success: false,
0118:                 data: null,
0119:                 error: data.message || 'Order not found.',
0120:             }
0121:         }
0122:         return {
0123:             success: true,

```

```

0127:         data: data,
0128:         error: null,
0129:     }
0130: } catch (_error) {
0131:     return {
0132:         success: false,
0133:         data: null,
0134:         error: 'Network error while fetching order.',
0135:     }
0136: }
0137: }
0138:
0139: /**
0140:  * Create a new order
0141:  * @param {Object} orderData - Order data to create
0142:  * @returns {Object} { success: boolean, data: Order|null, error: string|null }
0143:  */
0144: export async function createOrder(orderData) {
0145:     try {
0146:         const receiverLatRaw = orderData?.receiver?.location?.lat
0147:         const receiverLngRaw = orderData?.receiver?.location?.lng
0148:         const receiverLat = receiverLatRaw === '' || receiverLatRaw === undefined ? null : Number(receiverLatRaw)
0149:         const receiverLng = receiverLngRaw === '' || receiverLngRaw === undefined ? null : Number(receiverLngRaw)
0150:         const hasReceiverCoordinates = Number.isFinite(receiverLat) && Number.isFinite(receiverLng)
0151:
0152:         // Destructure location out so we never accidentally forward an empty string to the API
0153:         const { location: _receiverLocation, ...receiverWithoutLocation } = orderData.receiver || {}
0154:
0155:         const payload = {
0156:             ...orderData,
0157:             trackingId: orderData.trackingId.trim().toUpperCase(),
0158:             receiver: {
0159:                 ...receiverWithoutLocation,
0160:                 ...(hasReceiverCoordinates
0161:                     ? {
0162:                         location: {
0163:                             lat: receiverLat,
0164:                             lng: receiverLng,
0165:                         },
0166:                     }
0167:                     : {}),
0168:             },
0169:         }
0170:
0171:         const response = await adminAuthFetch('/api/orders', {
0172:             method: 'POST',
0173:             body: JSON.stringify(payload),
0174:         })
0175:
0176:         const data = await response.json()
0177:
0178:         if (!response.ok) {
0179:             const fieldError = Array.isArray(data.errors) && data.errors.length > 0
0180:                 ? `${data.errors[0].field}: ${data.errors[0].message}`
0181:                 : null
0182:             return {
0183:                 success: false,
0184:                 data: null,
0185:                 error: fieldError || data.message || 'Failed to create order.',
0186:             }
0187:         }
0188:
0189:         return {
0190:             success: true,
0191:             data: data,
0192:             error: null,
0193:         }
0194:     } catch (_error) {
0195:         return {
0196:             success: false,
0197:             data: null,
0198:             error: 'Network error while creating order.',
0199:         }
0200:     }
0201: }
0202:
0203: /**
0204:  * Update an existing order's status
0205:  * @param {string} id - Order ID
0206:  * @param {Object} updateData - Data to update (delivery, rider)
0207:  * @returns {Object} { success: boolean, data: Order|null, error: string|null }
0208:  */

```

```

0209: export async function updateOrderStatus(id, updateData) {
0210:   try {
0211:     const receiverLatRaw = updateData?.receiver?.location?.lat
0212:     const receiverLngRaw = updateData?.receiver?.location?.lng
0213:     const receiverLat = receiverLatRaw === '' || receiverLatRaw === undefined ? null : Number(receiverLatRaw)
0214:     const receiverLng = receiverLngRaw === '' || receiverLngRaw === undefined ? null : Number(receiverLngRaw)
0215:     const hasReceiverCoordinates = Number.isFinite(receiverLat) && Number.isFinite(receiverLng)
0216:
0217:     const payload = {
0218:       delivery: updateData.delivery,
0219:       rider: updateData.rider,
0220:       ...(hasReceiverCoordinates
0221:         ? {
0222:             receiver: {
0223:               location: {
0224:                 lat: receiverLat,
0225:                 lng: receiverLng,
0226:               },
0227:             },
0228:           : {}),
0229:     }
0230:   }
0231:
0232:   const response = await adminAuthFetch(`/api/orders/${id.trim().toUpperCase()}`, {
0233:     method: 'PUT',
0234:     body: JSON.stringify(payload),
0235:   })
0236:
0237:   const data = await response.json()
0238:
0239:   if (!response.ok) {
0240:     return {
0241:       success: false,
0242:       data: null,
0243:       error: data.message || 'Failed to update order.',
0244:     }
0245:   }
0246:
0247:   return {
0248:     success: true,
0249:     data: data,
0250:     error: null,
0251:   }
0252: } catch (_error) {
0253:   return {
0254:     success: false,
0255:     data: null,
0256:     error: 'Network error while updating order.',
0257:   }
0258: }
0259: }
0260:
0261: /**
0262:  * Delete an order by ID
0263:  * @param {string} id - Order ID
0264:  * @returns {Object} { success: boolean, message: string, error: string|null }
0265:  */
0266: export async function deleteOrder(id){
0267:   try {
0268:     const normalizedId = id.trim().toUpperCase()
0269:
0270:     const response = await adminAuthFetch(`/api/orders/${normalizedId}`, {
0271:       method: 'DELETE',
0272:     })
0273:     const data = await response.json()
0274:
0275:     if (!response.ok) {
0276:       return {
0277:         success: false,
0278:         message: '',
0279:         error: data.message || 'Failed to delete order.',
0280:       }
0281:     }
0282:
0283:     return {
0284:       success: true,
0285:       message: data.message || 'Order deleted successfully.',
0286:       error: null,
0287:     }
0288:   } catch (_error) {
0289:     return {
0290:       success: false,

```

```
0291:     message: '',
0292:     error: 'Network error while deleting order.',
0293:   }
0294: }
0295: }
```

File: src/Admin/services/riderService.js

Purpose: Source listing with line-level reference for deep review

```
0001: import { adminAuthFetch } from './adminAuthService'
0002:
0003: export async function getRiders() {
0004:   try {
0005:     const response = await adminAuthFetch('/api/riders', { method: 'GET' })
0006:     const data = await response.json()
0007:
0008:     if (!response.ok) {
0009:       return {
0010:         success: false,
0011:         data: [],
0012:         error: data.message || 'Failed to load riders.',
0013:       }
0014:     }
0015:
0016:     return {
0017:       success: true,
0018:       data,
0019:       error: null,
0020:     }
0021:   } catch (_error) {
0022:     return {
0023:       success: false,
0024:       data: [],
0025:       error: 'Network error while loading riders.',
0026:     }
0027:   }
0028: }
0029:
0030: export async function createRiderProfile(payload) {
0031:   try {
0032:     const response = await adminAuthFetch('/api/riders/signup', {
0033:       method: 'POST',
0034:       body: JSON.stringify(payload),
0035:     })
0036:     const data = await response.json()
0037:
0038:     if (!response.ok) {
0039:       return {
0040:         success: false,
0041:         data: null,
0042:         error: data.message || 'Failed to create rider profile.',
0043:       }
0044:     }
0045:
0046:     return {
0047:       success: true,
0048:       data: data.rider,
0049:       error: null,
0050:     }
0051:   } catch (_error) {
0052:     return {
0053:       success: false,
0054:       data: null,
0055:       error: 'Network error while creating rider profile.',
0056:     }
0057:   }
0058: }
0059:
0060: export async function deleteRiderProfile(riderId) {
0061:   try {
0062:     const response = await adminAuthFetch(`/api/riders/${riderId}`, {
0063:       method: 'DELETE',
0064:     })
0065:     const data = await response.json()
0066:
0067:     if (!response.ok) {
0068:       return { success: false, error: data.message || 'Failed to delete rider profile.' }
0069:     }
0070:
0071:     return { success: true, error: null }
0072:   } catch (_error) {
0073:     return { success: false, error: 'Network error while deleting rider profile.' }
0074:   }
0075: }
```

```

0076:
0077: export async function assignOrderToRider(orderId, riderId) {
0078:   try {
0079:     const response = await adminAuthFetch(`/api/orders/${orderId}/assign`, {
0080:       method: 'PATCH',
0081:       body: JSON.stringify({ riderId }),
0082:     })
0083:     const data = await response.json()
0084:
0085:     if (!response.ok) {
0086:       return { success: false, data: null, error: data.message || 'Failed to assign order.' }
0087:     }
0088:
0089:     return { success: true, data, error: null }
0090:   } catch (_error) {
0091:     return { success: false, data: null, error: 'Network error while assigning order.' }
0092:   }
0093: }
0094:
0095: export async function unassignOrder(orderId) {
0096:   try {
0097:     const response = await adminAuthFetch(`/api/orders/${orderId}/unassign`, {
0098:       method: 'PATCH',
0099:     })
0100:     const data = await response.json()
0101:
0102:     if (!response.ok) {
0103:       return { success: false, data: null, error: data.message || 'Failed to unassign order.' }
0104:     }
0105:
0106:     return { success: true, data, error: null }
0107:   } catch (_error) {
0108:     return { success: false, data: null, error: 'Network error while unassigning order.' }
0109:   }
0110: }

```

File: src/Admin/utills/formatDate.js

Purpose: Source listing with line-level reference for deep review

```

0001: export function formatAdminDate(dateValue, options = {}) {
0002:   if (!dateValue) {
0003:     return '--'
0004:   }
0005:
0006:   const parsed = new Date(dateValue)
0007:   if (Number.isNaN(parsed.getTime())) {
0008:     return '--'
0009:   }
0010:
0011:   return parsed.toLocaleDateString(undefined, options)
0012: }
0013:
0014: export function formatAdminDateTime(dateValue, options = {}) {
0015:   if (!dateValue) {
0016:     return '--'
0017:   }
0018:
0019:   const parsed = new Date(dateValue)
0020:   if (Number.isNaN(parsed.getTime())) {
0021:     return '--'
0022:   }
0023:
0024:   const defaultOptions = {
0025:     year: 'numeric',
0026:     month: 'short',
0027:     day: 'numeric',
0028:     hour: 'numeric',
0029:     minute: '2-digit',
0030:   }
0031:
0032:   return parsed.toLocaleString(undefined, { ...defaultOptions, ...options })
0033: }

```

File: src/App.css

Purpose: Source listing with line-level reference for deep review

```

0001: /* =====
0002:   ANIMATIONS
0003:   ===== */
0004:
0005: @keyframes fadeInDown {
0006:   from {
0007:     opacity: 0;
0008:     transform: translateY(-20px);

```

```

0009:   }
0010:   to {
0011:     opacity: 1;
0012:     transform: translateY(0);
0013:   }
0014: }
0015:
0016: @keyframes fadeInUp {
0017:   from {
0018:     opacity: 0;
0019:     transform: translateY(20px);
0020:   }
0021:   to {
0022:     opacity: 1;
0023:     transform: translateY(0);
0024:   }
0025: }
0026:
0027: @keyframes fadeIn {
0028:   from {
0029:     opacity: 0;
0030:   }
0031:   to {
0032:     opacity: 1;
0033:   }
0034: }
0035:
0036: @keyframes slideInRight {
0037:   from {
0038:     opacity: 0;
0039:     transform: translateX(-30px);
0040:   }
0041:   to {
0042:     opacity: 1;
0043:     transform: translateX(0);
0044:   }
0045: }
0046:
0047: /* =====
0048:    COMPONENT STYLES
0049:    ===== */
0050:
0051: .hero-section{
0052:   display: flex;
0053:   align-items: left;
0054:   min-height: 522px;
0055:   position: relative;
0056:   overflow: hidden;
0057:   animation: fadeIn 0.8s ease-out 0.2s both;
0058: }
0059:
0060: .hero-content{
0061:   display: flex;
0062:   flex-direction: column;
0063:   gap: 10px;
0064:   padding: 120px 55px 15px;
0065:   color: white;
0066:   width: 35%;
0067:   animation: slideInRight 0.7s ease-out 0.4s both;
0068: }
0069:
0070: p{color: var(--color-primary);}
0071:
0072:
0073:
0074: .services-section{
0075:   width: 100%;
0076:   padding: 80px 40px;
0077:   background-color: #f8f9fa;
0078:   animation: fadeInUp 0.8s ease-out 0.6s both;
0079: }
0080:
0081:
0082: .service{
0083:   display: flex;
0084:   align-items: stretch;
0085:   justify-content: center;
0086:   gap: 24px;
0087:   position: relative;
0088:   max-width: 1200px;
0089:   margin: 0 auto;
0090:   flex-wrap: wrap;
0091: }
0092:

```



```

0093: .service-box{
0094:   display: flex;
0095:   flex-direction: column;
0096:   align-items: center;
0097:   justify-content: flex-start;
0098:   flex: 1;
0099:   min-width: 240px;
0100:   max-width: 320px;
0101:   padding: 32px 24px;
0102:   border: 2px solid var(--color-primary);
0103:   border-radius: 8px;
0104:   background-color: white;
0105:   transition: all 0.3s cubic-bezier(0.4, 0, 0.2, 1);
0106:   box-shadow: 0 2px 8px rgba(0, 0, 0, 0.08);
0107:   animation: fadeInUp 0.6s ease-out both;
0108: }
0109:
0110: .service-box:nth-child(1) {
0111:   animation-delay: 0.7s;
0112: }
0113:
0114: .service-box:nth-child(2) {
0115:   animation-delay: 0.8s;
0116: }
0117:
0118: .service-box:nth-child(3) {
0119:   animation-delay: 0.9s;
0120: }
0121:
0122: .service-box:hover{
0123:   border-color: var(--color-primary);
0124:   box-shadow: 0 12px 24px rgba(0, 0, 0, 0.12);
0125:   transform: translateY(-4px);
0126: }
0127:
0128: .service-icon{
0129:   display: flex;
0130:   align-items: center;
0131:   justify-content: center;
0132:   width: 56px;
0133:   height: 56px;
0134:   margin-bottom: 16px;
0135:   color: var(--color-primary);
0136: }
0137:
0138: .service-content{
0139:   text-align: center;
0140: }
0141:
0142: .service-box h3{
0143:   margin: 0 0 12px 0;
0144:   font-size: 18px;
0145:   font-weight: 600;
0146:   color: #1a1a1a;
0147:   line-height: 1.4;
0148: }
0149:
0150: .service-box p{
0151:   margin: 0;
0152:   font-size: 14px;
0153:   color: #666;
0154:   line-height: 1.6;
0155: }
0156:
0157:
0158: /* =====
0159:     RESPONSIVE DESIGN - Mobile First Approach
0160:     ===== */
0161:
0162: /* Mobile Devices (320px - 480px) */
0163: @media (max-width: 480px) {
0164:   .hero-section {
0165:     min-height: 400px;
0166:     background-size: cover !important;
0167:   }
0168:
0169:   .hero-content {
0170:     width: 100%;
0171:     padding: 40px 16px;
0172:     align-items: center;
0173:     text-align: center;
0174:   }
0175:
0176:   .hero-content h1 {

```

```
0177:     font-size: 24px;
0178:     margin: 0 0 12px 0;
0179: }
0180:
0181: .hero-content p {
0182:     font-size: 14px;
0183:     margin: 0 0 16px 0;
0184: }
0185:
0186: .search-container {
0187:     flex-direction: column;
0188:     width: 100%;
0189:     max-width: 100%;
0190:     gap: 8px;
0191: }
0192:
0193: .search-bar {
0194:     max-width: 100%;
0195:     border-radius: 5px;
0196:     padding: 10px 12px;
0197:     font-size: 13px;
0198: }
0199:
0200: .search-btn {
0201:     width: 100%;
0202:     border-radius: 5px;
0203:     padding: 10px 16px;
0204:     font-size: 13px;
0205: }
0206:
0207: .services-section {
0208:     padding: 40px 16px;
0209: }
0210:
0211: .service {
0212:     gap: 16px;
0213:     padding: 0;
0214: }
0215:
0216: .service-box {
0217:     min-width: 100%;
0218:     max-width: 100%;
0219:     padding: 20px 16px;
0220: }
0221:
0222: .service-icon {
0223:     width: 48px;
0224:     height: 48px;
0225:     margin-bottom: 12px;
0226: }
0227:
0228: .service-box h3 {
0229:     font-size: 16px;
0230:     margin: 0 0 8px 0;
0231: }
0232:
0233: .service-box p {
0234:     font-size: 12px;
0235: }
0236: }
0237:
0238: /* Tablet Devices (481px - 768px) */
0239: @media (min-width: 481px) and (max-width: 768px) {
0240:     .hero-section {
0241:         min-height: 450px;
0242:     }
0243:
0244:     .hero-content {
0245:         width: 100%;
0246:         padding: 60px 40px;
0247:         align-items: flex-start;
0248:         text-align: left;
0249:     }
0250:
0251:     .hero-content h1 {
0252:         font-size: 28px;
0253:         margin: 0 0 12px 0;
0254:     }
0255:
0256:     .hero-content p {
0257:         font-size: 14px;
0258:         margin: 0 0 20px 0;
0259:     }
0260: }
```

```

0261: .search-container {
0262:     max-width: 100%;
0263:     width: 100%;
0264: }
0265:
0266: .search-bar {
0267:     max-width: 100%;
0268: }
0269:
0270: .search-btn {
0271:     padding: 10px 20px;
0272:     font-size: 14px;
0273: }
0274:
0275: .services-section {
0276:     padding: 60px 24px;
0277: }
0278:
0279: .service {
0280:     gap: 20px;
0281: }
0282:
0283: .service-box {
0284:     min-width: 180px;
0285:     max-width: 250px;
0286:     padding: 24px 16px;
0287: }
0288:
0289: .service-icon {
0290:     width: 48px;
0291:     height: 48px;
0292:     margin-bottom: 14px;
0293: }
0294:
0295: .service-box h3 {
0296:     font-size: 16px;
0297: }
0298:
0299: .service-box p {
0300:     font-size: 13px;
0301: }
0302: }
0303:
0304: /* Medium Screens (769px - 1024px) */
0305: @media (min-width: 769px) and (max-width: 1024px) {
0306:     .hero-content {
0307:         width: 50%;
0308:         padding: 100px 40px;
0309:     }
0310:
0311:     .hero-content h1 {
0312:         font-size: 32px;
0313:     }
0314:
0315:     .search-container {
0316:         max-width: 450px;
0317:     }
0318:
0319:     .services-section {
0320:         padding: 80px 30px;
0321:     }
0322:
0323:     .service-box {
0324:         min-width: 220px;
0325:         max-width: 280px;
0326:     }
0327: }
0328:
0329: /* Large Screens (1025px and above) */
0330: @media (min-width: 1025px) {
0331:     .hero-section {
0332:         min-height: 522px;
0333:     }
0334:
0335:     .hero-content {
0336:         width: 35%;
0337:         padding: 120px 55px 15px;
0338:     }
0339:
0340:     .search-container {
0341:         max-width: 500px;
0342:     }
0343:
0344:     .services-section {

```

```

0345:     padding: 80px 40px;
0346:   }
0347:
0348:   .service-box {
0349:     min-width: 240px;
0350:     max-width: 320px;
0351:   }
0352: }

```

File: src/App.jsx

Purpose: Source listing with line-level reference for deep review

```

0001: import { Routes, Route, Navigate, useNavigate } from 'react-router-dom'
0002: import './App.css'
0003: import Hero from './assets/Hero.jpeg'
0004: import SearchBar from './components/SearchBar'
0005: import WhatsAppButton from './components/WhatsAppButton'
0006: import Header from './components/Header'
0007: import Footer from './components/Footer'
0008: import TrackingPage from './TrackingPage'
0009: import RiderPage from './RiderPage'
0010: import AdminPage from './Admin/AdminPage'
0011: import AdminRidersPage from './Admin/AdminRidersPage'
0012: import { ClockCheck, SendHorizontal, BriefcaseBusiness } from 'lucide-react'
0013: import { isTrackingIdFormatValid, normalizeTrackingId } from './data/trackingData'
0014:
0015: function App() {
0016:   const navigate = useNavigate()
0017:
0018:   async function handleTracking(id) {
0019:     const normalizedId = normalizeTrackingId(id)
0020:
0021:     // Keep the search rules consistent anywhere the component is reused.
0022:     if (!isTrackingIdFormatValid(normalizedId)) {
0023:       return false
0024:     }
0025:
0026:     navigate(`/tracking/${normalizedId}`)
0027:     return true
0028:   }
0029:
0030:   return (
0031:     <Routes>
0032:       <Route
0033:         path="/"
0034:         element={
0035:           <div className='home-page'>
0036:             <Header />
0037:             <div className='hero-section' style={{ backgroundImage: `url(${Hero})`, backgroundSize: '100%
100%' }}>
0038:               <div className='hero-content'>
0039:                 <h1>Move Anything.</h1>
0040:                 <h1>Deliver Anywhere Across Lagos.</h1>
0041:                 <p className='motto'>Faithfulness in every delivery.</p>
0042:                 <SearchBar onSubmit={handleTracking} />
0043:               </div>
0044:             </div>
0045:             <section className='services-section'>
0046:               <div className='service'>
0047:                 <div className='service-box'>
0048:                   <div className='service-icon'>
0049:                     <ClockCheck size={32} />
0050:                   </div>
0051:                   <div className='service-content'>
0052:                     <h3>Same-day Delivery</h3>
0053:                     <p>Fast and reliable same-day delivery service</p>
0054:                   </div>
0055:                 </div>
0056:                 <div className='service-box'>
0057:                   <div className='service-icon'>
0058:                     <SendHorizontal size={32} />
0059:                   </div>
0060:                   <div className='service-content'>
0061:                     <h3>Express Dispatch</h3>
0062:                     <p>Rapid dispatch for urgent shipments</p>
0063:                   </div>
0064:                 </div>
0065:                 <div className='service-box'>
0066:                   <div className='service-icon'>
0067:                     <BriefcaseBusiness size={32} />
0068:                   </div>
0069:                   <div className='service-content'>
0070:                     <h3>Business Logistics</h3>
0071:                     <p>Tailored solutions for businesses</p>

```

```

0072:         </div>
0073:     </div>
0074: </div>
0075: </section>
0076:     <WhatsAppButton phoneNumber='2349112414541' />
0077:     <Footer />
0078: </div>
0079: }
0080: />
0081: <Route path='/tracking/:id' element={<TrackingPage />} />
0082: <Route path='/rider' element={<RiderPage />} />
0083: <Route path='/rider/:id' element={<Navigate to='/rider' replace />} />
0084: <Route path='/admin' element={<AdminPage />} />
0085: <Route path='/admin/customers' element={<AdminPage />} />
0086: <Route path='/admin/riders' element={<AdminRidersPage />} />
0087: </Routes>
0088: )
0089: }
0090:
0091: export default App

```

File: src/RiderPage.css

Purpose: Source listing with line-level reference for deep review

```

0001: .rider-page {
0002:   min-height: 100vh;
0003:   background:
0004:     radial-gradient(circle at 15% 20%, rgba(0, 191, 166, 0.2), transparent 35%),
0005:     radial-gradient(circle at 85% 10%, rgba(255, 166, 0, 0.2), transparent 32%),
0006:     #081018;
0007: }
0008:
0009: .rider-dashboard {
0010:   max-width: 1120px;
0011:   margin: 30px auto;
0012:   padding: 24px;
0013:   border: 1px solid rgba(255, 255, 255, 0.12);
0014:   border-radius: 16px;
0015:   background: rgba(6, 12, 20, 0.76);
0016:   backdrop-filter: blur(6px);
0017: }
0018:
0019: .rider-dashboard__header {
0020:   display: flex;
0021:   justify-content: space-between;
0022:   align-items: flex-start;
0023:   gap: 16px;
0024: }
0025:
0026: .rider-dashboard h2 {
0027:   margin: 0 0 10px;
0028:   color: #eaf4ff;
0029:   font-size: 1.65rem;
0030:   letter-spacing: 0.01em;
0031: }
0032:
0033: .rider-status {
0034:   margin: 0;
0035:   color: #b7c3d8;
0036: }
0037:
0038: .rider-kpi {
0039:   min-width: 190px;
0040:   border: 1px solid rgba(104, 210, 180, 0.4);
0041:   border-radius: 12px;
0042:   background: rgba(11, 26, 23, 0.7);
0043:   padding: 10px 14px;
0044: }
0045:
0046: .rider-kpi__label {
0047:   display: block;
0048:   color: #7dcab3;
0049:   font-size: 0.82rem;
0050:   text-transform: uppercase;
0051:   letter-spacing: 0.06em;
0052: }
0053:
0054: .rider-kpi__value {
0055:   color: #ecfffa;
0056:   font-size: 1rem;
0057: }
0058:
0059: .rider-toolbar {
0060:   margin-top: 22px;

```

```
0061:   display: grid;
0062:   grid-template-columns: 1fr auto;
0063:   gap: 14px;
0064:   align-items: end;
0065: }
0066:
0067: .rider-add-form label {
0068:   display: block;
0069:   margin-bottom: 8px;
0070:   color: #9eb1cc;
0071:   font-weight: 600;
0072: }
0073:
0074: .rider-admin-note {
0075:   margin: 0 0 12px;
0076:   color: #ffd28c;
0077:   font-size: 0.92rem;
0078: }
0079:
0080: .rider-add-form__controls {
0081:   display: flex;
0082:   gap: 10px;
0083: }
0084:
0085: .rider-add-form input {
0086:   flex: 1;
0087:   min-width: 180px;
0088:   border-radius: 10px;
0089:   border: 1px solid rgba(255, 255, 255, 0.18);
0090:   background: rgba(255, 255, 255, 0.04);
0091:   color: #f4f7ff;
0092:   padding: 10px 12px;
0093: }
0094:
0095: .rider-orders {
0096:   margin-top: 18px;
0097:   display: grid;
0098:   grid-template-columns: repeat(auto-fit, minmax(270px, 1fr));
0099:   gap: 12px;
0100: }
0101:
0102: .rider-order-card {
0103:   border: 1px solid rgba(255, 255, 255, 0.14);
0104:   border-radius: 12px;
0105:   background: rgba(255, 255, 255, 0.03);
0106:   padding: 14px;
0107: }
0108:
0109: .rider-order-card__top {
0110:   display: flex;
0111:   justify-content: space-between;
0112:   gap: 10px;
0113: }
0114:
0115: .rider-order-card__id {
0116:   margin: 0;
0117:   font-weight: 700;
0118:   color: #f8fbff;
0119: }
0120:
0121: .rider-order-card__status {
0122:   margin: 4px 0 0;
0123:   color: #9bb5d4;
0124: }
0125:
0126: .rider-order-card__error {
0127:   margin: 8px 0 0;
0128:   color: #ff9f9f;
0129:   font-size: 0.92rem;
0130: }
0131:
0132: .rider-order-card__actions {
0133:   display: flex;
0134:   flex-direction: column;
0135:   gap: 8px;
0136: }
0137:
0138: .rider-pill {
0139:   border: 1px solid rgba(255, 255, 255, 0.28);
0140:   background: transparent;
0141:   color: #d4def0;
0142:   border-radius: 999px;
0143:   padding: 5px 10px;
0144:   cursor: pointer;
```

```
0145:   font-weight: 600;
0146: }
0147:
0148: .rider-pill.active {
0149:   border-color: rgba(56, 219, 174, 0.8);
0150:   color: #7ef2cf;
0151: }
0152:
0153: .rider-pill.danger {
0154:   border-color: rgba(255, 133, 133, 0.55);
0155:   color: #ffb7b7;
0156: }
0157:
0158: .rider-order-card__meta {
0159:   margin-top: 10px;
0160:   padding-top: 10px;
0161:   border-top: 1px solid rgba(255, 255, 255, 0.12);
0162: }
0163:
0164: .rider-order-card__meta p {
0165:   color: #ccd7e7;
0166:   margin: 5px 0;
0167: }
0168:
0169: .rider-empty {
0170:   border: 1px dashed rgba(255, 255, 255, 0.25);
0171:   border-radius: 12px;
0172:   padding: 20px;
0173:   color: #afc1d8;
0174:   text-align: center;
0175: }
0176:
0177: .rider-toolbar {
0178:   margin-top: 18px;
0179: }
0180:
0181: .rider-actions {
0182:   display: flex;
0183:   gap: 10px;
0184:   flex-wrap: wrap;
0185: }
0186:
0187: .rider-btn {
0188:   border-radius: 10px;
0189:   padding: 10px 14px;
0190:   font-weight: 600;
0191:   cursor: pointer;
0192:   border: 1px solid transparent;
0193: }
0194:
0195: .rider-btn.primary {
0196:   background: linear-gradient(135deg, #00c58a, #00a076);
0197:   border-color: rgba(46, 218, 171, 0.75);
0198:   color: #04271f;
0199: }
0200:
0201: .rider-btn.secondary {
0202:   background: rgba(255, 255, 255, 0.08);
0203:   border-color: rgba(255, 255, 255, 0.25);
0204:   color: #f1f5ff;
0205: }
0206:
0207: .rider-btn.disabled {
0208:   opacity: 0.5;
0209:   cursor: not-allowed;
0210: }
0211:
0212: .rider-footer-note {
0213:   margin-top: 18px;
0214:   color: #95aaca;
0215:   font-size: 0.94rem;
0216: }
0217:
0218: @media (max-width: 860px) {
0219:   .rider-dashboard__header {
0220:     flex-direction: column;
0221:   }
0222:
0223:   .rider-toolbar {
0224:     grid-template-columns: 1fr;
0225:   }
0226:
0227:   .rider-add-form__controls {
0228:     flex-direction: column;
```

```

0229:   }
0230:
0231:   .rider-order-card__actions {
0232:     flex-direction: row;
0233:   }
0234: }

```

File: src/RiderPage.jsx

Purpose: Source listing with line-level reference for deep review

```

0001: import { useEffect, useRef, useState } from 'react'
0002: import Header from '../components/Header'
0003: import './RiderPage.css'
0004:
0005: const SEND_INTERVAL_MS = 5000
0006:
0007: function RiderPage() {
0008:   const rawApiBaseUrl = import.meta.env.VITE_API_BASE_URL || 'http://localhost:3001'
0009:   const apiBaseUrl = rawApiBaseUrl.replace(/\/+$/, '')
0010:
0011:   const watchIdRef = useRef(null)
0012:   const lastSentRef = useRef(0)
0013:
0014:   function clearLocationWatch() {
0015:     if (watchIdRef.current !== null) {
0016:       navigator.geolocation.clearWatch(watchIdRef.current)
0017:       watchIdRef.current = null
0018:     }
0019:   }
0020:
0021:   const [authForm, setAuthForm] = useState({ name: '', phone: '' })
0022:   const [token, setToken] = useState(() => localStorage.getItem('riderToken') || '')
0023:   const [rider, setRider] = useState(null)
0024:   const [isCheckingSession, setIsCheckingSession] = useState(() => Boolean(localStorage.getItem('riderToken')))
0025:   const [isSubmittingAuth, setIsSubmittingAuth] = useState(false)
0026:   const [isSharing, setIsSharing] = useState(false)
0027:   const [isRefreshing, setIsRefreshing] = useState(false)
0028:   const [statusMessage, setStatusMessage] = useState('Login with your rider name and phone number provided by admin.')
0029:   const [lastLocationUpdate, setLastLocationUpdate] = useState(null)
0030:
0031:   async function loadRiderSession(currentToken = token) {
0032:     const response = await fetch(`${apiBaseUrl}/api/riders/me`, {
0033:       method: 'GET',
0034:       headers: {
0035:         'Content-Type': 'application/json',
0036:         Authorization: `Bearer ${currentToken}`,
0037:       },
0038:     })
0039:     const data = await response.json().catch(() => ({}))
0040:
0041:     if (!response.ok) {
0042:       throw new Error(data.message || 'Request failed.')
0043:     }
0044:
0045:     setRider(data)
0046:     setIsSharing(Boolean(data.isSharing))
0047:     setLastLocationUpdate(data.lastLocation?.updatedAt || null)
0048:     setStatusMessage(`Welcome ${data.name}.`)
0049:
0050:     return data
0051:   }
0052:
0053:   useEffect(() => {
0054:     return () => {
0055:       clearLocationWatch()
0056:     }
0057:   }, [])
0058:
0059:   useEffect(() => {
0060:     if (!token) {
0061:       setIsCheckingSession(false)
0062:       return
0063:     }
0064:
0065:     let cancelled = false
0066:     setIsCheckingSession(true)
0067:
0068:     async function restoreRiderSession() {
0069:       try {
0070:         await loadRiderSession(token)
0071:
0072:         if (cancelled) {

```



```

0073:         return
0074:     }
0075: } catch (error) {
0076:     if (cancelled) {
0077:         return
0078:     }
0079:
0080:     setStatusMessage(error.message)
0081:     localStorage.removeItem('riderToken')
0082:     setToken('')
0083:     setRider(null)
0084: } finally {
0085:     if (!cancelled) {
0086:         setIsCheckingSession(false)
0087:     }
0088: }
0089: }
0090:
0091: restoreRiderSession()
0092:
0093: return () => {
0094:     cancelled = true
0095: }
0096: }, [apiBaseUrl, token])
0097:
0098: async function riderFetch(path, options = {}, currentToken = token) {
0099:     const response = await fetch(`${apiBaseUrl}${path}`, {
0100:         ...options,
0101:         headers: {
0102:             'Content-Type': 'application/json',
0103:             Authorization: `Bearer ${currentToken}`,
0104:             ...(options.headers || {}),
0105:         },
0106:     })
0107:
0108:     const data = await response.json().catch(() => ({}))
0109:     if (!response.ok) {
0110:         throw new Error(data.message || 'Request failed.')
0111:     }
0112:
0113:     return data
0114: }
0115:
0116: async function handleAuth() {
0117:     if (!authForm.name.trim() || !authForm.phone.trim()) {
0118:         setStatusMessage('Enter your rider name and phone number.')
0119:         return
0120:     }
0121:
0122:     setIsSubmittingAuth(true)
0123:     setStatusMessage('Signing in...')
0124:
0125:     try {
0126:         const response = await fetch(`${apiBaseUrl}/api/riders/login`, {
0127:             method: 'POST',
0128:             headers: { 'Content-Type': 'application/json' },
0129:             body: JSON.stringify({
0130:                 name: authForm.name.trim(),
0131:                 phone: authForm.phone.trim(),
0132:             }),
0133:         })
0134:         const data = await response.json().catch(() => ({}))
0135:
0136:         if (!response.ok) {
0137:             throw new Error(data.message || 'Authentication failed.')
0138:         }
0139:
0140:         localStorage.setItem('riderToken', data.token)
0141:         setToken(data.token)
0142:         setRider(data.rider)
0143:         setStatusMessage(`Welcome ${data.rider.name}.`)
0144:     } catch (error) {
0145:         setStatusMessage(error.message)
0146:     } finally {
0147:         setIsSubmittingAuth(false)
0148:     }
0149: }
0150:
0151: async function sendLocation(position) {
0152:     const now = Date.now()
0153:     if (now - lastSentRef.current < SEND_INTERVAL_MS) {
0154:         return
0155:     }
0156:

```

```

0157:     lastSentRef.current = now
0158:
0159:     const payload = {
0160:       lat: position.coords.latitude,
0161:       lng: position.coords.longitude,
0162:       accuracy: position.coords.accuracy,
0163:       heading: Number.isFinite(position.coords.heading) ? position.coords.heading : undefined,
0164:       speed: Number.isFinite(position.coords.speed) ? position.coords.speed : undefined,
0165:       capturedAt: new Date(position.timestamp).toISOString(),
0166:     }
0167:
0168:     const data = await riderFetch('/api/riders/me/location', {
0169:       method: 'PATCH',
0170:       body: JSON.stringify(payload),
0171:     })
0172:
0173:     setLastLocationUpdate(data.rider.lastLocation?.updatedAt || payload.capturedAt)
0174:     setRider(data.rider)
0175:     setStatusMessage('Location shared successfully.')
0176:   }
0177:
0178:   async function stopSharing() {
0179:     clearLocationWatch()
0180:
0181:     try {
0182:       await riderFetch('/api/riders/me/sharing', {
0183:         method: 'PATCH',
0184:         body: JSON.stringify({ isSharing: false }),
0185:       })
0186:     } catch (_error) {
0187:       // Keep local stop behavior even if network call fails.
0188:     }
0189:
0190:     setIsSharing(false)
0191:     setStatusMessage('Location sharing stopped.')
0192:   }
0193:
0194:   function handleLogout() {
0195:     clearLocationWatch()
0196:
0197:     localStorage.removeItem('riderToken')
0198:     setToken('')
0199:     setRider(null)
0200:     setIsSharing(false)
0201:     setStatusMessage('You have signed out.')
0202:   }
0203:
0204:   function startSharing() {
0205:     if (!token) {
0206:       setStatusMessage('Login before sharing location.')
0207:       return
0208:     }
0209:
0210:     if (!navigator.geolocation) {
0211:       setStatusMessage('Geolocation is not supported by this browser.')
0212:       return
0213:     }
0214:
0215:     clearLocationWatch()
0216:     setStatusMessage('Requesting location permission...')
0217:
0218:     watchIdRef.current = navigator.geolocation.watchPosition(
0219:       async (position) => {
0220:         try {
0221:           await sendLocation(position)
0222:           setIsSharing(true)
0223:         } catch (error) {
0224:           setStatusMessage(error.message)
0225:         }
0226:       },
0227:       (positionError) => {
0228:         setStatusMessage(positionError.message || 'Unable to access GPS location.')
0229:       },
0230:       {
0231:         enableHighAccuracy: true,
0232:         maximumAge: 2000,
0233:         timeout: 10000,
0234:       }
0235:     )
0236:   }
0237:
0238:   async function handleRefresh() {
0239:     if (!token) {
0240:       setStatusMessage('Login before refreshing your rider status.')

```

```

0241:         return
0242:     }
0243:
0244:     setIsRefreshing(true)
0245:
0246:     try {
0247:         await loadRiderSession(token)
0248:         setStatusMessage('Rider status refreshed.')
0249:     } catch (error) {
0250:         setStatusMessage(error.message)
0251:     } finally {
0252:         setIsRefreshing(false)
0253:     }
0254: }
0255:
0256: return (
0257:   <div className='rider-page'>
0258:     <Header />
0259:     <main className='rider-dashboard'>
0260:       <section className='rider-dashboard__header'>
0261:         <div>
0262:           <h2>Rider Dashboard</h2>
0263:           <p className='rider-status'>{statusMessage}</p>
0264:         </div>
0265:         {rider ? (
0266:           <div className='rider-kpi'>
0267:             <span className='rider-kpi__label'>Logged in rider</span>
0268:             <strong className='rider-kpi__value'>{rider.name} ({rider.phone})</strong>
0269:           </div>
0270:         ) : null}
0271:       </section>
0272:
0273:       {isCheckingSession ? (
0274:         <section className='rider-toolbar'>
0275:           <p className='rider-status'>Restoring session...</p>
0276:         </section>
0277:       ) : !rider ? (
0278:         <section className='rider-toolbar'>
0279:           <form className='rider-add-form' onSubmit={(event) => event.preventDefault()}>
0280:             <p className='rider-admin-note'>Contact admin to create your rider profile before login.</p>
0281:             <label htmlFor='riderName'>Name</label>
0282:             <div className='rider-add-form__controls'>
0283:               <input
0284:                 id='riderName'
0285:                 value={authForm.name}
0286:                 onChange={(event) => setAuthForm((current) => ({ ...current, name: event.target.value })}
0287:               />
0288:               placeholder='e.g. John Rider'
0289:               autoComplete='name'
0290:             </div>
0291:             <label htmlFor='riderPhone'>Phone</label>
0292:             <div className='rider-add-form__controls'>
0293:               <input
0294:                 id='riderPhone'
0295:                 value={authForm.phone}
0296:                 onChange={(event) => setAuthForm((current) => ({ ...current, phone: event.target.value })}
0297:               />
0298:               placeholder='e.g. 08012345678'
0299:               autoComplete='tel'
0300:             </div>
0301:           </form>
0302:
0303:           <div className='rider-actions'>
0304:             <button type='button' className='rider-btn primary' onClick={handleAuth} disabled={isSubmittingAuth}>
0305:               {isSubmittingAuth ? 'Please wait...' : 'Login'}
0306:             </button>
0307:           </div>
0308:         </section>
0309:       ) : (
0310:         <>
0311:           <section className='rider-toolbar'>
0312:             <div className='rider-actions'>
0313:               <button type='button' className='rider-btn primary' onClick={startSharing} disabled={isSharing}>
0314:                 Start Sharing
0315:               </button>
0316:               <button type='button' className='rider-btn secondary' onClick={stopSharing} disabled={!isSharing}>
0317:                 Stop Sharing
0318:               </button>
0319:               <button type='button' className='rider-btn secondary' onClick={handleRefresh} disabled={isRefreshing}>

```

```

0320:             {isRefreshing ? 'Refreshing...' : 'Refresh'}
0321:         </button>
0322:         <button type='button' className='rider-btn secondary' onClick={handleLogout}>
0323:             Logout
0324:         </button>
0325:     </div>
0326: </section>
0327:
0328:     <div className='rider-footer-note'>
0329:         <p>Last update: {lastLocationUpdate ? new Date(lastLocationUpdate).toLocaleString() : 'No li
ve update yet'}</p>
0330:         <p>Current place: {rider.lastLocation?.placeName || 'Waiting for location sharing...'}</p>
0331:     </div>
0332: </>
0333: })
0334:
0335: </main>
0336: </div>
0337: )
0338: }
0339:
0340: export default RiderPage

```

File: src/TrackingPage.css

Purpose: Source listing with line-level reference for deep review

```

0001: .tracking-page{
0002:     display: flex;
0003:     flex-direction: column;
0004:     width: 100%;
0005:     height: 100%;
0006: }
0007:
0008: .tracking-top-actions {
0009:     display: flex;
0010:     align-items: center;
0011:     gap: 12px;
0012:     flex-wrap: wrap;
0013: }
0014:
0015: .go-home-button {
0016:     margin-left: 50px;
0017:     border: 1px solid rgba(255, 255, 255, 0.28);
0018:     background: rgba(255, 255, 255, 0.08);
0019:     color: #f1f5ff;
0020:     border-radius: 999px;
0021:     padding: 10px 16px;
0022:     font-size: 0.95rem;
0023:     font-weight: 600;
0024:     cursor: pointer;
0025:     transition: all 0.2s ease;
0026: }
0027:
0028: .go-home-button:hover {
0029:     transform: translateY(-1px);
0030:     background: rgba(255, 255, 255, 0.14);
0031: }
0032:
0033: .go-home-button:active {
0034:     transform: translateY(0);
0035: }
0036:
0037: .status-container{
0038:     width: 100%;
0039:     display: flex;
0040:     padding: 50px;
0041:     gap: 40px;
0042:     animation: fadeIn 0.8s ease-out 0.2s both;
0043: }
0044:
0045: .tracking-empty {
0046:     width: min(100%, 720px);
0047:     margin: 0 auto;
0048:     padding: 28px 24px;
0049:     border-radius: 16px;
0050:     background: linear-gradient(135deg, rgba(255, 94, 98, 0.14), rgba(20, 20, 20, 0.9));
0051:     border: 1px solid rgba(255, 94, 98, 0.35);
0052:     box-shadow: 0 14px 35px rgba(0, 0, 0, 0.25);
0053:     text-align: left;
0054:     position: relative;
0055:     overflow: hidden;
0056: }
0057:
0058: .tracking-empty::before {

```

```
0059:     content: '■ Tracking Alert';
0060:     display: inline-block;
0061:     margin-bottom: 14px;
0062:     padding: 6px 12px;
0063:     border-radius: 999px;
0064:     background: rgba(255, 94, 98, 0.18);
0065:     color: #fffb4b6;
0066:     font-size: 0.75rem;
0067:     font-weight: 700;
0068:     letter-spacing: 0.08em;
0069:     text-transform: uppercase;
0070: }
0071:
0072: .tracking-empty h2 {
0073:     color: white;
0074:     margin-bottom: 10px;
0075:     font-size: 1.6rem;
0076: }
0077:
0078: .tracking-empty p {
0079:     color: #e4e4e4;
0080:     margin: 0;
0081:     font-size: 1rem;
0082:     line-height: 1.6;
0083:     max-width: 55ch;
0084: }
0085:
0086: .retry-button {
0087:     margin-top: 16px;
0088:     border: 1px solid var(--color-primary);
0089:     background: rgba(0, 255, 65, 0.12);
0090:     color: #fff;
0091:     border-radius: 999px;
0092:     padding: 8px 18px;
0093:     font-size: 0.95rem;
0094:     font-weight: 600;
0095:     cursor: pointer;
0096:     transition: all 0.2s ease;
0097: }
0098:
0099: .retry-button:hover {
0100:     background: rgba(0, 255, 65, 0.2);
0101:     transform: translateY(-1px);
0102: }
0103:
0104: .retry-button:active {
0105:     transform: translateY(0);
0106: }
0107:
0108: .tracking-info {
0109:     flex: 0 0 500px;
0110:     padding: 20px;
0111:     border-radius: 5px;
0112:     background: rgba(255, 255, 255, 0.05);
0113:     backdrop-filter: blur(10px);
0114:     animation: slideInRight 0.7s ease-out 0.4s both;
0115:     height: fit-content;
0116:     min-height: 200px;
0117:     transition: all 0.3s ease;
0118:     border: 1px solid rgba(255, 255, 255, 0.1);
0119: }
0120:
0121: .tracking-info:hover {
0122:     background: rgba(255, 255, 255, 0.08);
0123:     transform: translateY(-2px);
0124:     box-shadow: 0 8px 25px rgba(0, 255, 65, 0.1);
0125: }
0126:
0127: .tracking-info h2 {
0128:     color: white;
0129:     margin-bottom: 20px;
0130:     font-size: 1.3rem;
0131:     border-bottom: 2px solid var(--color-primary);
0132:     padding-bottom: 8px;
0133: }
0134:
0135: .tracking-info p {
0136:     color: #ccc;
0137:     margin: 8px 0;
0138:     font-size: 0.95rem;
0139:     line-height: 1.4;
0140: }
0141:
0142: .tracking-status {
```

```
0143:     flex: 1;
0144:     padding: 20px;
0145:     border-radius: 5px;
0146:     background: rgba(255, 255, 255, 0.05);
0147:     backdrop-filter: blur(10px);
0148:     animation: fadeInUp 0.8s ease-out 0.6s both;
0149:     transition: all 0.3s ease;
0150:     border: 1px solid rgba(255, 255, 255, 0.1);
0151: }
0152:
0153: .tracking-status:hover {
0154:     background: rgba(255, 255, 255, 0.08);
0155:     transform: translateY(-2px);
0156:     box-shadow: 0 8px 25px rgba(0, 255, 65, 0.1);
0157: }
0158:
0159: .tracking-status h3 {
0160:     color: white;
0161:     margin-bottom: 30px;
0162:     font-size: 1.5rem;
0163:     border-bottom: 2px solid var(--color-primary);
0164:     padding-bottom: 10px;
0165: }
0166:
0167: .tracking-timeline {
0168:     position: relative;
0169: }
0170:
0171: .timeline-step {
0172:     display: flex;
0173:     margin-bottom: 30px;
0174:     position: relative;
0175:     animation: fadeIn 0.6s ease-out both;
0176: }
0177:
0178: .timeline-step:nth-child(1) { animation-delay: 0.1s; }
0179: .timeline-step:nth-child(2) { animation-delay: 0.2s; }
0180: .timeline-step:nth-child(3) { animation-delay: 0.3s; }
0181: .timeline-step:nth-child(4) { animation-delay: 0.4s; }
0182: .timeline-step:nth-child(5) { animation-delay: 0.5s; }
0183:
0184: .timeline-marker {
0185:     position: relative;
0186:     width: 20px;
0187:     height: 20px;
0188:     margin-right: 20px;
0189:     flex-shrink: 0;
0190: }
0191:
0192: .timeline-dot {
0193:     width: 20px;
0194:     height: 20px;
0195:     border-radius: 50%;
0196:     background-color: #666;
0197:     border: 3px solid #333;
0198:     transition: all 0.3s ease;
0199:     position: relative;
0200:     z-index: 2;
0201:     display: flex;
0202:     align-items: center;
0203:     justify-content: center;
0204: }
0205:
0206: .timeline-check {
0207:     color: white;
0208:     stroke-width: 3;
0209: }
0210:
0211: .timeline-step.completed .timeline-dot {
0212:     background-color: var(--color-primary);
0213:     border-color: var(--color-primary);
0214:     box-shadow: 0 0 15px rgba(0, 255, 65, 0.6);
0215: }
0216:
0217: .timeline-line {
0218:     position: absolute;
0219:     left: 8px;
0220:     top: 20px;
0221:     width: 2px;
0222:     height: calc(100% + 10px);
0223:     background-color: #666;
0224:     z-index: 1;
0225: }
0226:
```

```

0227: .timeline-step.completed .timeline-line {
0228:     background-color: var(--color-primary);
0229:     box-shadow: 0 0 10px rgba(0, 255, 65, 0.4);
0230: }
0231:
0232: .timeline-content {
0233:     flex: 1;
0234:     padding-left: 10px;
0235: }
0236:
0237: .timeline-header {
0238:     display: flex;
0239:     justify-content: space-between;
0240:     align-items: center;
0241:     margin-bottom: 8px;
0242: }
0243:
0244: .timeline-header h4 {
0245:     color: white;
0246:     margin: 0;
0247:     font-size: 1.1rem;
0248:     font-weight: 600;
0249: }
0250:
0251: .timeline-date {
0252:     color: #ccc;
0253:     font-size: 0.9rem;
0254:     font-weight: 500;
0255:     background: rgba(255, 255, 255, 0.05);
0256: }
0257:
0258: .timeline-location {
0259:     color: #ccc;
0260:     margin: 5px 0;
0261:     font-size: 0.95rem;
0262: }
0263:
0264: .timeline-description {
0265:     color: #aaa;
0266:     margin: 0;
0267:     font-size: 0.9rem;
0268:     line-height: 1.4;
0269: }
0270:
0271: /* Responsive Design */
0272: @media (max-width: 768px) {
0273:     .tracking-top-actions {
0274:         display: block;
0275:     }
0276:
0277:     .go-home-button {
0278:         margin: 10px 20px 0;
0279:     }
0280:
0281:     .status-container {
0282:         flex-direction: column;
0283:         padding: 20px;
0284:         gap: 20px;
0285:     }
0286:
0287:     .tracking-info {
0288:         width: 100%;
0289:         height: auto;
0290:         min-height: 150px;
0291:     }
0292:
0293:     .timeline-step {
0294:         margin-bottom: 20px;
0295:     }
0296:
0297:     .timeline-header {
0298:         flex-direction: column;
0299:         align-items: flex-start;
0300:         gap: 5px;
0301:     }
0302: }

```

File: src/TrackingPage.jsx

Purpose: Source listing with line-level reference for deep review

```

0001: import './TrackingPage.css'
0002: import Header from './components/Header'
0003: import SearchBar from './components/SearchBar'
0004: import WhatsAppButton from './components/WhatsAppButton'

```

```

0005: import Map from './components/Map'
0006: import { useEffect, useState } from 'react'
0007: import { useNavigate, useParams } from 'react-router-dom'
0008: import { Check } from 'lucide-react'
0009: import { isTrackingIdFormatValid, normalizeTrackingId } from './data/trackingData'
0010:
0011: function TrackingPage() {
0012:   const { id } = useParams()
0013:   const navigate = useNavigate()
0014:   const rawApiBaseUrl = import.meta.env.VITE_API_BASE_URL || 'http://localhost:3001'
0015:   const apiBaseUrl = rawApiBaseUrl.replace(/\+/+$/, '')
0016:
0017:   const trackingId = normalizeTrackingId(id)
0018:   const [shipment, setShipment] = useState(null)
0019:   const [isLoading, setIsLoading] = useState(false)
0020:   const [errorMessage, setErrorMessage] = useState('')
0021:   const [retryKey, setRetryKey] = useState(0)
0022:
0023:   useEffect(() => {
0024:     let ignore = false
0025:     let intervalId = null
0026:
0027:     async function loadShipment({ silent = false } = {}) {
0028:       if (!isTrackingIdFormatValid(trackingId)) {
0029:         setShipment(null)
0030:         setIsLoading(false)
0031:         setErrorMessage('')
0032:         return
0033:       }
0034:
0035:       try {
0036:         if (!ignore && !silent) {
0037:           setIsLoading(true)
0038:         }
0039:
0040:         if (!ignore) {
0041:           setErrorMessage('')
0042:         }
0043:
0044:         const response = await fetch(`${apiBaseUrl}/api/tracking/${trackingId}`)
0045:
0046:         if (!response.ok) {
0047:           if (!ignore) {
0048:             setShipment(null)
0049:             setErrorMessage(response.status >= 500 ? 'Unable to load tracking details right now. Please tr
y again.' : '')
0050:           }
0051:           return
0052:         }
0053:
0054:         const data = await response.json()
0055:
0056:         if (!ignore) {
0057:           setShipment(data)
0058:         }
0059:       } catch {
0060:         if (!ignore) {
0061:           setShipment(null)
0062:           setErrorMessage('Network error while loading tracking details. Check your connection and try aga
in.')
0063:         }
0064:       } finally {
0065:         if (!ignore && !silent) {
0066:           setIsLoading(false)
0067:         }
0068:       }
0069:     }
0070:
0071:     loadShipment()
0072:
0073:     intervalId = setInterval(() => {
0074:       loadShipment({ silent: true })
0075:     }, 10000)
0076:
0077:     return () => {
0078:       ignore = true
0079:       if (intervalId) {
0080:         clearInterval(intervalId)
0081:       }
0082:     }
0083:   }, [apiBaseUrl, retryKey, trackingId])
0084:
0085:   const handleSearch = async (value) => {
0086:     const nextId = normalizeTrackingId(value)

```



```

0087:
0088:     if (!isTrackingIdFormatValid(nextId)) {
0089:         return false
0090:     }
0091:
0092:     navigate(`/tracking/${nextId}`)
0093:     return true
0094: }
0095:
0096: function handleGoHome() {
0097:     navigate('/')
0098: }
0099:
0100: return (
0101:     <div className='tracking-page'>
0102:         <Header />
0103:         <div className='tracking-top-actions'>
0104:             <SearchBar placeholder='Search another tracking ID' onSubmit={handleSearch} />
0105:             <button type='button' className='go-home-button' onClick={handleGoHome}>
0106:                 Go Back Home
0107:             </button>
0108:         </div>
0109:         <Map
0110:             title='Live Tracking'
0111:             locationLabel={shipment?.rider?.currentLocation ?? 'Tracking details update once a valid shipment
is selected.'}
0112:             latitude={shipment?.rider?.location?.lat}
0113:             longitude={shipment?.rider?.location?.lng}
0114:         />
0115:         <WhatsAppButton />
0116:         <div className='status-container'>
0117:             {isLoading ? (
0118:                 <div className='tracking-empty'>
0119:                     <h2>Loading tracking details...</h2>
0120:                     <p>Please wait.</p>
0121:                 </div>
0122:             ) : errorMessage ? (
0123:                 <div className='tracking-empty'>
0124:                     <h2>Unable to load tracking details</h2>
0125:                     <p>{errorMessage}</p>
0126:                     <button type='button' className='retry-button' onClick={() => setRetryKey((value) => value + 1
)}>
0127:                         Retry
0128:                     </button>
0129:                 </div>
0130:             ) : shipment ? (
0131:                 <>
0132:                     <div className='tracking-info'>
0133:                         <h2>Tracking ID: {trackingId}</h2>
0134:                         <p>Sender: {shipment.sender?.name || '-'}</p>
0135:                         <p>Receiver: {shipment.receiver?.name || '-'}</p>
0136:                         <p>Package: {shipment.package?.description || '-'}</p>
0137:                         <p>Delivery Status: {shipment.delivery?.status || '-'}</p>
0138:                         <p>Rider's Name: {shipment.rider?.name || '-'}</p>
0139:                         <p>Rider's Phone: {shipment.rider?.phone || '-'}</p>
0140:                         <p>Map-based ETA: {shipment.rider?.estimatedDelivery || 'Waiting for live coordinates...'}</
p>
0141:                     </div>
0142:                     <div className='tracking-status'>
0143:                         <h3>Shipment Progress</h3>
0144:                         <div className='tracking-timeline'>
0145:                             {shipment.steps.map((step, index) => (
0146:                                 <div key={`_${step.status}-${index}`} className={`timeline-step ${step.completed ? 'compl
eted' : 'pending'}`}>
0147:                                     <div className='timeline-marker'>
0148:                                         <div className='timeline-dot'>
0149:                                             {step.completed && <Check size={12} className='timeline-check' />}
0150:                                         </div>
0151:                                         {index < shipment.steps.length - 1 && <div className='timeline-line'></div>}
0152:                                     </div>
0153:                                     <div className='timeline-content'>
0154:                                         <div className='timeline-header'>
0155:                                             <h4>{step.status}</h4>
0156:                                             {step.completed && step.date && step.time ? (
0157:                                                 <span className='timeline-date'>{step.date} {step.time}</span>
0158:                                             ) : null}
0159:                                         </div>
0160:                                         <p className='timeline-description'>{step.description}</p>
0161:                                     </div>
0162:                                 </div>
0163:                             )}
0164:                         </div>
0165:                     </div>
0166:                 </>

```

```

0167:         ) : (
0168:             <div className='tracking-empty'>
0169:                 <h2>Tracking ID not found</h2>
0170:                 <p>
0171:                     {isTrackingIdFormatValid(trackingId)
0172:                     ? `No shipment was found for ${trackingId}.`
0173:                     : 'Use a valid tracking ID and try again.'}
0174:                 </p>
0175:             </div>
0176:         )}
0177:     </div>
0178: </div>
0179: )
0180: }
0181:
0182: export default TrackingPage

```

File: src/components/Footer.css

Purpose: Source listing with line-level reference for deep review

```

0001: .mx-footer {
0002:     width: 100%;
0003:     background: linear-gradient(135deg, #0f172a 0%, #1e293b 100%);
0004:     color: #f8fafc;
0005:     padding: 28px 16px;
0006: }
0007:
0008: .mx-footer-inner {
0009:     max-width: 1200px;
0010:     margin: 0 auto;
0011:     display: flex;
0012:     flex-direction: column;
0013:     align-items: center;
0014:     gap: 14px;
0015:     text-align: center;
0016: }
0017:
0018: .mx-footer h3 {
0019:     margin: 0;
0020:     font-size: 18px;
0021:     font-weight: 700;
0022:     color: #f8fafc;
0023: }
0024:
0025: .mx-footer-links {
0026:     display: flex;
0027:     flex-wrap: wrap;
0028:     justify-content: center;
0029:     gap: 16px;
0030: }
0031:
0032: .mx-footer-links a {
0033:     color: #93c5fd;
0034:     text-decoration: none;
0035:     font-weight: 600;
0036:     border-bottom: 1px solid transparent;
0037:     transition: color 0.2s ease, border-color 0.2s ease;
0038: }
0039:
0040: .mx-footer-links a:hover,
0041: .mx-footer-links a:focus-visible {
0042:     color: #dbeafe;
0043:     border-color: #dbeafe;
0044: }
0045:
0046: @media (max-width: 640px) {
0047:     .mx-footer {
0048:         padding: 24px 12px;
0049:     }
0050:
0051:     .mx-footer h3 {
0052:         font-size: 16px;
0053:     }
0054:
0055:     .mx-footer-links {
0056:         flex-direction: column;
0057:         gap: 10px;
0058:     }
0059: }

```

File: src/components/Footer.jsx

Purpose: Source listing with line-level reference for deep review

```

0001: import './Footer.css'

```

```

0002:
0003: function Footer() {
0004:   return (
0005:     <footer className='mx-footer'>
0006:       <div className='mx-footer-inner'>
0007:         <h3>Contact MoveXpress</h3>
0008:         <div className='mx-footer-links'>
0009:           <a href='tel:09112414541' aria-label='Call MoveXpress'>
0010:             Call: 09112414541
0011:           </a>
0012:           <a href='https://wa.me/2349112414541' target='_blank' rel='noreferrer' aria-label='Chat on Whats
App'>
0013:             WhatsApp: 09112414541
0014:           </a>
0015:           <a href='mailto:movexpress247@gmail.com' aria-label='Send email to MoveXpress'>
0016:             Email: movexpress247@gmail.com
0017:           </a>
0018:         </div>
0019:       </div>
0020:     </footer>
0021:   )
0022: }
0023:
0024: export default Footer

```

File: src/components/Header.css

Purpose: Source listing with line-level reference for deep review

```

0001: .header{
0002:   position: relative;
0003:   width: 100%;
0004:   display: flex;
0005:   align-items: center;
0006:   padding-left: 40px;
0007:   gap: 0;
0008: }
0009:
0010: .move{
0011:   padding-left: 0;
0012: }
0013:
0014: .xpress{
0015:   padding-left: 10px;
0016: }
0017:
0018: span{
0019:   background-color: var(--color-primary);
0020:   color: black;
0021: }

```

File: src/components/Header.jsx

Purpose: Source listing with line-level reference for deep review

```

0001: import './Header.css'
0002:
0003: function Header() {
0004:   return (
0005:     <div className='header'>
0006:       <h1 className='move'>MOVE<span>X</span> </h1>
0007:       <h1 className='xpress'>XPRESS</h1>
0008:     </div>
0009:   )
0010: }
0011:
0012: export default Header

```

File: src/components/Map.css

Purpose: Source listing with line-level reference for deep review

```

0001: .map-container {
0002:   margin-top: 1rem;
0003:   border-radius: 8px;
0004:   overflow: hidden;
0005:   box-shadow: 0 2px 8px rgba(0, 0, 0, 0.1);
0006: }

```

File: src/components/Map.jsx

Purpose: Source listing with line-level reference for deep review

```

0001: import './Map.css'
0002:
0003: function Map({
0004:   title = 'Live Tracking',

```

```

0005:   locationLabel = 'Lagos Distribution Center',
0006:   latitude,
0007:   longitude,
0008: }) {
0009:   const hasCoordinates = Number.isFinite(latitude) && Number.isFinite(longitude)
0010:   const dynamicMapSrc = hasCoordinates
0011:     ? `https://maps.google.com/maps?q=${latitude},${longitude}&z=15&output=embed`
0012:     : `https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3966.1234567890123!2d3.3792!3d6.5244!2m3!1f0!
2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x103bf1234567890%3A0xabcdef1234567890!2sLagos%20Distribution%20Center
!5e0!3m2!1sen!2sng!4v1700000000000'
0013:
0014:   return (
0015:     <div className='map-section'>
0016:       <h2>{title}</h2>
0017:       <p className='map-location'>{locationLabel}</p>
0018:       <div className='map-container'>
0019:         <iframe
0020:           src={dynamicMapSrc}
0021:           width='100%'
0022:           height='400'
0023:           style={{ border: 0, borderRadius: '8px' }}
0024:           loading='lazy'
0025:           title='Live Tracking Map'
0026:         ></iframe>
0027:       </div>
0028:     </div>
0029:   )
0030: }
0031:
0032: export default Map

```

File: src/components/SearchBar.css

Purpose: Source listing with line-level reference for deep review

```

0001: .search-bar{
0002:   width: 100%;
0003:   max-width: 400px;
0004:   padding: 12px 16px;
0005:   border: 2px solid var(--color-primary);
0006:   border-radius: 5px 0 0 5px;
0007:   font-size: 14px;
0008:   font-family: inherit;
0009:   background-color: rgba(255, 255, 255, 0.95);
0010:   color: #333;
0011:   transition: border-color 0.3s ease, box-shadow 0.3s ease, background-color 0.3s ease;
0012: }
0013:
0014: .search-bar::placeholder{
0015:   color: #999;
0016:   opacity: 1;
0017: }
0018:
0019: .search-bar:focus{
0020:   outline: none;
0021:   border-color: var(--color-primary);
0022:   box-shadow: 0 0 12px rgba(var(--color-primary-rgb), 0.4);
0023: }
0024:
0025: .search-bar:disabled{
0026:   background-color: #f5f5f5;
0027:   cursor: not-allowed;
0028:   opacity: 0.7;
0029: }
0030:
0031: .search-container{
0032:   display: flex;
0033:   width: 100%;
0034:   max-width: 500px;
0035:   gap: 0;
0036: }
0037:
0038: .search-btn{
0039:   padding: 12px 24px;
0040:   border: 2px solid var(--color-primary);
0041:   border-left: none;
0042:   border-radius: 0 5px 5px 0;
0043:   background-color: var(--color-primary);
0044:   color: white;
0045:   font-size: 14px;
0046:   font-weight: 600;
0047:   font-family: inherit;
0048:   cursor: pointer;
0049:   transition: background-color 0.3s ease, transform 0.2s ease, box-shadow 0.2s ease;
0050:   display: flex;

```

```
0051:   align-items: center;
0052:   justify-content: center;
0053:   gap: 8px;
0054:   min-width: 100px;
0055: }
0056:
0057: .search-btn:hover:not(:disabled){
0058:   background-color: #a9cd8af5;
0059:   transform: translateY(-2px);
0060:   box-shadow: 0 4px 12px rgba(34, 75, 10, 0.668);
0061: }
0062:
0063: .search-btn:active:not(:disabled){
0064:   transform: translateY(0);
0065: }
0066:
0067: .search-btn:disabled{
0068:   background-color: var(--color-primary);
0069:   cursor: not-allowed;
0070:   opacity: 0.8;
0071: }
0072:
0073: .search-error{
0074:   margin: 12px 0 0 0;
0075:   color: #fff;
0076:   font-size: 13px;
0077:   font-weight: 600;
0078:   line-height: 1.4;
0079:   display: inline-flex;
0080:   align-items: center;
0081:   gap: 8px;
0082:   padding: 10px 12px;
0083:   border-left: 4px solid #f44336;
0084:   border-radius: 6px;
0085:   background: rgba(244, 67, 54, 0.14);
0086: }
0087:
0088: .search-error-icon {
0089:   font-size: 15px;
0090:   line-height: 1;
0091: }
0092:
0093: @keyframes spin {
0094:   from {
0095:     transform: rotate(0deg);
0096:   }
0097:   to {
0098:     transform: rotate(360deg);
0099:   }
0100: }
0101:
0102: .loader-spinner{
0103:   display: inline-block;
0104:   width: 16px;
0105:   height: 16px;
0106:   border: 2px solid rgba(255, 255, 255, 0.3);
0107:   border-top-color: white;
0108:   border-radius: 50%;
0109:   animation: spin 0.8s linear infinite;
0110: }
0111:
0112: @media (max-width: 480px) {
0113:   .search-container {
0114:     flex-direction: column;
0115:     width: 100%;
0116:     max-width: 100%;
0117:     gap: 8px;
0118:   }
0119:
0120:   .search-bar {
0121:     max-width: 100%;
0122:     border-radius: 5px;
0123:     padding: 10px 12px;
0124:     font-size: 13px;
0125:   }
0126:
0127:   .search-btn {
0128:     width: 100%;
0129:     border-radius: 5px;
0130:     padding: 10px 16px;
0131:     font-size: 13px;
0132:   }
0133: }
0134:
```

```

0135: @media (min-width: 481px) and (max-width: 768px) {
0136:   .search-container {
0137:     max-width: 100%;
0138:     width: 100%;
0139:   }
0140:
0141:   .search-btn {
0142:     padding: 10px 20px;
0143:     font-size: 14px;
0144:   }
0145: }
0146:
0147: @media (min-width: 769px) and (max-width: 1024px) {
0148:   .search-container {
0149:     max-width: 450px;
0150:   }
0151: }
0152:
0153: @media (min-width: 1025px) {
0154:   .search-container {
0155:     max-width: 500px;
0156:   }
0157: }

```

File: src/components/SearchBar.jsx

Purpose: Source listing with line-level reference for deep review

```

0001: import { useState } from 'react'
0002: import './SearchBar.css'
0003: import { isTrackingIdFormatValid, normalizeTrackingId } from '../data/trackingData'
0004:
0005: function SearchBar({
0006:   placeholder = 'Enter tracking ID...',
0007:   buttonText = 'Track',
0008:   onSubmit,
0009: }) {
0010:   const [isLoading, setIsLoading] = useState(false)
0011:   const [trackingId, setTrackingId] = useState('')
0012:   const [error, setError] = useState('')
0013:
0014:   // Fallback validation keeps the component usable outside the main tracking flow.
0015:   const defaultSearch = async (id) => {
0016:     await new Promise((resolve) => setTimeout(resolve, 400))
0017:     return isTrackingIdFormatValid(id)
0018:   }
0019:
0020:   const handleSubmit = async (event) => {
0021:     event.preventDefault()
0022:
0023:     if (!trackingId.trim()) {
0024:       setError('Please enter a tracking ID.')
0025:       return
0026:     }
0027:
0028:     setError('')
0029:     setIsLoading(true)
0030:
0031:     try {
0032:       const normalizedId = normalizeTrackingId(trackingId)
0033:       const result = onSubmit
0034:         ? await onSubmit(normalizedId)
0035:         : await defaultSearch(normalizedId)
0036:
0037:       if (result === false) {
0038:         setError('Use a valid tracking ID like MX00001 and try again.')
0039:       }
0040:     } catch (submitError) {
0041:       console.error(submitError)
0042:       setError('Unable to verify tracking ID. Please try again later.')
0043:     } finally {
0044:       setIsLoading(false)
0045:     }
0046:   }
0047:
0048:   return (
0049:     <div>
0050:       <form className='search-container' onSubmit={handleSubmit}>
0051:         <input
0052:           type='text'
0053:           className='search-bar'
0054:           placeholder={placeholder}
0055:           aria-label='Search shipments'
0056:           value={trackingId}
0057:           onChange={(e) => {

```

```

0058:         setTrackingId(e.target.value.toUpperCase())
0059:         setError('')
0060:     }}
0061:     disabled={isLoading}
0062:   />
0063:   <button
0064:     className='search-btn'
0065:     type='submit'
0066:     aria-label='Track shipment'
0067:     disabled={isLoading}
0068:   >
0069:     {isLoading ? (
0070:       <span className='loader-spinner'></span>
0071:     ) : (
0072:       buttonText
0073:     )}
0074:   </button>
0075: </form>
0076: {error && (
0077:   <p className='search-error' role='alert' aria-live='polite'>
0078:     <span className='search-error-icon' aria-hidden='true'>■</span>
0079:     <span>{error}</span>
0080:   </p>
0081: )}
0082: </div>
0083: )
0084: }
0085:
0086: export default SearchBar
0087:
0088:

```

File: src/components/WhatsAppButton.css

Purpose: Source listing with line-level reference for deep review

```

0001: .whatsapp-contact{
0002:   position: fixed;
0003:   bottom: 24px;
0004:   right: 24px;
0005:   z-index: 999;
0006: }
0007:
0008: .whatsapp-contact a{
0009:   display: inline-flex;
0010:   align-items: center;
0011:   justify-content: center;
0012:   padding: 12px;
0013:   background: #25d366;
0014:   color: white;
0015:   border-radius: 999px;
0016:   text-decoration: none;
0017:   font-weight: 700;
0018:   font-size: 14px;
0019:   box-shadow: 0 10px 24px rgba(37, 211, 102, 0.18);
0020:   transition: transform 0.25s ease, box-shadow 0.25s ease;
0021: }
0022:
0023: .whatsapp-contact a:hover{
0024:   transform: translateY(-2px);
0025:   box-shadow: 0 14px 28px rgba(37, 211, 102, 0.24);
0026: }
0027:
0028: .whatsapp-icon{
0029:   display: inline-flex;
0030:   align-items: center;
0031:   justify-content: center;
0032:   width: 32px;
0033:   height: 32px;
0034:   border-radius: 50%;
0035:   background-color: rgba(255, 255, 255, 0.16);
0036: }
0037:

```

File: src/components/WhatsAppButton.jsx

Purpose: Source listing with line-level reference for deep review

```

0001: import './WhatsAppButton.css'
0002:
0003: function WhatsAppButton({
0004:   phoneNumber = '2349112414541',
0005:   className = '',
0006: }) {
0007:   const encodedPhone = phoneNumber.replace(/\D+/g, '')
0008:

```

```

0009:   return (
0010:     <div className={`whatsapp-contact ${className}`}>
0011:       <a
0012:         href={`https://wa.me/${encodedPhone}`}
0013:         target='_blank'
0014:         rel='noreferrer'
0015:         aria-label='Chat on WhatsApp'
0016:       >
0017:         <span className='whatsapp-icon' aria-hidden='true'>
0018:           <svg viewBox='0 0 448 512' width='20' height='20' fill='currentColor' xmlns='http://www.w3.org/2000/svg'>
0019:             <path d='M380.9 97.1C339 55.2 285.4 32 229.1 32 102.6 32 0 134.6 0 261.1c0 45.9 12.2 90.7 35.4
129.9L7.7 480l90.8-28.9c37 20.3 78.7 31.1 121.5 31.1h.1c126.4 0 229-102.6 229-229 0-56.3-23.2-109.9-65.1-151.1z
M229.1 439.1h-.1c-39.1 0-77.4-10.5-110.8-30.3l-7.9-4.7-53.8 17.1 18.1-52.5-5.1-8c-21.9-34.3-33.3-73.7-33.3-114.7
0-108.2 87.3-195.8 195-195.8 52.2 0 101.2 20.3 138 57.2 36.9 36.8 57.3 85.7 57.3 137.8 0 107.7-87.6 195-195.1 1
95zM294.8 320.7c-5.1-2.6-30.2-14.8-34.9-16.5-4.7-1.8-8.1-2.6-11.5 2.6-3.4 5.1-13.4 16.5-16.5 20.3 3.4-6.1 3.8-11
.2 1.2-30.5-15.3-50.4-27.3-70.7-62.2-5.4-9.4 5.4-8.7 15.4-28.9 1.7-3.4-9-6.5-.4-9.1-1.3-2.6-11.5-27.6-15.8-37.8-
4.2-9.6-8.6-8.3-11.5-8.5-3-.2-6.5-.2-10-.2s-9.1 1.2-13.9 6.5c-4.7 5.3-17.8 17.4-17.8 42.5s18.3 49.3 20.8 52.7c2.
6 3.4 35.7 54.5 86.7 76.4 12.1 5.2 21.5 8.3 28.9 10.6 12.1 3.7 23.1 3.2 31.8 1.9 9.7-1.4 30.2-12.3 34.5-24.2 4.3
0020: 4.3-22.1 3<24vh>1.4-2.1-5.1-3.4-10.2-6z' />
0021:       </span>
0022:     </a>
0023:   </div>
0024: )
0025: }
0026:
0027: export default WhatsAppButton;

```

File: src/data/trackingData.js

Purpose: Source listing with line-level reference for deep review

```

0001: // Normalize user input before validation and route lookups.
0002: export function normalizeTrackingId(id = '') {
0003:   return id.trim().toUpperCase()
0004: }
0005:
0006: export function isTrackingIdFormatValid(id = '') {
0007:   return /^(MX\d{5}|MX\d{3})$/.test(normalizeTrackingId(id))
0008: }

```

File: src/index.css

Purpose: Source listing with line-level reference for deep review

```

0001: :root {
0002:   --color-primary: #00ff41;
0003:   --color-background: #000000;
0004:   --color-text: #ffffff;
0005:   --color-text-secondary: #9ca3af;
0006:   --font-sans: -apple-system, BlinkMacSystemFont, 'Segoe UI', 'Roboto', 'Oxygen', 'Ubuntu', 'Cantarell', '
Fira Sans', 'Droid Sans', 'Helvetica Neue', sans-serif;
0007: }
0008:
0009: *,
0010: *::before,
0011: *::after {
0012:   box-sizing: border-box;
0013:   margin: 0;
0014:   padding: 0;
0015: }
0016:
0017: body {
0018:   margin: 0;
0019:   padding: 0;
0020:   min-height: 100vh;
0021:   background-color: var(--color-background);
0022:   color: var(--color-text);
0023:   font-family: var(--font-sans);
0024:   font-size: 16px;
0025:   line-height: 1.5;
0026:   -webkit-font-smoothing: antialiased;
0027:   -moz-osx-font-smoothing: grayscale;
0028:   overflow-x: hidden;
0029: }
0030:
0031: #root {
0032:   min-height: 100vh;
0033:   display: flex;
0034:   flex-direction: column;
0035: }
0036:
0037:
0038:
0039:

```


0040:

File: src/main.jsx

Purpose: Source listing with line-level reference for deep review

```
0001: import { StrictMode } from 'react'
0002: import { createRoot } from 'react-dom/client'
0003: import { BrowserRouter } from 'react-router-dom'
0004: import './index.css'
0005: import App from './App.jsx'
0006:
0007: createRoot(document.getElementById('root')).render(
0008:   <StrictMode>
0009:     <BrowserRouter>
0010:       <App />
0011:     </BrowserRouter>
0012:   </StrictMode>,
0013: )
```

File: vercel.json

Purpose: Source listing with line-level reference for deep review

```
0001: {
0002:   "routes": [
0003:     {
0004:       "handle": "filesystem"
0005:     },
0006:     {
0007:       "src": "/*.\"",
0008:       "dest": "/index.html"
0009:     }
0010:   ]
0011: }
```

File: vite.config.js

Purpose: Source listing with line-level reference for deep review

```
0001: import { defineConfig } from 'vite'
0002: import react from '@vitejs/plugin-react'
0003:
0004: // https://vite.dev/config/
0005: export default defineConfig({
0006:   plugins: [react()],
0007: })
```