

Response to the Reviewer

Revised title:

Bulk-to-Wall Observability in Rarefied Hypersonic Flow over Triangular Protrusions: Full-Range Moment Limits and Incident Half-Range Sufficiency

Dear Reviewer,

Thank you for the careful, technically specific, and constructive assessment. We agreed with the central concern: the previous version was strongest as a bounded, model-conditional observability study but did not yet justify a general physical statement about how a bulk state determines wall loading. We therefore made a major physics-first revision rather than only changing terminology. The manuscript keeps its original section structure and its validation material, but the principal evidence is now a new DSMC hierarchy that compares primitive variables, the complete momentum-flux tensor, heat flux, and the incident half-range molecular distribution. The radius diagnostic R_{95} is retained only as a secondary model-conditional result.

The most important new results are:

- an equal-capacity blind interpolation test from $Kn = 0.1, 0.8$ to $Kn = 0.2, 0.4$ for S_0 , $S_1 = S_0 + P_{ij}$, and $S_2 = S_1 + q_i$;
- a constructive example of two positive velocity distributions with identical full-range moments through degree three but different half-range pressure and opposite half-range shear;
- direct SPARTA collision-tally reconstruction of C_p and signed C_f from the incident half-range state S_{HR} for ISO, BWD, and FWD protrusions;
- co-temporal block validation and a separate independent 40,000-step DSMC comparison with uncertainty bands; and
- a complete redesign of the figures in large landscape format with raw markers, explicit confidence intervals, no figure-level decorative titles, and vector PDF/SVG outputs.

Reviewer comment. *The phrase “information horizon” can be overread as a constitutive or causal length. Pair it with model-conditional predictive support and keep the claim bounded.*

Response. We agree. In fact, the new kinetic evidence shows why a purely spatial horizon cannot be the main constitutive result: finite full-range moments can discard the directionality required by the wall functional. We now define R_{95} only as a secondary model-conditional predictive-support diagnostic. The title, abstract, introduction, methods, physical interpretation, scope, and conclusions no longer present it as a universal physical length.

Change in the manuscript. The revised title foregrounds “Full-Range Moment Limits and Incident Half-Range Sufficiency.” The section “Nonlocal bulk-to-wall observability” now begins with the finite-moment blind test and direct half-range reconstruction; the R_{95} material appears under “Secondary spatial-support diagnostic.”

Reviewer comment. *The surrogate and observability halves should be structurally connected, but the raw DSMC diagnostic must remain the reference and closed loop should be presented only as a preservation audit.*

Response. We adopted this distinction and strengthened it. The neural surrogate is explicitly a field-emulation and comparison tool. Raw DSMC wall impulses define every physical target. The finite-state test uses blind raw DSMC moment fields; S_{HR} uses molecular collision statistics and the known diffuse-wall kernel. Closed-loop results remain in the manuscript, but only as a secondary preservation audit.

Change in the manuscript. Figure 2 has been rebuilt as a physics-first evidence diagram. The Methods section now separates equal-capacity finite-state transfer, direct half-range reconstruction, co-temporal validation, independent-window validation, and closed-loop preservation.

Reviewer comment. *The original result is genuinely strongest only for C_q ; pressure is often censored and shear is less identifiable. Reframe the thesis as quantity dependent rather than universal.*

Response. We agree with the criticism of the original evidence. The revision no longer claims that the three wall quantities share one footprint. More importantly, we added direct data that address pressure and signed shear rather than relying on R_{95} . Co-temporal S_{HR} pressure NRMSE is 0.15–0.28%, and signed-shear NRMSE is 1.30–7.35% across six cases. Against independent 40,000-step windows, pressure remains at 1.68–2.85%. BWD shear remains at 5.42–6.77%; FWD shear is 16.65–25.09% but is comparable to a 13.93–20.70% DSMC standard-error level and is identified explicitly as noise-limited.

Change in the manuscript. New physical-wall maps and arclength profiles are provided for C_p and signed C_f . We do not use absolute shear in the new kinetic claim because its sign carries separation and orientation information.

Reviewer comment. *Knudsen-number trends have wide uncertainty; the bootstrap supports an order- h_s scale, not fine monotonic scaling.*

Response. Agreed. All universal or fine monotonic scaling language has been removed. The R_{95} curves are described as lower-bound, regressor-conditional summaries with right-censoring. The new blind test uses intermediate Knudsen numbers specifically to test transfer rather than infer a power law.

Change in the manuscript. The scope and conclusions state that three or four Knudsen numbers do not establish a universal scaling. The landscape uncertainty figure places censoring percentages directly beside the error bars.

Reviewer comment. *The effective number of independent physical conditions is small, and the tree bootstrap is not DSMC-realization uncertainty.*

Response. We agree. Five model seeds and case/seed bootstrap intervals are used only for the finite-state learner. DSMC sampling uncertainty is estimated from independent time blocks. We explicitly distinguish (i) model-seed variability, (ii) tree-bootstrap diagnostic variability, (iii) co-temporal DSMC block uncertainty, and (iv) cross-window repeatability. We do not call any of these a full independent-realization uncertainty estimate.

Change in the manuscript. The Methods, independent-window subsection, Scope of Validity, figure captions, and Data Availability statement now make these statistical units explicit. The most demanding FWD shear case is reported as unresolved at the desired precision rather than treated as a successful result.

Reviewer comment. *Add an explicit dataset manifest for the 69 raw files, 57 unique physical conditions, and the 27-case analysis block.*

Response. Implemented. The manuscript now includes a one-glance evidence manifest that maps each data block to its scientific use and statistical unit. Machine-readable raw, deduplicated, duplicate-mapping,

execution, moment-pilot, half-range, and checksum files accompany the manuscript.

Change in the manuscript. A new “Case and evidence manifest” subsection and table were added without deleting the detailed sampling-topology and execution-metadata material.

Reviewer comment. *Prefer “coordinate-conditioned surrogate” or “branch–trunk MLP surrogate” to an unqualified “neural operator.”*

Response. Implemented throughout. The model is described by its actual architecture and role. The new kinetic conclusion does not depend on calling it an operator.

Reviewer comment. *Keep the surface-only wall-load validation in the main text.*

Response. Retained. It remains important because it establishes that direct wall-profile emulation works before the separate question of bulk-state sufficiency is asked.

Reviewer comment. *Improve figure legibility at journal print scale, especially multi-panel profiles and legends.*

Response. All manuscript figures were regenerated or re-laid out as landscape figures. The new plots use embedded serif fonts, external or non-overlapping legends, consistent normalization, and vector PDF/SVG output. Figure-level decorative titles were removed. For DSMC profiles, raw points remain visible; a facewise Savitzky–Golay line is used only as a display guide and never crosses the apex. All numerical metrics and confidence intervals use unsmoothed data.

Reviewer comment. *Independent DSMC realizations would strengthen the statistical argument, although they need not be mandatory.*

Response. We went beyond the requested minimum by adding a cross-window test. Five short collision-tally blocks are compared against a distinct 40,000-step wall-tally window. This independently confirms the pressure result and the BWD shear result. It also exposes insufficient precision in FWD shear, which is reported transparently. A longer ten-block FWD continuation is being run as a follow-up but is not used in the revised claims.

We thank the reviewer again. The revision preserves the complete validation and reproducibility record while making the scientific claim both stronger and narrower: low-order full-range moment states can be non-identifying for wall traction, whereas the incident half-range state is sufficient under the prescribed wall kernel. We believe this directly addresses the concern that the previous manuscript risked overinterpreting a model-conditional spatial diagnostic.

Sincerely,
Elyas Lekzian and Ehsan Roohi