

R26 · Kn = 0.20 · Density, velocity and temperature




R26 · Kn = 0.20 · Heat flux





R26 · Kn = 0.20 · Deviatoric stress


Horizontal cut · y/L = 0.5





Vertical cut · x/L = 0.5



















SPARTA DSMC (2.0–8.0M, seed 155921)
N20 · archived accepted
N28 · archived accepted
N40 · archived
N45 · archived field-stable
N50 · archived
N60 · archived
N90 · archived
N120 step 6 · provisional


R26 · Kn = 0.20 · Third moments


Horizontal cut · y/L = 0.5





Vertical cut · x/L = 0.5



















SPARTA DSMC (2.0–8.0M, seed 155921)
N20 · archived accepted
N28 · archived accepted
N40 · archived
N45 · archived field-stable
N50 · archived
N60 · archived
N90 · archived
N120 step 6 · provisional


R26 · Kn = 0.20 · Deviatoric fourth moments


Horizontal cut · y/L = 0.5





Vertical cut · x/L = 0.5



















SPARTA DSMC (2.0–8.0M, seed 155921)
N20 · archived accepted
N28 · archived accepted
N40 · archived
N45 · archived field-stable
N50 · archived
N60 · archived
N90 · archived
N120 step 6 · provisional


R26 · Kn = 0.20 · Scalar and reduced fourth moments


Horizontal cut · y/L = 0.5





Vertical cut · x/L = 0.5























SPARTA DSMC (2.0–8.0M, seed 155921)
N20 · archived accepted
N28 · archived accepted
N40 · archived
N45 · archived field-stable
N50 · archived
N60 · archived
N90 · archived
N120 step 6 · provisional

R26 · Kn = 0.20 · Near-lid horizontal heat flux

