ZnS and MoS2 heterostructure interactions

"what are the effect of ZnS on the MoS2 and MoS2 on the ZnS; what are the improvement that they bring for their features?" *Generated by LeapSpace*

ZnS and MoS_2 improve each other mainly by forming an interface that accelerates charge separation, lowers recombination, adds active sites, and can improve stability; the exact benefit depends on which layer is outside and on how much MoS_2 or ZnS is loaded. [185] [196] [224] [225] [226] [227] [228]

Mutual effects in the heterostructure

Direction of effect	What ZnS does to MoS_2	What MoS_2 does to ZnS	Main improvement in features
Electronic / charge-transfer	ZnS paired with MoS_2 creates a favorable interfacial band arrangement that promotes **charge separation and transfer** instead of fast recombination [196] [228]	MoS_2 provides an **electron-accepting / transporting pathway** and helps drive carriers away from ZnS, reducing recombination [224] [225] [229]	Better carrier lifetime, lower charge-transfer resistance, stronger photocatalytic or electrochemical response [200] [224] [230] [231]
Optical response	ZnS can widen the usable response by helping the composite exploit light more effectively through heterostructure formation [196] [227]	MoS_2 extends light absorption into the visible range and acts as a visible-light-active component in ZnS/MoS_2 systems [228] [232] [233]	Broader light harvesting and higher photoactivity [196] [227] [234]
Surface chemistry / active sites	ZnS can introduce sulfur-vacancy-related or interface-related sites that improve reactivity and adsorption [228] [234]	MoS_2 can prevent ZnS/MoS_2 restacking and expose more edge sites, especially when ZnS decorates MoS_2 sheets [228] [234]	More accessible catalytic/adsorption sites and faster surface reactions [228] [234] [235]
Morphology / structure	ZnS contributes to a heterostructured morphology that supports better interfacial contact with MoS_2 [196] [236]	MoS_2 nanosheets or shells increase surface area and provide a layered scaffold [231] [233]	Higher surface area, better interfacial coupling, improved mass transport [231] [233] [237]
Stability	ZnS is chemically stable and can help preserve composite performance in harsh conditions [228] [238]	MoS_2 can stabilize charge retention and reduce decay in certain architectures, including SiO_2-encapsulated systems [185]	Better cycling durability, recyclability, and environmental stability [185] [226] [231] [237]

What ZnS improves in MoS_2

- **Reduces electron-hole recombination** by forming a heterojunction that favors interfacial charge separation [196] [228].
- **Improves photocatalytic activity** versus pure MoS_2 by giving a more favorable composite band structure and morphology [196] [234].
- **Adds stability and adsorption ability**, because ZnS is chemically stable and can provide Lewis-acidic Zn sites for adsorption-driven reactions [228] [238].
- **Can create defects / vacancies** that are helpful when controlled, increasing catalytic activity [234].

What MoS_2 improves in ZnS

- **Raises charge-transport efficiency** by serving as an electron-accepting or electron-sinking phase [224] [225] [229].
- **Expands visible-light utilization**, since MoS_2 itself is visible-light responsive and can add broadband absorption to ZnS-based systems [227] [232] [233].
- **Exposes more active sites** and can suppress restacking or reduce transport barriers in mixed sulfide structures [228] [231].
- **Improves electrochemical performance** in batteries and related devices by enhancing diffusion kinetics and interfacial charge transfer [199] [200] [231].

Practical takeaway

The strongest repeated pattern is that **ZnS makes MoS_2 more useful as an interface-engineered, stable, and more reactive composite**, while **MoS_2 makes ZnS more useful as a charge-transport and visible-light-active component** [196] [228] [234] [237]. In other words, the combination improves **charge separation, light harvesting, active-site exposure, and durability** more than either material alone [185] [196] [224] [231].

Confidence level: High — multiple independent heterostructure studies consistently show the same gains (better charge separation, lower recombination, broader light response, and improved stability), even though the exact magnitude depends on composition, thickness, and shell order.

References

185. Kim, D.-H., Park, J.Y., Choi, H.S., (...), Baik, J.M. (2025) Advancing Humidity-Resistant Triboelectric Nanogenerators Through MoS_2-Encapsulated SiO_2 Nanoparticles for Self-Powered Gas Sensing Applications. *Advanced Energy Materials*. https://doi.org/10.1002/aenm.202405278

196. https://www.sciencedirect.com/science/article/pii/S1573482X23003909

199. Li, Y., Xu, C., Li, D., (...), Huo, P. (2024) ZnS/MoS2 heterostructures on MXene: A strategy for improved polysulfide adsorption and conversion in Li-S batteries. *Chemical Engineering Journal*. https://doi.org/10.1016/j.cej.2024.158151

200. Gu, T., Ren, J., Zhang, S., (...), Lv, Y.-K. (2022) Constructing MoS2/ZnS-NC heterostructures on carbon cloth as anode with enhanced diffusion kinetics for lithium-ion batteries. *Journal of Alloys and Compounds*. https://doi.org/10.1016/j.jallcom.2022.163650

224. Wang, Y., Yang, C., Guo, L., (...), Wang, D. (2023) Plate-on-plate structured MoS2/Cd0.6Zn0.4S Z-scheme heterostructure with enhanced photocatalytic hydrogen production activity via hole sacrificial agent synchronously strengthen half-reactions. *Journal of Colloid and Interface Science*. https://doi.org/10.1016/j.jcis.2022.10.053

225. Qu, S., Wan, J., Ye, X., (...), Kang, J. (2024) Interfacial charge transfer of MoS2/ZnO/Ag2S nanotube array for efficient photocatalytic performance. *Journal of Photochemistry and Photobiology A: Chemistry*. https://doi.org/10.1016/j.jphotochem.2023.115200

226. Zhang, Y., Lu, D., Li, H., (...), Fan, H. (2022) Enhanced visible Light-Driven photocatalytic hydrogen evolution and stability for noble Metal-Free MoS2/Zn0.5Cd0.5S heterostructures with W/Z phase junctions. *Applied Surface Science*. https://doi.org/10.1016/j.apsusc.2022.152770

227. Jayan, G., Elias, L., Anil, A., (...), Shibli, S.M.A. (2024) Step-by-step tuning of morphology and band gap of ZnS/MoS2 photocatalyst for enhanced visible light to hydrogen fuel conversion. *International Journal of Hydrogen Energy*. https://doi.org/10.1016/j.ijhydene.2023.11.102

228. Zhu, X., Wang, L., Qu, X., (...), Kong, F. (2026) Construction of sustainable composite beads of carboxymethyl cellulose-tannic acid embedded with ZnS–MoS2 for ultra-fast tetracycline remediation: high-capacity and rapid antibiotic removal. *European Polymer Journal*. https://doi.org/10.1016/j.eurpolymj.2026.114992

229. https://www.sciencedirect.com/science/article/pii/S1573482X22001850

230. Li, S.-L., Zhu, Y.-Y., Cheng, G.-D., (...), Liu, Y. (2026) Heterojunction nanoengineering achieves robust oncotherapy by reprogramming anoikis resistance and reversing immunosuppression. *Chemical Engineering Journal*. https://doi.org/10.1016/j.cej.2026.179139

231. Raza, A., Rasheed, A., Farid, A., (...), Khan, I.A. (2024) Synthesis of binder-free nanofibers ZnS/MoS2/NiF electrode material for asymmetric supercapacitor applications. *Journal of Energy Storage*. https://doi.org/10.1016/j.est.2024.110811

232. Zheng, D., Zhang, G., Hou, Y., Wang, X. (2016) Layering MoS2 on soft hollow g-C3N4 nanostructures for photocatalytic hydrogen evolution. *Applied Catalysis A: General*. https://doi.org/10.1016/j.apcata.2015.10.037

233. Dong, Haocong, Li, Junzhu, Chen, Mingguang, (...), Zhang, Xixiang (2019) *Materials*. https://doi.org/10.3390/ma12142233

234. Samaniego-Benitez, J.E., Lartundo-Rojas, L., Garcia-Garcia, A., (...), Mantilla, A. (2021) One-step synthesis and photocatalytic behavior for H2 production from water of ZnS/MoS2 composite material. *Catalysis Today*. https://doi.org/10.1016/j.cattod.2019.08.011

235. Liu, D., Gong, J., Sun, C., (...), Song, Y. (2022) Enhanced photocatalytic activity for degradation of ofloxacin and dye by hierarchical flower-like ZnS/MoS2/Bi2WO6 heterojunction: Synergetic effect of 2D/2D coupling interface and solid sulfide solutions. *Catalysis Communications*. https://doi.org/10.1016/j.catcom.2022.106546

236. Tri, P.M., Tran, M.T., Trung, D.Q., (...), Pham, P.T. (2025) Structural and Optical Properties of ZnS/MoS2 Heterostructures Synthesized by Facile Hydrothermal Method. *Lecture Notes in Mechanical Engineering*. https://doi.org/10.1007/978-3-031-96126-7_22

237. Zhang, K., Meng, W., Wang, S., (...), Tao, K. (2019) One-step synthesis of ZnS@MoS2 core-shell nanostructure for high efficiency photocatalytic degradation of tetracycline. *New Journal of Chemistry*. https://doi.org/10.1039/c9nj04073k

238. Bredol, M., Kaczmarek, M. (2010) Potential of nano-ZnS as electrocatalyst. *Journal of Physical Chemistry A*. https://doi.org/10.1021/jp907369f